

---

# Index

## A

Accordion®, 173–174, 193  
Adjunctive alpha-1 blockers, 95  
Adult Ureteroscopy Trainer™, 447–448  
Alpha-adrenergic blockers  
  alfuzosin group, 355  
  clinical role of, 354  
  effects of, 355  
  tamsulosin, 354  
American College of Obstetrics and Gynecology (ACOG), 376  
American College of Surgeons (ACS), 444  
American Council for Graduate and Medical Education (ACGME), 444  
Analgesics, stent-related pain, 202  
Angiographic catheter, 393, 394  
Angled catheters  
  coaxial system, 131  
  Cobra catheter  
    deflecting wire guide catheter, 133  
    J-hooked ureter, 133, 135  
    Mitrofanoff, 135  
    orientation, 133, 135  
    transplant kidney, 133–134  
  diameter, 132  
  early usage, 131–132  
  length, 132  
  nephrostomy, 131  
  tip angle and malleability, 133  
  tip shape, 133–134  
Antegrade techniques, 388, 389, 391, 396  
Anticholinergics, 355–356  
Anticoagulation  
  balloon dilators, 403  
  bleeding diathesis, 399  
  case studies, 402, 403  
  diathesis etiologies, 403  
  flexible cystoscopy, 403  
  holmium laser, 402, 403  
  indications, 402  
  laser lithotripsy, 403, 404  
  URS, 399, 402, 403  
Antimicrobial prophylaxis  
  agents, 213  
  bacteria, 211  
  Clostridium difficile infections, 212

  externalized and internalized catheters, 214  
  patient and operation characteristics, 212  
  randomized controlled trials, 213  
  surgical site infections, 211  
  surgical wound classification, 211  
  urinary tract infections, 211  
Antiretropulsion devices  
  accordion®, 173–174, 193  
  BackStop®, 174–175, 193–194  
  entrapment with nitinol basket, 194  
  migration, 171  
  NTrap®, 172–173, 192–193  
  stone cone®, 171–172, 192–193

## B

BackStop®, 174–175, 193–194  
Balloon dilation technique  
  anticoagulation, 403  
  bleeding complications, 420–421  
  intrarenal stenoses, 412  
  kidney ureter bladder, 364  
  postoperative imaging, 364  
  robotics system, 440  
  ureteral stents, 346  
  ureteral strictures, 58–59  
  ureteroenteric anastomotic strictures, 62  
Balloon expandable ureteral access (BEUS), 286  
Barenaked basket, 194  
Basket articulating mechanisms, 181, 186  
Basket impaction, 195  
Benign essential hematuria  
  biopsy of small renal pelvic papillary tumor, 36  
  bleeding, 33  
  causes of, 32–33  
  evaluation of, 37–38  
  guidewire, 35  
  hemangiomas, 31  
  intrarenal collecting system and upper ureter, 35  
  irrigation with dilute contrast, 36  
  laser ablation, 36–37  
  loin pain hematuria syndrome, 32  
  nonglomerular case, 31  
  no touch method, 35  
  nutcracker syndrome, 32  
  technical considerations, 37

- Benign essential hematuria (*cont.*)  
 treatment, 37  
 unilateral and bilateral hematuria, 33  
 upper urinary tract filling defects, 30–31  
 urothelial abrasion, 33, 35  
 venous abnormalities, 32
- BIGOpsy™, 278–279
- Bilateral ureteral calculi, 93–94
- Biofilms, ureteral stents, 200–201
- Bladder tumor antigen (BTA), 305
- Blind basketing, 195
- Blue Spritz technique, 411
- BMI. *See* Body mass index (BMI)
- Body mass index (BMI), 399, 401
- Boston scientific graspsit forceps, 190, 192
- Boston scientific single action pump (SAP), 146–147
- Botulinum toxin A, 202–203
- Bristol Female Lower Urinary Tract Symptoms (BFLUTS), 343
- C**
- Cadaveric animal models, 448
- Calcium channel blockers, 356
- Calyceal diverticula  
 complications  
 bleeding and infection, 414  
 iatrogenic damage and urinary extravasation, 414  
 equipment, 410  
 extracorporeal shockwave lithotripsy  
 Holmium laser, 412  
 KUB film, 412  
 flexible ureteroscope, 409, 410  
 history of, 407  
 indications for  
 endoscopic surgeries, 408  
 measurements, 409  
 renal collecting system, 408  
 intravenous pyelogram, 409  
 medullary sponge kidneys, 408  
 open surgery, 407  
 percutaneous nephrolithotomy, 407  
 postoperative care, 414  
 retrograde intrarenal surgery, 411  
 stones  
 double-J pigtail stent, 412  
 Nitinol tipless basket, 412  
 treatment, 414–416
- Chronic kidney disease (CKD), 304
- Cobra catheters  
 deflecting wire guide catheter, 133  
 features, 133–134  
 J-hooked ureter, 133, 135  
 Mitrofanoff, 135  
 orientation, 133, 135  
 transplant kidney, 133–134
- Complex ureteral access. *See* Ureteral access
- Complications  
 bleeding  
 endoureterotomy, 420  
 flexible ureteroscopies, 420  
 ureteral balloon dilator, 420–421  
 infection and fever  
 bacteria, 427  
 fungal sepsis, 427  
 instrument malfunction  
 baskets, 421  
 laser fibers, 421  
 mucosal abrasion, 422  
 mucosal trauma, 425  
 silent hydronephrosis, 427–428  
 steinstrasse  
 distal ureter, 426  
 indications for, 427  
 percutaneous nephrostomy tube placement, 427  
 types, 426  
 submucosal tunneling  
 extravasation, 422–423  
 retrograde ureteropyelograms, 422  
 tachy, 422  
 thermal tissue damage  
 Holmium: YAG laser, 421  
 lithotripsy, 421  
 ureteral avulsion  
 cause of, 424  
 incidence of, 424  
 ureteropelvic junction, 425  
 ureteral injuries  
 intussusception injury, 429  
 larger ureteral defects, 432  
 principles of, 429  
 ureteroneocystotomy, 429, 430  
 ureteral perforation  
 intussusception, 423–424  
 retrograde pyelogram, 424  
 ureteral strictures  
 etiology for, 428  
 intraoperative view, 429, 430  
 intravenous urogram, 429  
 risk for, 428  
 vesicoureteral reflux, 426
- Computed tomographic urography (CTU), 362
- Contrast-based retrograde pyelogram, 292, 296
- Cutting balloon catheter endopyelotomy  
 acucise endopyelotomy, 51  
 extravasation after balloon deflation, 49  
 features, 46, 48  
 hematuria, 52  
 intraoperative retrograde pyelography, 48  
 objective postoperative evaluation, 51  
 percutaneous drainage of urinoma, 52  
 periureteral fat, 49–50  
 waist stricture, 48–49
- Cytology, 305
- D**
- Digital flexible ureteroscope  
 Gyrus ACMI Invisio DUR D, 118  
 imaging, 116  
 specifications, 116–117  
 Storz FLEX XC, 118

- USAF test pattern card, 118
  - working paradigm, 116
- Digital ureteroscopes, 337
- Dimension basket, 189
- Dormia helical stone baskets, 179–180
- Dorsolithotomy position
  - additional padding, 227
  - ELDL, 228
  - genitals, 228
  - semirigid ureteroscopy, 263
- E**
- EHL. *See* Electrohydraulic lithotripsy (EHL)
- Electrohydraulic lithotripsy (EHL)
  - complications, 150
  - instrumentation, 150–151
  - intraureteral problems, 276
  - vs. laser, outcomes, complications, and costs, 157
  - safety, 154
  - vs. ultrasonic, outcomes, complications, and costs, 156–157
  - Urat-1* pulse generator, 150
  - vaporization, 150
- Endoscopic lithotripsy, 298, 300
- Endoureterotomy, 279, 334
- Excretory urography, 362
- Extended leg dorsolithotomy (ELDL), 228
- Extracorporeal shockwave lithotripsy (ESWL), 297–298, 408
- F**
- Ferromagnetic extraction
  - bladder model, 454, 455
  - calcium oxalate stone, 454
  - 2.4 F nitinol basket, 456
  - microparticles, 455
  - ureteroscopic tool, guidewire, 455
- Fiberoptic flexible ureteroscope
  - beveled tip of dual-channel handle, 114–115
  - Cobra dual-channel, 114–115
  - Flexvision U-500, 114
  - light transfer, 112
  - moire effect, 114–115
  - Olympus URF-P5, 114
  - parameters, 113
  - refractive index, 112
  - working paradigm, 113
- Fibrin/fibrinogen degradation product (FDP), 305
- Flashlamp pumped pulsed dye laser (FPDL), 322
- Flexible cystoscopy, anticoagulation, 403
- Flexible robotic system
  - components, 438
  - schematic representation, 438
  - steerable guide catheter, 439
  - surgeon console setup, 438, 439
- Flexible ureteroscopy
  - calyceal diverticula, 409, 410
  - components, 112
  - deflection and ability, 121
  - digital
    - Gyrus ACMI Invisio DUR D, 118
    - imaging, 116
    - specifications, 116–117
    - Storz FLEX XC, 118
    - USAF test pattern card, 118
    - working paradigm, 116
  - durability
    - active deflection, 121–123
    - device age and repair, 122
    - fiberoptic vs. digital, 122–123
    - loss of deflection, 123
    - manufacturers, 121
    - quality of image, 122
    - ureteral access sheaths, 123
    - working channel damage, 121
  - DUR 8 Elite ureteroscope, 121
  - fiberoptics
    - beveled tip of dual-channel handle, 114–115
    - Cobra dual-channel, 114–115
    - Flexvision U-500, 114
    - light transfer, 112
    - moire effect, 114–115
    - Olympus URF-P5, 114
    - parameters, 113
    - refractive index, 112
    - working paradigm, 113
  - Flex X2, 119–120
  - 3.6 Fr working channels, 120
  - hand/wrist problems, 124
  - holmium:YAG optical laser fiber
    - active primary and passive secondary deflections, 167
    - ball tip, 166
    - degradation, 165
    - design, 162
    - diameter, 163–164
    - evaluation, 163
    - factory prepared fiber, 165–166
    - failure during testing, 162–163
    - flexibility, 164
    - high incidence angles, 162
    - photothermal ablation, 161
    - polishing, 166
    - proximal connector failure, 165
    - pulse energy and frequency, 161
    - resistance to fracture with bending, 163
    - Tridedyne 200 fiber, 164
  - irrigation flow, 119
  - parameters and durability, 119
  - prevention of damage, 123–124
  - representative types, 119
  - vs. semirigid ureteroscopy
    - allograft transplant ureters, 261
    - distal ureteral calculus, 260, 261
    - lower ureter, 260, 262
    - specifications, 258, 259
    - UPJ, 258, 260
  - SolidFlexT endoscopic technology, 125

- Flexible ureteroscopy (*cont.*)  
 upper tract urothelial carcinoma, 307  
 ureteral access sheath, 124  
 advantages, 281–282  
 intrarenal calculi treatment, 286  
 ischemia, 283  
 percutaneous stone procedures, 285  
 properties of, 284–285  
 radially dilating balloon, 285–286  
 renal stones, 286–288  
 scope damage reduction, 283  
 stent/no stent, 283  
 stricture risks, 283
- Viper, 119–120  
 wireless and sheathless  
 atraumatic evaluation, 291  
 complication, 300–301  
 endoscope access, 294–296  
 instrumentation, 292, 293  
 stone, 299–300  
 technique, 292–295  
 upper urinary tract urothelial tumor, 296–297  
 ureteroscopic lithotripsy, 297–298
- Fluorescence in situ hybridization (FISH), 305, 306  
 8/10 Fr coaxial dilator, 390
- G**  
 Gelfoam, 369  
 Graspers. *See* Stone forceps  
 Guidewires  
 biomedical model, 130–131  
 force and friction, 130  
 glide, 129, 130  
 intraluminal devices, 127  
 Lubriglide, 130  
 margin of error, 131  
 physical and mechanical properties, 129  
 Sensor wire, 129  
 size, 127–128  
 surface coating, 129  
 tip design, 128  
 tortuous ureters, 127  
 wire rigidity, 128–129
- H**  
 Hematuria. *See* Benign essential hematuria  
 High-fidelity simulators, 445  
 Holmium laser  
 ablate tumor, 279  
 dilated ureteral segment, 278  
 EHL, 276  
 endoureterotomy, 279  
 equipment, 272  
 lithotripsy, 90, 91  
 pneumatic lithotripter, 276  
 stenotic intramural ureter, 275
- Holmium storm, 281  
 Holmium:YAG optical laser fiber  
 active primary and passive secondary  
 deflections, 167  
 ball tip, 166  
 degradation, 165  
 design, 162  
 diameter, 163–164  
 evaluation, 163  
 factory prepared fiber, 165–166  
 failure during testing, 162–163  
 flexibility, 164  
 high incidence angles, 162  
 photothermal ablation, 161  
 polishing, 166  
 proximal connector failure, 165  
 pulse energy and frequency, 161  
 resistance to fracture with bending, 163  
 Tridedyne 200 fiber, 164
- Horseshoe kidney  
 embryology of, 383  
 flexible ureteroscopy, 384–385  
 operative approach, 385–386  
 postoperative approach, 386  
 preoperative approach, 385  
 stone disease impact, 383–384  
 ureteroscopic treatment, 384
- Hydronephrosis, 51, 363
- I**  
 Immunocyt™, 305  
 Indwelling ureteral stents, 342, 351  
 Informed consent  
 litigation, 210  
 materiality standard, 210  
 physician–patient relationship, 209  
 professional standard, 210  
 transurethral resection of prostate, 211
- Infundibular stenosis  
 description, 407  
 equipment, 410
- Internal ureteral stents, 351  
 International Continence Society (ICS), 343  
 International Prostate Symptom Score (IPSS), 343  
 Intracorporeal lithotripsy  
 electrohydraulic  
 complications, 150  
 instrumentation, 150–151  
 vs. laser, outcomes, complications,  
 and costs, 157  
 vs. pneumatic, outcomes, complications,  
 and costs, 156–157  
 safety, 154  
*Urat-1* pulse generator, 150  
 vaporization, 150  
 outcomes, complications, and costs comparisons,  
 155–156

pneumatic  
 Browne pneumatic impactor, 152  
 compressed air, 151  
 vs. laser, outcomes, complications, and costs, 157–158  
 Lithovac, 152  
 vs. pneumatic ultrasonic vs. laser, outcomes, complications, and costs, 158  
 safety, 154–155  
 stone fragmentation, 150–151  
 pneumatic ultrasonic, 153  
 ultrasonic  
 vs. electrohydraulic, outcomes, complications, and costs, 156  
 high frequency energy waves, 152  
 instrumentation, 151–152  
 safety, 155  
 wire probe, 152

Intrarenal calculi  
 evidence-based outcomes  
 contemporary ureteroscopy series, 100, 102  
 early ureteroscopy series, 100–101  
 imaging modalities, 101  
 lower pole stones, 101  
 materials and methods, 100  
 small patient number, 100  
 stone-free rates, 100, 103  
 horseshoe kidney, 106  
 lower pole location, 104–105  
 nephrolithiasis, 99  
 stone-free rate, 102–103  
 stone size, 103–104  
 ureteroscopic anatomic strengths, 105–106

Intrarenal stenoses  
 balloon dilation, 412  
 Blue Spritz technique, 411  
 Holmium laser, 412  
 infundibulum, 411  
 retrograde intrarenal surgery, equipment, 411

Intravenous pyelography (IVP), 236

Irri-flo irrigation delivery system, 146–147

Irrigation fluids  
 calcium channel blockers, 148  
 hyponatremia, 146  
 pharmacological agents, 146  
 response on endoluminal pressure, 147

Irrigation systems, 146–147

Ischemia, 283

**K**

Kidney transplant ureteral strictures, 62–63

Kidney ureter bladder (KUB), 236, 252  
 balloon dilation, 364  
 hydronephrosis, 363–364  
 lower pole renal stone, 363  
 no residual stone, 363  
 ureteral sheath, 365  
 ureteral stent with steinstrasse, 363–364

Kosin universal piggy-back irrigation system, 146–147

Kumpe catheters, 133–134

**L**

Ladder technique, 264, 265

Laparoscopic radical nephrectomy, UUT-TCC, 76–77

Laser lithotripsy  
 anticoagulation, 403, 404  
 development  
 Er:YAG, 327  
 temporal pulse profiles, 327  
 thulium fiber laser, 327  
 elements of, 321  
 Ho:YAG  
 advantages of, 324  
 stone retropulsion, 323, 324  
 thermosensitive polymer, 324  
 mechanisms, 322  
 Moses effect, 323  
 optical fibers  
 long-pulsed lasers, 327  
 numerical aperture, 325  
 silica, 325  
 subminiature version A, 326  
 photoacoustic interaction, 322  
 urinary calculi, 321

Lateralizing hematuria. *See* Benign essential hematuria

Leadbetter-Politano technique, 387, 388

Lich-Gregoir extravesical approach, 387, 389, 390

Loin pain hematuria syndrome, 32

Lower pole kidney stone, 99, 105

Low-fidelity simulators, 445, 446

**M**

Magnetic resonance urography (MRU), 304

Malrotated kidney  
 embryology of, 383  
 flexible ureteroscopy, 384–385  
 operative approach, 385–386  
 postoperative approach, 386  
 preoperative approach, 385  
 stone disease impact, 383–384  
 ureteroscopic treatment, 384

Master input device (MID), 438

Medullary sponge kidneys (MSK), 408

Moses effect, 323

Multidetector computed tomographic urography (MDCTU), 304

**N**

Narrow-band imaging (NBI), 315, 337–338

NCCT. *See* Noncontrast CT (NCCT)

NCircle basket, 180, 181

Needle ureteroscope. *See* Semirigid ureteroscopy

Nephrolithiasis  
 intrarenal calculi, 99  
 robotic system, 440  
 stone management, 373  
 ureteral stenting, 343

Nephrostomy, 375

Nitinol basket, 194

Nitinol retrieval device, 192, 193

- Noncontrast CT (NCCT)  
 postoperative imaging, 361–364  
 proximal ureteral stone impact, 365  
 retrograde pyelography, 365–366  
 ureteral perforation, 367  
 ureteral stricture, 365–366
- Nonglomerular hematuria, 31
- Nonsteroidal cyclooxygenase, 356
- Non-VR simulators, 446
- NTrap<sup>®</sup>, 172–173, 192, 193
- Nuclear renal imaging, 362
- Nutcracker syndrome, 32
- O**
- Obesity  
 bleeding diathesis, 399  
 body mass index, 399, 401  
 epidemiological studies, 399  
 fluoroscopy, 400  
 vs. nonobese patients, 400  
 percutaneous nephrolithotomy, 399, 400  
 shock wave lithotripsy, 400  
 technical considerations, 401–402  
 URS, 399, 400
- Objective structured assessment of technical skills (OSATS), 445
- Open radical nephroureterectomy, UUT-TCC, 76
- Oxybutynin, 202
- P**
- Papillary tumor, 297
- Patient positioning  
 dorsolithotomy, 227–231  
 additional padding, 227  
 complications, 230–231  
 ELDL, 228  
 genitals, 228  
 goals, 226  
 management, 231  
 prone, 229, 231
- PCNL. *See* Percutaneous nephrolithotomy (PCNL)
- Peditrol Foot Pump, 146–147
- Pelvic kidney  
 embryology of, 383  
 flexible ureteroscopy, 384–385  
 operative approach, 385–386  
 postoperative approach, 386  
 preoperative approach, 385  
 stone disease impact, 383–384  
 ureteroscopic treatment, 384
- Percutaneous nephrolithotomy (PCNL)  
 flexible ureteroscopic lithotripsy, 298  
 obesity, 399, 400  
 ureteral access sheath, 285, 286  
 urolithiasis, 453
- Phenazopyridine, 202
- Phosphodiesterase inhibitors, 356
- PL. *See* Pneumatic lithotripsy (PL)
- Plain abdominal radiograph, 361, 363
- Pneumatic lithotripsy (PL)  
 Browne pneumatic impactor, 152  
 compressed air, 151  
 vs. laser, outcomes, complications, and costs, 157–158  
 Lithovac, 152  
 safety, 154–155  
 stone fragmentation, 150–151  
 vs. ultrasonic vs. laser, outcomes, complications, and costs, 158
- Pneumatic lithotripter, 276
- Pneumatic ultrasonic lithotripsy (PUL), 153
- Polyethylene, 204
- Postoperative imaging  
 computed tomographic urography, 362  
 excretory urography, 362  
 indications for, 361  
 kidney ureter bladder  
 balloon dilation, 364  
 hydronephrosis, 363–364  
 lower pole renal stone, 363  
 ureteral sheath, 365  
 ureteral stent with steinstrasse, 363–364
- MRI, 362
- noncontrast CT, 361, 362  
 proximal ureteral stone impact, 365  
 retrograde pyelography, 365–366  
 ureteral perforation, 367  
 ureteral stricture, 365–366
- nuclear renal imaging, 362
- plain abdominal radiograph, 361
- renal ultrasound, 361
- routine follow-up imaging modality, 362–363
- severe pain  
 hematuria, 368–369  
 perinephric stranding, 368  
 ureteroscopic laser lithotripsy, 368–369
- Pre-stenting roles  
 clinical practice, 254  
 definition, 251  
 disadvantages, 253  
 effect  
 complication rate, 253  
 cost, 253  
 operative time, 252–253  
 stone-free rate, and reoperation rate, 251–252  
 indications and principles, 251  
 technical aspects, 254
- PUL. *See* Pneumatic ultrasonic lithotripsy (PUL)
- Pulsed mode, radiation safety  
 rate selections, 243  
 sample screen, 242
- Q**
- Q-switched alexandrite laser, 322
- Q-switched Nd:YAG laser, 322

**R**

- Radially dilating balloon, 285–286
- Radiation dose comparison, 238, 239
- Radiation equivalents, 235
- Radiation exposure, 234, 235, 241
- Radiation hormesis, 234
- Radiation physics
  - equivalents, 235
  - exposure, 234, 235
  - stochastic effects, 235
- Radiation safety
  - in children, 243–245
  - CT imaging strategies, 238–240
  - dose comparison, 238–239
  - historical implications, 234
  - imaging, 238
  - intraoperative strategies
    - C-arm positioned fluoroscopy, 242, 244
    - collimation, 241
    - fluoroscopy, 240
    - inverse square law, 241
    - pulsed mode, 242, 243
    - radiation exposure, 241
    - tactile and visual cues using, 243, 244
    - whited out, 242
  - in pregnant patients, 245
  - preoperative imaging
    - characteristics, 237
    - kidney ureter bladder, 236
    - technetium-99m diethylenetriaminepentaacetic acid, 237
    - ultrasonography, 236
  - radiation exposure, 237–238
  - radiation physics
    - equivalents, 235
    - exposure, 234, 235
    - stochastic effects, 235
- Radical nephroureterectomy (RNU), 303
- Radiotherapy, 295
- Renal-sparing surgery
  - endoscopic treatment, 77
  - segmental resection, 77
- Renal stones, 286–288
- Renal ultrasound, 361
- Retrograde approach, 389, 394–396
- Retrograde laser endopyelotomy, 50–51
- Retrograde pyelogram, calyceal diverticula, 409
- Retrograde ureteropyelogram (RPG), 306, 307
- Retropertoneal surgery, 295
- Retropulsion, stone migration
  - energy sources, 170
  - lithotrite setting effect, 170–171
  - patient positioning and irrigant pressures, 170
  - risk factors and mechanisms, 169
- Reverse transcriptase polymerase chain reaction (RT-PCR), 352
- Robotic flexible catheter system, 437
- Robotic system
  - advantages, 437

## clinical data

- complete stone clearance, 440
  - complications, 440–441
  - hardware improvements, 441
  - flexible Sensai, 437
  - motion scaling, 441
  - preliminary animal studies
    - balloon dilation, 440
    - Ho:YAG laser, 438
    - visual analog scale, 440
  - remote master-slave control system, 441
- Room setup
- canal with non-penetrating clamp, 219, 220
  - endoscopic suite ergonomics, 217–218
  - equipment, 223–224
  - irrigant selection, 225–226
  - schematic representation, 218–219
  - screen door effect, 221–222
  - video monitors, 219–220
  - video screen in ceiling hung, 220–221
  - well-organized back table, 220–221
  - X-ray setup, 224

**S**

- Segura flat-wire basket, 180
- Semirigid ureteroscopy
  - cleveland clinic approach
    - contortionist, 263
    - dorsolithotomy position, 263
    - vs. flexible, 258–261
    - improvement in stone clearance rates, 266
    - indications, 257–258
    - pitfalls and complications, 267
    - preexisting urinary tract infection, 262
    - technique, 263–266
    - trimethoprim-sulfa, 262
  - tulane approach
    - equipment, 271–272
    - indication, 271
    - mucosal flap, 279
    - scope passage, 275–276
    - stone treatment, 276–278
    - stricture treatment, 278–279
    - techniques, 272–275
    - ureter access, 275
    - visualization problem, 276
- Shock wave lithotripsy (SWL), 400, 453
- Short-tipped baskets, 187
- Silent hydronephrosis, 427–428
- Single action pumping system™, 276
- Small caliber nitinol basket, 298
- Soft-tipped baskets, 187
- Spontaneous stone passage, 88–90
- Steinstrasse
  - distal ureter, 426
  - indications for, 427
  - percutaneous nephrostomy tube placement, 427
  - types, 426

- Stenotic intramural ureter, 275
- Stent discomfort
- alpha-adrenergic blockers
    - alfuzosin group, 355
    - clinical role of, 354
    - effects of, 355
    - tamsulosin, 354
  - alpha and beta agonists, 352
  - anticholinergics, 355–356
  - calcium channel blockers, 356
  - corticosteroids and nonsteroidal drugs, 356–357
  - design and placement
    - alpha blockers, effects of, 353
    - morbidity reduction, 352
    - USSQ scores, 353
  - evaluation of, 352
  - intravesical therapy
    - botulin toxin type A, 353
    - Proteus mirabilis*, 354
  - phosphodiesterase inhibitors, 356
  - prevalence of, 351
  - ureteral contraction, 352
- Stone baskets
- anti-retropulsion devices, 192–194
  - articulating mechanisms, 181, 186
  - characteristics
    - basket sheath diameter, 181, 186
    - basket tip, 186–187
    - degree of linear basket opening, 187
    - material, 181
    - radial dilation force, 187
    - wire number and configuration, 181
  - complications, 195–196
  - effects of stone extraction devices
    - flexible ureteroscope deflection, 194, 195
    - irrigant flow, 194
  - factors
    - engagement of stone, 187–188
    - retention of stone, 188–189
    - stone release, 189
  - indications, 187
  - ureteroscopic history
    - dormia helical, 179–180
    - NCircle, 180–181
    - nitinol construction, 180–183
    - segura flat-wire, 180
    - stainless steel construction, 180–181, 184–185
- Stone cone<sup>®</sup>, 171–172
- Stone cone nitinol retrieval device, 192, 193
- Stone extraction devices
- characteristics, 194–195
    - basket sheath diameter, 181, 186
    - basket tip, 186–187
    - degree of linear basket opening, 187
    - material, 181
    - radial dilation force, 187
    - wire number and configuration, 181
  - factors
    - engagement of stone, 187–188
    - retention of stone, 188–189
    - stone release, 189
  - flexible ureteroscope deflection, 194, 195
  - irrigant flow, 194
- Stone forceps
- complications, 195, 196
  - extraction devices, 194–195
- Stone management, pregnancy
- anesthesia, 376–377
  - complications, 380
  - contraindications, 375
  - epidemiology, 373
  - maternal-fetal concerns, 375–376
  - natural history of, 374–375
  - physiology, 374
  - preoperative considerations, 376
  - protocols
    - image guidance, 377
    - lithotripsy, 378–379
    - safety wire placement, 377–378
    - stent placement, 379
    - ureteroscopic inspection, 378
    - temporizing management strategies, 375
- Stone migration devices
- anti-retropulsion devices
    - accordion<sup>®</sup>, 173–174
    - backstop<sup>®</sup>, 174–175
    - migration, 171
    - NTrap<sup>®</sup>, 172–173
    - stone cone<sup>®</sup>, 171–172
  - cost, 175
  - deployment, 175
  - irrigation, 175
  - prevention, 169
  - retropulsion
    - energy sources, 170
    - lithotrite setting effect, 170–171
    - patient positioning and irrigant pressures, 170
    - risk factors and mechanisms, 169
    - ureteroscopic lithotripsy, 175–176
- Stone retropulsion, 170–171
- Stricture, laser applications
- complications, 337
  - cystoscopy, 332
  - indications, 331
  - instrumentation, 332
  - postoperative consideration, 336
  - preoperative preparation, 331–332
  - retrograde pyelogram, 332–333
  - surgical technique, 333–334
  - urothelial carcinoma, 332
- Subminiature version A (SMA), 326
- Submucosal tunneling
- extravasation, 422–423
  - retrograde ureteropyelograms, 422
  - tachy, 422
- Surgical simulation
- Adult Ureteroscopy Trainer<sup>†</sup>, 447
  - bench-top models, 445
  - biological models
    - comparison, 449
    - multi-papillary kidney architecture, 448



- implementation
    - cadaveric porcine urinary tracts, 450
    - Kolb constructivist theory, 449
  - OSATS criteria, 446
  - Scope Trainer<sup>†</sup>, 447
  - UroMentor<sup>†</sup>, 448
  - utility
    - animal and cadaveric models, 444
    - medicolegal issues, 443
    - videoendoscopy, 443
  - validation
    - global rating score, 445
    - objective structured assessment of technical skills, 445
  - SWL. *See* Shock wave lithotripsy (SWL)
- T**
- Tamm–Horsfall protein, 201
  - Target basket width (TBW), 188
  - TBW. *See* Target basket width (TBW)
  - Thermal tissue damage, 421
  - Transitional cell carcinoma of upper urinary tract (UUT-TCC)
    - bladder cancer, 82
    - diagnostic ureteroscopy and biopsies, 74–75
    - epidemiology, 73
    - follow-up, 82
    - management of localized disease
      - laparoscopic radical nephrectomy, 76–77
      - open radical nephroureterectomy, 76
      - renal-sparing surgery, 77
    - outcomes, 80
    - presentation, 73
    - prognostic factors, 76
    - radiological imaging, 74
    - recurrence rates, 81
    - retrograde ureteropyelography, 74
    - risk factors and genetics, 73
    - staging and grading, 75–76
    - survival rates, 81
    - tumor progression, 81
    - ureteroscopic management
      - adjuvant topical therapy, 79
      - advantages of, 80
      - complications, 80
      - disadvantages of, 80
      - indications, 77–78
      - technique, 78
      - tumor ablation, 78–79
    - ureteroscopic tumor propagation, 82
    - urinary cytology and cystoscopy, 74
  - Transplantation, complex ureteral access. *See* Ureteral access
  - Trawl, 192
  - Trimethoprim–sulfamethoxazole (TMP-SMX), 213
  - Truly tipless baskets, 187
  - Tumor ablation, 332
  - Tumor, laser applications
    - complications, 337
    - cystoscopy, 332
    - indications, 331
    - instrumentation, 332
    - preoperative preparation, 331–332
    - retrograde pyelogram, 332–333
    - surgical technique, 335–336
    - urothelial carcinoma, 332
- U**
- UAS. *See* Ureteral access sheaths (UAS)
  - Ultrasonic lithotripsy (USL)
    - vs.* electrohydraulic, outcomes, complications, and costs, 156
    - high frequency energy waves, 152
    - instrumentation, 151–152
    - safety, 155
    - wire probe, 152
  - Unstented ureteroscopy, 344
  - UPJO. *See* Ureteropelvic junction obstruction (UPJO)
  - Upper tract urothelial carcinoma (UTUC)
    - cancer specific survival, 303
    - cell block preparation
      - handling, 315
      - hematoxylin and eosin, 314
      - histology, 314
      - ureteroscopic biopsy, samples, 315
    - chronic kidney disease, 304
    - clinical determinants, 18–19
    - cytospin technique
      - grade 2 tumor, cytology specimen, 314
      - Saccommanno fixative, 314
    - description of, 303
    - economic factors, 22
    - endoscopic evaluation
      - cup biopsy forceps and flat wire basket, 309
      - cystoscopy, 306
      - cytopathologic techniques, 311
      - flat wire basket, 313
      - flexible ureteroscope, 307
      - Ho:YAG laser, 311, 312
      - larger cup forceps, visual field, 310, 311
      - Luer lock syringe (50–60 mL), 309
      - no touch technique, 307
      - retrograde ureteropyelogram, 306, 307
      - systematic pyeloscopy, 308
      - ureteral neoplasm, 308
    - magnetic resonance urography, 304
    - multidetector computed tomographic urography, 304
    - nonclinical determinants, 20
    - prevalence of, 303
    - radical nephroureterectomy, 303
    - role of urine
      - cytologic examination, 305
      - FISH analysis, 306

- Upper tract urothelial carcinoma (UTUC) (*cont.*)
- sensitivity and specificity, 304
  - urine-based markers, 305
  - specimen handling, 314
  - staining techniques
    - Bouin's fixative, 316, 317
    - mitotic specific marker, 317
  - ureteroscopy
    - narrow band imaging, 315
    - renal upper pole papillary tumor, 316
    - white light imaging, 315
  - utilization patterns, 15
- Upper urinary tract, transitional cell carcinoma. *See* Transitional cell carcinoma of upper urinary tract (UUT-TCC)
- Ureteral access sheaths (UAS), 99–101
- damage reduction, 137
  - dilation, 140
  - flexible ureteroscopy
    - advantages, 281–282
    - intrarenal calculi treatment, 286
    - ischemia, 283
    - percutaneous stone procedures, 285
    - properties of, 284–285
    - radially dilating balloon, 285–286
    - renal stones, 286–288
    - scope damage reduction, 283
    - stent/no stent, 283
    - stricture risks, 283
  - intrarenal pressures, 138–139
  - operative time and cost, 139–140
  - physical properties and deployment, 137–138
  - postoperative imaging, 364
  - renal transplantation
    - antegrade techniques, 388, 389
    - 8/10 Fr coaxial dilator, 390
    - Leadbetter-Politano technique, 387, 388
    - Lich-Gregoir extravesical approach, 387, 389, 390
    - retrograde approach, 389
    - ultrasound imaging, 391, 392
  - stone free rates, 140
  - symptoms, 140
  - upper tract urothelial carcinoma treatment, 141
  - ureteral blood flow and ureteral strictures, 140–141
  - urinary diversion
    - antegrade approach, 396
    - endourological management, 394
    - flexible cystoscope, 395, 396
    - intraoperative cystogram, 395
    - retrograde access, 394–396
  - urinary tract duplication
    - angiographic catheter, 393, 394
    - description, 391
    - embryologic development, 391, 392
    - imaging studies, 392, 393
- Ureteral calculi
- bilateral, 93–94
  - cost-benefit analysis, 90
  - evolution of URS, 87–88
  - factors
    - aberrant anatomy, 94
    - antegrade ureteroscopy, 93
    - anticoagulation, 94
    - impacted proximal ureteral stones, 91
    - infection, 94
    - obesity, 94
    - stone composition, 91
    - stone size and location, 90–92
  - gender-based preferences, 90
  - immediate *vs.* delayed URS, 94–95
  - medical expulsive therapy, 88
  - rate of spontaneous passage, 87
  - role of adjunctive alpha-1 blockers, 95
  - spontaneous passage, 89
  - stone-free rates, 88
  - ureteroscopy *vs.* shock wave lithotripsy
    - factors, 89
    - laser fibers and baskets, 89
    - Stone Cone, 90
- Ureteral fibrosis, 295
- Ureteral injuries
- intussusception injury, 429
  - larger ureteral defects, 432
  - principles of, 429
  - ureteroneocystotomy, 429, 430
- Ureteral peristalsis, 203
- Ureteral stents, 140. *See also* Pre-stenting roles
- alpha blockers, 202
  - analgesics, 202
  - anthropometric factors, 202
  - biofims, 200–201
  - biomaterials, 204
  - botulinum toxin A and symptoms, 202–203
  - health-related quality of life, 343
  - indications, 199–200
  - infection, 200
  - investigation
    - balloon dilation, 346
    - POD, 347
    - pregnant patients, 346
  - irritation, 201
  - length, 201–202
  - meta-analysis, 344–345
  - peristalsis, 203
  - placement
    - advantages and disadvantages of, 342
    - vs.* non-stent, 343–344
    - risk factors for, 342
  - softer Sof-Flex, 203
  - stone surgery, 341
- Ureteral stent symptom questionnaire (USSQ), 203, 352
- Ureteral stones. *See* Ureteral calculi
- Ureteral strictures
- antegrade technique, 57
  - balloon dilation/endoureterotomy technique, 58–59
  - combination of retrograde-antegrade approach, 57–58
  - complications, 63
  - etiology, 55–56
  - etiology for, 428
  - evidence-based outcomes, 65–66

- factors
    - duration and length, 64
    - etiology and location, 64
    - laterality, 64
    - renal function, 63–64
    - steroid injection, 64–65
  - follow-up after treatment, 63
  - intraoperative view, 429, 430
  - intravenous urogram, 429
  - kidney transplant, 62–63
  - malignant ureteral obstruction, 56
  - reconstructive technique, 60
  - retrograde technique, 56–57
  - risk for, 428
  - techniques for endoscopic management, 56
  - ureteral stent selection, 59–60
- Ureteral tumor, 307
- Ureteroenteric anastomotic strictures
  - antegrade technique, 61
  - balloon dilation technique, 62
  - combination of retrograde-antegrade approach, 61–62
  - etiology, 60
  - evidence-based outcomes, 66
  - retrograde technique, 61
- Ureterolithotripsy, 91, 92
- Ureteropelvic junction obstruction (UPJO)
  - clinical determinants, 19–20
  - congenital obstructions, 41
  - crossing vessels, 41
  - cutting balloon catheter endopyelotomy
    - acucise endopyelotomy, 51
    - extravasation after balloon deflation, 49
    - features, 46, 48
    - hematuria, 52
    - intraoperative retrograde pyelography, 48
    - objective postoperative evaluation, 51
    - percutaneous drainage of urinoma, 52
    - periureteral fat, 49–50
    - waist stricture, 48–49
  - definition, 41
  - diagnosis and preoperative evaluation, 42–43
  - economic factors, 22–23
  - laser endopyelotomy
    - bleeding, 51
    - semirigid and flexible endoscopes, 50
    - symptoms of stent colic, 51
  - laser energy, 44
  - nonclinical determinants, 21
  - patient selection, 43–44
  - postoperative management, 49–50
  - retrograde approach, 41–42
  - ureteroscopic endopyelotomy with electrocautery, 45
  - ureteroscopic laser endopyelotomy
    - adventitial fibers, 46
    - full-thickness incision, 46–47
    - indwelling double-J stent placement, 46–47
    - intraoperative fluoroscopy, 46–47
    - Nd:YAG vs. Ho:YAG, 45
    - posterolateral incision, 46
    - utilization patterns, 15
- Ureteroscopic endopyelotomy with electrocautery, 45
- Ureteroscopic laser endopyelotomy
  - adventitial fibers, 46
  - full-thickness incision, 46–47
  - indwelling double-J stent placement, 46–47
  - intraoperative fluoroscopy, 46–47
  - Nd:YAG vs. Ho:YAG, 45
  - posterolateral incision, 46
- Ureteroscopic lithotripsy, 297–298
- Ureteroscopy (URS)
  - angled catheters (*see* Angled catheters)
  - anticoagulation
    - balloon dilators, 403
    - case studies, 402, 403
    - diathesis etiologies, 403
    - flexible cystoscopy, 403
    - holmium laser, 402, 403
    - indications, 402
    - laser lithotripsy, 403, 404
    - URS, 399, 402, 403
  - antimicrobial prophylaxis
    - agents, 213
    - bacteria, 211
    - Clostridium difficile* infections, 212
    - externalized and internalized catheters, 214
    - patient and operation characteristics, 212
    - randomized controlled trials, 213
    - surgical site infections, 211
    - surgical wound classification, 211
    - urinary tract infections, 211
  - birth of, 9–11
  - clinical determinants
    - diagnosis, 17–18
    - upper tract urothelial cancer, 18–19
    - ureteropelvic junction obstruction and ureteral strictures, 19–20
    - urolithiasis, 16–17
  - complications
    - bleeding, 420–421
    - infection and fever, 427
    - instrument malfunction, 421
    - mucosal abrasion, 422
    - mucosal trauma, 425
    - silent hydronephrosis, 427–428
    - steinstrasse, 426–427
    - submucosal tunneling, 422–423
    - thermal tissue damage, 421
    - ureteral avulsion, 424–425
    - ureteral injuries, 429–430, 432
    - ureteral perforation, 423–424
    - ureteral strictures, 428–430
    - vesicoureteral reflux, 426
  - economic factors
    - upper tract urothelial carcinoma, 22
    - ureteropelvic junction obstruction, 22–23
    - urolithiasis, 21–22
  - factors, 15
  - flexible (*see* Flexible ureteroscopy)
  - guidewire (*see* Guidewires)
  - history of
    - ancient Roman speculum, 4–5
    - Daniel Colladon's illustration, 4–5

- Ureteroscopy (URS) (*cont.*)
- early endoscopic development, 9
  - fiber optics, 8
  - Howard A. Kelly, 3–4
  - Maximilian Nitze's cystoscope and images, 5, 7
  - mignon bulbs in cystoscopes, 6, 8
  - stages, 4
  - waxed candles and mirrors, 4–5
  - Wheeler's light tubes, 5–6
- horseshoe kidney anatomy (*see* Horseshoe kidney)
- informed consent
- litigation, 210
  - materiality standard, 210
  - physician–patient relationship, 209
  - professional standard, 210
  - transurethral resection of prostate, 211
- intracorporeal lithotripsy (*see* Intracorporeal lithotripsy)
- intrarenal calculi (*see* Intrarenal calculi)
- intrarenal stenoses
- balloon dilation, 412
  - Blue Spritz technique, 411
  - Holmium laser, 412
  - infundibulum, 411
  - retrograde intrarenal surgery, equipment, 411
- irrigation fluids
- calcium channel blockers, 148
  - hyponatremia, 146
  - pharmacological agents, 146
  - response on endoluminal pressure, 147
- irrigation systems, 146–147
- laser lithotripsy (*see* Laser lithotripsy)
- lateralizing hematuria (*see* Benign essential hematuria)
- malrotated kidney anatomy (*see* Malrotated kidney)
- nonclinical determinants
- diagnosis, 17–18
  - upper tract urothelial cancer, 20
  - ureteropelvic junction obstruction, 21
  - urolithiasis, 20
- obesity
- body mass index, 399, 401
  - epidemiological studies, 399
  - fluoroscopy, 400
  - vs. nonobese patients, 400
  - percutaneous nephrolithotomy, 399, 400
  - shock wave lithotripsy, 400
  - technical considerations, 401–402
  - URS, 399, 400
- patient positioning (*see* Patient positioning)
- pelvic kidney anatomy (*see* Pelvic kidney)
- postoperative imaging (*see* Postoperative imaging)
- radiation safety (*see* Radiation safety)
- robotics (*see* Robotic system)
- room setup
- canal with non-penetrating clamp, 219, 220
  - endoscopic suite ergonomics, 217–218
  - equipment, 223–224
  - irrigant selection, 225–226
  - schematic representation, 218–219
  - screen door effect, 221–222
  - video monitors, 219–220
  - video screen in ceiling hung, 220–221
  - well-organized back table, 220–221
  - X-ray setup, 224
- semirigid (*see* Semirigid ureteroscopy)
- stent discomfort (*see* Stent discomfort)
- stone basket (*see* Stone baskets)
- stone forceps
- complications, 195, 196
  - extraction devices, 194–195
- stone management, pregnancy (*see* Stone management, pregnancy)
- stone migration devices (*see* Stone migration devices)
- surgical simulation (*see* Surgical simulation)
- transitional cell cancer (*see* Transitional cell carcinoma of upper urinary tract (UUT-TCC))
- UAS (*see* Ureteral access sheaths (UAS))
- ureteral stents (*see* Ureteral stents)
- ureteral stones (*see* Ureteral calculi)
- urolithiasis (*see* Urolithiasis)
- utilization patterns
- multivariate analysis, 14
  - percutaneous nephrolithotomy, 14
  - renal and ureteral calculi management, 13
  - surrogates, 14
  - upper tract urothelial cancer, 15
  - ureteropelvic junction obstruction, 15
- Urinary diversion. *See* Ureteral access
- Urinary endoscopy, 145, 146
- Urinary tract duplication. *See* Ureteral access
- Urolithiasis
- clinical determinants, 16–17
  - description, 453
  - developments, 456–457
  - economic factors, 21–22
  - ferromagnetic extraction
    - bladder model, 454, 455
    - calcium oxalate stone, 454
    - 2.4 F nitinol basket, 456
    - microparticles, 455
    - ureteroscopic tool, guidewire, 455
  - management of, 453
  - nonclinical determinants, 20
  - residual fragments, 454
  - stone-free rate, 453
- UroMentor™, 448
- Uro-Scopic Trainer™, 447
- USL. *See* Ultrasonic lithotripsy (USL)
- USSQ. *See* Ureteral Stent Symptom Questionnaire (USSQ)
- UTUC. *See* Upper tract urothelial carcinoma (UTUC)
- V**
- Vesicoureteral reflux, 426
- Visual analog scales (VAS), 352
- X**
- X-ray setup, 224–225