

INDEX

A

- Acridine orange 135, 138, 140, 142, 216
- Acrylamide
 concentration 147, 169, 173, 174, 181
 gel 164, 165, 169, 170, 174, 176, 179, 184
- Adducts 174
- Affinity 166, 237, 242, 244, 245, 253, 254, 256, 257, 259, 260, 262, 263
- Agarose
 concentration 15, 25, 33, 35, 41, 45
 gel63 130, 189
 low melting point (LMP) 25, 48, 50, 189–191, 203, 211–214, 216, 222, 224, 225, 229, 231
 megabase 197, 200
 melting point 25, 48, 50, 189, 203, 211, 212, 222, 231
 plugs 5, 50, 51, 60, 189–191, 196, 199, 205
 ultrapure low melting-temperature 5, 189
- Alkali-labile site (ALS) 133, 134, 210, 214, 226
- Alkaline 36, 37, 64, 106, 108, 111–113, 133, 134, 164, 209–216, 220, 222–226, 229, 231, 255, 257, 271, 274, 280, 281
- ALS. *See* Alkali-labile site (ALS)
- Analysis
 quantitative 107, 261
 semi-quantitative 134, 292
 software 21, 138, 212, 256
 16S rRNA gene 147
- Annealing 21, 257, 261, 271, 276
- Anode 3, 15, 19, 129, 160, 170, 210, 213, 220, 225, 258, 261
- Archaea 46
- Autoradiography 240, 245, 250, 255, 256, 258, 261, 264, 278, 279, 284

B

- Band-shift 237–250
- Bending
 angle 268, 269, 280
 site 268, 270–277, 281
- Binding
 competitive 254, 264

- cooperative 253, 254, 256, 259, 261–264
 independent 254, 259, 261–263
 non-independent 254
- Bis-acrylamide 272, 287, 289
- Branch migration 57
- Bromophenol blue 19, 25, 27, 31, 33, 35, 36, 42, 66, 87, 88, 108, 125, 135, 148, 163, 175, 180, 181, 239, 240, 242, 243, 248, 250, 256, 272, 287, 289

C

- Capillary transfer 52–53, 60, 201
- Charged coupled device (CCD)
 camera 168, 212, 215, 223
- Chloroquine 122, 123, 125, 127, 130
- Chromatid knots 122
- Chromatography 60, 75, 98, 167, 256
- Chromosomes
 bacterial 187–194
 eukaryotic 64
 yeast 70, 75, 92, 189, 193, 195–203
- Clone screening 22
- Cloning 11–42, 255, 270, 271, 273–275
- Comet
 assay 133, 143, 209–212, 214–216, 220, 229
 head 221
 tail 143, 210, 215, 217, 221, 228, 231
- Comet-FISH 220, 221, 226, 228
- Competent cells 16–18, 20, 22–24, 29, 35, 275
- Competition assays 238, 242, 244
- Competitor DNA 238, 242, 245, 264
- Conformational change 161, 237
- Cooperative binding 253, 254, 256, 261–264
- Cooperativity 253–264
- Coplin jar 211, 213, 223, 225, 232
- Crosslinking 57
- Curvature 276, 277, 281

D

- DAPI. *See* 4',6-Diamidine-2-phenylindole (DAPI)
- DEAE cellulose paper 256

- Denaturant 145–148, 150, 151, 154, 155
- Denaturation 42, 49, 52, 67, 74,
88, 97, 133, 134, 141, 142, 145–147,
159–161, 194, 223, 226–228, 231, 276
- Denaturing PAGE 173, 174, 176, 177, 179–182
- Densitometry 123, 124, 129, 290
- DE81 paper 239, 243, 250, 258, 259, 264
- Dephosphorylation 14, 40, 257, 261
- Depurination 193, 194, 200
- Destaining 142, 153, 167–171
- 4',6-Diamidine-2-phenylindole (DAPI) 223, 228
- Dimension 46–49, 51, 52, 54–60,
63, 64, 73–75, 83–85, 87, 89, 93–97, 100–102, 105,
106, 112, 121, 123, 125, 127–128, 130, 140, 154,
177, 180, 195, 216, 230
- 2 Dimensional (2D) electrophoresis 46, 105
- Dissociation constant (Kd) 238, 241–245, 249, 250
- DNA
- agarose embedded 199
 - alkali-labile sites 133, 214, 226
 - bending 237, 267–281
 - binding 35, 39, 237, 239–242,
244, 247, 248, 253–259, 261, 262, 267, 269–275,
277, 278, 281
 - binding constant 243, 248
 - binding site arrays 239
 - branched 45–60, 63, 75, 105
 - catenated 122
 - chromosomal 70, 75, 85, 92, 127,
187–190, 193
 - circular 3, 28, 130, 268
 - conformation 3, 46, 57, 169, 237
 - Cot-1 222, 227, 232
 - damage 3, 39, 141, 203,
209–217, 219–234
 - denaturation 133, 134, 231
 - digestion 66, 87
 - digestion *in-gelo* 100
 - electrophoretic mobility 6, 129, 161
 - gel extraction 6, 129, 161
 - genomic 12, 13, 15, 18, 24,
45–51, 56–60, 64–65, 68–72, 79, 80, 84, 86–87,
90–94, 101, 102, 110, 111, 139, 202, 231, 232
 - hydrogen bonding 173
 - intermediates 45, 59, 105
 - knotted 122, 124
 - labeled 128, 174, 219–221, 242
 - linear 3, 4, 6, 14, 25, 28, 29, 46,
55, 56, 59, 60, 63, 65, 75, 105
 - melting point 25, 48, 50, 161, 189, 231
 - migration 4, 15, 16, 25, 35,
40, 74, 96, 141–143
 - nicked 1, 3, 28
 - plasmid 3, 12, 15, 18–20,
23, 32, 37, 121–130, 275, 281
 - probe 80, 102, 115, 119, 128, 231–233
 - quadruplex 167
 - recognition sites 254, 268
 - recombination 196
 - repair 133, 210, 216, 230
 - ribosomal 70, 72, 75, 79, 80, 92,
94, 100, 102, 103, 196, 204
 - secondary structures 173
 - separation 2, 63, 134, 172–185, 187, 243, 249
 - sequencing 3, 173
 - shearing 12, 14, 16, 21, 33, 34,
72, 75, 94, 146, 153, 154, 161, 173, 219, 230, 232,
233, 245, 262, 270, 272, 281
 - single-strand breaks (SSB) 133–143, 210
 - single-stranded 3, 124, 133, 145, 173, 219
 - size 15, 19, 24, 25,
31, 36, 51, 135, 137–139, 141, 187, 189, 191, 272
 - size marker 15, 19, 24, 25, 31, 36,
51, 135, 137–139, 141, 187, 189, 191, 272
 - strand-composition 106
 - structure 2, 63–81, 105,
107, 121, 167, 173, 231
 - supercoiling 122, 129
 - superhelical 122
 - topology 3, 121–130
 - transfer 49, 200–202, 206
 - triplex 166, 167
 - twist 122, 130
- D**
- Dot blot 255, 257, 258
- Double strand break (DSB) 106, 107, 113,
118, 210, 211, 220, 224
- E**
- Electric field 1, 3–8, 15, 160, 161,
187, 188, 195, 196, 217, 231
- reorientation 4
- Electrophoresis
- contour-clamped homogeneous electric field
(CHEF) 4, 5, 187, 188, 190, 195
 - denaturing gradient gel electrophoresis
(DGGE) 145–156, 159
 - 2D native-denaturing (neutral-alkaline) 106
 - 2D native-native (neutral-neutral) 45–60,
63–81, 83–103, 105
 - field inversion gel electrophoresis (FIGE) 4, 5
 - neutral glyoxal 133–143
 - orthogonal field agarose gel electrophoresis
(OFAGE) 4, 5, 191–192
 - polyacrylamide gel electrophoresis
(PAGE) 173–185, 237–250, 277, 289, 291
 - pulsed-field gel electrophoresis
(PFGE) 2, 4–5, 187–206

temperature gradient gel electrophoresis (TGGE) 147, 159–171

transverse alternating field electrophoresis (TAFE) 4, 5

Electrophoretic mobility shift assay (EMSA) 237, 268, 270, 272–273, 275–277, 281

Electroporation 272, 275

EMSA. *See* Electrophoretic mobility shift assay (EMSA)

Endonuclease 4, 11, 106, 188, 210, 246, 268

Ethidium bromide 2, 16, 19, 21, 26, 35, 46–49, 51, 52, 54, 56, 59, 64, 66, 72, 84, 87, 88, 93, 100, 108, 112, 122, 125, 127, 130, 163, 166, 167, 170, 190, 192, 193, 197, 200, 202, 204, 212, 215, 272, 274, 275

Extraction 16, 18, 20, 25, 28, 71, 93, 107, 110–111, 118, 189, 198, 202, 213, 225, 240, 255, 257, 272–274, 276, 277

F

Fingerprinting 2, 146, 147, 153

FISH. *See* Fluorescence in situ hybridisation (FISH)

Fluorescence 4, 46, 166, 167, 170, 212, 219–234

Fluorescence in situ hybridisation (FISH) 219–234

Fluorochrome 219, 223, 230

Footprinting 238

Formamide 80, 103, 145, 147, 148, 163, 170, 173, 175, 179, 221, 223, 228, 231, 233

G

GC clamp 146, 154

Geiger counter 67, 80, 89, 103, 109, 115, 116, 202

Gel

- destaining 153, 169
- documentation system 25, 27, 33, 39, 190, 192, 272
- drying 178, 181–182, 184, 250, 254, 259
- image 16, 39, 55, 134, 149, 154, 200, 204
- imaging 74, 95, 97, 205
- matrix 1, 4, 6–8, 15, 129, 145, 160, 196, 221
- pores 6, 196
- retardation 237
- sequencing 173
- slice 16, 25, 28, 46, 47, 49, 51, 52, 57, 58, 60, 74, 75, 79, 80, 84, 88, 95–97, 102, 112, 113, 119, 245, 274
- staining 135, 138–139, 167, 200, 287

Glyoxal 133–143

Gradient 4, 70, 71, 79, 80, 92, 93, 101, 102, 145–156, 159–171, 261

H

Head region 210, 220

Heteroduplex 107, 146, 147

Hoechst dye 65, 69, 71, 79, 86, 91, 93, 101

Holliday junctions 54, 56, 57

Hybridization 46, 49–50, 53–56, 59, 67, 74–77, 80, 88, 89, 97–100, 103, 109–110, 113, 115–116, 118, 197–199, 202–203, 206, 219–234, 248

- non-radioactive 125–126, 128

I

ImageJ 110, 261, 287, 290

ImageQuant 110, 116, 118, 181, 182, 243, 255, 256, 258, 259

Imaging 74, 75, 77–78, 81, 95, 97, 99–100, 103, 110, 116–118, 135, 138–139, 200, 205, 287

Intercalating agents 46, 122

K

Kinetics 237, 264

L

Labelling 49, 53, 198, 202, 219, 229, 239–241, 248

Ligase 4, 11, 13, 14, 20, 28, 36, 271, 274, 280

Ligation 13–16, 19–20, 27–29, 32, 36, 37, 41, 42, 271, 274

M

MCS. *See* Multiple cloning sequence (MCS)

Meiosis 203, 204

Melting domain 146

Microbial communities 147, 154

Migration 3, 4, 7, 8, 15, 16, 25, 29, 35, 40, 54, 57, 60, 74, 96, 105, 106, 117, 118, 141–143, 160, 169, 174, 180, 188, 205, 250, 258, 281

- rate 3, 4, 16, 188

Multiple cloning sequence (MCS) 13, 14, 21

Multiprotein complexes 238

O

Oligonucleotide

- labelling 181, 239–241, 248
- modifications 174
- radiolabelled 174, 179, 240

P

PAGE. *See* Polyacrylamide gel electrophoresis (PAGE)
 PCR. *See* Polymerase chain reaction (PCR)
 Phosphatase.....14, 20, 27, 36, 40,
 41, 255, 257, 271, 274, 280
 PhosphorImage analysis243
 PhosphorImager.....67, 89, 110, 116,
 117, 175, 181, 182, 199, 203, 240, 242, 243, 248, 254,
 261, 291
 Phosphorylate.....171, 261, 274
 Plasmid DNA.....3, 12, 15, 18–20,
 23, 32, 37, 121–131, 275, 281
 isolation125–127
 Plug5, 47–51, 60, 150, 151,
 188–192, 196, 197, 199, 200, 203, 205
 PNK. *See* Polynucleotide kinase (PNK)
 Polyacrylamide3, 145, 162, 164–168,
 170, 171, 183, 237, 238, 241, 246, 247, 249, 254, 268,
 272, 273, 275–281, 289
 Polyacrylamide gel electrophoresis
 (PAGE)173–185, 238–239,
 242–243, 245–247, 277, 283–292
 Polylinker14
 Polymerase chain reaction (PCR).....12–16, 18–21,
 24–25, 27, 28, 30–33, 36, 37, 39, 42, 80, 102, 115,
 119, 146, 147, 154, 202, 230, 239, 241, 248, 257, 261,
 268, 270, 272, 273, 275–276, 279–281, 283–292
 Polymorphism106, 145–147
 Polynucleotide kinase (PNK)239, 240, 248,
 255, 257, 261, 271, 273, 274, 277, 280, 291
 Probe
 fluorescent46, 219–221, 229, 234
 hybridisation.....46, 49–50, 53, 54,
 56, 59, 76, 84, 106, 117, 220, 226, 232, 233
 labelling53, 115, 219, 227
 radiolabelled46, 47, 49–50, 55, 56, 59, 202
 Proteinase K5, 48, 50, 51, 65,
 69, 86, 90, 91, 107, 111, 125, 127, 189, 191, 192,
 197, 199, 212, 216, 224, 229
 Protein composition238, 245–247
 Protein-DNA complexes167–168, 237,
 245, 254, 259, 264, 268, 273, 277–280
 Protein-DNA interactions.....237–250, 253–264
 Pulsed-field2, 4–5, 187–206
 Pulse time.....188, 192, 193

R

Ramp.....188, 196, 198, 205
 Random priming.....224, 229, 230
 Reassociation232, 237
 Recognition sites244, 246, 254,
 260, 261, 263, 268

Recombination12, 35, 45–60,
 63, 83, 105–119, 121, 122, 196, 203, 204, 267
 Replication
 arrest78, 80, 83
 fork barrier.....77, 78
 fork direction58–59
 fork progression83–103
 forks.....54, 56–59, 63, 77,
 78, 83–103, 105, 122
 intermediates45–60, 64, 77, 79–81,
 85, 89, 100, 101, 103, 105, 124, 196
 origins.....12, 13, 46,
 54, 57–58, 77, 85, 99
 stalled forks.....54, 56, 78
 termination57, 77, 78, 83
 Reptation6–8
 Restriction enzyme.....13, 14, 16, 20,
 22, 27–29, 32, 36–41, 48, 51, 58–60, 66, 72, 75,
 83–85, 87–89, 94–96, 99–102, 108, 111, 190–192,
 246, 247, 255, 256, 269–271, 273,
 275–277, 279, 280
 Ribonuclease A.....134

S

Sample buffer19, 24, 27,
 31, 33, 35, 36, 39, 239, 242, 243, 245, 248, 250
 Selective marker.....12
 Separation
 large DNA fragments2, 3, 160, 189
 single-stranded DNA fragments3
 small DNA fragments3, 79, 101
 Sequence specific DNA damage.....219–234
 Sequencing gel.....174, 176, 178, 284
 Shearing5, 110, 139–142, 189, 196
 Silver staining.....148, 149, 153–155
 Single-nucleotide polymorphisms
 (SNPs)145–147, 160
 Single-strand breaks (SSBs)133–143, 210, 220
 Smear106, 138,
 141–143, 146, 155
 SNPs. *See* Single-nucleotide polymorphisms (SNPs)
 Southern
 blotting46, 47, 55, 66–67,
 74–77, 88–89, 97–99, 108–109, 125, 128, 192, 193,
 196–201
 hybridization.....46, 49–50, 53–56,
 59, 74–77, 97–100, 109–110, 115–116, 197–199,
 202–203, 206
 transfer.....46, 59, 67, 74,
 76, 88, 97, 98, 108, 111, 113–114
 Spheroplast.....107, 110, 118
 SSBs. *See* Single-strand breaks (SSBs)

- Staining35, 46, 47, 56, 59,
72, 73, 93, 95, 108, 112, 135, 138–140, 142, 153, 155,
156, 163, 166–172, 193, 200, 205, 209, 212, 215, 223,
228, 232, 234, 285, 287, 289
- Supercoiling density 122, 129
- SYBR Gold 163, 166,
167, 170, 212, 216
- SYBR Green35, 285, 287, 289
- T**
- Tail
- GC-rich 146
- length 143, 215, 217, 231
- moment 143, 215
- Telomerase 283–292
- Telomeric repeat amplification protocol
(TRAP) 284–286, 288–292
- Temperature gradient 159–161, 166
- Thiazole orange 163, 166, 167, 170
- Topoisomer 123, 129, 130
- Topology 121–130
- Transformation 12, 20, 22–24,
29–30, 34, 38, 123, 126
- Transilluminator 2, 108, 112,
167, 169, 170, 272
- TRAP. *See* Telomeric repeat amplification protocol (TRAP)
- U**
- Ultraviolet (UV) light 21, 25, 47, 51,
52, 60, 70, 75, 80, 92, 102, 167–170, 216,
230, 234, 274, 275
- Urea 145, 147, 148, 173–185
- V**
- Vector
- high copy number 12
- low copy number 17
- shuttle 12
- Visualization 2, 45, 46, 54, 56, 139,
142, 167, 171, 240, 258, 287, 289
- Voltage 3, 4, 15, 16, 26, 40,
46, 60, 63, 80, 130, 166, 198, 214–216, 226, 229,
230, 289
- X**
- X-ray film 50, 54, 67, 77, 80, 89,
95, 99, 102, 103, 240, 245, 248, 250, 254, 273, 291
- Xylene cyanol 35, 108, 125, 135,
148, 163, 175, 181, 272, 287, 289
- Y**
- YOYO-1 iodide 212, 216, 223, 228