

Index

A

- AAST classifications. *See* American Association for the Surgery of Trauma, trauma scaling classifications
- Abdominal aorta, injury to, 162
- Abdominal trauma, 162–166
 - abdominal aorta in, 162
 - duodenum in, 165
 - intestines in, 164
 - kidney in, 165–166
 - liver in, 163
 - mesentery in, 163–164
 - pancreas in, 165
 - spleen in, 165
 - stomach in, 164–165
- Abusive trauma. *See also* Battered fetus; Child abuse; Elder abuse; Shaken baby syndrome
 - to eyes, 115–117
 - to head, 112–113
- Accidental deaths, 89
- Accumulated degree-days, 195, 197
- Actin, 191
- Acute encephalopathy, 113. *See also* Encephalopathy
- Acute exhaustive mania. *See* Excited delirium
- Acute inflammatory response, 76
- Acute respiratory distress syndrome (ARDS)
 - lung dysfunction and, 76
 - postmortem diagnosis of, 78
 - sepsis progression and, 49
- Acute splenitis, 62
- Acute tubular necrosis, 63
- Adenosine diphosphate (ADP), 191
- Adenosine triphosphate (ATP), 191
- Adnexal ocular structures, removal of, 102
- ADP. *See* Adenosine diphosphate
- Adrenal apoplexy, 66
- Adrenal cortex, sepsis-induced injury of, 66–67
- Adrenal gland, sepsis-induced injury of, 66–67
- Afibrinogenemia, 136
- Agitated delirium. *See* Excited delirium
- Agonal period, 43
- AHS. *See* Antihuman serum
- Alagille syndrome, 143
- Algor mortis, 190–191
- American Association for the Surgery of Trauma (AAST), trauma scaling classifications, 163, 165
- Amino acid content, in bones, 202–203
- Antenatal intracranial hemorrhage, 133
- Anterior chamber, of eye, 108
- Antihuman serum (AHS), 204
- Antipsychotic agents, 182
- Apoptosis, 22
- Arachnoid cysts, 144
- Arcing, of electrical current, 228
- ARDS. *See* Acute respiratory distress syndrome
- Armored brain appearance, 143
- Arrhythmic right ventricular dysplasia (ARVD), 21–24, 32, 52–54
 - autopsy findings for, 23
 - clinical features of, 21–22
 - diagnostic criteria for, 22
 - epidemiology of, 21

- Arrhythmogenic right ventricular dysplasia (ARVD) (*cont.*)
 genetics of, 22
 pathophysiology of, 22
 study group on, 21
 treatment for, 23
- Arteriovenous malformations (AVM), 141
- Artificial radioisotopes, in bones, 207–208
- ARVD. *See* Arrhythmogenic right ventricular dysplasia
- Astrocytes, 64
- Asymmetric hypertrophy, 21
- ATP. *See* Adenosine triphosphate
- Auto accidents
 blunt abdominal trauma and, 162
 hollow viscera injury and, 164
 ocular pathology and, 89
 sternum injury and, 158
 thoracic aorta injury and, 161
 traumatic SDH and, 145
- Autolysis, 63
- AVM. *See* Arteriovenous malformations
- B**
- Bacteremia, 43
- Bacteria. *See* microorganisms
- Bacterial lipopolysaccharides, 76
- Bacterial meningitis, 137
- Bacterial translocation, 50–51
- Bacteriology, 41–42. *See also*
 Microorganisms; Sepsis
 challenges presented by, 50–51
 diagnostic utility of postmortem
 cultures in, 43–45
 agonal spread of bacteria and, 43–44
 antemortem antibiotic therapy and,
 44
 contamination of specimens and, 44
 time interval and, 43
 DNA technology in, 41
 interpretation and practical aspects of,
 45–48
 facultative pathogens in, 48
 postmortem contaminants in, 48
 primary pathogenetic germs in, 48
 PCR methods in, 42
 sampling procedures for, 42–43
 closed chest method in, 42
 gold standard, 42
 heart cultures in, 42
 kidney cultures in, 43
 liver cultures in, 43
 lung cultures in, 42
 spleen cultures in, 42
- Ball rounds, 177
- Basal anterior septum, 21
- Batons, injury from, 176–178
- Battered fetus, 134
- Bean bags, injury from, 177
- Benign extraaxial collections, infantile
 SDH and, 138
- Berg and Specht, 1938, 201
- Beta-blockers, 20, 27, 31
- Biochemical changes, in early PMI,
 193–195
- Biopsy, 88
- Birth-related hemorrhages, 114–115
 conjunctival, 114
 retinal, 114
 shaken baby syndrome v., 115
- Bladder injury, 166
- Blast injury, 167
- Blowflies, 196. *See also* Entomological
 methods, for early PMI
- BMT. *See* Bone marrow transplant
- Bomb peak, radiocarbon dating and, 206
- Bone assessment, 197–209, 201–209
 amino acid content in, 202–203
 artificial radioisotopes in, 207–208
 erosive tunneling in, 200
 fluorescence in, 203
 matrix alterations in, 198–200
 microscopic methods of, 200–201
 morphologic appearance in, 198
 nitrogen loss in, 202
- Bone fluorescence, 203
- Bone marrow transplant (BMT), 144
- Bone matrix, alterations to, 198–200
- Botanical methods, for late PMI, 197. *See also* Palynology
- Brain
 atrophy of, 133
 purpura of, 64
 sepsis-induced injury of, 63–65
- Bronchopneumonia, 55
- Brugada syndrome (BS), 28–30, 32
 autopsy findings for, 30
 clinical features of, 28–29
 epidemiology of, 28
 genetics of, 30
 pathophysiology of, 29
 treatment for, 30
- BS. *See* Brugada syndrome
- Burn injury, 215–229
 chemically caused, 229
 death from, 221–223
 introduction to, 221
 mechanisms of, 221–223
 degrees of, 216
 electrically caused, 226–229

- appearance of, 227–228
 - damage from, 227
 - introduction to, 226
 - lightning-related, 229
 - medicolegal assessment of, 228–229
- general assessment of, 215–216
- introduction to, 215
- medicolegal assessment of, 217–221
 - appearance of burn in, 217–220
 - internal burns and, 220–221
 - introduction to, 217
 - nature of heat source in, 218–220
 - part of body in, 218
 - temperature in, 218
 - time of application in, 218
- postmortem heat artifacts from,
 - 223–226
 - fractures and, 225
 - heat hematoma and, 226
 - postmortem v. antemortem burns in, 224–225
 - pugilistic position and, 224
 - skin splitting and, 225
- summary of, 229
- Burns, mechanisms of death from, 221–223
 - burn shock and, 222
 - early complications and, 223
 - infectious complications and, 222–223
 - late complications and, 223
 - pregnancy loss and, 223
- Burn shock, 222
- C**
- Calcified subdural hematoma, 143
- Calcium channels, 30
 - blockers of, 20
- Calottes, 105
- Candida albicans*, 65
- Caps. *See* Calottes
- Cardiac arrest. *See also* Heart
 - ARVD and, 21
 - BS and, 28
 - CPMVT and, 30–31
- Cardiac depolarization, 173. *See also* Heart
- Cardiac pacemaker, 173. *See also* Heart
- Cardiac sarcomere, 20. *See also* Heart
- Cardiac troponin I, 195. *See also* Heart
- Cardiopulmonary resuscitation (CPR), 157
- Carotid sleeper hold, 178
- Cataracts, 116
- Catecholamine-induced cardiac rhythm disturbance, 180
- Catecholaminergic polymorphic ventricular tachycardia (CPMVT), 30–32
 - clinical features of, 30–31
 - epidemiology of, 30
 - genetics of, 31
 - pathophysiology of, 31
 - treatment for, 31
- Catecholamines, 30
- Catheter-based alcohol ablation, 20
- Cavernous hemangioma, 141
- Cavitary obliteration, 20
- Central pontine myelinolysis, 64
- Cerebral aneurysms, 141
- Cerebral infarction
 - encephalopathy and, 64
 - neonatal SDH and, 135
- Cerebrospinal fluid (CSF)
 - chronic SDH and, 132–133
 - time of death and, 194
- CHD. *See* Congenital heart disease
- Chemical burns, 229
- Chemical reaction, burn injury from, 215
- Chest and abdominal injuries, 155–167
 - abdominal aorta in, 162
 - abdominal trauma in, 162–166
 - blast injury in, 167
 - diaphragm in, 162
 - duodenum in, 165
 - heart in, 158–159
 - blunt chest trauma to, 158–159
 - penetrating chest trauma to, 159
 - intestines in, 164
 - introduction to, 155–156
 - kidney in, 165–166
 - liver in, 163
 - mesentery in, 163–164
 - pancreas in, 165
 - pelvic cavity in, 166
 - respiratory system in, 159–160
 - blunt chest trauma to, 159–160
 - penetrating chest trauma to, 160–161
 - rib cage in, 156–158
 - spleen in, 165
 - sternum in, 158
 - stomach in, 164–165
 - summary of, 167
 - thoracic aorta in, 161–162
 - thoracic trauma in, 156–162
- Child abuse, 41, 87
 - evidence-based medicine and, 131
 - forensic pathologists v. pediatric pathologists in, 131
 - ocular pathology and, 110–117
 - abusive blunt trauma to eyes in, 115–117
 - abusive head trauma in, 112–113
 - aims of, 110

- Child abuse (*cont.*)
 birth-related hemorrhages in,
 114–115
 commotio retinae in, 116–117
 controversy in, 111
 findings in and around eyes in,
 112–117
 multidisciplinary investigation of, 111
 posterior vitreous detachment in, 116
 retinal pigment epithelial contusion
 in, 117
 role of ophthalmic pathologist in,
 111–112
 photographing, 123–129
 rib fracture and, 157
 thermal, 217
- Choke hold, 178
- Cholestasis, 61
- Choroid, 108
- Ciliary body, 108
- Clostridial myonecrosis. *See* Gas gangrene
- Clostridium difficile*, 73
- Clot lysis, 132
- Coagulation, infantile SDH and, 136–137
- Coagulative necrosis, 225
- Cocaine, 182
- Collagen
 breakdown of, 199
 dehydration of, 225
- Commotio cordis. *See* Myocardial
 concussion
- Commotio retinae, 116–117
- Congenital heart disease (CHD), 141–142
- Congenital toxoplasmosis, 137
- Congestive atelectasis, 54
- Connective tissue disease, infantile SDH
 and, 139–140
- Contamination, polymicrobial growth as,
 45
- Cornea, 108
- CPMVT. *See* Catecholaminergic
 polymorphic ventricular
 tachycardia
- CPR. *See* Cardiopulmonary resuscitation
- Crimean War, nursing and, 2
- Crush asphyxia, 181
- CSF. *See* Cerebrospinal fluid
- Cultural sensitivity, 87
- Cutaneous bleedings, 70
- Cutaneous erythema, 224
- D**
- Dating system, for PMI, 189–190
- Decalcification, of eye, 105
- Decay Research Facility, 192
- Decelerational thoracic injury, 155
- Defibrillators, 20, 21. *See also* Implantable
 cardioverter-defibrillator
- Dehydration, burn injury and, 223
- Delirious mania. *See* Excited delirium
- Deoxyribonucleic acid (DNA), 16–17, 185
 bacteriology and, 41
 collection from blood samples of, 17
 collection from tissue samples of, 17
 early PMI and, 195–196
- D-2-HG. *See* D-2-hydroxyglutaric aciduria
- D-2-hydroxyglutaric aciduria (D-2-HG),
 142
- Diagenesis, 207
- Diapedesis, 76
- Diaphragm, injury to, 162
- DIC. *See* Disseminated intravascular
 coagulation
- Diphtheria, tetanus, and pertussis (DTP)
 combined vaccination, 143
- Direct eye trauma, 123
- Dislocation, of lens, 116
- Disseminated intravascular coagulation
 (DIC)
 neonatal SDH and, 135
 sepsis and, 49, 51–52, 56, 59, 62–63,
 65–68, 70, 74, 79
- Disse spaces, 60
- DNA. *See* Deoxyribonucleic acid
- Dopamine receptors, abnormalities in, 182
- DTP. *See* Diphtheria, tetanus, and pertussis
 combined vaccination
- Duodenum, injury to, 165
- Dural border cells, 132
- E**
- Early complications, of burn injury, 223
- ECG. *See* Electrocardiograph
- EDS. *See* Ehlers-Danlos syndrome
- EDTA. *See* Ethylenediaminetetraacetic acid
- Ehlers-Danlos syndrome (EDS), 139–140
- Elder abuse, 217
- Electrical burns, 226–229
 appearance of, 227–228
 damage from, 227
 introduction to, 226
 lightning-related, 229
 medicolegal assessment of, 228–229
- Electrocardiograph (ECG), 21, 28
- Electrocution, burn injury from, 215,
 226–229
- Emergency restraint belt (ERB), 178
- EMH. *See* Extramedullary hematopoiesis
- EMS. *See* Encephalo-myio-synangiosis
- Encephalo-myio-synangiosis (EMS), 142

- Encephalopathy, 63–64. *See also* Acute encephalopathy
- Endocarditis, 59
- Endothelial adhesion molecules, 76–77
- Endotoxemia, 61
- Entomological methods, for early PMI, 196–197
- Enucleation, 88
- ERB. *See* Emergency restraint belt
- Erosive tunneling, of bones, 200
- Escherichia coli*, 59
- Ethylenediaminetetraacetic acid (EDTA), 17, 185
- Evidence-based medicine, child abuse and, 131
- Excited delirium, 171, 181–182
- Expert opinion. *See* Medicolegal expertise
- Explosive disorientation devices, 178
- Extramedullary hematopoiesis (EMH), 139
- Eyes
- abnormal masses in, 108
 - abusive blunt trauma to, 115–117
 - highly specific, 115
 - lens displacement and traumatic cataracts in, 116
 - nature and timing of, 115
 - posterior lens capsule rupture in, 116
 - cultural sensitivity of, 87
 - decalcification of, 105
 - direct trauma to, 123
 - dissection of, 105–106
 - fetal eyes and, 106
 - enucleation of, 88
 - fluctuance of, 90
 - laboratory processing of, 110
 - macroscopic examination of, 107–108
 - orientation of, 103–104
 - pathologic findings in and around, 112–117
 - photographing, 123
 - preparation for histologic examination of, 103
 - primary open angle glaucoma of, 88
 - recording of pathologic findings related to, 107–110
 - removal of, 89–102
 - anterior approach to intact, 92–93
 - orbit, nasal passages and sinuses in, 100–101
 - orbital contents, bony walls of orbit and intact eye in, 98–100
 - posterior approach to intact, 94–96
 - posterior only in, 97–98
 - unfixed intraocular tissues in, 102
 - transillumination of, 104–105
 - vitreous fluid samples from, 89–92
 - interpretation of, 91–92
 - method for removal of, 90–91
- F**
- Factor V deficiency, 136
- Facultative pathogens, 48
- Fasciae, sepsis-induced injury of, 74–75
- Fetal eyes, dissection of, 106
- Fetal SDH, 133–134
- Fibrin aggregations, 46
- Fibrin thrombi, 52, 68–69
- Fibroadipose replacement, 23
- Fibrofatty infiltration, 22, 24
- Flail chest, 157
- Flames, burn injury from, 219–220
- Florid petechiae, 181
- Flow abnormalities, infantile SDH and, 141
- Flow cytometry, 195
- Forensic interest
 - historical interest v., 197
 - modern period and, 206
 - nonmodern period and, 206
 - premodern period and, 206
- Forensic pathologist, pediatric pathologist v., 131
- Formalin solution, 16
- Fossil fuels, radiocarbon dating and, 206
- Four-factor deficiency, 136
- Fractures, burn injury and, 225
- Friction, burn injury from, 215
- Fundus, 106
- G**
- GA1. *See* Glutaric aciduria type 1
- Gas gangrene, 71–73
- Gastric contents emptying, in early PMI, 193
- Gastric stress ulcers, 223
- Gastrointestinal tract, sepsis-induced injury of, 68–69
- Germ. *See* microorganisms
- Glisson capsule, 59
- Glutaric aciduria type 1 (GA1), 142
- Gram-negative bacteria, 78
- Gram-positive cocci, 73–74
- Granulating membrane, 132–133
- Gunshot wounds, 159
- H**
- Handcuffs, injury from, 177–178
- HCM. *See* Hypertrophic cardiomyopathy (HCM)
- HDN. *See* Hemorrhagic disease of the newborn

- Heart, 158–159
 blunt chest trauma to, 158–159
 disorders of, 17–24
 ARVD and, 21–24
 HCM and, 17–21
 dissection of
 formalin solution in, 16
 image analysis system in, 16
 inflow-outflow method of, 16
 lumen reduction in, 16
 penetrating chest trauma to, 159
 sepsis-induced injury of, 56–59
 toxicologic analysis of, 16
- Heat artifacts, 223–226
 fractures and, 225
 heat hematoma and, 226
 postmortem v. antemortem, 224–225
 pugilistic position and, 224
 skin splitting and, 225
- Heat hematomas, 226
- Heat source, nature of, 218–220
 flames and, 219–220
 hot objects and, 220
 radiant heat and, 218
 wet heat and, 218–219
- Heimlich maneuver, 164
- Hematologic changes, in early PMI, 193–195
- Hematologic disorders, 136–137
- Hemophilia
 infantile SDH and, 136
 neonatal SDH and, 135
- Hemopneumothorax, 167
- Hemorrhagic disease of the newborn (HDN), 140
- Hemorrhagic shock and encephalopathy syndrome (HSES), 137–138
- Hepatic disease, neonatal SDH and, 135
- Hepatization, 167
- Hermansky-Pudlak syndrome (HPS), 136
- Herpes simplex encephalitis (HSE), 137
- Historical interest, forensic interest v., 197
- HIV. *See* Human immunodeficiency virus
- Homocysteinuria, 116
- Hot objects, burn injury from, 220
- HPS. *See* Hermansky-Pudlak syndrome
- HSE. *See* Herpes simplex encephalitis
- HSES. *See* Hemorrhagic shock and encephalopathy syndrome
- Human immunodeficiency virus (HIV), 73
- Human Rights Act of 1998, 171
- Hyaline membranes, 54
- Hydrocephalus, infantile SDH and, 138
- Hydroxyproline, PMI and, 203
- Hypercontraction bands, 57–58
- Hypertremia, 139
- Hypertrophic cardiomyopathy (HCM), 17–21, 32
 autopsy findings for, 21
 clinical features of, 18–19
 epidemiology of, 18
 genetics of, 20
 high risk features for, 20
 pathophysiology of, 20
 treatment for, 20–21
- Hypertrophied myocytes, 18
- Hypogonadism, 135
- Hypovolemia, 222, 223
- Hypovolemic shock, 160
- I**
- ICAM-1. *See* Intracellular adhesion molecule-1
- Idiopathic thrombocytopenic purpura (ITP), 143
- Iliopsoas muscle bleeding, 74
- Image analysis system, 16
- Immunodeficiency, 62
- Immunoglobulin, 76
- Immunohistochemical markers
 detection of, 75–78
 practical value of, 78
- Immunologic stain reactions, for late PMI, 204
- Impact devices, injury from, 176–177
- Implantable cardioverter-defibrillator (ICD), 21, 27, 30, 31. *See also* Defibrillators
- Inborn errors of metabolism, 142
- Infants, SDH in, 136–143
 Alagille syndrome and, 143
 calcified subdural hematoma and, 143
 CHD and, 141–142
 coagulation and, 136–137
 complications of medical/surgical treatment and, 142
 connective tissue disease and, 139–140
 flow abnormalities and, 141
 hematologic disorders and, 136–137
 HSES and, 137–138
 hydrocephalus and benign extraaxial collections and, 138
 hypernatremia and, 139
 infections and, 137
 malformations and, 141
 metabolic disease and, 142–143
 space-occupying lesions and, 138–139
 therapeutic drugs and, 141
 vaccines and, 143

- vascular disease and, 141
 - vitamin deficiencies and, 140–141
 - Infection. *See* Sepsis
 - Infectious complications, of burn injury, 222–223
 - Inflow-outflow method, of heart dissection, 16
 - Internal burns, 220–221
 - International Council for Nurses, 2
 - Intestines, injury to, 164
 - Intracellular adhesion molecule-1 (ICAM-1), 77–78
 - Intracellular edema, 117
 - Intracytoplasmatic inclusions, 46
 - Ion channelopathies, 15–32. *See also* Sudden cardiac death
 - autopsy protocol in SCD and, 16
 - collection of DNA from blood samples and, 17
 - collection of DNA from tissue samples and, 17
 - heart disorders and, 17–24
 - ARVD and, 21–24
 - HCM and, 17–21
 - introduction to, 15
 - ion channel disorders, 25–31
 - BS and, 28–30
 - CPMVT and, 30–31
 - LQTS and, 25–28
 - molecular diagnosis of SCD and, 16–17
 - overview of, 15
 - summary of, 31–32
 - Iridocorneal angle, 108. *See also* Anterior chamber, of eye
 - Iris, 108
 - Isoproterenol, 31
 - Isotope burden, 207–208
 - ITP. *See* Idiopathic thrombocytopenic purpura
- J**
- Jervell and Lange-Nielsen syndrome (JLNS), 27
 - JLNS. *See* Jervell and Lange-Nielsen syndrome
 - Juveniles, SDH in, 144
 - arachnoid cysts and, 144
 - BMT and, 144
 - Juvenile xanthogranuloma, 139
- K**
- Kawasaki disease, 141
 - Kidney
 - blunt trauma to, 165–166
 - sepsis-induced injury of, 62–63
 - Knight and Lauder, 1947, 201
 - Kupffer cells, 60
- L**
- Laboratory processing, of ocular tissues, 110
 - Lacrimation chemicals
 - injury from, 174–176
 - taser use and, 176
 - Lai tai, 28. *See also* Brugada syndrome
 - Late complications, of burn injury, 223
 - Lens, 108
 - displacement of, 116
 - Lens capsule, rupture of, 116
 - Less-lethal technologies, 171
 - Lethal catatonia. *See* Excited delirium
 - Leukemia, 136
 - Leukocyte recruitment, 76
 - Leukocyte sticking, 54
 - Leukostasis, 61
 - Liver
 - blunt trauma to, 163
 - sepsis-induced injury of, 59–61
 - Livor mortis, 192
 - Long QT syndromes (LQTS), 25–28, 32
 - autopsy findings for, 28
 - clinical features of, 25–27
 - epidemiology of, 25
 - genetics of, 27
 - genetic subtypes of, 25–27
 - pathophysiology of, 27
 - treatment for, 27–28
 - LQTS. *See* Long QT syndromes
 - Lumen reduction, 16
 - Luminol, 204
 - Lungs
 - ARDS and, 76
 - sepsis-induced injury of, 52–55
 - immunohistochemical detection of, 75–78
 - Lymph nodes, sepsis-induced injury of, 75
 - Lymphoplasmacytic infiltrates, 46
- M**
- Macrocapillaries, 132
 - Macrocephalus, 142
 - Macrophage infiltration, 132
 - Macula, 108
 - Magnetic resonance imaging (MRI), 22, 132
 - Malaria, 137
 - Malformations, infantile SDH and, 141
 - Malignant melanomas, 106
 - Marfan syndrome, 116, 141

- Mechanical asphyxia. *See* Restraint asphyxia
- Medical history, 40
- Medical malpractice, 40
- Medicolegal expertise, 79, 111
- Meningioma, 138
- Menkes disease, 143
- Menstrual cycle, 193
- Mesentery, injury to, 163–164
- Metabolic disease, infantile SDH, 142–143
- Metastatic septic microemboli, 75
- Methamphetamine, 182
- Methyl isobutyl ketone, 176
- Microbiologic investigation. *See* Bacteriology
- Microcirculatory fibrin deposits, 57
- Microglia, 64
- Microorganisms. *See also* Bacteriology; Sepsis
 - intracytoplasmatic inclusions of, 46
 - sepsis from, 39
 - taxonomy of, 41
- Microthrombi formation, 52, 62
- MMR. *See* Mumps, measles, and rubella combined vaccination
- Mode of delivery, neonatal SDH and, 134
- Molecular techniques, for early PMI, 195
- Morphologic appearance, of bone, 198
- Morphologic changes, in early PMI, 192–193
- Moyamoya disease, 141
- MRI. *See* Magnetic resonance imaging
- Multidisciplinary investigation, 111
- Multifocal necrotizing
 - leukoencephalopathy, 66
- Mumps, measles, and rubella (MMR)
 - combined vaccination, 143
- Muscle excitability, in early PMI, 193
- Muscular hypotonia, 135
- MYH7. *See* β -myosin heavy chain gene
- Myocardium
 - concussion of, 158
 - disarray of, 19
 - dystrophy of, 22
 - fibroadipose replacement of, 23
 - fibrosis of, 23
 - fixed waviness of, 58
 - infarction of, 21
 - scarring of, 18
- Myocytes
 - hypertrophy of, 18, 20
 - necrosis of, 23
- Myocytolysis, 74
- Myofilaments, plasticity of, 58
- Myosin, 191
- β -myosin heavy chain gene (MYH7), 20
- N**
- Naxos syndrome, 22
- Neck holds, injury from, 177–178
- Necrotizing fasciitis, 74
- Neonatal intracranial hemorrhage, 141
- Neonates, SDH in, 134–135
 - cerebral infarction and, 135
 - DIC and, 135
 - hemophilia and, 135
 - hepatic disease and, 135
 - mode of delivery and, 134
 - neuroendocrine syndromes and, 135
 - perinatal hypoxia and, 134–135
 - thrombocytopenia and, 135
 - TPN and, 135
 - vitamin K deficiency and, 135
- Neuroendocrine syndromes, neonatal SDH and, 135
- Neuroepithelial cyst, 138
- Neuroleptic drugs, 182–183
- Neuropsychiatric syndromes, 171
- Neutrophil-derived adhesion molecules, 76–77
- Neutrophils, immigration of, 61
- Newton's Law of Cooling, 190
- Nightingale, Florence, 1–2
- Nightingale School and Home for Nurses, 2
- Nitrogen loss, of bone, 202
- Nonelevated retina, 113
- Nuclear weapons
 - artificial radioisotopes and, 207
 - radiocarbon dating and, 206
- Nurses, Midwives and Health Visitors Act of 1979, 2
- Nurse's role, death investigation and, 1–13
 - history of, 1
 - introduction to, 1
 - modern, 2–13
- Nursing and Midwifery Council, 2
- O**
- Occipitofrontal compressive forces, 134
- Ocular pathology, 87–117
 - adnexal ocular structures, removal of, 102
 - background of, 88–89
 - child abuse, diagnosis of, 110–117
 - abusive blunt trauma to eyes in, 115–117
 - abusive head trauma in, 112–113
 - aims in, 110

- birth-related hemorrhages in, 114–115
- commotio retinae in, 116–117
- controversy in, 111
- multidisciplinary investigation of, 111
- pathologic findings in and around eyes in, 112–117
- posterior vitreous detachment in, 116
- retinal pigment epithelial contusion in, 117
- role of ophthalmic pathologist in, 111–112
- dissection of eye in, 105–106
 - fetal eyes in, 106
- fixation of ocular tissues in, 102–103
- intact eye, anterior approach, 92–93
 - method for removal of, 92
 - reconstruction of, 93
- intact eye, orbital contents and bony walls of orbit, 98–100
 - method for removal of, 98–99
 - reconstruction of, 100
- intact eye, posterior approach, 94–96
 - method for removal of, 95–96
 - reconstruction of, 96
- introduction to, 87
- laboratory processing, schedule of, 110
- macroscopic examination of eye in, 107–108
 - external, 107–108
 - internal, 108
- orbit, nasal passages and sinuses, 100–101
 - method for removal of, 100
 - reconstruction of, 100–101
- orientation of eye in, 103–104
- posterior part of eye, 97–98
 - method for removal of, 97
 - reconstruction of, 97–98
- preparation for histologic examination in, 103
- recording of pathologic findings in, 107–110
 - photography and, 109–110
 - x-ray films and, 108
- transillumination in, 104–105
- unfixed intraocular tissues, removal of, 102
- vitreous fluid samples, 89–92
 - interpretation of, 91–92
 - method for removal of, 90–91
- Ocular tissues
 - fixation of, 102–103
 - laboratory processing of, 110
- OI. *See* Osteogenesis imperfecta
- Ophthalmic history, 91–92
- Ophthalmologic changes, in early PMI, 193
- Optic disc, 108
- Osseous metaplasia, 105
- Osteodiastasis, 134
- Osteogenesis imperfecta (OI), 139–140
- Osteomyelitis, 75
- Otitis media, 133
- P**
- Pacemaker. *See* Cardiac pacemaker
- Palmoplantar keratoderma, 22
- Palynology, 197. *See also* Botanical methods, for late PMI
- Pancreas
 - blunt trauma to, 165
 - sepsis-induced injury of, 75
- Parafalcine region, 146
- Parenchymal disruption, 163
- Parenchymal laceration, 165–166
- PCP. *See* Phencyclidine
- PCR. *See* Polymerase chain reaction
- Pediatric pathologist, forensic pathologist v., 131
- Pelvic cavity, injury to, 166
- Pelvic ring, fracture of, 166
- Perfringolysin O, 73
- Perimacular folds. *See* Retinal folds
- Perinatal hypoxia, neonatal SDH and, 134–135
- Perls reaction, 132
- Petechial hemorrhages, 228
- Phencyclidine (PCP), 173
- Phenobarbital, 141
- Phospholipase C, 72
- Photography. *See also* Sheffield Head Photographic Protocol
 - ocular pathology and, 109–110
 - standardization of, 123–129
- Physiochemical changes, in late PMI, 201–204
- PMI. *See* Postmortem interval
- Pneumomediastinum, 167
- Pneumonia, 156, 222
- Pneumothorax, 161, 167
- Polymerase chain reaction (PCR), 17, 42
- Polymicrobial growth, as contamination, 45
- Positional asphyxia. *See* Restraint asphyxia
- Posterior fossa SDH, 147
- Posterior interhemispheric parasagittal SDH, 147
- Postmortem contaminants, 48
- Postmortem interval (PMI), 189
 - early, 190–197

- Postmortem interval (PMI) (*cont.*)
 algor mortis in, 190–191
 biochemical changes in, 193–195
 DNA changes in, 195–196
 entomologic methods in, 196–197
 gastric contents emptying in, 193
 hematologic changes in, 193–195
 livor mortis in, 192
 molecular techniques for, 195
 morphologic changes in, 192–193
 muscle excitability in, 193
 ophthalmologic changes in, 193
 rigor mortis in, 191
 ultrastructural changes in, 195–196
- late, 197–209
 amino acid content in, 202–203
 analytic methods of bone assessment for, 201–209
 artificial radioisotopes and, 207–208
 bone fluorescence in, 203
 bone-specific methods for, 197–209
 botanical methods for, 197
 immunologic and benzidine stain reactions in, 204
 microscopic methods of bone assessment for, 200–201
 morphologic appearance of bone in, 198
 naturally occurring radioisotopes and, 208–209
 Nitrogen loss in, 202
 physicochemical and serologic changes in, 201–204
 radiocarbon dating for, 205–206
 radioisotope methods for, 204–209
 time-dependent alterations to bone matrix in, 198–200
- Posttraumatic meningitis, 48
 Prader-Willi syndrome, 135
 Pregnancy loss, burn injury and, 223
 Pre-PCR restoration process, 17
 Primary open angle glaucoma, 88
 Primary pathogenetic germs, 48
 Proinflammatory cytokines, 76
 Proliferative vitreoretinopathy, 88
 Proline, PMI and, 203
 Prone positioning, 180–181
 Proof of vitality, 45
 Pseudomembranous colitis, 68–69
 Pugilistic position, 224
 Putrefactive organ changes, respiratory tract infections v., 46
 Pyelophlebitic liver abscesses, 61
 Pyemic abscesses, 59
 Pyknotic degenerative changes, 194
 Pyomyositis, 73–74
- R**
- Radiant heat, burn injury from, 218
 Radiocarbon dating, 205–206
 development of, 205
 fossil fuels and, 206
 modern period and, 206
 nonmodern period and, 206
 nuclear weapons and, 206
 premodern period and, 206
 usefulness of, 205
- Radioisotopes
 artificial, 207–208
 late PMI methods involving, 204–209
 naturally occurring, 208–209
- Radiostrotrium, 207–208
 RCN. *See* Royal College of Nursing
 Reformation, nursing and, 1
 Renal injury, 165–166. *See also* Kidney
- Respiratory system
 blunt chest trauma to, 159–160
 penetrating chest trauma to, 160–161
- Respiratory tract infections, putrefactive organ changes v., 46
- Restraint, injury and death resulting from, 171–186
 deaths occurring in setting of restraint and, 178–183
 excited delirium and, 181–182
 neuroleptic drugs and, 182–183
 restraint asphyxia and, 180–181
 schizophrenia and, 182–183
 introduction to, 171
 pathologic investigation of, 183–186
 ancillary examination in, 184–185
 cause of death determination in, 185–186
 external examination in, 184
 internal examination in, 184
 scene and preliminaries to autopsy in, 183–184
 restraint modalities and, 172–178
 batons and, 177–178
 handcuffs and, 177–178
 impact devices and, 176–177
 lacrimation chemicals and, 174–176
 neck holds and, 177–178
 other methods and, 178
 taser and, 172–174
- Restraint asphyxia, 171, 180–181
 RetCam, 114
 Retina, 108

Retinal contusion. *See* Commotio retinae
 Retinal folds, 113
 Retinal pigment epithelial (RPE) cells, 88
 commotio retinae and, 117
 contusion of, 117
 osseous metaplasia of, 105
 Retinoblastomas, 106
 Retroillumination, 105. *See also*
 Transillumination
 Retroperitoneal hemorrhage, 166
 Rib cage, injury to, 156–158
 Rib fractures
 bilateral, 156–157
 child abuse and, 157
 in elderly, 156
 unilateral, 157
 Right bundle branch block patterns, 28
 Right ventricle, 21–24
 fatty infiltration of, 24
 Rigor mortis, 191
 Romano-Ward syndrome, 27
 Royal College of Nursing (RCN), 2
 RPE cells. *See* Retinal pigment epithelial
 cells
 Ryanodine receptors, 31
 RyR2 gene, 31

S

Samples

 handling and transport of, 44
 procedures for taking, 42–43
 Sarcomere contractions, 191
 Scalds, 215, 218–219
 SCD. *See* Sudden cardiac death
 Scene of crime officers (SOCO), 124
 Schizophrenia, 182–183
 School age children, SDH in, 144
 arachnoid cysts and, 144
 BMT and, 144
 Sclera, 108
 SCN5A gene, 29–30
 SDH. *See* Subdural hematoma
 Selectins, 76
 Self-immolation, 217
 Sepsis, 39–80
 ARDS and, 49
 bacteriology of, 41–42
 challenges presented by, 50–51
 diagnostic utility of postmortem
 cultures in, 43–45
 DNA technology in, 41
 interpretation and practical aspects
 of, 45–48
 PCR methods in, 42
 sampling procedures for, 42–43

 clinical course of, 55
 forensic pathologic problems relating to,
 40–41
 clinical v. autopsy diagnoses in, 41
 medical history and clinical course of
 patient in, 40
 presentation of deaths in, 41
 immunohistochemical detection of lung
 injury from, 75–78
 acute inflammatory response in, 76
 leukocyte recruitment in, 76
 practical value of markers in, 78
 infantile SDH and, 137
 introduction to, 39
 medicolegal problems relating to, 40–41
 misdiagnosis and medical
 malpractice in, 40
 morphology of injury related to, 52–75
 adrenal gland and, 66–67
 brain and, 63–65
 fasciae and, 74–75
 gastrointestinal tract and, 68–69
 heart and, 56–59
 kidney and, 62–63
 liver and, 59–61
 lungs and, 52–55
 lymph nodes and, 75
 pancreas and, 75
 skeletal musculature and, 72
 skin and, 70–72
 spleen and, 61–62
 pathologic features of, 51–75
 pathophysiology of, 48
 reaction patterns of, 50
 summary of, 78–80
 terminology relating to, 49
 septic shock and, 49
 severe sepsis and, 49
 Septic embolus, 56
 Septicemia, 222–223
 Septic enterocolitis, 68
 Septic focus, 52
 Septicopyemic abscesses, 51–52, 55, 58, 62
 Septicopyemic microabscesses, 64
 Septic shock, 49, 53, 62
 Septic spleen. *See* Acute splenitis
 Severe sepsis, 49
 Shaken baby syndrome, 112–113. *See also*
 Abusive trauma
 birth-related hemorrhages v., 115
 SDH and, 145–146
 Sheehan hemorrhages. *See* Subendocardial
 hemorrhages
 Sheffield Head Photographic Protocol,
 123–129

Sheffield Head Photographic Protocol

(cont.)

- aims of, 124
 - autopsy images in, 124, 127–30
 - background on, 123–124
 - conclusion of, 129
 - context images in, 126
 - core images in, 124, 126–127
 - features of, 124–127
 - high-power images in, 124, 126–128
 - introduction to, 123
 - protocol documentation card of
 - back of, 126
 - front of, 125
 - web site of, 123, 124
- Sickle cell disease, 137
- SIDS. *See* Sudden infant death syndrome
- Sinusitis, 133
- SIRS. *See* Systemic inflammatory response syndrome
- Skeletal musculature, sepsis-induced injury of, 72
- Skin
 - bleedings of, 70
 - sepsis-induced injury of, 70–72
 - splitting of, 225
- Skin splitting, burn injury and, 225
- Sock rounds, 177
- SOCO. *See* Scene of crime officers
- Sodium channel, 29
- Space-occupying lesions, infantile SDH and, 138–139
- Spleen
 - blunt trauma to, 165
 - sepsis-induced injury of, 61–62
- Sporting injury, 156
- Stabbing wounds, 159
- Staphylococcus aureus*, 53, 59–60, 65, 72–73
- Sternum, injury to, 158
- Stomach
 - emptying of, 193
 - injury to, 164–165
- Stress hormones, 49
- Study Group on ARVD/C, 21
- Stun guns, 174–175
- Subdural hematoma (SDH), in children, 131–147
 - chronic, 132–133
 - incidence of, 131
 - introduction to, 131
 - natural history of, 132
 - nature and distribution of, 132
 - nontraumatic causes of, 133–144
 - fetal, 133–134
 - infantile, 136–143
 - neonatal, 134–135
 - in school age children and juveniles, 144
 - posterior fossa, 147
 - posterior interhemispheric parasagittal, 147
 - summary of, 147
 - traumatic causes of, 144–147
 - incidence of, 144
 - localization in, 146–147
 - low-level falls, 146
 - pathogenesis in, 145
 - shaking, 145–146
- Subdural hygroma, 132
- Subendocardial hemorrhages, 56–57
- Subluxation, of lens, 116
- Sudden cardiac death (SCD), 15–32. *See also* Ion channelopathies
 - autopsy protocol in, 16
 - molecular diagnosis of, 16–17
- Sudden infant death syndrome (SIDS), 27
- Suppurative inflammation, 75
- Surgical myomectomy, 20
- Sympathectomy, 28
- Syncope, 20, 28–29
- Syphilis, 141
- Systemic inflammatory response syndrome (SIRS), 49, 51
 - reaction pattern of, 50

- T**
- Taq polymerase, 17
- Targetoid bruises, 177–178
- Taser
 - injury from, 172–174
 - lacrimation chemical use and, 176
- TBSA burns. *See* Total body surface area burns
- Temperature, burn injury and, 218
- Tentorial tearing, 145
- Tertiary organ changes, 52
- Therapeutic drugs, infantile SDH and, 141
- Thermal abuse, 217
- Thoracic aorta, injury to, 161–162
- Thoracic trauma, 156–162
 - diaphragm in, 162
 - heart in, 158–159
 - respiratory system in, 159–160
 - rib cage in, 156–158
 - sternum in, 158
 - thoracic aorta in, 161–162
- Thrombocytopenia
 - infantile SDH and, 136
 - neonatal SDH and, 135

Timing, of death, 189–210
 dating system in, 189–190
 early PMI in, 190–197
 algor mortis in, 190–191
 biochemical changes in, 193–195
 DNA changes in, 195–196
 entomologic methods in, 196–197
 gastric contents emptying in, 193
 hematologic changes in, 193–195
 livor mortis in, 192
 molecular techniques for, 195
 morphologic changes in, 192–193
 muscle excitability in, 193
 ophthalmologic changes in, 193
 rigor mortis in, 191
 ultrastructural changes in, 195–196
 introduction to, 189
 late PMI in, 197–209
 amino acid content in, 202–203
 analytic methods of bone assessment
 for, 201–209
 artificial radioisotopes and, 207–208
 bone fluorescence in, 203
 bone-specific methods for, 197–209
 botanical methods for, 197
 immunologic and benzidine stain
 reactions in, 204
 microscopic methods of bone
 assessment for, 200–201
 morphologic appearance of bone in,
 198
 naturally occurring radioisotopes
 and, 208–209
 Nitrogen loss in, 202
 physiochemical and serologic changes
 in, 201–204
 radiocarbon dating for, 205–206
 radioisotope methods for, 204–209
 time-dependent alterations to bone
 matrix in, 198–200
 summary of, 210
 Tissue shrinkage, burn injury and, 223
 Torsades de pointes, 27, 31. *See also*
 Ventricular tachycardia
 Total body surface area (TBSA) burns, 222
 Total parenteral nutrition (TPN), 135
 Toxic shock syndrome, 41, 223
 TPN. *See* Total parenteral nutrition
 Tracheobronchial injury, 159–160, 221
 Traffic accidents. *See* Auto accidents
 Tramline bruise-abrasion, 178–178

Transient lens vacuoles, 116
 Transillumination, of eye, 104–105
 Triangle of dysplasia, 23

U

Ultrastructural changes, in early PMI,
 195–196
 Upward shoveling, 161
 Uterine rupture, 166

V

Vaccines
 DTP, 143
 infantile SDH and, 143
 MMR, 143
 Valsalva maneuver, 144
 Vascular disease, infantile SDH and, 141
 Ventricular fibrillation, 27, 28, 31
 Ventricular hypertrophy, 20
 Ventricular tachycardia, 21, 28, 30–32
 Very late activation antigen-4 (VLA-4),
 77–78
 Violent person emergency restraint system
 (VIPERS), 178
 VIPERS. *See* Violent person emergency
 restraint system
 Vitamin deficiency
 infantile SDH and, 140–141
 neonatal SDH and, 135
 Vitreous fluid
 analytes of, 91
 examination of, 108
 normal v. contaminated, 89, 91
 posterior detachment of, 116
 time of death and, 194
 Vitreous humor. *See* Vitreous fluid
 VLA-4. *See* Very late activation antigen-4

W

Waterhouse-Friderichsen syndrome
 (WFS), 39, 66–67, 79
 Wet heat, burn injury from, 218–219
 WFS. *See* Waterhouse-Friderichsen
 syndrome
 Whiplash, 146

X

X-ray films, ocular pathology and, 108

Z

Zinc, PMI and, 203