
References

1. Agresti, A.: *Categorical Data Analysis*. Wiley, New York (1990)
2. Aitkin, M.: A general maximum likelihood analysis of variance components in generalized linear models. *Biometrics* **55**, 117–128 (1999)
3. Aitkin, M., and Wilson, G. T.: Mixture models, outliers, and the EM algorithm. *Technometrics* **22**, 325–331 (1980)
4. Anderson, D., and Aitkin, M.: Variance component models with binary response: Interviewer variability. *Journal of the Royal Statistical Society Ser. B* **47**, 203–210 (1985)
5. Arora, V., and Lahiri, P.: On the superiority of the Bayesian method over the BLUP in small area estimation problems. *Statistica Sinica* **7**, 1053–1063 (1997)
6. Baker, S. G., Freedman, L. S., and Parmar, M. K. B.: Using replicate observations in observer agreement studies with binary assessments. *Biometrics* **47**, 1327–1338 (1991)
7. Balicki, A., and Szreder, M.: Usefulness of official registers in sample surveys in Poland. *Statistics in Transition* **3**, 315–328 (1997)
8. Barnard, J., and Meng, X.-L.: Applications of multiple imputation in medical studies: From AIDS to NHANES. *Statistical Methods in Medical Research* **8**, 17–36 (1999)
9. Barnard, J., and Rubin, D. B.: Small-sample degrees of freedom with multiple imputation. *Biometrika* **86**, 948–955 (1999)
10. Battese, G. E., Harter, R. M., and Fuller, W. A.: An error components model for prediction of county crop areas using survey and satellite data. *Journal of the American Statistical Association* **83**, 28–36 (1988)
11. Beale, E. M. L., and Little, R. J. A.: Missing values in multivariate analysis. *Journal of the Royal Statistical Society Ser. B* **37**, 129–146 (1975)
12. Becker, M. P., Yang, I., and Lange, K.: EM algorithms without missing data. *Statistical Methods in Medical Research* **6**, 38–54 (1997)
13. Becker, N. G.: Uses of the EM algorithm in the analysis of data on HIV/AIDS and other infectious diseases. *Statistics in Medical Research* **6**, 24–37 (1997)
14. Becker, R. A., Chambers, J. M., and Wilks, A. R.: *The New S Language. A Programming Environment for Data Analysis and Graphics*. Wadsworth & Brooks/Cole, Pacific Grove, CA (1988)

15. Belin, T. R., Diffendal, G., Mack, S., Rubin, D. B., Schafer, J. L., and Zaslavsky, A.: Hierarchical logistic regression models for imputation of unresolved enumeration status in undercount estimation. *Journal of the American Statistical Association* **88**, 1149–1159 (1993)
16. Belin, T. R., and Rubin, D. B.: A method for calibrating false match rates in record linkage. *Journal of the American Statistical Association* **90**, 694–707 (1995)
17. Berry, C. C., Flatt, S. W., and Pierce, J. P.: Correcting unit nonresponse via response modeling and raking in the California Tobacco Survey. *Journal of Official Statistics* **12**, 349–363 (1996)
18. Binder, D. A., and Théberge, A.: Estimation of the variance of raking-ratio estimators. *Canadian Journal of Statistics* **16** Suppl. 47–55 (1988)
19. Booth, J. G., and Hobert, J. P.: Standard errors of prediction in generalized linear mixed models. *Journal of the American Statistical Association* **83**, 262–272 (1998)
20. Booth, J. G., and Hobert, J. P. M.: Maximizing generalized linear mixed model likelihoods with an automated Monte Carlo EM algorithm. *Journal of the Royal Statistical Society Ser. B* **61**, 265–285 (1999)
21. Brackstone, G. J., and Rao, J. N. K.: An investigation of raking ratio estimation. *Sankhyā Ser. C* **41**, 97–114 (1979)
22. Breslow, N. E., and Clayton, D.: Approximate inference in generalised linear mixed models. *Journal of the American Statistical Association* **88**, 9–25 (1993)
23. van Buuren, S., Boshuizen, H. C., and Knook, D. L.: Multiple imputation of missing blood pressure covariates in survival analysis. *Statistics in Medicine* **18**, 681–694 (1999)
24. Carlin, B. P., and Louis, T. A.: *Bayes and Empirical Bayes Methods for Data Analysis*. Chapman and Hall, London (1996)
25. Carroll, R. J., Ruppert, D., and Stefanski, L. A.: *Measurement Error in Nonlinear Models*. Chapman and Hall, London (1995)
26. Chatfield, C.: Model uncertainty, data mining and statistical inference. *Journal of the Royal Statistical Society Ser. A* **158**, 419–466 (1995)
27. Citro, C. F., and Kalton, G. (eds): *Small-Area Income and Poverty Estimates. Priorities for 2000 and Beyond*. National Academy Press, Washington, DC (2000)
28. Clayton, D., and Rasbash, J.: Estimation in large crossed random-effect models by data augmentation. *Journal of the Royal Statistical Society Ser. A* **162**, 425–436 (1999)
29. Clogg, C. C., Rubin, D. B., Schenker, N., Schultz, B., and Weidman, L.: Multiple imputation of industry and occupation codes in census public-use samples using Bayesian logistic regression. *Journal of the American Statistical Association* **86**, 68–78 (1991)
30. Cochran, W. G.: *Sampling Techniques*. 3rd ed. Wiley, New York (1977)
31. Coles, S. G., and Dixon, M. J.: Likelihood-based inference for extreme value models. *Extremes* **2**, 5–23 (1999)
32. Cook, J., and Stefanski, L. A.: A simulation-extrapolation method for parametric measurement error models. *Journal of the American Statistical Association* **89**, 1314–1328 (1994)

33. Copas, A. J., and Farewell, V. T.: Dealing with non-ignorable non-response by using an 'enthusiasm-to-respond' variable. *Journal of the Royal Statistical Society Ser. A* **161**, 385–396 (1998)
34. Copas, J. B., and Li, H. G.: Inference for non-random samples. *Journal of the Royal Statistical Society Ser. B* **59**, 55–95 (1997)
35. Copas, J. B., and Shi, J. Q.: A sensitivity analysis for publication bias in systematic reviews. *Statistics in Medicine* **20**, 251–265 (2001)
36. Cox, D. R.: Regression models and life tables. *Journal of the Royal Statistical Society Ser. B* **34**, 187–220 (1972)
37. Cox, D. R., and Hinkley, D. V.: *Theoretical Statistics*. Chapman and Hall, London (1974)
38. Cox, D. R., and Oakes, D.: *Analysis of Survival Data*. Chapman and Hall, London (1984)
39. Czajka, J. L., Hirabayashi, S. M., Little, R. J. A., and Rubin, D. B.: Projecting from advance data using propensity modeling: An application to income and tax statistics. *Journal of Business and Economic Statistics* **10**, 117–131 (1992)
40. d'Agostino, R. B.: Propensity score methods for bias reduction in the comparison of a treatment to a non-randomized control group. *Statistics in Medicine* **17**, 2265–2281 (1998)
41. Dalgaard, P.: *Introductory Statistics with R*. Springer, New York (2002)
42. Datta, G. S., Day, B., and Basawa, I.: Empirical best linear unbiased and empirical Bayes prediction in multivariate small area estimation. *Journal of Statistical Planning and Inference* **75**, 269–279 (1999)
43. Deeley, J. J., and Smith, A. F. M.: Quantitative refinements for comparisons of institutional performance. *Journal of the Royal Statistical Society Ser. B* **161**, 5–12 (1998)
44. Dempster, A. P., Laird, N. M., and Rubin, D. B.: Maximum likelihood for incomplete data via the EM algorithm. *Journal of the Royal Statistical Society Ser. B* **39**, 1–38 (1977)
45. Dempster, A. P., Rubin, D. B., and Tsutakawa, R. K.: Estimation in covariance component models. *Journal of the American Statistical Association* **76**, 341–353 (1981)
46. Deville, J.-C., and Särndal, C.-E.: Calibration estimators in survey sampling. *Journal of the American Statistical Association* **87**, 376–382 (1992)
47. Deville, J.-C., Särndal, C.-E., and Sautory, O.: Generalized raking procedures in survey sampling. *Journal of the American Statistical Association* **88**, 1013–1020 (1993)
48. Diggle, P., and Kenward, M. G.: Informative drop-out in longitudinal data analysis. *Applied Statistics* **43**, 49–93 (1994)
49. Drake, C.: Effects of misspecification of the propensity score on estimators of treatment effect. *Biometrics* **49**, 1231–1236 (1993)
50. Draper, D.: Assessment and propagation of model uncertainty. *Journal of the Royal Statistical Society Ser. B* **57**, 45–97 (1995)
51. Draper, N. R., and Smith, H.: *Applied Regression Analysis*. 2nd ed. Wiley, New York (1981)
52. Drew, J. D., Singh, M. P., and Choudry, G. H.: Evaluation of small area estimation techniques for the Canadian Labour Force Survey. *Survey Methodology* **8**, 17–46 (1982)

53. Duncan, T. E., Duncan, S. C., and Li, F.: A comparison of model- and multiple imputation-based approaches to longitudinal analyses with partial missingness. *Structural Equation Modelling* **5**, 1–21 (1998)
54. van Eeden, C., and Zidek, J. V.: Combining the data from two normal populations to estimate the mean of one when their means difference is bounded. *Journal of Multivariate Analysis* **88**, 19–46 (2004)
55. Efron, B., and Morris, C.: Limiting the risk of Bayes and empirical Bayes estimators — Part I: The Bayes case. *Journal of the American Statistical Association* **66**, 807–815 (1971)
56. Efron, B., and Morris, C.: Limiting the risk of Bayes and empirical Bayes estimators — Part II: The empirical Bayes case. *Journal of the American Statistical Association* **67**, 130–139 (1972)
57. Efron, B., and Morris, C.: Stein's estimation rule and its competitors — an empirical Bayes approach. *Journal of the American Statistical Association* **68**, 117–130 (1973)
58. Efron, B., and Morris, C.: Data analysis using Stein's estimator and its generalizations. *Journal of the American Statistical Association* **70**, 311–319 (1975)
59. Ericksen, E.: A method of combining sample survey data and symptomatic indicators to obtain population estimates for local areas. *Demography* **10**, 147–160 (1973)
60. Ericksen, E.: A regression method for estimating population changes of local areas. *Journal of the American Statistical Association* **69**, 867–875 (1974)
61. Ewing, J. A.: Detecting alcoholism: The CAGE questionnaire. *Journal of the American Medical Association* **252**, 1905–1907 (1984)
62. Falorsi, P. D., Falorsi, S., and Russo, A.: Empirical comparison of small area estimation methods for the Italian Labour Force Survey. *Survey Methodology* **20**, 171–178 (1994)
63. Falorsi, P. D., and Russo, A.: A conditional analysis of some small area estimators in two stage sampling. *Journal of Official Statistics* **15**, 537–550 (1999)
64. Faucett, C. L., Schenker, N., and Taylor, J. M. G.: Survival analysis using auxiliary variables via multiple imputation, with application to AIDS clinical trial data. *Biometrics* **58**, 37–47 (2002)
65. Fay, R. E.: Application of multivariate regression to small domain estimation. In: Platek, R., Rao, J. N. K., Särndal, C.-E., and Singh, M. P. (eds), *Small Area Statistics. An International Symposium*, pp. 91–102. Wiley, New York (1987)
66. Fay, R. E.: Alternative paradigms for the analysis of imputed survey data. *Journal of the American Statistical Association* **91**, 490–498 (1996)
67. Fay, R. E., and Herriot, R. A.: Estimates of income for small places: an application of James-Stein procedures to census data. *Journal of the American Statistical Association* **74**, 269–277 (1979)
68. Fitzmaurice, G. M., Heath, A. F., and Clifford, P.: Logistic regression models for binary panel data with attrition. *Journal of the Royal Statistical Society Ser. A* **159**, 249–263 (1996)
69. Fitzmaurice, G. M., and Laird, N. M.: Regression models for mixed discrete and continuous responses with potentially missing values. *Biometrics* **53**, 110–122 (1997)

70. Fitzmaurice, G. M., Laird, N. M., and Lipsitz, S., R.: Analysing incomplete longitudinal binary responses: A likelihood-based approach. *Biometrics* **50**, 601–612 (1994)
71. Fitzmaurice, G. M., Laird, N. M., and Zahner, G. E. P.: Multivariate logistic models for incomplete binary responses. *Journal of the American Statistical Association* **91**, 99–108 (1996)
72. Friedl, H., and Kauermann, G.: Standard errors for EM estimates in generalized linear models with random effects. *Biometrics* **56**, 761–767 (2000)
73. Fuller, W. A.: *Measurement Error Models*. Wiley, New York (1987)
74. Gambino, J., and Dick, P.: Small area estimation practice at Statistics Canada. *Statistics in Transition* **4**, 597–610 (2000)
75. Gelfand, A. E., and Smith, A. F. M.: Sampling-based approaches to calculating marginal densities. *Journal of the American Statistical Association* **85**, 398–409 (1990)
76. Gelfand, A. E., Hills, S. E., Racine-Poon, A., and Smith, A. F. M.: Illustration of Bayesian inference in normal data models using Gibbs sampling. *Journal of the American Statistical Association* **85**, 972–985 (1990)
77. Gelman, A., Carlin, J. B., Stern, H. S., and Rubin, D. B.: *Bayesian Data Analysis*. Chapman and Hall, London (1995)
78. Gelman, A., King, G., and Liu, C.: Not asked and not answered: Multiple imputation for multiple surveys. *Journal of the American Statistical Association* **93**, 846–857 (1998)
79. Gelman, A., and Price, P. N.: All maps of parameter estimates are misleading. *Statistics in Medicine* **18**, 3221–3234 (1999)
80. Ghosh, M., and Lahiri, P.: A hierarchical Bayes approach to small area estimation with auxiliary information. In: Goel, P. K., and Iyengar, N. S. (eds), *Bayesian Analysis in Statistics and Econometrics*, pp. 107–125. Springer, New York (1992)
81. Ghosh, M., Nangia, N., and Kim, D. H.: Estimation of median income of four-person families: A Bayesian time series approach. *Journal of the American Statistical Association* **91**, 1423–1431 (1996)
82. Ghosh, M., Natarajan, K., Stroud, T. W. F., and Carlin, B.: Generalized linear models for small-area estimation. *Journal of the American Statistical Association* **93**, 273–282 (1998)
83. Ghosh, M., and Rao, J. N. K.: Small area estimation. An appraisal. *Statistical Science* **9**, 55–93 (1994)
84. Gilks, W. R., Richardson, S., and Spiegelhalter, D. J.: *Markov Chain Monte Carlo Methods in Practice*. Chapman and Hall, London (1996)
85. Goldstein, H.: *Multilevel Statistical Models*. 2nd ed. Edward Arnold, London (1995)
86. Goldstein, H., and Rasbash, J.: Improved approximations for multilevel models with binary responses. *Journal of the Royal Statistical Society Ser. A* **159**, 505–513 (1996)
87. Goldstein, H., and Spiegelhalter, D.: League tables and their limitations: Statistical issues in comparisons of institutional performance. *Journal of the Royal Statistical Society Ser. A* **159**, 385–443 (1996)
88. Gonzalez, M. E., and Hoza, C.: Small-area estimation with application to unemployment and housing estimates. *Journal of the American Statistical Association* **73**, 7–15 (1978)

89. Green, E. J., and Strawderman, W. E.: A James-Stein type estimator for combining unbiased and possibly biased estimators. *Journal of the American Statistical Association* **86**, 1001–1006 (1991)
90. Green, P. J.: On the use of the EM algorithm for penalized likelihood estimation. *Journal of the Royal Statistical Society Ser. B* **52**, 443–452 (1990)
91. Hartley, H. O.: Maximum likelihood estimation from incomplete data. *Biometrics* **14**, 783–823 (1958)
92. Hartley, H. O., and Hocking, R. R.: The analysis of incomplete data. *Biometrics* **27**, 783–808 (1971)
93. Hartley, H. O., and Rao, J. N. K.: Maximum likelihood estimation for the mixed analysis of variance model. *Biometrika* **54**, 93–108 (1967)
94. Harville, D. A.: Bayesian inference for variance components using only error contrasts. *Biometrika* **61**, 383–385 (1974)
95. Harville, D. A.: Maximum likelihood approaches to variance component estimation and to related problems. *Journal of the American Statistical Association* **72**, 320–340 (1977)
96. Harville, D. A.: *Matrix Algebra from a Statistician's Perspective*. Springer, New York (1985)
97. Healy, M. J., and Westmacott, M.: Missing values in experiments analyzed on automatic computers. *Applied Statistics* **5**, 203–206 (1956)
98. Hedges, L. V., and Olkin, I.: *Statistical Methods for Meta-analysis*. Academic Press, New York (1985)
99. Heitjan, D. F., and Little, R. J. A.: Multiple imputation for the Fatal Accident Reporting System. *Applied Statistics* **40**, 13–29 (1991)
100. Heitjan, D. F., and Rubin, D. B.: Inference from coarse data via multiple imputation with application to age heaping. *Journal of the American Statistical Association* **85**, 304–314 (1990)
101. Hemmerle, W. J., and Hartley, H. O.: Computing maximum likelihood estimates for the mixed A.O.V. model using the W transformation. *Technometrics* **15**, 819–831 (1973)
102. Henderson, C. R.: Estimation of variance and covariance components. *Biometrics* **9**, 226–252 (1953)
103. Hjort, N. L., and Claeskens, G.: Frequentist model average estimators. *Journal of the American Statistical Association* **98**, 879–899 (2003)
104. Hoeting, J., Madigan, D., Raftery, A. E., and Volinsky, C. T.: Bayesian model averaging: A tutorial. *Statistical Science* **14**, 381–417 (1998)
105. Holt, D., and Holmes, D. J.: Small domain estimation for unequal probability survey designs. *Survey Methodology* **20**, 23–31 (1994)
106. Holt, D., and Smith, T. M. F.: Post stratification. *Journal of the Royal Statistical Society Ser. A* **142**, 33–46 (1979)
107. Holt, D., Smith, T. M. F., and Tomberlin, T. J.: A model-based approach to estimation for small subgroups of a population. *Journal of the American Statistical Association* **74**, 405–410 (1979)
108. Hopke, P. K., Liu, C., and Rubin, D. B.: Multiple imputation for multivariate data with missing and below-threshold measurements: Time-series concentrations of pollutants in the Arctic. *Biometrics* **57**, 22–33 (2001)
109. Horton, N. J., and Lipsitz, S. R.: Multiple imputation in practice: Comparison of software packages for regression models with missing variables. *American Statistician* **55**, 244–254 (2001)

110. House Condition Survey Team, Communities Scotland: Scottish House Condition Survey 2002. Communities Scotland, Edinburgh (2002)
111. Ibrahim, J. G., and Lipsitz, S. R.: Parameter estimation from incomplete data in binomial regression when the missing data mechanism is nonignorable. *Biometrics* **52**, 1071–1078 (1996)
112. Ibrahim, J. G., Lipsitz, S. R., and Chen, M.-H.: Missing covariates in generalized linear models when the missing data mechanism is non-ignorable. *Journal of the Royal Statistical Society Ser. B* **61**, 173–190 (1999)
113. Ibrahim, J. G., and Weisberg, S.: Incomplete data in generalized linear models with continuous covariates. *Australian Journal of Statistics* **34**, 461–470 (1992)
114. Ihaka, R., and Gentleman, R.: R: A language for data analysis and graphics. *Journal of Computational and Graphical Statistics* **5**, 299–314 (1996)
115. James, W., and Stein, C.: Estimation with quadratic loss. In: *Proceedings of the 4th Berkeley Symposium on Mathematical Statistics and Probability*, Vol. 1., pp. 361–379. University of California Press, Berkeley, CA. (1961)
116. Jamshidian, M., and Jennrich, R. I.: Conjugate gradient acceleration of the EM algorithm. *Journal of the American Statistical Association* **88**, 221–228 (1993)
117. Jamshidian, M., and Jennrich, R. I.: Acceleration of the EM algorithm by using quasi-Newton methods. *Journal of the Royal Statistical Society Ser. B* **59**, 569–587 (1997)
118. Jansen, R. C.: Maximum likelihood in a generalized linear finite mixture model by using the EM algorithm. *Biometrics* **49**, 227–231 (1993)
119. Jennrich, R. I., and Sampson, P. F.: Newton-Raphson and related algorithms for maximum likelihood variance component estimation. *Technometrics* **18**, 11–17 (1976)
120. Johnson, E. G., Mazzeo, J., and Kline, D. L.: NAEP Technical Report of the NAEP 1992 Trial State Assessment Program in Mathematics. National Center for Educational Statistics, Washington, DC (1993)
121. Judge, G. G., and Mittelhammer, R. C.: A semiparametric basis for combining estimation problems under quadratic loss. *Journal of the American Statistical Association* **99**, 479–287 (2004)
122. Kadane, J. B., and Lazar, N. A.: Methods and criteria for model selection. *Journal of the American Statistical Association* **99**, 279–290 (2004)
123. Kass, R. E., and Raftery, A. E.: Bayes factors. *Journal of the American Statistical Association* **90**, 773–795 (1995)
124. Kish, L.: *Survey Sampling*. Wiley, New York (1965)
125. Lahiri, P., and Rao, J. N. K.: Robust estimation of the mean square error of small area predictors. *Journal of the American Statistical Association* **90**, 758–766 (1995)
126. Laird, N. M., and Louis, T. A.: Empirical Bayes ranking methods. *Journal of Educational Statistics* **14**, 29–46 (1989)
127. Lange, K.: A quasi Newton acceleration of the EM algorithm. *Statistica Sinica* **5**, 1–18 (1995)
128. Lange, K.: *Numerical Analysis for Statisticians*. Springer, New York (1999)
129. Lange, N., and Ryan, L.: Assessing normality in random effects models. *Annals of Statistics* **17**, 624–643 (1989)
130. Langford, I. H., and Lewis, T.: Outliers in multivariate data. *Journal of the Royal Statistical Society Ser. A* **161**, 121–160 (1998)

131. Lee, Y. and Nelder, J. A.: Hierarchical generalized linear models. *Journal of the Royal Statistical Society Ser. B* **58**, 619–678 (1996)
132. Lee, Y. and Nelder, J. A.: Hierarchical generalized linear models: a synthesis of generalised linear models, random effect models and structured dispersions. *Biometrika* **88**, 987–1006 (2001)
133. Lehtonen, R., and Djerf, K. (eds): Lecture notes on estimation for population domains and small areas. (M. Ghosh: Model-dependent small area estimation — Theory and practice; C.-E. Särndal: Design-based methodologies for domain estimation) Proceedings of the Symposium on Advances in Domain Estimation. *Reviews* 2001/5. Statistics Finland, Helsinki (2001)
134. Lesaffre, E., and Spiessens, B.: On the effect of the number of quadrature points in logistic random-effects model: An example. *Applied Statistics* **50**, 325–335 (2001)
135. Li, K. H., Meng, X.-L., Raghunathan, T. E., and Rubin, D. B.: Significance levels from repeated p values with multiply-imputed data. *Statistica Sinica* **1**, 65–92 (1991)
136. Li, K. H., Raghunathan, T. E., and Rubin, D. B.: Large-sample significance levels from multiply imputed data using moment-based statistics and an F distribution. *Journal of the American Statistical Association* **86**, 1065–1073 (1991)
137. Lindley, D. V.: The choice of variables in multiple regression. *Journal of the Royal Statistical Society Ser. B* **30**, 31–66 (1968)
138. Lindstrom, M. J., and Bates, D. M.: Newton-Raphson and EM algorithms for linear mixed-effects models for repeated measures data. *Journal of the American Statistical Association* **83**, 1014–1022 (1988)
139. Lipsitz, S. R., and Ibrahim, J. G.: A conditional model for incomplete covariates in parametric regression models. *Biometrika* **83**, 916–922 (1996)
140. Lipsitz, S. R., Ibrahim, J. G., and Fitzmaurice, G. M.: Likelihood methods for incomplete longitudinal binary responses with incomplete categorical covariates. *Biometrics* **55**, 214–223 (1999)
141. Lipsitz, S. R., Zhao, L. P., and Molenberghs, G.: A semiparametric method of multiple imputation. *Journal of the Royal Statistical Society Ser. B* **60**, 127–144 (1998)
142. Little, R. J. A.: Survey nonresponse adjustments for estimates of means. *International Statistical Review* **54**, 139–157 (1986)
143. Little, R. J. A.: Regression with missing X 's: A review. *Journal of the American Statistical Association* **87**, 1227–1237 (1992)
144. Little, R. J. A.: Pattern-mixture models for multivariate incomplete data. *Journal of the American Statistical Association* **88**, 125–134 (1993)
145. Little, R. J. A.: Modelling the drop-out mechanism in repeated-measures studies. *Journal of the American Statistical Association* **90**, 1112–1121 (1995)
146. Little, R. J. A., and Rubin, D. B.: *Statistical Analysis with Missing Data*. 2nd ed. Wiley, New York (2002)
147. Little, R. J. A., and Schluchter, M. D.: Maximum likelihood for mixed continuous and categorical data. *Biometrika* **72**, 497–512 (1985)
148. Little, R. J. A., and Wang, Y.: Pattern-mixture models for multivariate incomplete data with covariates. *Biometrics* **52**, 98–111 (1996)

149. Longford, N. T.: A fast scoring algorithm for maximum likelihood estimation in unbalanced mixed models with nested random effects. *Biometrika* **74**, 817–827 (1987)
150. Longford, N. T.: *Random Coefficient Models*. Oxford University Press, Oxford (1993)
151. Longford, N. T.: Logistic regression with random coefficients. *Computational Statistics and Data Analysis* **17**, 1–15 (1994)
152. Longford, N. T.: *Models for Uncertainty in Educational Testing*. Springer, New York (1995)
153. Longford, N. T.: Small-area estimation using adjustment by covariates. *Qüestió* **20**, 187–212 (1996)
154. Longford, N. T.: Shrinkage estimation of linear combinations of true scores. *Psychometrika* **62**, 237–244 (1997)
155. Longford, N. T.: An experiment in primary health care provision. *Journal of the Royal Statistical Society Ser. A* **162**, 291–302 (1999)
156. Longford, N. T.: Multivariate shrinkage estimation of small-area means and proportions. *Journal of the Royal Statistical Society Ser. A* **162**, 227–245 (1999)
157. Longford, N. T.: Multiple imputation in an international database of social science surveys. *ZA-Information*, **46**, 72–95 (2000)
158. Longford, N. T.: On estimating the standard errors in multilevel analysis. *The Statistician* **49**, 389–398 (2000)
159. Longford, N. T.: Attitudes to immigration in an international social survey. *Statistics in Transition* **5**, 267–280 (2001)
160. Longford, N. T.: Estimation of the rates and composition of employment in Norwegian municipalities. *Journal of Official Statistics* **17**, 391–406 (2001)
161. Longford, N. T.: Simulation-based diagnostics in random-coefficient models. *Journal of the Royal Statistical Society Ser. A* **164**, 259–273 (2001)
162. Synthetic estimators with moderating influence: the carry-over in cross-over trials revisited. *Statistics in Medicine* **20**, 3189–3203 (2001)
163. Longford, N. T.: An alternative to model selection in ordinary regression. *Statistics and Computing* **13**, 67–80 (2003)
164. Longford, N. T.: Missing data and small-area estimation in the UK Labour Force Survey. *Journal of the Royal Statistical Society Ser. A* **167**, 341–373 (2004)
165. Longford, N. T.: On selection and composition in small area and mapping problems. *Statistical Methods in Medical Research* **14**, 3–16 (2005)
166. Longford, N. T., Ely, M., Hardy, R., and Wadsworth, M. E. J.: Handling missing data in diaries of alcohol consumption. *Journal of the Royal Statistical Society Ser. A* **163**, 381–402 (2000)
167. Longford, N. T., and Macintyre, C.: Mean repair costs of dwellings in Scottish unitary authorities: An application of shrinkage. In: R. Banks et al. (eds), *Leading Survey and Statistical Computing into the New Millennium*. Proceedings of the Third International Conference, pp. 347–354. Association for Survey Computing, Chesham, Bucks (1999)
168. Longva, S., Thomsen, I., and Severeide, P. I.: Reducing costs of censuses in Norway through use of administrative registers. *International Statistical Review* **66**, 223–234 (1998)

169. Louis, T. A.: Finding the observed information matrix when using the EM algorithm. *Journal of the Royal Statistical Society Ser. B* **44**, 226–233 (1982)
170. Lui, K.-J., and Cumberland, W. G.: A model-based approach: composite estimators for small area estimation. *Journal of Official Statistics* **7**, 69–76 (1991)
171. Madow, W. G., Olkin, I., Nisselson, H., and Rubin, D. B. (eds): *Incomplete Data in Sample Surveys*. (Three volumes) Academic Press, New York (1983)
172. Magee, L.: Improving survey-weighted least squares regression. *Journal of the Royal Statistical Society Ser. B* **60**, 115–126 (1998)
173. Magnus, J. R., and Neudecker, H.: *Matrix Differential Calculus with Applications in Statistics and Econometrics*. Wiley, New York (1988)
174. Malec, D., Davis, W. W., and Cao, X.: Model-based small area estimates of overweight prevalence using sample selection adjustment. *Statistics in Medicine* **18**, 3189–3200 (1999)
175. Malec, D., Sedransk, J., Moriarity, C. L., and LeClere, F. B.: Small area inference for binary variables in the National Health Interview Survey. *Journal of the American Statistical Association* **92**, 815–826 (1997)
176. Mallows, C.: Some comments on C_p . *Technometrics* **15**, 661–675 (1973)
177. Mardia, K. V., Kent, J. T., and Bibby, J. M.: *Multivariate Analysis*. Academic Press, London (1979)
178. Marker, D. A.: Organization of small area estimators using a generalized linear regression framework. *Journal of Official Statistics* **15**, 1–24 (1999)
179. Marker, D. A., and Waksberg, J.: Small area estimation for the U. S. National Health Interview Survey. *Statistics in Transition* **1**, 747–768 (1994)
180. McCullagh, P., and Nelder, J. A.: *Generalized Linear Models*. 2nd ed. Chapman and Hall, London (1989)
181. McCulloch, C. E.: Maximum likelihood variance components estimation for binary data. *Journal of the American Statistical Association* **89**, 330–335 (1994)
182. McGibbon, B., and Tomberlin, T. J.: Small area estimates of proportions via empirical Bayes techniques. *Survey Methodology* **15**, 237–252 (1989)
183. McLachlan, G. J., and Krishnan, T.: *The EM Algorithm and Extensions*. Wiley, New York (1997)
184. McLachlan, G., and Peel, D.: *Finite Mixture Models*. Wiley, New York (2000)
185. McLaren, C. E., Wagstaff, M., Brittenham, G. M., and Jacobs, A.: Detection of two-component mixtures of log-normal distributions in grouped, doubly truncated data: Analysis of red blood cell volume distributions. *Biometrics* **47**, 607–622 (1991)
186. Meijlijson, I.: A fast improvement to the EM algorithm on its own terms. *Journal of the Royal Statistical Society Ser. B* **51**, 127–138 (1989)
187. Meng, X.-L.: Multiple imputation with uncongenial sources of input. *Statistical Science* **9**, 538–574 (1994)
188. Meng, X.-L., and van Dyk, D.: The EM algorithm — an old folk-song sung to a fast new tune. *Journal of the Royal Statistical Society Ser. B* **59**, 511–567 (1997)

189. Meng, X.-L., and van Dyk, D.: Fast EM-type implementations for mixed effects models. *Journal of the Royal Statistical Society Ser. B* **60**, 559–578 (1998)
190. Meng, X.-L., and Rubin, D. B.: Using EM to obtain asymptotic variance-covariance matrices: The SEM algorithm. *Journal of the American Statistical Association* **86**, 899–909 (1991)
191. Meng, X.-L., and Rubin, D. B.: Performing likelihood ratio tests with multiply-imputed data sets. *Biometrika* **79**, 103–111 (1992)
192. Molenberghs, G., and Goetghebeur, E.: Simple fitting algorithms for incomplete categorical data. *Journal of the Royal Statistical Society Ser. B* **59**, 401–414 (1997)
193. Molenberghs, G., Kenward, M. G., and Lesaffre, E.: The analysis of longitudinal ordinal data with nonrandom drop-out. *Biometrika* **84**, 33–44 (1997)
194. Morris, C.: Parametric empirical Bayes inference. *Journal of the American Statistical Association* **78**, 47–65 (1983)
195. Myrskylä, P.: Census by questionnaire — Census by registers and administrative records: The experience of Finland. *Journal of Official Statistics* **7**, 457–474 (1991)
196. Navidi, W.: A graphical illustration of the EM algorithm. *American Statistician* **51**, 29–31 (1997)
197. Nelder, J. A., and Pregibon, D.: An extended quasi-likelihood function. *Biometrika* **74**, 221–232 (1987)
198. Nettleton, D.: Convergence properties of the EM algorithm in constrained parameter spaces. *Canadian Journal of Statistics* **27**, 639–648 (1999)
199. Oakes, D.: Direct calculation of the information matrix via the EM algorithm. *Journal of the Royal Statistical Society Ser. B* **61**, 479–482 (1999)
200. Oja, H., Koironen, M., and Rantakallio, P.: Fitting mixture models to birth weight data: A case study. *Biometrics* **47**, 883–897 (1991)
201. Orchard, T., and Woodbury, M. A.: A missing information principle: Theory and applications. In: *Proceedings of the 6th Berkeley Symposium on Mathematical Statistics and Probability*, Vol. 1., pp. 697–715. University of California, Berkeley, CA. (1972)
202. Pan, W., and Kooperberg, C.: Linear regression for bivariate censored data via multiple imputation. *Statistics in Medicine* **18**, 3111–3121 (1999)
203. Park, T., and Brown, M. B.: Models for categorical data with nonignorable nonresponse. *Journal of the American Statistical Association* **89**, 44–52 (1994)
204. Patterson, H. D., and Thompson, R.: Recovery of inter-block information when block sizes are unequal. *Biometrika* **58**, 545–554 (1971)
205. Pfeffermann, D., and Barnard, C. H.: Some new estimators for small-area means with application to the assessment of farmland values. *Journal of Business and Economic Statistics* **9**, 73–84 (1991)
206. Pfeffermann, D., and Bleuer, S. R.: Robust joint modelling of labour force series of small areas. *Survey Methodology* **19**, 149–163 (1993)
207. Pfeffermann, D., and Burck, L.: Robust small area estimation combining time series and cross-sectional data. *Survey Methodology* **16**, 217–237 (1990)

208. Pfeffermann, D., Feder, M., and Signorelli, D.: Estimation of autocorrelations of survey errors with application to trend estimation in small areas. *Journal of Business and Economic Statistics* **16**, 339–348 (1998)
209. Pinheiro, J. C., and Bates, D. M.: *Mixed-effects Models in S and S-plus*. Springer, New York (2000)
210. Platek, R., Rao, J. N. K., Särndal, C.-E., and Singh, M. P. (eds): *Small Area Statistics. An International Symposium*. Wiley, New York (1987)
211. Potthoff, R. F., Woodbury, M. A., and Manton, K. G.: “Equivalent sample size” and “equivalent degrees of freedom” refinements for inference using survey weights under superpopulation models. *Journal of the American Statistical Association* **87**, 383–396 (1992)
212. Prasad, N. G. N., and Rao, J. N. K.: The estimation of the mean squared error of small-area estimators. *Journal of the American Statistical Association* **85**, 163–171 (1990)
213. Purcell, N. J., and Kish, L.: Estimation for small domains. *Biometrics* **35**, 365–384 (1979)
214. Purcell, N. J., and Kish, L.: Postcensal estimates for local areas (or domains). *International Statistical Review* **48**, 3–18 (1980)
215. R Development Core Team: *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria (2004)
216. Raftery, A. E., Madigan, D., and Hoeting, J. A.: Bayesian model averaging for linear regression models. *Journal of the American Statistical Association* **92**, 179–191 (1997)
217. Raghunathan, T., E.: A quasi-empirical Bayes method for small area estimation. *Journal of the American Statistical Association* **88**, 1444–1448 (1993)
218. Raghunathan, T., E., Lepkowski, J., van Hoewyk, J., and Solenberger, P. W.: A multivariate technique for multiply imputing missing values using a sequence of regression models. *Survey Methodology* **27**, 85–95 (2001)
219. Rai, S. N., and Matthews, D. E.: Improving the EM algorithm. *Biometrics* **49**, 587–591 (1993)
220. Ramsay, J. O., and Silverman, B. W.: *Functional Data Analysis*. Springer, New York (1997)
221. Rao, J. N. K.: On variance estimation with imputed survey data. *Journal of the American Statistical Association* **91**, 499–506 (1996)
222. Rao, J. N. K.: Some recent advances in model-based small area estimation. *Survey Methodology* **25**, 175–186 (1999)
223. Rao, J. N. K.: *Small Area Estimation*. Wiley, New York (2003)
224. Redfern, P.: An alternative view of the 2001 census and future census taking. *Journal of the Royal Statistical Society Ser. A* **167**, 209–228 (2004)
225. Reilly, M.: Data analysis using hot-deck multiple imputation. *The Statistician* **42**, 307–313 (1993)
226. Robinson, G. K.: That BLUP is a good thing: The estimation of random effects. *Statistical Science* **6**, 15–32 (1991)
227. Rodríguez, G., and Goldman, N.: An assessment of estimation procedures for multilevel models with binary responses. *Journal of the Royal Statistical Society Ser. A* **158**, 73–89 (1995)
228. Rosenbaum, P. R.: *Observational Studies*. Springer, New York (1995)
229. Rubin, D. B.: Inference and missing data. *Biometrika* **63**, 581–592 (1976)

230. Rubin, D. B.: Formalizing subjective notions about the effect of nonrespondents in sample surveys. *Journal of the American Statistical Association* **72**, 538–543 (1977)
231. Rubin, D. B.: Using empirical Bayes techniques in the law school validity studies. *Journal of the American Statistical Association* **75**, 801–827 (1980)
232. Rubin, D. B.: Bayesianly justifiable and relevant frequency calculations for the applied statistician. *Annals of Statistics* **12**, 1151–1172 (1984)
233. Rubin, D. B.: *Multiple Imputation for Nonresponse in Surveys*. Wiley, New York (1987)
234. Rubin, D. B.: EM and beyond. *Psychometrika* **56**, 241–254 (1991)
235. Rubin, D. B.: Computational aspects of analysing random effects/longitudinal models. *Statistics in Medicine* **11**, 1809–1821 (1992)
236. Rubin, D. B.: Satisfying confidentiality constraints through the use of synthetic multiply-imputed micro-data. *Journal of Official Statistics* **9**, 461–468 (1993)
237. Rubin, D. B.: Multiple imputation after 18+ years. *Journal of the American Statistical Association* **91**, 473–489 (1996)
238. Rubin, D. B., and Schenker, N.: Multiple imputation in health-care databases: an overview and some applications. *Statistics in Medicine* **10**, 585–598 (1991)
239. Rubin, D. B., Stern, H., and Vehovar, V.: Handling “Don’t know” survey responses: The case of Slovenian plebiscite. *Journal of the American Statistical Association* **90**, 822–828 (1995)
240. Rubin, D. B., and Thomas, N.: Matching using estimated propensity scores: Relating theory to practice. *Biometrics* **52**, 249–264 (1996)
241. Särndal, C.-E.: Design-consistent versus model-dependent estimation for small domains. *Journal of the American Statistical Association* **80**, 624–631 (1984)
242. Särndal, C.-E., Swensson, B., and Wretman, J.: *Model Assisted Survey Sampling*. Springer, New York (1992)
243. Schafer, J. L.: *Analysis of Incomplete Multivariate Data*. Chapman and Hall, London (1996)
244. Schafer, J. L.: Multiple imputation: A primer. *Statistical Methods in Medical Research* **8**, 3–15 (1999)
245. Schafer, J. L., and Olsen, M. K.: Multiple imputation for multivariate missing-data problems: A data analyst’s perspective. *Multivariate Behavioral Research* **33**, 545–571 (1998)
246. Schaible, W. L. (ed.): *Indirect Estimators in U. S. Federal Programs*. Lecture Notes in Statistics. Springer, New York (1995)
247. Schenker, N., Treiman, D. J., and Weidmann, L.: Analyses of Public Use Decennial Census Data with multiply imputed industry and occupation codes. *Applied Statistics* **42**, 545–556 (1990)
248. Schirm, L. A., and Preston, S. H.: Census undercount adjustment and the quality of geographic population data. *Journal of the American Statistical Association* **82**, 965–978 (1987)
249. Scottish Homes: *Scottish House Condition Survey. Main Report 1996*. Scottish Homes, Edinburgh (1997)
250. Searle, S. R.: *Matrix Algebra Useful for Statistics*. Wiley, New York (1982)
251. Searle, S. R.: *Linear Models for Unbalanced Data*. Wiley, New York (1987)

252. Searle, S. R., and Henderson, H. V.: Dispersion matrices for variance component models. *Journal of the American Statistical Association* **74**, 465–470 (1979)
253. Seber, G. A. F.: *Linear Regression Analysis*. Wiley, New York (1977)
254. Segal, M. R., Bacchetti, P., and Jewell, N. P.: Variances for maximum penalized likelihood estimates obtained via the EM algorithm. *Journal of the Royal Statistical Society Ser. B* **56** 345–352 (1994)
255. Shao, J.: An asymptotic theory for linear model selection. *Statistica Sinica* **7**, 221–264 (1997)
256. Shen, W., and Louis, T. A.: Triple-goal estimates in two-stage hierarchical models. *Journal of the Royal Statistical Society Ser. B* **60**, 455–471 (1998)
257. Simpson, S., Diamond, I., Tonkin, P., and Tye, R.: Updating small area population estimates in England and Wales. *Journal of the Royal Statistical Society Ser. A* **159**, 235–247 (1996)
258. Singh, A. C., Stukel, D. M., and Pfeffermann, D.: Bayesian *versus* frequentist measures of error in small area estimation. *Journal of the Royal Statistical Society Ser. B* **60**, 377–396 (1998)
259. Singh, M. P., Gambino, J., and Mantel, H. J.: Issues and strategies for small area data. *Survey Methodology* **20**, 3–22 (1994)
260. Spiegelhalter, D., J., Aylin, P., Best, N. G., Evans, S. J. W., and Murray, G. D.: Commissioned analysis of surgical performance using routine data: Lessons from the Bristol inquiry. *Journal of the Royal Statistical Society Ser. A* **165**, 191–231 (2002)
261. Spiess, M., and Keller, F.: A mixed approach and a distribution-free multiple imputation technique for the estimation of a multivariate probit model with missing values. *British Journal of Mathematical and Statistical Psychology* **52**, 1–17 (1999)
262. Stasny, E. A.: Hierarchical models for the probabilities of a survey classification and nonresponse: An example from the National Crime Survey. *Journal of the American Statistical Association* **86**, 296–303 (1991)
263. Statistica Sinica: Special issue on the EM algorithm. *Statistica Sinica* **5**, 1–107 (1995)
264. Stein, C.: Inadmissibility of the usual estimator for the mean of a multivariate normal distribution. In: *Proceedings of the 3rd Berkeley Symposium on Mathematical Statistics and Probability*, Vol. 1, pp. 197–202. University of California Press, Berkeley, CA. (1955)
265. Stone, M.: An asymptotic equivalence of choice of model by cross-validation and Akaike's criterion. *Journal of the Royal Statistical Society Ser. B* **39**, 44–47 (1997)
266. *Survey Methodology*: Volume 1, pp. 1–74 (2001)
267. Swensen, A. R.: Estimating change in a proportion by combining measurements from a true and a fallible classifier. *Scandinavian Journal of Statistics* **15**, 139–145 (1988)
268. Tanner, M. A.: *Tools for Statistical Inference. Methods for the Exploration of Posterior Distributions and Likelihood Functions*. 2nd ed. Springer, New York (1993)
269. Tanner, M. A., and Wong, W. H.: The calculation of posterior distribution by data augmentation. *Journal of the American Statistical Association* **82**, 528–550 (1987)

270. Thisted, R. A.: *Elements of Statistical Computing*. Chapman and Hall, London (1988)
271. Thomas, N., Longford, N. T., and Rolph, J. E.: Empirical Bayes methods for estimating hospital specific mortality rates. *Statistics in Medicine* **13**, 889–903 (1994)
272. Thompson, E. J.: The 1991 census of population in England and Wales. *Journal of the Royal Statistical Society Ser. A* **158**, 203–240 (1995)
273. Thompson, J. R.: Some shrinkage techniques for estimating the mean. *Journal of the American Statistical Association* **63**, 113–122 (1968)
274. Thompson, M. E.: *Theory of Sample Surveys*. Chapman and Hall, London (1997)
275. Thomsen, I., and Holmøy, A. M. K.: Combining data from surveys and administrative record systems. The Norwegian experience. *International Statistical Review* **66**, 201–221 (1998)
276. Thomsen, I., and Zhang, L.-C.: The effects of using administrative registers in economic short term statistics: The Norwegian Labour Force Survey as a case study. *Journal of Official Statistics* **17**, 285–294 (2001)
277. Tršinar, I.: The central register of population of the Republic of Slovenia. *Journal of Official Statistics* **11**, 221–223 (1995)
278. Tsutakawa, R. K.: Mixed model for analyzing geographic variability in mortality rates. *Journal of the American Statistical Association* **83**, 37–42 (1988)
279. Venables, W. N., and Ripley, B. D.: *Modern Applied Statistics with S-Plus*. 4th ed. Springer, New York (2002)
280. Villar, J., Mackey, M. E., Carroli, G., Donner, A.: Meta-analyses in systematic reviews of randomized controlled trials in perinatal medicine: comparison of fixed and random effects models. *Statistics in Medicine* **20**, 3635–3647 (2001)
281. Walker, S.: An EM algorithm for nonlinear random effects models. *Biometrics* **52**, 934–944 (1996)
282. Wang, N., and Robins, J.: Large-sample theory for parametric multiple imputation procedures. *Biometrika* **85**, 935–948 (1998)
283. Wasserman, L.: Bayesian model selection and model averaging. *Journal of Mathematical Psychology* **44**, 92–107 (2000)
284. Wei, G. C. G., and Tanner, M. A.: A Monte Carlo implementation of the EM algorithm and the poor man's data augmentation algorithms. *Journal of the American Statistical Association* **85**, 699–704 (1990)
285. Wolter, K. M.: *Introduction to Variance Estimation*. Springer, New York (1985)
286. Wolter, K. M., and Causey, B. D.: Evaluation of procedures for improving population estimates for small areas. *Journal of the American Statistical Association* **86**, 278–284 (1991)
287. Zhang, L.-C., and Chambers, R. (2004) Small area estimates for cross-classifications. *Journal of the Royal Statistical Society Ser. B* **66**, 479–496 (2004)
288. Zhang, P.: Inference after variable selection in linear regression models. *Biometrika* **79**, 741–746 (1992)

Index

- BUGS, 139
- Gauss, 16
- IVEware, 139
- MICE, 139
- MLwin, 205
- R, 15, 139
- SAS, 139
- SPSS, 139
- Solas, 139
- Splus, 15, 139
- matlab, 16

- Akaike information criterion (AIC),
149, 305, 334
- ANCOVA (analysis of covariance), 176
- ANOVA (analysis of variance), 149,
173, 205, 316
- apportionment method, 210
- asymptotic, 239
- auxiliary
 - data, 207
 - information, 176, 207, 221, 292, 333
 - variable, 33, 181, 207, 221

- Bayes
 - factor, 311, 334
 - information criterion (BIC), 305, 334
 - prior, 86
 - theorem, 12, 81, 134
- bootstrap, 267

- censoring, 85
- census, 224, 276, 283, 291
 - undercount, 170

- chained equations, 71
- choice
 - tailored, 150
 - uniform, 149
- Cholesky decomposition, 191
- coarse data, 84
- complete data, 22, 52
 - analysis, 37, 54
 - estimator, 51, 59, 64
 - information, 55
 - likelihood, 54
 - model, 61
 - statistic, 59
 - variance, 64
- complete information, 52
- completed data, 38, 64
 - analysis, 64
- composite estimator, 151, 212, 240
 - ideal, 159, 217
- composition, 151, 211, 223, 246
 - bivariate, 218
 - ideal, 171
 - multivariate, 215
 - univariate, 217
- confidence
 - interval, 8, 117
 - limit, 8
- coverage rate, 8

- data
 - completion, 40
 - editing, 48, 60, 90
 - reduction, 37, 39
- density

- joint, 54
- direct
 - estimator, 147
 - information, 207
- discrepancy statistic, 291
- distribution
 - χ^2 , 171, 193, 252, 294, 309
 - F -, 321
 - t -, 8
 - asymptotic, 193
 - beta, 206
 - binomial, 127, 202
 - gamma, 171, 206
 - log-normal, 114
 - multinomial, 68, 102, 223
 - Poisson, 164, 171, 202
 - posterior, 333
 - prior, 333
 - Wishart, 67, 186
- district-level
 - model, 180, 197, 204
 - variance, 160
- donor, 42, 75
 - pool, 43, 75, 103
- E-step (EM algorithm), 54
- efficiency, 8
 - asymptotic, 182
- EM algorithm, 53, 114, 269, 307
- empirical density, 268
- eMSE (expected mean squared error), 154
- enumeration, 11
- error contrasts, 186
- estimate, 4
- estimation process, 5
- estimator, 4
 - class, 11
 - complete-data, 51
 - minimax, 318
 - national, 147
 - selected-model based, 307
 - single-model based, 306
 - type, 10
 - compatible, 10
- exponential family, 201
- feature, 197, 245
 - multi-, 197
 - random, 173
 - systematic, 173
- Fisher scoring algorithm, 54, 186, 202
- fraction of the information lost, 55, 66, 116
- functional data analysis, 270
- Gibbs sampler, 71
- GLM (generalised linear models), 47, 200
- GMLM (generalised mixed linear models), 235
- Hessian matrix, 184, 203
- hot deck, 43, 75, 101, 103
 - multivariate, 76
- hypothesis test, 149, 192, 305
- ignorable
 - mechanism, 62
 - nonresponse, 78
- imputation, 27, 37
 - by experts, 47
 - deterministic, 40
 - horizontal, 42
 - mean, 40
 - multi-stage, 69, 110
 - multiple (MI), 51, 59
 - nearest-neighbour, 42, 75
 - proper, 66, 103, 114
 - regression, 45
 - single, 37, 48, 52
 - stochastic, 40, 103
 - vertical, 42
- incomplete
 - data, 19, 22, 52, 292
 - information, 15, 29
- information
 - complete, 52
 - complete-data, 55
 - incomplete, 15, 29
 - matrix, 204
 - expected, 184
 - observed, 184
 - missing, 55
 - fraction of, 55, 66, 116
- ISSP (International Social Survey Programme), 119
- iteratively reweighted least squares, 202

- jackknife, 155
- kernel density estimation, 268
- Labour Force Survey (LFS), 41, 97, 257
- latent variable, 11
- likelihood
 - h -, 235
 - complete-data, 54
 - ratio, 192
- link
 - canonical, 202
 - function, 201
 - identity, 202
 - log, 202
 - logit, 202
- listwise deletion, 127
- LOCF (last observation carried forward), 41, 100
- log-likelihood, 54
- M-step (EM algorithm), 54
- Mallows' C_p , 334
- manifest variable, 11, 29
 - parallel, 17
- MAR (missing at random), 30, 52, 62, 111, 124
 - direction of departure from, 78
 - extent of departure from, 78
- match, 43
- matching variable, 103
- MCAR (missing completely at random), 30, 52
- MCMC (Markov chain Monte Carlo)
 - method, 139
- measurement process, 80
- messy data, 15
- meta-analysis, 331
- MI (multiple imputation), 51, 59, 240, 270
- MI estimator, 64
- minimax
 - estimator, 318
 - property, 225
- misclassification, 83, 130
 - process, 83
- missing
 - data, 13
 - extent of, 21
 - pattern of, 21
 - information, 55
 - fraction of, 55, 66, 116
 - values
 - extent of, 19
 - pattern of, 19
 - mixture (distribution), 114, 307
 - ML (maximum likelihood), 54, 182
 - MSE (mean squared error), 5, 148, 155
 - multi-feature, 197
 - national estimator, 147
 - Newton method, 231
 - Newton-Raphson algorithm, 54, 184, 235
 - NMAR (not missing at random), 31, 52, 62, 72, 78, 107, 121, 127
 - extreme, 127
 - non-informative process, 245
 - nonresponse, 20
 - item, 23
 - mechanism, 30, 114
 - model, 61
 - process, 19, 22, 28, 52
 - rate, 21
 - unit, 23
 - NSHD (National Survey of Health and Development), 110
 - nuisance parameter, 331
 - numerical quadrature, 203
 - ordering, 241
 - parallel regressions, 177, 194
 - pattern-mixture model, 61
 - personalisation, 245
 - plausible
 - category, 67
 - cost, 138
 - distribution, 66, 103
 - map, 271
 - model, 62
 - parameter, 63
 - probability, 77
 - score, 133, 137
 - value, 12, 63, 103
 - variance matrix, 67
 - vector, 240
 - population quantity, 3, 22
 - poststratification, 44

- prior
 - distribution, 333
 - information, 332
- priority exponent, 230
- process
 - assessment, 29
 - data collection, 80, 173
 - data generating, 28
 - data inspection, 244
 - estimation, 5, 303
 - imputation, 52
 - measurement, 80
 - misclassification, 17, 83
 - model selection, 306
 - non-informative, 245
 - nonresponse, 19, 22, 28, 52
 - nuisance, 52
 - sampling, 5, 22, 28, 52, 144
 - stochastic, 28
- profile likelihood, 194
- propensity
 - interval, 77
 - score, 77
- proper imputation, 66, 103, 114
- raking, 45
- rANCOVA (ANCOVA with random effects), 177
- random coefficient model, 177, 197
- random-effect model, 91
- random-intercept model, 177
- ranking, 240, 241, 254
- rANOVA (ANOVA with random effects), 174, 205, 308, 323
- recipient, 42, 75
- record
 - complete, 23
 - empty, 23
 - incomplete, 23
 - partial, 23
- register, 224, 258, 282
- regression part, 179
- relative
 - precision, 253
 - slope, 326
- REML (restricted maximum likelihood), 186, 199, 203
- residual
 - district-level, 196
 - subject-level, 196
- response
 - indicator, 24, 61
 - pattern, 24, 121, 124
 - group-monotone, 71
 - model for, 61
 - monotone, 26, 70, 114
 - probability of, 31
- rMSE (root-MSE), 6
- RSE (relative standard error), 284
- sample
 - quantity, 4, 22
 - realised, 4
 - representative, 20
 - size, planned, 22
- sample-completion design, 90
- Samples of Anonymised Records (SAR), 276
- sampling
 - design
 - clustered, 98
 - planned, 20
 - realised, 20
 - rotating panel, 97
 - systematic, 291
 - frame, 16
 - mechanism, 3
 - process, 5, 22, 28, 52
 - quantity, 7, 22
- score pattern, 76
- score vector, 184, 190
- Scottish House Condition Survey (SHCS), 130, 291
- selection
 - bias, 90
 - indicator, 306
 - model, 61
- sensitivity analysis, 78, 117, 127, 260, 266, 334
- separated parameters, 62, 69
- shrinkage, 155, 214, 291
 - coefficient, 153, 247
 - plausible, 241
 - estimator, 82, 152, 247
 - ideal, 247
 - univariate, 221
- matrix, 217
- multivariate, 221, 262

- similarity, 144
- small area, 143
- stratification, 30, 90
 - more detailed, 30
- subject-level model, 180
- sufficient statistics, 53
 - minimal, 53
- superpopulation, 268
- synthetic estimator, 208, 313
 - ideal, 314
- target, 4
 - variable, 181
- Taylor expansion, 135, 253
- transition probability, 83
- two-level
 - GLM, 202
 - model, 177, 180, 195, 203, 208
- UK Labour Force Survey (LFS), 41, 97, 257
- UK Women's Cohort Survey, 39
- valid model, 304
 - minimal, 306
- variance
 - between-imputation, 64, 138
 - district-level, 147
 - function, 202
 - matrix
 - scaled, 181, 198, 213
 - ratio, 175, 198, 324
 - within-district, 150
- variation
 - associated with, 179
 - part, 179