

BIBLIOGRAPHY

1. Reg Allenby *Rings, Fields and Groups*, Arnold, 1983.
2. George Boole *The Laws of Thought*, Dover, 1973.
3. Jane Bridge *Beginning Model Theory*, Oxford University Press, 1977.
4. Peter J. Cameron *Sets, Logic and categories*, Springer, 1999.
5. Lewis Carroll *Symbolic Logic*, Dover, 1958.
6. C.C.Chang and H.J.Keisler *Model Theory*, North-Holland, 1990.
7. René Cori and Daniel Lascar *Mathematical Logic: a Course with Exercises, Part I*, trans Donald Pelletier, Oxford University Press, 2000.
8. René Cori and Daniel Lascar *Mathematical Logic: a Course with Exercises, Part II*, trans Donald Pelletier, Oxford University Press, 2001.
9. Nigel Cutland *Computability: An Introduction to Recursive Function Theory*, Cambridge University Press, 1980.
10. Martin Davis *The Universal Computer*, Norton, 2000.
11. Michael Dummett *Elements of Intuitionism*, Oxford University Press, 1977.
12. Herbert B. Enderton *A Mathematical Introduction to Logic*, Academic Press, 1972.
13. Herbert B. Enderton *Elements of Set Theory*, Academic Press, 1977.
14. Richard Epstein, Walter Carnielli *Computability: Computable Functions, Logic and the Foundations of Mathematics*, Wadsworth, 1999.
15. Gottlob Frege *Grundlagen der Arithmetik (Foundations of Arithmetic)*, Translated by JL Austin, Blackwell Publishers, 1980.
16. Derek Goldrei *Classic Set Theory*, Chapman and Hall, 1996.
17. Paul R. Halmos *Naive Set Theory*, Van Nostrand, 1960.
18. A.G.Hamilton *Logic for Mathematicians*, Cambridge University Press, 1978.
19. Jean van Heijenoort *From Frege to Gödel, a Source Book in Mathematical Logic 1879–1931*, Harvard University Press, 1967.
20. Wilfrid Hodges *A Shorter Model Theory*, Cambridge University Press, 1997.
21. Camilla Jordan and David Jordan *Groups*, Arnold, 1994.
22. Stephen Cole Kleene, *Mathematical Logic*, Wiley, 1967.
23. Walter Ledermann, Alan Weir *Introduction to Group Theory*, Longman, 1996.
24. David Marker, *Model Theory: an Introduction*, Springer, 2002.
25. Elliott Mendelson *Introduction to Mathematical Logic*, Van Nostrand, 1964.

Bibliography

26. Abraham Robinson *Introduction to Model Theory and to the Metamathematics of Algebra* 2nd edition, North Holland, 1965.
27. Abraham Robinson *Non-standard Analysis*, North Holland, 1966.
28. Raymond Smullyan *What is the Name of this Book?*, Penguin, 1990.
29. Raymond Smullyan *To Mock a Mockingbird: And Other Logic Puzzles*, Oxford University Press, 2000.
30. Robin Wilson *Introduction to Graph Theory*, Longman 1996.
31. Robin Wilson *Four Colours Suffice*, Allen Lane (Penguin) Books, 2002.

INDEX

- $+_n$, 199
- $-_n$, 200
- $L(A)$, 294
- $R_{n,m}$, 141
- $X \approx Y$, 279
- $X \prec Y$, 279
- $X \preceq Y$, 279
- $X \setminus Y$, 12
- $X \times Y$, 12
- X^2 , 12
- Ax 1 to Ax 3, 87
- Ax 1 to Ax 5, 221
- \mathbb{C} , 11
- $\text{Card}(X)$, 280
- $\Gamma \models \phi$, 74, 188
- $\Gamma \not\models \phi$, 74, 188
- $\Gamma \not\vdash \phi$, 101
- $\Gamma \vdash \phi$, 87, 221
- $\Gamma \vdash_S \phi$, 119
- \mathbb{N} , 11
- $\mathcal{P}(Y)$, 12
- \mathbb{Q} , 11
- $\mathbb{Q}[t]$, 203
- \mathbb{R} , 11
- $\text{Range}(f)$, 12
- $\text{Th}(A)$, 291
- $\bigcup\{X : X \in \mathcal{F}\}$, 12
- \mathbb{Z} , 11
- $\bigwedge_{i=1}^n \theta_i$, 54
- $\bigvee_{i=1}^n \theta_i$, 54
- \perp , 69
- \mathbf{c}_n , 141
- \cdot_n , 202
- $\mathcal{A} \models_{\vec{x}/\vec{a}} \phi$, 153
- $\mathcal{A} \models_{x_1/a_1, x_2/a_2, \dots, x_n/a_n} \phi$, 156
- \mathcal{N} , 291
- \mathcal{N}^* , 307
- \emptyset , 11
- \equiv , 48
- $\exists_{\geq n}$, 197
- \in , 11
- κ -categorical, 299
- $\langle A, \dots, f_{n,m}^A, \dots, R_{n,m}^A, \dots, \mathbf{c}_k^A \dots \rangle$, 147
- \models , 74, 153
- $\not\models$, 11
- $\not\models$, 74, 154
- $\not\vdash$, 101
- \overline{A} , 208
- ϕ represents f , 65
- $\phi(x_1, x_2, \dots, x_n)$, 156
- $\vdash \phi$, 87
- ψ^{Sk} , 183
- \subseteq , 12
- $\tau^A[\vec{x}/\vec{a}]$, 151
- $\theta[\phi'/\phi]$, 62, 176
- \top , 69
- \vec{x}/\vec{a} , 151
- $\vec{x}/\vec{a}[x_i/b]$, 152
- $\{, \}$, 11
- $\{x : \phi(x)\}$, 11
- $a \cap b$, 12
- $a \cup b$, 12
- $f : X \longrightarrow Y$, 12
- $f(x)$, 12
- $f|_A$, 12
- f^{-1} , 13
- $f^{-1}(B)$, 13
- $f_{n,m}$, 141
- $g \circ f$, 13
- n -function, 130
- n -place relation, 147
- n -place symbols, 141
- n -tuple, 12
- $x \mapsto f(x)$, 12
- F , 31
- T , 31
- $\text{Form}(P, S)$, 21
- $\Gamma \models_n \phi$, 130
- ZFC , 279
- 4-colourable, 293
- absorption law, 49
- AC, 278
- adequacy theorem
 - for predicate calculus, 252
 - for propositional calculus, 106
- adequate, 66
- algorithm, 5
- algorithmic procedure, 5
- antecedent, 33
- anti-symmetric, 191
- Archimedean property, 290
- associativity of \wedge, \vee , 49
- Assumptions, Rule of, 88
- atomic formula, 142

Index

- axiom
 - logical, 185
 - non-logical, 185
- axiom of choice, 181, 278
- axiomatizable, 185
- Axioms Ax 6 and Ax 7, 222
- axioms of a theory, 188
- axioms of system S , 88

- bi-implication, 34
- bijection, 13
- binary operation, 133
- binary relation, 136
- Boolean algebra, 195
- bound by, 149
- bound variable, 148
- bracket count, 28

- canonical structure, 255
- Cantor's theorem, 279
- cardinal, 280
- Cartesian product, 12
- Catalan number, 55
- categorical theory, 286
- characteristic of a field, 269
- choice function, 278
- closed formula, 156
- closed interval, 11
- closed term, 254
- closed under substructures, theory, 296
- closure, 208
- cnf, 68
- codomain, 12
- commutative group, 198
- commutative ring with a 1, 202
- commutativity of \wedge, \vee , 49
- compactness theorem, 265
 - for an arbitrary language, 284
 - for propositional calculus, 107
- complement, 12
- complete
 - set of formulas, 109
 - set of sentences, 253
 - theory, 299
- complete arithmetic, 291
- completeness theorem, 262
 - constructive proof in propositional case, 116
 - for an arbitrary language, 283
 - for an uncountable language, 282
 - for predicate calculus, 252
 - for propositional calculus, 106, 112
- composite function, 13
- composition, 13
- conclusion, 10
- conjunct, 32
- conjunction, 32
- conjunctive form, 57
- conjunctive normal form, 68
- connective, 20
- consequent, 33
- consistent, 102, 245
- consistent, maximal, 109, 253
- constant, 135
- constant symbol, 141
- continuum hypothesis, 280
- contradiction, 8, 45
 - proof by, 8, 80, 94, 95
- contrapositive, 51
- converse, 8
- correctness theorem, 100
- countable, 13, 279
- countably infinite, 13
- counterexample, 8
- Craig's interpolation lemma, 83
- cyclic group, 199

- De Morgan Laws, 49
- decidability, 81
- decidable, 81
- deduction theorem, 93, 97
- definable, 137
- dense linear order, 194
- dense linear order, unbounded, 214
- derivation, 87, 221
- derived rule, 123
- diagram, 294
- discrete linear order, 194
- disjunct, 32
- disjunction, 32
- disjunctive form, 57
- disjunctive normal form, 67
- distributivity, 49
- dnf, 67
- domain, 12, 147
- double negation, 49
- dual, 61
- Duality, Principle of, 61

- element, 11
- elementary extension, 297
- empty set, 11
- equivalence class, 190
- equivalence relation, 186

- exclusive ‘or’, 32
- existential hypothesis rule, 241
- existential introduction rule, 241
- existential sentence, 210
- expansion, 180

- field, 203
- field axioms, 203
- field, ordered, 205
- finite, 13
- finitely axiomatizable, 266
- first-order axiomatizable, 185
- first-order language, 141
- first-order theory, 188
- formal language, 20
- formal proof system S , 87
- formal theorem, 87
- formula, 21, 143
 - well-formed, 21
- free variable, 148
- freely substitutable, 170
- function, 12
 - composite, 13
 - inverse, 13
 - one–one, 12
 - onto, 12
 - range of, 12
- function symbol, 141

- generalization, 221
- generator of cyclic group, 199
- graph, 292
 - planar, 298
- graph of a function, 206
- group, 198
 - cyclic, 199
- group axioms, 198

- idempotence of \wedge, \vee , 49
- image, 12
- image set, 12
- implication, 33
- inclusive ‘or’, 32
- inconsistent, 102, 226, 245
- independent, 124
- inference, rule of, 88
- infinite, 13
 - countably, 13
- infinitesimal, 290
- infix notation, 141
- initial ordinal, 280

- integral domain, 204
- interpolant, 83
- interpretation of symbol, 147
- intersection, 12
- interval, closed, 11
- interval, open, 11
- Intuitionism, 127
- inverse function, 13
- irreflexive, 114
- isomorphic, 211
- isomorphism, 211

- Löwenheim–Skolem theorem, 284
- Löwenheim–Skolem theorem, downward, 284
- Löwenheim–Skolem theorem, upward, 281
- language with equality, 141
- length of a formula, 26, 159
- Lindenbaum algebra, 196
- linear order
 - strict, 114, 193
 - weak, 191
- logical axiom, 185
- logical consequence, 74, 188
- logical symbols, 141
- logically equivalent, 48, 173
- logically implies, 74, 188
- logically valid, 163

- mathematical induction
 - principle of, 13
 - proof by, 14
- mathematical induction on length of derivation, 97
- maximal consistent, 109, 253
- maximum, 194
- member, 11
- metalanguage, 18
- metatheorem, 89
- model, 188
- Modus Ponens, 77, 88
- monadic, 303
- MP, 88

- natural deduction, 129
- negation, 32
- non-Archimedean ordered field, 290
- non-logical axiom, 185
- non-logical symbols, 141
- non-standard analysis, 290
- non-standard model of arithmetic, 291
- normal contraction, 249
- normal structure, 147

Index

- one-one, 12
- onto, 12
- open interval, 11
- order of an element, 201
- ordered field, 205
- ordinal, 280

- partial order
 - strict, 114, 193
 - weak, 191
- partition, 190
- Peano Arithmetic, 303
- Peano's axioms, 286
- Pierce's law, 127
- pigeon-hole principle, 13
- power set, 12
- predicate, 139
- predicate symbol, 141
- prefix notation, 141
- prefix of formula, 176
- premise, 9
- prenex normal form, 176
- principal connective, 23, 144
- product, Cartesian, 12
- proper subset, 12
- propositional constant, 69
- propositional variable, 20

- quantified variable, 143
- quantifier, 140
- quantifier-free, 176
- quasi-truth assignment, 124

- range, 12
- reductio ad absurdum, 80
- reflexive, 186
- relation symbol, 141
- respects a truth table, 35
- restriction
 - of a function, 12
 - of a relation, 208
- ring, 202
 - commutative with a 1, 202
- ring axioms, 202
- rule of a function, 12
- Rule of Assumptions, 88
- rule of inference, 88

- satisfiable, 79, 166
- satisfies, 36, 153, 247
- Schröder–Bernstein theorem, 279
- scope, 148

- second-order language, 190
- sentence, 156
- set, 11
- Skolem form, 183
- Skolem function, 181
- soundness theorem, 100, 243
- standard model of arithmetic, 291
- strict linear order, 193
- strict partial order, 114, 193
- string, 19
- structure, 147
- subformula, 26, 145
- subgraph, 293
- subgroup, 209
- subset, 12
- substitution instance of a tautology, 164
- substitution rule, 241
- substructure, 208
- successor, 302
- syllogism, 9
- symmetric, 186

- tautology, 45
 - substitution instance of, 164
- terms, 142
- theorem
 - formal, 87
 - of a theory T , 235
- theory, 188, 266
 - closed under substructures, 296
- theory of \mathcal{A} , 291
- thinning rule, 89, 221
- torsion-free group, 268
- transitive, 186
- tree, 24
- truth assignment, 36
- truth function, 64
- truth table, 42
 - for \leftrightarrow , 34
 - for \rightarrow , 33
 - for \wedge , 32
 - for \neg , 32
 - for \vee , 32
- truth value, 31

- unbounded dense linear order, 214
- unbounded linear order, 194
- uncountable, 13
- union, 12
- universal elimination rule, 241
- universal formula, 181

universal sentence, 210
universally valid, 163

valid rule of inference, 90

valuation, 150

Vaught's test, 299

weak linear order, 191

weak partial order, 191

well-formed formula, 21

well-order, 13, 194

witness, 261

witness property, 254