

References

1. T.M. Apostol. *Mathematical Analysis*. Addison-Wesley Publishing Company, Reading, MA, 1957.
2. S. Axler, P. Bourdon, and W. Ramey. *Harmonic Function Theory*. Springer-Verlag, New York, 1992.
3. M. Bôcher. Singular points of functions which satisfy partial differential equations of elliptic type. *Bull. Amer. Math. Soc.*, 9:455–465, 1903.
4. G. Bouligand. Sur les fonctions bornée et harmoniques dans un domaine infini, nulles sur sa frontière. *C.R. Acad. Sci.*, 169:763–766, 1919.
5. G. Bouligand. Sur le problème de Dirichlet. *Ann. Soc. Polon. Math.*, 4:59–112, 1926.
6. M. BreLOT. Familles de Perron et problème de Dirichlet. *Acta Sci. Math. (Szeged)*, 9:133–153, 1939.
7. M. BreLOT. Sur la théorie autonome des fonctions sous- harmoniques. *Bull. Sci. Math.*, 65:72–98, 1941.
8. M. BreLOT. Sur le rôle du point à l’infini dans la théorie des fonctions harmoniques. *Ann. Sci. École Norm. Sup.*, 61:301–332, 1944.
9. M. BreLOT. Sur les ensembles effilés. *Bull. Math. Soc. France*, 68:12–36, 1944.
10. H. Cartan. Sur les fondements de la théorie du potentiel. *Bull. Soc. Math.*, 69:71–96, 1941.
11. H. Cartan. Théorie du potentiel newtonien: énergie, capacité, suites de potentiels. *Bull. Soc. Math.*, 73:74–106, 1945.
12. H. Cartan. Théorie générale du balayage en potentiel newtonien. *Ann. Univ. Grenoble, Math. Phys.*, 22:221–280, 1946.
13. G. Choquet. Theory of capacities. *Ann. Inst. Fourier (Grenoble)*, 5:131–295, 1954.
14. K.C. Chung and T.H. Yao. On lattices admitting unique lagrange interpolations. *SIAM J. Numer. Anal.*, 14, No. 4:735–743, 1977.
15. R.V. Churchill and J.W. Brown. *Complex Variables and Applications, 4th Edition*. McGraw-Hill, New York, 1984.
16. R. Courant and D. Hilbert. *Methods of Mathematical Physics, Vol I*. Interscience Publishers, Inc., New York, 1953.
17. J.L. Doob. *Classical Potential Theory and Its Probabilistic Counterpart*. Springer-Verlag, New York, 1984.
18. N. Dunford and J.T. Schwartz. *Linear Operators, Part I, General Theory*. Interscience, New York, 1958.

19. G.C. Evans. On potentials of positive mass, I. *Trans. Amer. Math. Soc.*, 37:226–253, 1935.
20. P. Fatou. Séries trigonométriques et séries de Taylor. *Acta Math.*, 30:335–400, 1906.
21. W Feller. *An Introduction to Probability Theory and Its Applications, Vol. I*. John Wiley and Sons, New York, 1957.
22. O. Frostman. Potentiel d'équilibre et capacité des ensembles avec quelques applications à la théorie des fonctions, thesis. *Lunds Univ. Mat. Sem.*, 3:1–118, 1935.
23. C.F. Gauss. *Allgemeine Lehrsätze, Gauss Werke*. Göttingen, 1867.
24. D. Gilbarg and L. Hörmander. Intermediate Schauder estimates. *Arch. Rational Mech. Anal.*, 74:297–318, 1980.
25. D. Gilbarg and N.S. Trudinger. *Elliptic Partial Differential Equations of Second Order*. Springer-Verlag, New York, 1983.
26. G. Green. *An Essay on the Application of Mathematical Analysis to the Theories of Electricity and Magnetism*. Nottingham, 1828.
27. P.R. Halmos. *Measure Theory*. D. Van Nostrand Company, Inc., New York, 1950.
28. L.L. Helms. *Introduction to Potential Theory*. Wiley-Interscience, New York, 1969.
29. G Herglotz. Über potenzreihen mit positivem, reellem teil im einheitskreis, *Ber Verhandl. Sachs Akad. Wiss. Leipzig, Math.-Phys. Klasse*, 63, 1911.
30. R.M. Hervé. Recherches axiomatiques sur la théorie des fonctions surharmoniques et du potentiel. *Ann. Inst. Fourier (Grenoble)*, 12:415–571, 1962.
31. Franz E. Hohn. *Elementary Matrix Algebra*. The Macmillan Company, New York, 1973.
32. E. Hopf. Elementare bemerkungen über die lösungen partieller differentialgleichungen zweiter ordnung vom elliptischen typus. *Sitz. Ber. Preuss Akad. Wissensch. Berlin Math.-Phys.*, 19:147–152, 1927.
33. E. Hopf. A remark on linear elliptic differential equations of second order. *Proc. Amer. Math. Soc.*, 3:791–793, 1952.
34. L. Hörmander. Boundary problems of physical geodesy. *Arch. Rational Mech. Anal.*, 62:1–52, 1976.
35. O.D. Kellogg. *Foundations of Potential Theory*. Dover Publications, Inc., Berlin, 1929 (reprinted by Dover, New York, 1953).
36. N.S. Landkof. *Foundations of Modern Potential Theory*. Springer-Verlag, New York, 1972.
37. H. Lebesgue. Sur des cas d'impossibilité du problème du dirichlet ordinaire. *C.R. Séances Soc. Math. France*, 17, 1912.
38. H. Lebesgue. *Oeuvres Scientifiques*. L'Enseignement Mathématique, 1973.
39. G.M. Lieberman. The Perron process applied to oblique derivative problems. *Adv. Math.*, 55:161–172, 1985.
40. G.M. Lieberman. Mixed boundary problems for elliptic and parabolic differential equations of second order. *J. Math. Anal. Appl.*, 113:422–440, 1986.
41. J.E. Littlewood. Mathematical notes (8): On functions subharmonic in a circle (ii). *Proc. London Math. Soc.*, 2:383–394, 1928.
42. A.J. Maria. The potential of a positive mass and the weight function of Wiener. *Proc. Nat. Acad. Sci.*, 20:485–489, 1934.
43. J.E. Marsden and A.J. Tromba. *Vector Calculus, 2nd Edition*. W.H. Freeman and Co., New York, 1981.
44. S.G. Mikhlin. *Mathematical Physics, An Advanced Course*. North-Holland, Amsterdam, 1970.
45. K. Miller. Barriers for cones for uniformly elliptic operators. *Ann. Mat. Pura. Appl., Series 4*, 76:93–105, 1967.
46. G. Mokobodzki and D. Sibony. Sur une propriété caractéristique des cones de potentiels. *C.R.Acad. Sci. Paris*, 266:215–218, 1968.

47. P.J. Myrberg. Über die existenz der greenscheen funktionen auf einer gegeben riemannschen fläche. *Acta Math.*, 61:39–79, 1933.
48. J. Nečas. *Les Méthodes Directes en Théorie des Équations Elliptiques*. Masson et Cie, Éditeurs, Paris, 1967.
49. W.F. Osgood. On the existence of the Green's function for the most general simply connected plane region. *Trans. Amer. Math. Soc.*, 1:310–314, 1900.
50. H. Poincaré. Sur les equations aux dérivées partielles de la physique mathématique. *Amer. J. Math.*, 12:211–294, 1890.
51. N. Privalov. On a boundary problem of subharmonic functions. *Mat. Sbornik*, 41:3–10, 1934.
52. N. Privalov. Boundary problems of the theory of harmonic and subharmonic functions in space. *Mat. Sbornik*, 45:3–25, 1938.
53. F. Riesz. Sur les fonctions subharmoniques et leur rapport à la théorie du potentiel. *Acta Math.*, 54:321–360, 1930.
54. H.L. Royden. *Real Analysis, 3rd Edition*. Macmillan Publishing Co., New York, 1988.
55. L. Schwartz. *Théorie des Distributions 1*. Hermann, Paris, 1950.
56. H.A. Schwarz. Zur integration der partiellen differentgleichung $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$. *J. Reine Angew. Math.*, 74:218–253, 1872.
57. H.A. Schwarz. *Gesammelte Mathematische Abhandlungen Vol. II*. 1890.
58. S.L. Sobolev. *Partial Differential Equations of Mathematical Physics*. Addison-Wesley, Reading, Massachusetts, 1964.
59. W. Thomson (=Lord Kelvin). Extraits de deux lettres adressées à M. Liouville. *J. Math. Pures. Appl. (1)*, 12:256–254, 1847.
60. F. Vasilescu. Sur la continuité du potentiel à travers des masses et la démonstration d'une lemme de Kellogg. *C.R. Acad. Sci. Paris*, 200:1173–1174, 1935.
61. F. Vasilescu. Sur une application des familles normales de distributions de masse. *C.R. Acad. Sci. Paris*, 205:212–215, 1937.
62. N. Ja. Vilenkin. *Fonctions Spéciales et théorie de la représentation des groupes*. Dunod, Paris, 1969.
63. N. Wiener. Certain notions in potential theory. *J. Math. Phys.*, 3:24–51, 1924.
64. N. Wiener. The Dirichlet problem. *J. Math. Phys.*, 3:127–146, 1924.
65. A. Zygmund. *Trigonometric Series, 2nd Edition*. Cambridge University Press, New York, 1959.

Index

- a.e., 66
- admissible, 396
- admissible neighborhood, 408
- alternating method, 213
- analytic, 175
- approximate barrier, 358
- approximate lower barrier, 358
- approximate upper barrier, 358
- apriori inequality, 371
- Arzelá-Ascoli Theorem, 4, 5
- averaging principle, 13

- Bôcher's theorem, 109
- balayage, 115
- Banach space, 6
- barrier, 82, 211
- barrier, approximate, 358
- barrier, approximate lower, 358
- barrier, approximate upper, 358
- Borel measure, 3, 5
- Borel sets, 5
- Bouligand, 82, 155, 215
- boundary point lemma, 345, 392, 409
- bounded linear operator, 334
- bounded map, 334
- bounded variation, 5
- Brelot, 103, 155, 201, 232, 234, 239

- capacitable, 166
- capacitary distribution, 164
- capacitary potential, 164
- capacity, 164, 166
- capacity, inner, 165
- capacity, outer, 165
- Cartan, 135, 139, 167, 238, 256
- Choquet, 178
- Choquet's lemma, 57

- concave, 73
- continuity method, 334
- continuum, 86
- contraction map, 227, 334
- convex, 64, 257
- countably strongly subadditive, 170

- d-system, 100
- derivate, 92
- diffeomorphism, 405
- differentiable of class C_α , 405
- Dini's formula, 41
- directed set, 5
- Dirichlet problem, 24, 75
- Dirichlet region, 81
- Dirichlet solution, 78
- divergence, 8
- divergence theorem, 8
- domination principle, 117, 166
- Dynkin system, 100

- elliptic, 338
- elliptic operator, 333
- elliptic, strictly, 338
- energizable, 244
- energy, 241, 250
- energy principle, 248
- equicontinuity, 4
- Evans and Vasilesco, 144
- exterior Dirichlet problem, 197
- exterior sphere condition, 85

- Fatou, 99
- fine closure, 224
- fine interior, 224
- fine limit, 224
- fine limsup, 224

- fine neighborhood, 224
- fine topology, 223
- fine topology on R_∞^n , 237
- Frostman, 246
- fundamental harmonic function, 10

- Gauss, 246
- Gauss' averaging principle, 23
- Gauss' Integral Theorem, 10
- Gauss's integral, 248
- Gauss-Frostman, 246
- gradient, 3
- greatest harmonic minorant, 116
- Green function, 16, 110
- Green function, half space, 203
- Green function, Neumann problem, 46
- Green function, second kind, 46
- Green potential, 122
- Green's Identity, 9
- Green's representation theorem, 10
- Greenian set, 111

- Hölder continuous, 309
- Hölder spaces, 268
- Hörmander, 276
- Hörmander's convexity theorem, 278
- harmonic, 9, 198
- harmonic function, 9
- harmonic measure, 217
- harmonic minorant, 115
- Harnack's Inequality, 54
- Herglotz, 24
- Herglotz theorem, 31
- Hervé, 360
- homogeneity, 427
- Hopf, 345–347
- hyperharmonic, hypoharmonic, 76, 206

- indicator function, 101
- inner capacity, 165
- inner polar set, 150
- inner q.e., 150
- inner quasi everywhere, 150
- interior estimates, 338
- interior sphere condition, 345
- interpolate, 276
- interpolation inequalities, 280
- interpolation, global, 280
- interpolation, local, 288
- inverse, 14
- inversion, 14, 15, 32
- irregular boundary point, 81, 128

- Jensen's Inequality, 64

- Kelvin operator, 33
- Kelvin transformation, 32, 207
- kernel, 303

- L-regular boundary point, 359
- L-resolutive, 357
- l.s.c., 3
- Laplacian, 8
- Lebesgue, 86
- Lebesgue measure, 5
- Lebesgue points, 97
- Lebesgue spine, 128
- left-directed, 56
- lift, 413
- lifting, 70, 355, 413
- linear map, 334
- linear operator, 6
- Lipschitz continuous, 309
- local barrier, 82, 211
- local interpolation, 288
- local property, 154
- local solution, 410
- locally Hölder continuous, 309
- locally integrable, 5
- locally super-mean-valued, 60
- logarithmic potential, 127
- Lord Kelvin, 14
- lower, 413
- lower class, 76
- lower regularization, 4
- lower semicontinuous, 3
- lowered, 205
- lowering, 70, 355, 413

- Maria-Frostman, 166
- maximum principle, 20
- maximum principle, strong, 346, 409
- maximum principle, weak, 344
- mean value property, 12
- mean value theorem, 4
- mean valued, 13, 60
- measurable map, 227
- method of continuity, 334, 352, 402
- Miller, 365
- minimum principle, 20
- Mokobodzki, 186
- mollifier, 71
- multi-index, 2
- mutual energy, 241, 250
- Myrberg's theorem, 182

- net, 5
- Neumann problem, 39
- Neumann problem for a ball, 42

- Newtonian potential, 127, 316
- nonnegative definite, 343
- nontangential limit, 98
- norm, 5, 6
- normed linear space, 6
- nucleus, 175

- oblique derivative problem, 333
- outer capacity, 165
- outer unit normal, 8

- partition of unity, 132
- paved space, 175
- paving, 175
- peaks, 229
- Perron lower solution, 77
- Perron subsolution, 357, 420
- Perron supersolution, 357, 420
- Perron upper solution, 77
- Perron-Wiener method, 75
- Picard, 20
- Poincaré, 85, 115, 360
- point at infinity, 197
- Poisson Integral, 25, 34, 201
- Poisson Integral for half-space, 33
- Poisson Integral Formula, 17
- Poisson's equation, 316
- polar cap, 89
- polar representation, 365
- polar set, 88, 150, 206
- pole, 10
- positive definite, 343, 407
- potential, 122
- projection, 258
- Proof of Theorem 2.6.28, 232
- Property B, 166
- PWB method, unbounded regions, 204

- q.e., 150
- quasi everywhere, 150

- reciprocity law, 135
- reduction, 116, 159
- reflection, 38
- reflection principle, 326
- regular, 420
- regular Borel measure, 5
- regular boundary point, 81, 211
- regular region, 81
- regular, (\mathbf{L}, \mathbf{M}) -, 420
- regularized reduction, 159
- resolutive, 207
- resolutive boundary function, 78
- resolutive, (\mathbf{L}, \mathbf{M}) -, 420

- Riesz Decomposition Theorem, 142
- Riesz measure, 142
- Riesz potential, 304
- Riesz Representation Theorem, 142
- right-directed, 56

- saturated, 75, 205
- Schauder interior estimates, 338
- Schwarz, 26, 155, 213
- Schwarz's Reflection Principle, 326
- seminorm, 6
- Sibony, 186
- Sierpinski, 177
- signed measure, 5
- spherical cap, 288
- spherical cap, admissible, 396
- spherical coordinates, 1
- spherical harmonic, 52
- spine, Lebesgue, 128
- Stolz domain, 98
- straighten boundary, 405
- stratifiable, 296
- strictly elliptic, 338
- strong barrier, 82
- strong convergence, 253
- strong maximum principle, 346, 409
- strongly subadditive, 170
- strongly subadditive, countably, 170
- subfunction, 354, 411
- subharmonic, 60, 198
- subnewtonian kernel, 304
- subsequence selection principle, 269
- subsolution, 356
- super-mean-valued, 60
- superfunction, 354, 411
- superharmonic, 60, 62, 63, 198
- superharmonic, alternative definition, 62
- superharmonic, yet another definition, 63
- supersolution, 356, 414
- Suslin scheme, 175
- sweeping, 189
- sweeping out, 115
- swept measure, 189
- symmetric derivate, 89

- thin, 225, 237
- Tonelli, 23
- total, 135
- total variation, 5

- u.s.c., 3
- uniform equicontinuity, 4
- uniformly Hölder continuous, 309

- upper class, 76
- upper inner normal derivate, 345
- upper semicontinuous, 3
- vague convergence, 253
- Vasilesco, 155
- vertex, 259
- Vitali covering, 92
- w^* -topology, 5
- weak convergence, 253
- weak maximum principle, 344
- wedge conditions, 424
- Wiener, 81, 164
- Wiener's test, 261
- Zaremba, 86
- Zaremba's cone condition, 86, 265, 367
- zero-one law, 194

Notation

$\mathbf{A}(f : x, \delta)$, 60	d , 272
$\mathbf{A}(u : y, \rho)$, 14	$d(\Omega)$, 272
A^0 , 313	$d(x, y)$, 271
A^f , 224	$d(F)$, 92
$A(x)$, 408	$d(\mathcal{F}_0)$, 100
$A(\mathcal{F})$, 175	\underline{d}_x , 272
$B_{x, \rho}$, 1	$\tilde{d}(x)$, 284
$H_{2+\alpha}^{(b)}(\Omega; \phi)$, 272	\tilde{d}_x , 284
\mathcal{B}_x , 112	\tilde{d}_{xy} , 284
$\mathcal{B}(X)$, 5	$\tilde{d}(x, y)$, 284
C , 294	$\operatorname{div} v$, 8
$C(n, a, b)$, 312	\mathcal{E} , 250
$C(\Gamma)$, 164	\mathcal{E}^+ , 242
$C^0(\Omega)$, 3	F^- , 1
$C^0(\Omega^-)$, 3	∂F , 1
$C^k(\Omega)$, 3	$cl F$, 1
$C^k(\Omega^-)$, 3	$\operatorname{int} F$, 1
$C_0^k(\Omega)$, 3	$\sim F$, 1
$C^k(\Omega \cup \Sigma)$, 305	$\mathcal{F}(\Gamma)$, 259
$C_{z, \alpha}$, 88	f^* , 33
C_* , 165	f-lim, 224
C^* , 165	f-limsup, 224
\mathcal{C} , 166	\mathbf{G}_Ω^A , 189
\mathcal{C}_a , 405	$\mathbf{G}_\Omega f$, 129
$\operatorname{cl}_f A$, 224	$\mathbf{G}_{1/2}$, 376
D_i , 2	$\mathbf{G}_\Omega \mu$, 122
D_{ij} , 2	$G_\Omega^A(x, \cdot)$, 189
D_{x_i} , 3	G , 111
$D_{x_i x_j}$, 3	G_Ω , 110
$D_{(x)}^\beta$, 3	G_B , 16
D^β , 3	$G_{1/2}$, 372
$D^j u$, 280	$\operatorname{ghm}_\Omega h$, 116
$D_\nu^+ u$, 345	H_f , 78
$\mathcal{D}(A)$, 6	\underline{H}_f , 77
$\mathcal{D}_s \mu$, 89	\overline{H}_f , 77
$\mathcal{D}\mu$, 92	$H_{f, g, h}$, 420

- $H_{f,g,h}^-$, 420
 $H_{f,g,h}^+$, 420
 $H_{k+\alpha}(\Omega)$, 268
 $H_{k+\alpha}^{(b)}(\Omega)$, 285
 $H_{k+\alpha,loc}(\Omega)$, 268
 $\mathcal{H}_{f,g}$, 357
 $\mathcal{H}_{f,g}^+$, 357
 $\mathcal{H}_{f,g}^-$, 357
 $H_{k+\alpha}^{*(b)}(\Omega)$, 427
 h , 372
 $\text{int}_f A$, 224
 \mathbf{J}_h , 71
 \mathbf{K} , 305
 K^+ , 135
 $K_B(x, z)$, 46
 $K_{z,\alpha}$, 89
 K_0^+ , 135
 $K^+(\Omega)$, 135
 $\mathcal{K}(\Omega)$, 164
 $k(x, y)$, 303
 $k(|x - y|)$, 312
 \mathbf{L} , 333
 \mathbf{L}_0 , 335
 $\mathbf{L}(f : x, \delta)$, 60
 $\mathbf{LS}(x, B, g)$, 354
 $\mathbf{LS}(x, U, \phi)$, 410
 $\mathbf{L}(u : y, \rho)$, 14
 L_x , 100
 $\mathcal{L}(\Omega)$, 60
 \mathfrak{L}_f , 76
 \mathfrak{L}_f^Ω , 77
 $\mathfrak{L}(f, g)$, 356, 411
 $\mathfrak{L}(f, g, h)$, 414
 \mathbf{M} , 333
 \mathbf{M}_0 , 372
 M , 338
 m , 338
 m, M , 336
 N^∞ , 175
 $\mathcal{N}(x)$, 407
 $\mathcal{N}(F, \epsilon)$, 92
 \mathbf{n} , 175
 $\mathbf{n}(x)$, 8
 $\mathcal{O}(\Omega)$, 164
 $\mathbf{PI}(c, \mu, \Omega)$, 35
 $\mathbf{PI}(f : B)$, 25
 $\mathbf{PI}(c, f, \Omega)$, 35
 $\mathbf{PI}(f, \sim B_{y,\rho})$, 201
 $\mathbf{PI}(\mu : B)$, 25
 $\mathbf{PI}(\mu : y, \rho)$, 25
 $P_{m,n}$, 51
 $P(d(\Omega))$, 277
 \mathbf{R} , 164
 \mathbf{R}_Γ , 164
 $\hat{\mathbf{R}}_\Gamma$, 164
 $\hat{\mathbf{R}}_\cdot$, 164
 $\hat{\mathbf{R}}_\Lambda^u$, 159
 \mathbf{R}_Λ^u , 159
 $\mathcal{R}(A)$, 6
 R^n , 1
 R_∞^n , 197
 R_0^n , 313
 R_\pm^n , 313
 $\hat{R}_\Lambda(u, \cdot)$, 189
 (r, θ) , 1
 $\mathcal{S}(\Omega)$, 60
 $\mathcal{S}^+(\Omega)$, 60
 $S_{x,\rho}$, 1
 $S_{z,\theta}$, 98
 $\mathbf{U}f$, 316
 \mathbf{U}^μ , 23, 127
 \mathfrak{U}_f , 76
 \mathfrak{U}_f^Ω , 77
 $\mathfrak{U}(f, g)$, 356, 411
 $\mathfrak{U}(f, g, h)$, 414
 \hat{u} , 4
 u_∞ , 115
 $u_{\infty,A}$, 115
 u_B, u^B , 70, 355
 u_U , 413
 $u_{\sim B}$, 206
 $u(|x - y|), u_y(x)$, 10
 $u_y(x)$, 10
 $V_{x,u}$, 411
 v_U , 413
 w_j^+ , 358
 w_j^- , 358
 w_j^\pm , 358
 x , 1
 $x \cdot y$, 1
 (x', x_n) , 204
 x' , 204
 x^* , 14, 32
 $Y_{n,m}$, 52
 y^r , 38
 β_t , 373
 $\beta!$, 2
 β_n , 373
 γ_j , 309
 χ_C , 101
 $\delta_\Omega(x, \cdot)$, 189
 $\delta_\Omega^A(\cdot, u)$, 193
 $\delta_\Omega^A(\mu, \cdot)$, 193
 $\delta_\Omega^A(x, \cdot)$, 189

ε , 1
 ε_j , 273
 Λ^r , 38
 λ_0 , 392
 $\mu, \mu^+, \mu^-, |\mu|$, 5
 μ_n , 5
 $\mu_{\mathcal{F}}$, 257
 μ_{Γ} , 164
 $\mu_{\mathcal{F}(\Gamma)}$, 259
 μ_x^{Ω} , 217
 μ_x , 100
 ν_n , 2
 $\nu_n(\rho)$, 2
 ν , 392
 Ω , 3
 Ω_{δ} , 272, 309
 $\widetilde{\Omega}_{\delta}$, 284
 Ω_0 , 326
 Ω_{\pm} , 326
 $\partial_{\infty}\Omega$, 198
 Φ_A^u , 158
 ψ , 330
 σ_n , 2
 $\sigma_n(\rho)$, 2

$|f|_{k+\alpha, \Omega}^{*(b)}$, 427
 $|g|_{k+\alpha, \Sigma}^{*(b)}$, 427
 $\|f\|_{0, \Omega}$, 3
 $\|f\|_k$, 268
 $|g|_{1+\alpha, \Sigma}$, 271
 $|g; d|_{1+\alpha, \Sigma}$, 380
 $|g|_{1+\alpha, \Sigma}^{(1+b)}$, 287

$|u|_{k+0, \Omega}$, 268
 $[u]_{k+\alpha, \Omega}$, 268
 $|u|_{k+\alpha, \Omega}$, 268
 $[u]_{k, \Omega}$, 268
 $|u|_{k, \Omega}$, 268
 $|u; \phi|_{k+\alpha, \Omega}$, 272
 $[u; \phi]_{k+0, \Omega}^{(b)}$, 271
 $|u; \phi|_{k+0, \Omega}^{(b)}$, 271
 $[u; \phi]_{k+\alpha, \Omega}^{(b)}$, 271
 $[u; \phi]_{k, \Omega}^{(b)}$, 271
 $|u; \phi|_{k, \Omega}^{(b)}$, 271
 $|u; \phi|_{k+\alpha, \Omega}^{(b)}$, 271
 $[u]_{k+\alpha, \Omega}^{(b)}$, 285
 $|u|_{k+\alpha, \Omega}^{(b)}$, 285
 $|x|$, 1
 $|\beta|$, 2
 $|\lambda|_e^2$, 250
 $|\mu|_e$, 250
 $|\mu|_e^2$, 241
 $\|\cdot\|_{\mathfrak{X}}$, 6

 Δu , 8
 $\Delta(x)$, 8
 \wedge , 284
 $\partial_{\infty}\Omega$, 198
 ∞ , 197
 $[\lambda_1, \lambda_2]_e$, 250
 $[\mu, \nu]_e$, 241
 ∇ , 3
 $\theta - \lim_{x \rightarrow z} u(x)$, 98