

# Further Reading

## General

- Adler MW, Cowan F, French P, Mitchell H, Richens J. *ABC of Sexually Transmitted Infections*. 2004. London. BMJ Publications. 104 pp.
- Clutterbuck D. *Specialist Training in Sexually Transmitted Infections and HIV*. 2004. Amsterdam. Elsevier. 304 pp.
- Holmes KK, Sparling PF, Stamm WE, Piot P, Wasserheit JN, Corey L, Cohen MS, Watts DH (eds). *Sexually Transmitted Diseases*. 4th edn. 2008. New York. McGraw-Hill Companies Ltd. 2166 pp.

## Guidelines

- Centers for Disease control and Prevention. Sexually Transmitted Diseases Guidelines, 2006. *MMWR* 2006; **55** (No. RR 11): 33–35.
- BASHH Clinical Effectiveness Group Guidelines. [www.bashh.org/guidelines](http://www.bashh.org/guidelines)

## Case 5

- Ross JDC, Jensen JS. *Mycoplasma genitalium* as a sexually transmitted infection: implications for screening, testing, and treatment. *Sex Transm Infect* 2006; **82**: 269–271.
- Bradshaw CS, Jensen JS, Tabrizi SN, et al. Azithromycin failure in *Mycoplasma genitalium* urethritis. *Emerg Infect Dis* 2006; **12**: 1149–1152.

## Case 11

Sobel JD. Vulvovaginal candidosis. *Lancet* 2007; **369**: 1961–1971.

## Case 14

Low N, Egger M, Sterne JAC, et al. Incidence of severe reproductive tract complications associated with diagnosed genital chlamydial infection: the Uppsala Women's Cohort Study. *Sex Transm Infect* 2006; **82**: 212–218.

## Case 15

Goon P, Sonnex C. Frequently asked questions about genital warts in the genitourinary medicine clinic: an update and review of recent literature. *Sex Transm Infect* 2008; **84**: 3–7.

Cutts FT, Franceschi S, Goldie S, et al. Human papillomavirus and HPV vaccines: a review. *Bull WHO* 2007; **85**: 719–726.

## Case 16

Gupta R, Warren T, Wald A. Genital herpes. *Lancet* 2008; **370**: 2127–2137.

## Case 20

McMillan A, van Voorst Vader PC, de Vries HJ. The 2007 European Guideline (International Union Against Sexually Transmitted Infections/World Health Organization) on the management of proctitis, proctocolitis and enteritis caused by sexually transmitted pathogens. *Int J STD AIDS* 2007; **18**: 514–520.

## Case 21

Zetola NM, Pilcher CD. Diagnosis and management of acute HIV infection. *Infect Dis Clin N Amer* 2007; **21**: 19–48.

## Case 22

Bradshaw CS, Tabrizi SN, Read TRH, et al. Etiologies of nongonococcal urethritis: bacteria, viruses, and the association with orogenital exposure. *J Infect Dis* 2006; **193**: 336–345.

## Case 23

Braun J, Sieper J. Spondyloarthritis and related arthritides. In: Warrell DA, Cox TM, Firth JD, Benz EJ, eds. *Oxford Textbook of Medicine*. 4th edn. 2003. Oxford: Oxford University press. 3.43–3.53.

Gaston JSH. Reactive arthritis. In: Warrell DA, Cox TM, Firth JD, Benz EJ, eds. *Oxford Textbook of Medicine*. 4th edn. 2003. Oxford: Oxford University press. 3.57–3.61.

Shirliff ME, Mader JT. Acute septic arthritis. *Clin Microbiol Rev* 2002; **15**: 527–544.

## Cases 24 and 25

See Case 11.

## Case 27

Blas MM, Canchihuaman FA, Alva IE, Hawes SE. Pregnancy outcomes in women infected with *Chlamydia trachomatis*: a population-based cohort study in Washington State. *Sex Transm Infect* 2007; **83**: 314–318.

Morse SA, Beck-Sague CM. Gonorrhoea. In: Hitchcock PJ, MacKay HT, Wasserheit JN, eds. *Sexually Transmitted Diseases and Adverse Outcomes of Pregnancy*. 1999. Washington DC. ASM Press. 151–174.

Pitsouni E, Iavazzo C, Athanasiou S, Falagas ME. Single-dose azithromycin versus erythromycin or amoxicillin for *Chlamydia trachomatis* infection during pregnancy: a meta-analysis of randomised controlled trials. *Int J Antimicrob Agents* 2007; **30**: 213–221.

## Case 28

National Guideline for the Management of Genital Herpes. 2007. Clinical Effectiveness Group (British Association for Sexual Health and HIV). [www.bashh.org/guidelines/2002/hsv\\_0601.pdf](http://www.bashh.org/guidelines/2002/hsv_0601.pdf)

Hollier LM, Wendel GD. Third trimester antiviral prophylaxis for preventing maternal genital herpes simplex virus (HSV) recurrences and neonatal infection. The Cochrane Database of Systematic Reviews. 2008.

## Case 29

Silverberg MJ, Thorsen P, Lindeberg H, Grant LA, Shah KV. Condyloma in pregnancy is strongly predictive of juvenile-onset recurrent respiratory papillomatosis. *Obstet Gynecol* 2003; **101**: 645–652.

## Case 32

Centers for Disease control and Prevention. Sexually Transmitted Diseases Guidelines, 2006. *MMWR* 2006; **55** (No. RR 11): 33–35.

## Case 33

Gotz HM, van Doornum G, Niesters HGM, den Hollander JG, Thio HB, de Zwart O. A cluster of acute hepatitis C virus infection among men who have sex with men – results from contact tracing and public health implications. *AIDS* 2005; **19**: 969–974.

McMillan A, van Voorst Vader PC, de Vries HJ. The 2007 European Guideline (International Union Against Sexually Transmitted Infections/World Health Organization) on the management of proctitis, proctocolitis and enteritis caused by sexually transmitted pathogens. *Int J STD AIDS* 2007; **18**: 514–520.

Nieuwenhuis RF, Ossewaarde JM, Gotz HM, et al. Resurgence of lymphogranuloma venereum in Western Europe: an outbreak of *Chlamydia trachomatis* serovar L2 proctitis in The Netherlands among men who have sex with men. *Clin Inf Dis* 2004; **39**: 996–1003.

# Index

Note: The page numbers followed with the letter 't' and 'f' in the index denote the tables and figures.

## A

- Abdominal pain in women, causes, 14,  
43, 91–95, 177–179
- Aciclovir, genital herpes, 10, 11,  
72, 108–111, 112 t,  
113, 114, 115–120,  
122, 123, 152, 153,  
187–189, 218, 219 t
- Acute appendicitis, 28, 91, 92 t,  
178, 179
- Acute hepatitis, causes, 28, 32, 140,  
203, 205, 206–207,  
208–209, 222, 223
- Adenoviruses, 39 t, 151, 152, 153,  
196 t, 197
- Alcohol  
interaction with metronidazole,  
70 t, 74
- Amoxicillin  
chlamydia, 54, 76, 183  
gonorrhoea, 53, 76, 183
- Amphotericin B, candidiasis, 174
- Anal discharge, 27, 135–138, 215–223
- Anal fissure, 124
- Anal intercourse, infections associated  
with, 22, 27, 28, 40, 46,  
87, 88, 112, 122, 124,  
135, 139, 140, 144,  
195, 199, 203, 206,  
209, 216, 222
- Ankylosing spondylitis, 157, 158,  
160, 164
- Anogenital ulceration, 108, 110 t
- Anogenital warts  
clinical features, 111, 112,  
119, 196  
differential diagnosis, 97–99  
neonatal infection, 193  
in pregnancy, 100 t, 191–194, 226  
in pre-pubertal children, 225–228  
treatment, 99–103, 192, 223,  
228, 229
- Anorectal gonorrhoea, 22, 27
- Anorectal herpes, *see* genital herpes
- Antifungal agents, 78, 79 t, 173
- Anti-streptolysin O titres, 161, 164
- Arthropathy, sexually transmissible  
causes, 155, 156 t, 162
- Azithromycin  
chlamydia, 39–41, 46, 47, 54, 55,  
61, 89, 94, 137, 147,  
153, 182–186  
gonococcal resistance, 39, 40,  
46, 56, 89 t, 95, 135,  
147, 148, 181, 182,  
184–186  
*Mycoplasma genitalium*, 39, 93 t,  
147, 157  
non-gonococcal urethritis, 36, 39,  
40, 43–48, 147, 148  
in pregnancy, 93, 182, 183, 185,  
213, 226  
syphilis, 41, 88, 89, 137, 184,  
211–214

**B**

- Bacterial vaginosis**  
 clinical features, 67, 75–76  
 diagnosis, 65, 66–67, 71, 72,  
 73, 226  
 in pregnancy, 75, 226  
 treatment, 18, 69, 70, 73–75,  
 228, 229
- Balanitis**  
 circinate, 82, 156–158, 163  
 plasma cell (Zoon's), 83, 84  
*See also* balanoposthitis
- Balanoposthitis**  
 candidal, 83, 84  
 clinical features, 75–76  
 treatment, 75, 84
- Bartholinitis**, 45
- Bartholin's glands**  
 abscess, 63
- Behcet's disease**, 110 t, 158, 160, 164
- Bejel**, 212
- Benzathine penicillin**, 125, 126, 213,  
 215, 223
- Boric acid**, recurrent candidal  
 vulvovaginitis, 174
- C**
- Campylobacter* spp.**, 156 t, 158, 196 t,  
 197, 217
- Candida* species**, 39 t, 66 t, 71, 72,  
 78 t, 83, 84, 110 t,  
 167–169, 174, 175, 228
- Candidiasis, genital**  
 clinical features, 67, 108, 140  
 diagnosis, 18, 65, 67, 71, 77, 80,  
 99, 108, 140, 167,  
 170, 173  
 recurrent, 68, 72, 82, 108, 167,  
 169, 170, 173  
 treatment, 18, 70, 77–79, 100, 167,  
 170, 173
- Cefixime**, gonorrhoea, 53 t, 54, 61, 62,  
 137, 182, 219 t
- Cefotaxime**, gonorrhoea, 53 t, 219 t

- Ceftriaxone**  
 epididymo-orchitis, 89  
 gonorrhoea, 53, 89, 94, 182  
 pelvic inflammatory disease,  
 55, 94 t  
 syphilis, 89, 184, 213, 218
- Cephalosporins**, hypersensitivity to,  
 54, 182
- Cervical cancer**  
 herpes simplex virus, and, 113  
 human papillomavirus, and, 99
- Chancroid**, 110, 122, 123
- Child sexual abuse**, 225, 226
- Chlamydia, genital tract infection**  
 clinical features  
 in men, 36  
 in women, 183  
 complications  
 in men, 157  
 in women, 23  
 diagnosis  
 collection of specimens, 8, 18  
 nucleic acid amplification tests,  
 148, 153, 179  
 infection in pre-pubertal girls,  
 227, 228  
 management of sexual partners, 6,  
 70, 75, 100, 171  
 neonatal infection, 186, 193  
 treatment  
 antimicrobial drugs, 6, 15, 52,  
 69, 76, 90 t, 183 t, 219 t  
 follow-up, 54, 56, 63, 73–75,  
 76, 144, 213, 223  
 in pregnancy, 100 t, 174, 182,  
 183, 189, 194
- Chlamydia trachomatis***, 8, 18, 35, 39 t,  
 41, 46, 66 t, 72, 76, 86,  
 88 t, 92, 93, 95, 110 t,  
 122, 135, 136 t, 143,  
 147, 153, 156 t, 157,  
 163, 179, 181, 184,  
 195, 216, 220 t, 227
- Ciprofloxacin**  
 epididymo-orchitis, 89 t  
 gonorrhoea, 52, 53 t, 182 t

- Clindamycin, bacterial vaginosis, 70 t  
 Clotrimazole, 78, 79, 170, 173  
 “Clue cells”, 17, 68, 69 f  
 Condylomata lata, 97, 98, 125  
 Conjunctivitis  
   chlamydial, 45  
   gonococcal, 185  
   in sexually acquired reactive  
     arthritis, 162  
 Contact tracing (partner  
   notification), 54  
 Coronal papillae, 3  
 Cryotherapy, anogenital warts,  
   100–102, 192, 229  
*Cryptosporidium* spp., 196–198, 221  
 Cytomegalovirus, 140, 142, 143, 196 t,  
   203, 205, 207, 221
- D**  
 Dark field microscopy, 124  
 Disseminated gonococcal infection,  
   52, 158, 159, 185  
 Donovanosis, 110  
 Doxycycline  
   chlamydia, 41, 153, 157, 162,  
     185, 186  
   lymphogranuloma venereum, 153  
   non-specific urethritis, 39 t, 149  
   syphilis, 41, 156, 161, 184  
 Dysuria, 14, 38 f, 43, 71, 72, 75, 85,  
   149, 151–153
- E**  
 Econazole, candidiasis, 79 t  
 Ectopic pregnancy, 91–93, 178  
 Ectropion, 43, 44  
 Electrosurgery, anogenital warts,  
   100 t, 229  
 Endemic treponematoses, 212  
 Enteropathy, sexually transmissible  
   causes, 196, 197  
 Enthesitis, 157 t, 158, 163  
 Epididymitis, 41, 57, 85, 86  
 Epididymo-orchitis  
   causes, 5, 6, 86–89  
   clinical features, 86, 87, 88  
   diagnosis, 86, 89  
   treatment, 88, 89  
 Epstein-Barr virus (EBV), 140, 143,  
   156 t, 158, 161, 203,  
   205, 207–208  
 Erythema multiforme, 82, 110 t, 131 t,  
   140, 141  
 Erythromycin  
   chlamydia, 40, 76, 183, 184, 186  
   syphilis, 41, 76, 126, 184, 213
- F**  
 Fanciclovir, genital herpes, 112 t,  
   117 t, 118, 153  
 Fluconazole, candidiasis, 79 t, 84,  
   170, 173  
 Flucytosine, candidiasis, 175
- G**  
 Genital herpes  
   clinical features, 111, 112, 119  
   diagnosis, 9, 11, 72, 108–110, 111,  
     116, 117, 124–125,  
     152, 153  
   natural history, 45  
   in pregnancy, 114, 189  
   proctitis, 195, 196 t  
   treatment, 11, 112 t, 113,  
     115–120, 189  
*Giardia intestinalis (lamblia)*, 196,  
   198–200 f  
 Gonorrhoea  
   clinical features  
     in men, 7, 8, 9, 54, 63, 137  
     in men and women, 59–63, 157  
     in women, 18, 19, 55, 59, 60,  
     63, 182  
   complications  
     in men, 57  
     in women, 184

- diagnosis
    - collection of specimens, 9, 19, 22, 37, 72, 136, 195
    - culture, 7, 9, 16, 18, 19, 22, 51, 143, 157, 161, 181
    - gram-smear microscopy, 59, 60, 72, 73, 76, 181
    - nucleic acid amplification assays, 8, 60, 93, 143, 161, 179
  - infection in pre-pubertal children, 225, 226, 227
  - neonatal infection, 186, 193
  - partner notification, 54, 63
  - treatment
    - antimicrobial agents, 6, 40, 52, 55, 125, 163, 182, 183
    - in pregnancy, 183
  - Gout, 158 t, 159, 164
  - Gram-stained smears
    - anorectal, 153
    - endocervical, 17, 18, 43, 44, 62, 72, 73, 92, 93
    - urethral, 7, 8, 16, 17, 19, 43, 49, 51, 88, 92, 93, 148, 149, 153, 161
    - vaginal, 17, 19, 43, 49, 68, 69, 72, 73, 88, 92, 93, 149, 168, 173
- H**
- Hepatitis A
    - clinical features, 203, 207
    - diagnosis, 32, 205
    - natural history, 28
    - risk factors for, 23
  - Hepatitis B
    - clinical features, 140, 203
    - diagnosis, 23, 25, 32, 54, 132, 158 t, 205, 228
    - natural history, 28
    - risk factors for, 208
  - Hepatitis C, 23, 31, 32 t, 203, 205 t, 218, 220–223, 228
  - Hepatitis, syphilis, 5, 28, 31, 133, 143, 205 t
  - Herpes simplex virus (HSV), 10, 16, 39 t, 66 t, 78 t, 82, 83, 107, 108, 112, 113, 136, 140 t, 151, 187, 195 t, 196, 218, 220 t, 228
    - See also* genital herpes
  - Herpes zoster, 109
  - Herpetic gingivostomatitis, 140
  - HLA-B27, spondyloarthritides, 157
  - Human chorionic gonadotrophin (HCG), 92, 93
  - Human immunodeficiency virus (HIV)
    - primary infection
      - clinical features, 132, 140
      - diagnosis, 142, 143, 144
  - Human papillomavirus (HPV), types, 5, 66 t, 82, 99, 191
    - See also* anogenital warts
  - Hyphae, *Candida* spp., 17, 73, 84, 168, 169, 173
- I**
- Imiquimod, anogenital warts, 100–103, 192, 229
  - Infectious mononucleosis, 129, 131 t, 140, 143
  - Itraconazole, candidiasis, 79 t, 173, 174
- J**
- Jarisch-Herxheimer reaction (JHR), 126
  - Juvenile-onset laryngeal papillomatosis, 193
- K**
- Keratoderma blenorrhagica, 157 t, 160 t



**L**

- Lactobacilli, 17, 19, 68, 73  
 Laparoscopy, 95, 179  
 Laser treatment, genital warts,  
   100 t, 193  
 Lichen planus, 78 t, 97, 98 t, 110 t,  
   111, 131 t  
 Lichen sclerosus et atrophicus,  
   110 t, 111  
 Lichen simplex, 14, 110 t, 111  
 Lyme disease, 158 t, 161, 163, 164  
 Lymphadenopathy, 4, 14, 129, 131,  
   139–144, 151  
 Lymphogranuloma venereum, 110,  
   122, 135, 153, 196 t,  
   216, 219 f  
 Lymphogranuloma venereum  
   proctitis, 219 f

**M**

- Maculopaular skin rash, differential  
 diagnosis, 130, 131 t,  
   140, 141 f  
 Metronidazole  
   giardiasis, 196, 198, 200  
   trichomoniasis, 17, 67, 71, 72, 73,  
     75–76, 78 t, 100, 111  
 Miconazole, candidiasis, 79 t, 173  
 Molluscum contagiosum, 3, 7, 13,  
   16, 98 t  
 Monospot test, infectious  
   mononucleosis,  
   142 t, 143  
 Moxifloxacin, *Mycoplasma*  
   *genitalium*, 39, 93 t,  
   147, 149, 156 t, 157  
 Mumps orchitis, 90  
*Mycoplasma genitalium*, 39, 93 t, 147,  
   156 t, 157

**N**

- Neisseria gonorrhoeae*, 7, 29, 43, 56,  
   59–60, 62, 66 t, 72,  
   73, 88 t, 89, 93 t, 136,

- 143, 147, 153, 156 t,  
 179, 181, 182 t, 184,  
 185, 195, 196 t, 220 t,  
 227, 228

*Neisseria meningitidis*, 159

Non-gonococcal urethritis, 36, 39, 40,  
 43–48, 147, 148

Nucleic acid amplification tests  
 (NAATs)

- chlamydia, 8, 9, 17, 18, 19, 31, 46,  
     72, 220, 227  
   gonorrhoea, 8, 9, 16–19, 22, 29,  
     31, 32 t, 72, 73, 220 t,  
     227, 228

Nystatin, candidiasis, 79 t, 174

**O**

- Ofloxacin  
   chlamydia, 40, 89 t, 94 t, 179  
   epididymo-orchitis, 86–89  
   pelvic inflammatory disease, 94 t  
 Ophthalmia neonatorum, 185  
 Oral-anal sexual contact, infection risk  
   for, 207

**P**

- Parafrenal (Tyson's) glands, abscess,  
 56, 57, 123  
 Partner notification, 40–41  
   chlamydia, 40, 46, 47, 54, 55, 89,  
     94, 95, 179  
   genital herpes, 112  
   gonorrhoea, 54, 55, 63, 89, 94,  
     95, 179  
   hepatitis B, 5  
   syphilis, 63, 127  
 Pelvic inflammatory disease  
   causes, 14, 92  
   clinical features, 45, 55, 91  
   complications, 177  
   diagnosis, 91  
   treatment, 94  
 Pemphigus vulgaris, 110 t, 111  
 Perihepatitis, 45, 177–179

- Peri-rectal cellulitis, 216
- Pharynx  
 chlamydia, 163, 181, 184, 191, 227  
 gonorrhoea, 22, 29, 56, 59, 62,  
 161, 163, 181, 184
- Pinta, 212
- Plasma cell balanitis, 83, 84
- Podophyllotoxin, anogenital warts,  
 100 t, 101 t, 102,  
 192, 229
- Polymerase chain reaction  
 hepatitis C, 218, 221, 228  
 herpes simplex virus (HSV),  
 218, 228  
 HIV, 218, 221, 228  
*Treponema pallidum*, 125  
*Trichomonas vaginalis*, 228
- Post-streptococcal arthritis, 158 t,  
 159, 164
- Procaine penicillin, syphilis, 126 t, 223
- Proctitis and proctocolitis, 135 t,  
 196 t, 219 t  
 causes, 196  
 clinical features, 196  
 diagnosis, 217  
 treatment, 219
- Pruritus vulvae, causes, 65, 71, 77–80,  
 167–171, 173–175
- Pseudohyphae, *Candida* spp., 17, 168
- Psoriasis, 78 t, 82, 131 t, 155, 157 t,  
 158 t, 160 f, 163
- R**
- Rapid plasma reagin test, syphilis, 125
- Reactive arthritis, 164–165  
 causes, 157  
 clinical features, 157 t, 158  
 differential diagnosis, 157, 158 t  
 treatment, 162
- Recurrent genital herpes, management,  
 72, 114, 115–120,  
 187, 189
- Rheumatoid arthritis, 161
- S**
- Salmonella* spp., 158, 159, 196 t, 197
- Sarcoidosis, 158 t, 160, 164
- Scabies, 3, 13, 97, 98
- Scissor excision, anogenital warts,  
 100 t, 192, 229
- Scrotal pain, 85–90
- Septic arthritis, 158 t, 159, 162, 164
- Serological tests, 5, 8–9, 19, 31, 73,  
 76, 89, 107, 125, 127,  
 132 t, 133, 143, 161,  
 163, 164, 197, 206 t,  
 207, 212, 213 t, 216,  
 218, 220 t, 221  
 hepatitis A, 135  
 hepatitis B, 135, 209 t  
 hepatitis C, 23  
 herpes simplex virus, 228  
 HIV, 127, 184, 205 t  
*Treponema pallidum*, 125, 212,  
 213, 220
- Shigella* spp., 156 t, 158, 196 t,  
 197, 217
- Spectinomycin, gonorrhoea, 53, 182 t,  
 183, 184
- Spondyloarthritides, 157
- Spondyloarthropathies, 157
- Staphylococcal arthritis, 159
- Syphilis  
 clinical features, 3, 4, 5, 7, 8, 9, 10  
 diagnosis, 98 t, 124–125,  
 126 t, 131–134,  
 139–140, 142  
 natural history, 127  
 partner notification, 127  
 in pregnancy, 211–214  
 risk factors for, 124, 228  
 treatment, 125–126
- T**
- Testis  
 torsion, 85  
 tumors, 86 t
- Tetracycline, proctitis, 39, 152, 182,  
 212, 219 t

- Tinidazole  
 giardiasis, 200 t  
 trichomoniasis, 76
- Toxoplasmosis, 141
- Treponema pallidum* particle assay  
 (TPPA), 220 t
- Treponema pallidum* particle  
 agglutination test, 125,  
 132 t, 212 t, 213 t, 215
- Treponema pallidum*, *see* syphilis
- Trichloroethanoic acid, anogenital  
 warts, 100 t, 193
- Trichomonas vaginalis*, 13, 39 t, 66 t,  
 72, 81, 82, 110 t, 147,  
 148, 181, 227, 228
- Trichomoniasis  
 clinical features  
 in men, 75–76  
 in women, 72–73  
 diagnosis, 75–76  
 treatment, 73–75
- U**
- Ultrasound examination  
 abdominal/transvaginal, 93  
 scrotum, 86
- Ureaplasma urealyticum*, 39 t,  
 156 t, 157
- Urethral discharge, 7, 35–41, 49–57,  
 59, 75, 85, 147, 148,  
 149, 151, 156
- Urethritis  
 causes, 35, 39, 151  
 diagnosis, 38
- persistent  
 causes, 43–45, 147–150  
 treatment, 40
- V**
- Vaccines  
 antibody response to hepatitis B  
 vaccine, 23–24, 25 t  
 hepatitis A, 23  
 hepatitis B, 23  
 human papillomavirus (HPV), 104
- Vaginal discharge, 13, 17, 43, 61,  
 65–70, 71–76, 77, 78 t,  
 82, 91, 107, 173, 177,  
 181, 227, 228
- Vaginal specimens, 17, 72, 170
- Vaginitis, 66, 100, 170
- Vaginosis, bacterial, 17, 65–71,  
 73, 228
- Valaciclovir, genital herpes, 112 t,  
 117 t, 118 t, 119, 153,  
 189, 218, 219 t
- Venereal Disease Research Laboratory  
 (VDRL) test, 125,  
 127, 132, 133 f, 134,  
 212 t, 213, 214, 215,  
 220 t, 221
- Vulvovaginitis, 169, 170, 174
- Y**
- Yaws, 212
- Yersinia enterocolitica*, 158