

Index

A

- Acupoints,
 - classification of, 11
 - 14 meridians, 11
 - ashi acupoints, 12
 - extra-meridian acupoints, 11–12
 - in therapeutics, 12
 - local treatment, 13
 - remote treatment, 13
 - locating acupoints, 16–17
 - nomenclature of, 12
 - overview of, 11–22
- Acupuncture and moxibustion,
 - acupoints selection, 172
 - combine anterior-posterior acupoints, 173
 - combine interior-exterior acupoints, 173
 - combine distant-local acupoints, 173
 - combine left-right acupoints, 174
 - select acupoints on diseased meridian, 173
 - cupping therapy, 162
 - applications, 163
 - cautions and precautions, 167
 - techniques, 163–164
 - types of jars, 162–163
 - ear acupuncture, 143–144
 - antihelix, 149
 - cautions and precautions, 156
 - cavum conchae, 152–153
 - cymba conchae, 152
 - earlobe, 153
 - helix crus and helix, 147
 - helix crus, 151
 - inferior antihelix crus, 148
 - management of accidents during ear acupuncture, 156–157
 - needling, 114–124
 - scapha, 147–148
 - seed-pressing therapy, 156
 - selection of acupoints, 154
 - superior antihelix crus, 148
 - surface anatomy of the ear, 144
 - the antitragus, 150–151
 - the tragus, 150
 - the triangular fossa, 149–150
 - electro-acupuncture, 135–136
 - applications, 136
 - cautions and precautions, 136
 - technique, 135–136
 - filiform needle, 111
 - cautions and precautions, 127
 - management of possible accidents, 125–127
 - preparations prior to acupuncture treatment, 111–114
 - structure and selection of needle, 111
 - techniques of needling, 114–124
 - moxibustion, 157
 - cautions and precautions, 161–162
 - commonly used moxibustion, 157–161
 - plum blossom needle, 130
 - applications, 130
 - areas of, 131–134
 - cautions and precautions, 134–135
 - structure of, 130
 - technique, 130–131
 - principles of therapeutics, 171–180
 - scalp acupuncture, 136
 - balance zone, 141
 - cautions and precautions, 142–143
 - chorea-tremor zone, 138
 - foot-motor-sensory zone, 140
 - motor zone, 137
 - praxis zone, 140
 - reproduction zone, 142

second speech zone, 139
 sensory zone, 137–138
 stomach zone, 141
 third speech zone, 139
 thoracic-cavity zone, 142
 vertigo-auditory zone, 138–139
 visual zone, 140
 three-edged needles, 128
 applications, 128
 cautions and precautions, 129
 structure, 128
 techniques, 128
 Aiye, 271
 An Gong Niu Huang Wan, 405–407
 Anatomical landmarks, 17–20
 Assistant herb, 285–287

B

Ba Zhen Tang, 378–379
 Ba Zheng San, 439
 Back-Shu and Front-Mu acupoints, 15
 application of Back-Shu and front-Mu
 acupoints, 176
 Bai Hu Tang, 336–338
 Baibu, 245
 Baihe Gu Jin Tang, 386–388
 Baihe, 254
 Baijiangcan, 265
 Baiji, 270
 Baishaoyao, 251
 Baitouweng, 213
 Baizhi, 202
 Baizhu, 248
 Baiziren, 260
 Bajitian, 257
 Banlangen, 212
 Banxia Baizhu Tianma Tang, 450–452
 Banxia Xie Xin Tang, 336
 Banxia Houpo Tang, 412–414
 Banxia, 242–243
 Bao he Wan, 476–478
 Beimu, 243–244
 Beishashen, 252
 Biejia, 255–256
 Binglang, 276
 Bingpian, 268
 Bladder Meridian of Foot-Taiyang, 55–66
 Bohe, 202
 Bu Yang Huan Wu Tang, 426–429
 Bu Zhong Yi Qi Tang, 369–371
 Buguzhi, 258

C

Cangzhu, 222
 Chaihu, 204
 Chantui, 205
 Chenpi, 232
 Cheqianzi, 226
 Chief herb, 285–287
 Chinese *Materia Medica*
 clinical use of herbs, 188
 dosage, 192
 adjustment of, 193
 administration, 193–194
 contradictions, 191
 contraindications in pregnancy, 191
 dietary avoidance, 192
 incompatibility of herbs, 191
 herb interactions, 189
 antagonism, 190
 antidote, 190
 assistance, 189
 mutual inhibition, 190
 mutual reinforcement, 189
 restraint, 190
 single, 189
 properties of herbs, 183
 flavor, 184–186
 lifting, lowering, floating and sinking,
 186
 meridian affinity, 186–188
 nature, 183
 toxicity, 188
 seven facets of herbs, 189
 Chishaoyao, 214
 Chuanlianzi, 234
 Chuanwu, 229
 Chuanxiong, 237–238
 Cishi, 262
 Commonly used formulas in CM,
 formulas that astringe and stabilize,
 391–400
 formulas that calm the mind, 400–404
 formulas that clear heat, 335–355
 formulas that dissipate phlegm, 445–454
 formulas that dispel wind, 454–469
 formulas that drain downward, 312–322
 formulas that eliminate dampness, 435–445
 formulas that expel worms, 482–484
 formulas that harmonize, 322–335
 formulas that open orifices, 404–409
 formulas that release exterior, 295–312
 formulas that relieve accumulations,
 476–482
 formulas that relieve dryness, 469–476
 formulas that regulate blood, 421–435

- formulas that regulate Qi, 409–421
 - formulas that restore, 366–391
 - formulas that warm the interior, 355–366
 - Commonly used herbs, 197
 - aromatic herbs that open orifices (resuscitate), 266–268
 - aromatic herbs that dissipate dampness, 221–224
 - herbs that release exterior, 197–205
 - warm-acrid herbs that release the exterior, 198–202
 - cool-acrid herbs that release the exterior, 202–205
 - herbs that cool heat, 205–216
 - herbs that cool heat and purge fire, 206–208
 - herbs that cool heat and detoxify poison, 210–213
 - heat-clearing and blood-cooling herbs, 213–215
 - endogenous heat-cooling herbs, 215–216
 - herbs that calm liver and extinguish wind, 262–266
 - herbs that calm mind, 259–262
 - herbs that dispel wind-dampness, 218–221
 - herbs that dissolve phlegm or stop cough and relieve asthma, 242–246
 - herbs that drain water, 224–227
 - herbs that expel parasites, 275–277
 - herbs that induce catharsis, 216–218
 - herbs that regulate Qi, 231–234
 - herbs that relieve food retention, 235–237
 - herbs that restore, 246–259
 - herbs that stabilize and astringe, 271–275
 - herbs that stimulate blood circulation and remove blood stasis, 237–242
 - herbs that stop bleeding, 269–271
 - herbs that warm interior, 228–231
 - Comparative measures, 17
 - Confluence acupoints, 16
 - application of Confluence acupoints, 178
- D**
- Da Chaihu Tang, 324–326
 - Da Cheng Qi Tang, 318
 - Da Ding Feng Zhu, 466–468
 - Dahuang Mudanpi Tang, 317–319
 - Dahuang, 216–217
 - Danggui Si Ni Tang, 362–364
 - Danggui, 251
 - Dangshen, 247
 - Danshen, 239
 - Dao Chi San, 345–346
 - Deputy herb, 285–287
 - Digupi, 215–216
 - Dilong, 264–265
 - Ding Chuan Tang, 417–418
 - Dingxiang, 231
 - Diyu, 269–270
 - Dongchongxiacao, 259
 - Du Meridian, 93–98
 - Duhuo Jisheng Tang, 457–459
 - Duhuo, 218–219
 - Duzhong, 256–257
- E**
- Ejiao, 252
 - Envoy herb, 285–287
 - Er Chen Tang, 446–448
 - Extra-Meridian acupoints, 103–108
 - of lower extremities, 107–108
 - on back, 105
 - on chest and abdomen, 104–105
 - on heat and neck, 103–104
 - on upper extremities, 106–107
 - Ezhu, 241–242
- F**
- Fangfeng, 201
 - Fangji, 225
 - Fanxieye, 219–220
 - Finger measures, 16–17
 - Five shu, 14, 174
 - Fried Gancao Tang, 383–384
 - Fuling, 224–225
 - Fuxiaomai, 272
 - Fuzi, 228–229
- G**
- Gallbladder Meridian of Foot-Shaoyang, 80–88
 - Gancao, 249
 - Ganjiang, 230
 - Gegen, 204–205
 - Gouqizi, 253–254
 - Gouteng, 264
 - Gu Chong Tang, 398–400
 - Gualou, 244
 - Gui Pi Tang, 376–378
 - Guiban, 255
 - Guizhi Tang, 298–300
 - Guizhi, 199

H

- Hao Qin Qing Dan Tang, 326–328
 He (Sea), 14, 16, 25, 31, 39, 40, 46, 48, 52, 58, 65, 69, 73, 77, 87, 91, 174, 175, 174, 179
 Heart Meridian of Hand-Shaoyin, 47–50
 Herbal formulation in CM,
 basic principles, 285
 construction of medicinal formulas, 285
 modification of formulas, 286–288
 classification of herbal formulas, 288
 common dosage forms of herbal
 formulas, 289–290
 decoctions, 289
 medicinal wines, 290
 pills, 290
 powders, 289
 soft extracts, 290
 drug administration, 291
 decocting herbs, 291
 methods of administration, 292
 Heshouwu, 250–251
 Honghua, 240
 Houpo, 222
 Huangbai, 209–210
 Huanglian Jie Du Tang, 341–343
 Huanglian, 209
 Huangqi, 248
 Huangqin, 208–209
 Huoxiang Zheng Qi San, 437–439
 Huoxiang, 223
 Hutaoren, 258
 Huzhang, 227

I

- Influential acupoints, 15
 application of Influential acupoints, 178

J

- Jian Pi Wan, 480–482
 Jiegeng, 243
 Jin Suo Gu Jing Wan, 396–398
 Jing (Well), 14, 27, 29, 41, 42, 49, 51, 66, 68, 75, 76, 88, 89, 174, 175
 Jing (River), 14, 25, 31, 41, 44, 49, 52, 66, 71, 73, 79, 84, 92, 174, 175
 Jingjie, 200–201
 Jinqiancao, 226–227
 Jinyinhua, 210–211
 Jiu Wei Qianghuo Tang, 301–302
 Juhua, 203–204

K

- Kidney Meridian of Foot-Shaoyin, 67–71
 Kuliangenpi, 276

L

- Laifuzi, 236–237
 Large Intestine Meridian of
 Hand-Yangming, 27–32
 Li Zhong Wan, 356–358
 Lianqiao, 211
 Lianzi, 273
 Lingjiao Gouteng Tang, 460–462
 Liu Wei Dihuang Wan, 380–383
 Liver Meridian of Foot-Jueyin, 88–92
 Longdan Xie Gan Tang, 346–349
 Longdancao, 210
 Longgu, 262
 Lower-He acupoints, 16
 application of Lower He (Sea)
 acupoints, 178–179
 Lung Meridian of Hand-Taiyin, 23–27

M

- Ma Xing Shi Gan Tang, 305–306
 Mahuang, 198–199
 Mahuang Tang, 296–298
 Maimendong, 253
 Maiya, 235
 Mangxiao, 217
 Manipulations and arrival of Qi, 118–121
 Maziren Wan, 319–321
 Mengshi Gun Tan Wan, 452–454
 Meridians,
 basic concepts, 3
 composition of meridian system
 12 cutaneous regions, 9
 eight irregular meridians, 7
 fifteen collaterals, 8
 twelve divergent meridians, 8
 twelve main meridians, 5
 twelve muscle meridians, 8–9
 functions of, 3
 theory of (jingluo), 3
 Mohanlian, 255
 Mudanpi, 214–215
 Mugua, 219
 Muli, 261
 Muxiang, 233
- N**
 Nanguazi, 277
 Niubangzi, 203

Niuxi, 240–241
Nuzhenzi, 254

P

Peilan, 223
Pericardium Meridian of Hand-Jueyin, 71–75
Ping Wei San, 436–437
Pugongying, 211

Q

Qiancao, 271
Qianghuo, 201
Qing Wei San, 351–352
Qing Wen Bai Du Yin, 343–344
Qing Ying Tang, 339–341
Qing Zao jiu Fei Tang, 471–473
Qinghao Biejia Tang, 352–354
Qinghao, 215
Qinjiao, 220
Quanxie, 265–266

R

Ren Meridian, 98–103
Renshen, 247
Roucongong, 258–259
Rougui, 229

S

San Ren Tang, 441–442
Sang Ju Yin, 307–308
Sangbaipi, 245–246
Sangjisheng, 220
Sangpiaoxiao, 274–275
Sangye, 203
Sanjiao Meridian of Hand-Shaoyang, 75–80
Sanleng, 241
Sanqi, 270–271
Shanyao, 249–250
Shanzha, 236
Shanzhuyu, 274
Shaoyao Tang, 349–350
Sharen, 223–224
Shegan, 212–213
Shen Qi Wan, 388–390
Sheng Hua Tang, 431–432
Sheng Mai San, 373–374
Shengdihuang, 213–214
Shenqu, 235–236
Shexiang, 267–268
Shichangpu, 267

Shigao, 206–207
Shijueming, 264
Shijunzi, 275–276
Shu acupoints, 14
 application of Shu acupoints, 174–175
Shudihuang, 250
Shu (Stream), 14, 15, 26, 29, 36, 43, 50, 53,
 60, 68, 74, 78, 88, 92, 174–176
Si Jun Zi Tang, 367–369
Si Ni Tang, 360–362
Si Shen Wan, 392–394
Si Wu Tang, 374–376
Simple location, 21
Small Intestine Meridian of Hand-Taiyang,
 50–54
Spleen Meridian of Foot-Taiyin, 42–46
Stomach Meridian of Foot-Yangming, 32–41
Suanzaoren Tang, 403–404
Suanzaoren, 260
Suhexiang Wan, 407–409
Suhexiang, 268
Suzi Jiang Qi Tang, 414–416

T

Taohe Cheng Qi Tang, 422–424
Taoren, 240
Tian Wang Bu Xin Dan, 401–402
Tianma Gouteng Yin, 464–466
Tianma, 263
Tinglizi, 246
Tong Xie Yao Fang, 333–334

W

Weilingxian, 221
Wen Dan Tang, 448–450
Wen jing Tang, 429–431
Wen Pi Tang, 315–317
Wugong, 266
Wumei, 273
Wumei Wan, 482–484
Wuweizi, 273
Wuzhuyu, 230

X

Xi acupoints, 16
 application of Xi(Cleft) acupoints, 179
Xiakucao, 208
Xiangfu, 233
Xiao Chaihu Tang, 323–324
Xiao Feng San, 455–457
Xiao Jian Zhong Tang, 358–360

Xiao Qing Long Tang, 303–305
 Xiao Yao San, 328–330
 Xiaoji Yin Zi, 432–434
 Xiaoji, 269
 Xiebai, 234
 Xing Su San, 469–471
 Xingren, 244–245
 Xixin, 199–200
 Xuanfu Daizhe Tang, 418–420
 Xuduan, 257
 Xue Fu Zhu Yu Tang, 424–426

Y

Yang He Tang, 364–366
 Yang Yin Qing Fei Tang, 474–475
 Yanhusuo, 238–239
 Yi Guan Jian, 385–386
 Yimucao, 239
 Yin Qiao San, 309–310
 Yinchenhao, 226
 Ying (Spring), 14, 26, 30, 41, 44, 49, 52, 60,
 74, 77, 84, 89, 174, 175
 Yinyanghuo, 256

Yiyiren, 225
 Yu Ping Feng San, 371–372
 Yuan and Luo acupoints, 15
 application of Yuan and Luo acupoints, 176
 Yuanzhi, 261
 Yue Ju Wan, 410–412
 Yujin, 238
 Yuxingcao, 212
 Yuzhu, 252–253

Z

Zexie, 225
 Zhen Gan Xi Feng Tang, 462–464
 Zhen Ren Yang Zang Tang, 394–396
 Zhen Wu Tang, 443–444
 Zhimu, 207
 Zhishi Dao Zhi Wan, 478–480
 Zhishi, 232–233
 Zhizi, 207–208
 Zhuling, 227
 Zisu, 200
 Zisuzi, 245