

# Index

- A**
- Abdominal aorta, 9, 164
- ABI (ankle-brachial index), 3, 26, 31, 36, 47–48, 51, 57, 65, 70, 72, 89  
PAD relating to, 47–48
- Ablation, 417, 418, 420  
sclerofoam, of varicose veins, 419–420
- Absent Doppler signal, 26
- ACA (anterior cerebral artery), 38, 112–113
- ACAS (Asymptomatic Carotid Atherosclerosis Study), 33, 50, 71, 78, 81, 110, 138, 142, 143, 183, 189
- Accessory and multiple renal arteries, 456–457
- Access recirculation, 133–134, 138
- Acoustic shadowing, 50
- Acupuncture, 119
- $\alpha$ -Adrenergic antagonists, 111
- $\alpha$ -Adrenergic blockade, 111
- $\alpha$ 2-Adrenoreceptors, 111
- Adventitia, 3, 80, 128
- Adventitial cystic disease, 128
- Air plethysmography, 19
- American Heart Association, Stroke Council of, 15, 151
- Amputation, 6, 15, 21, 26, 41–44, 65, 71, 92, 113, 119, 151, 153–156  
sites of, 41–44, 155–156  
Doppler systolic pressure determinations in, 156
- Analog wave tracing analysis, limitations of, 28
- Anastomotic site, preoperative mapping relating to, 91
- Anatomy  
of calf saphenous vein, 106–107  
of vascular system, 1–3
- Aneurysmal disease, 45, 47, 53, 58, 111, 113, 153
- Aneurysms  
arterial, 163–165  
popliteal, 48  
of subclavian/axillary arteries, 123–125
- Angioplasty  
balloon, 12, 65
- Ankle-brachial index. *See* ABI (ankle-brachial index)
- Ankle pressure, 42
- Anterior cerebral artery. *See* ACA (anterior cerebral artery)
- Anterior system, of calf saphenous vein, 106
- Anterior tibial artery, 1–3
- Aortafemoral popliteal reconstruction, 153
- Aortoiliac lesions, 48
- Aortoiliac segment, 90
- Arterial aneurysms, 163–165
- Arterial bypass grafting, 47, 256, 303
- Arterial bypass hemodynamics, 58–61
- Arterial disease, lower extremity. *See* PAD (peripheral arterial disease), lower extremity
- Arterial examinations  
definitive diagnosis, 89–90  
Doppler, 26  
patient follow-up, 94  
posttreatment follow-up, 94  
preoperative mapping  
anastomotic site, 93  
aortoiliac segment, 90  
femoropopliteal segment, 90–91  
infrapopliteal arteries, 91–92  
of veins, 93–94  
procedure follow-up, 94  
screening, 89
- Arterial imaging, arterial obstruction of lower extremities, used for, 44
- Arterial lesions, 42, 47, 49
- Arterial mapping, 127
- Arterial obstruction of lower extremities, location of  
aneurysmal disease used in, 45, 47  
arterial imaging used in, 44  
graft surveillance used in, 44  
postexercise measurements used in, 43  
PVR amplitude relationships used in, 44  
PVR amplitude used in, 43–44  
PVR reflected wave used in, 43  
segmental systolic limb pressures used in, 43
- Arterial occlusive disease  
lower extremity, localization of color duplex imaging used in, 33  
segmental Doppler pressures used in, 33
- Arterial reconstructive procedures  
aortofemoral popliteal reconstruction, 153  
lumbar sympathectomy, 153–154  
profundaplasty, 152–153  
selection of, based on duplex scanning, 152–153
- Arterial stenosis  
duplex criteria for grading of, 51–53
- Arterial studies  
functional, 41  
for peripheral vascular disease  
lower extremities, 41  
upper extremities, 45–46
- Arterial thoracic outlet syndrome, 111
- Arterial velocity tracing, normal, 26, 27, 144
- Arteries. *See specific arteries*
- Arteries, upper extremity, ultrasound imaging of  
for acute and chronic obstructions, 123  
for adventitial cystic disease, 128  
for arterial mapping prior to constructing dialysis fistula, 127  
for AVMs, 127  
for brachial arteries, 129  
for brachial artery reactivity, 128  
for carpal tunnel, 128  
for conditions  
best-case, 129  
worst-case, 129  
DUAM relating to, 123, 125, 127, 128, 129  
for forearm arteries, 129  
for hand and digit arteries, 129  
for Hypothenar Hammer syndrome, 127–128  
for large proximal arteries, 129

- for microsurgical operations, 128
  - patient positioning for, 128–129
  - for radial artery mapping for coronary bypass, 125–127
  - for radial forearm flap, 127
  - for steal syndrome, 127
  - for stump of occluded axillofemoral bypass, 125
  - for subclavian/axillary arteries, aneurysms of, 123–125
  - for subclavian steal syndrome, 123
  - for sympathetic activity, 128
  - for thoracic outlet syndrome, 125
  - for trauma, 123
  - for tumor detection, 128
  - for vasculitis, 123
  - Arteriogram/graphy
    - of superficial femoral artery stenosis, 52
  - Arteriography, 146
    - contrast, 89
    - CT, 89, 96
    - DUAM, as alternative to, 89–97
  - Arteriovenous fistulas. *See* AVFs (arteriovenous fistulas), AVMs and, congenital
  - Arteriovenous malformations. *See* AVMs (arteriovenous malformations)
  - Asymptomatic Carotid Atherosclerosis Study. *See* ACAS (Asymptomatic Carotid Atherosclerosis Study)
  - Atherectomy, 12
  - Atherogenesis, hypotheses relating to PAD, 4–5
  - Atherosclerosis, 50
    - hemodynamic changes in, 5
    - large artery disease relating to, 111, 113–114
    - pathophysiology of, 3–4
    - risk factors of, 4
  - Autogenous access placement, 133
  - Autologous conduit, infrainguinal revascularization with, 69
  - AVFs (arteriovenous fistulas), AVMs and, congenital
    - clinical evaluation of
      - diagnostic implications relating to, 142–143
      - duplex scanning, 145–146
      - segmental limb pressures, 143
      - segmental plethysmography, 143–144
      - VDLs for, 141–142, 147–148
      - velocity waveform analysis, 144–145
    - hemodynamic changes associated with, 142–143
    - MRI and CT scanning, 147
    - physiologic tests for
      - arteriography, 146
      - duplex scanning, 145–146
      - radionuclide AV shunt quantification, 146–147
  - AVMs (arteriovenous malformations), 127, 141–148, 160–161
  - Axillary arteries, visualization of, 118
- B**
- Balloon angioplasty, 12, 65. *See also* PTA (percutaneous transluminal balloon angioplasty)
  - Behavioral modification, 119
  - Beriberi, 144
  - Blood flow
    - vascular access, 137
  - B-mode imaging, 18
    - carotid arteries, duplex scanning of, as component of, 18
  - Brachial arteries, 129
    - occlusion of, 123, 124
    - visualization of, 118
  - Brachial artery reactivity, 128
  - Buerger’s disease, 110, 112–113, 114, 123
  - Bypass procedures, 77–78, 125. *See also* Arterial bypass grafting; specific Infrainguinal bypass grafts
- C**
- Calf saphenous vein anatomy, 106–107
  - Captopril, 119
  - Cardiac emboli, 111
  - Carotid plaque echodensity, 81
  - Carpal tunnel, 128
  - Center for Medicare and Medicaid. *See* CMS (Center for Medicare and Medicaid)
  - Chemical exposure, 110
  - Cilostazol (Pletal), 11
  - Claudication, 5–6, 7, 43, 47
  - CMS (Center for Medicare and Medicaid), 138
  - Cold avoidance, 119
  - Cold challenge testing, 116
  - Collateral circulation, of PAD, 1–3
  - Color duplex examination, 49–51
  - Color duplex imaging
    - arterial occlusive disease, lower extremity, localization of, used in, 33
  - Common femoral artery, 50
  - Common iliac arteries, 1
  - Compression syndromes, popliteal artery entrapment syndrome, 157
  - Connective tissue disease, 120
    - mixed, 110
    - rheumatoid arthritis, 110
    - scleroderma, 110, 112
    - Sjögren’s syndrome, 110
    - systematic lupus erythematosus, 110
    - undifferentiated, 110
  - Continuous wave Doppler. *See* CW Doppler
  - Contrast angiography, 8–11
  - Contrast arteriography, 89
  - Coronary artery disease, 4
  - Coronary bypass, radial artery mapping for, 125–127
  - Critical stenosis, 5
  - CT arteriography, 89, 96
  - CT scanning
    - for AVFs, 147
  - Cut film views, magnified, 119
  - CW Doppler, 15, 16, 25, 61
- D**
- Deep venous thrombosis. *See* DVT (deep venous thrombosis)
  - Diabetes mellitus, 157
  - Dialysis fistula, 127
  - Dialysis Outcome Quality Initiative. *See* DOQI (Dialysis Outcome Quality Initiative)
  - Dialysis surveillance
    - autogenous access placement for, 133
    - DOQI relating to, 133, 134, 138
    - non-ultrasound-based methods of, 133–134
      - access recirculation, 133–134
      - dynamic venous pressure, 133
      - physical examination, 133
      - static venous pressure, 133
    - protocol for, 137–138
    - ultrasound, dialysis access creation, and, 134–137
      - DU relating to, 134–137
      - IVUS relating to, 137
    - preoperative planning, 134
    - vascular access blood flow, 137
    - ultrasound surveillance protocol for, 137–138
  - Digital and palmar artery occlusion, 112
  - Digital blood pressure, 115
  - digital temperature and, 111
  - Digital hypothermic challenge test, 116, 117
  - Digital ischemia, episodic, 109–110
  - Digital pressure and plethysmography, 114–116, 119
  - Digital subtraction angiography, 151
  - Digital temperature, digital blood pressure and, 111
  - Digital ulcers, 110, 118, 119
  - Digit arteries, 129
  - Directional Doppler unit, 16
  - Doppler, 8. *See also* Absent Doppler signal; Segmental Doppler pressures; Toe Doppler systolic pressure
    - CW, 15, 16, 25, 61
    - measurements, laser, 21
    - spectral waveform analysis, 48, 118, 127
      - analog wave tracing analysis, limitations of, 28
      - duplex pulse, 51
      - of peripheral vascular disease, 26
      - spectral waveform analysis, quantitative
        - acceleration time or index, 28
        - inverse damping factor, 28
        - pulsatility index, 27–28
        - transient time, 28
      - spectra, pulsed velocity, 51

- ultrasound, 149
    - principle of, 16–17
    - pulsed, 15–18
  - ultrasound detectors
    - CE Doppler ultrasound, 16
    - pulsed Doppler ultrasound, 16
    - waveform analysis, 26–27, 34
  - Doppler pressure
    - penile, 157–158
    - segmental. *See* Segmental Doppler pressures
  - Doppler systolic pressure determinations, 156
  - DOQI (Dialysis Outcome Quality Initiative), 133, 134, 138
  - Dorsalis pedis artery, 1
  - DU (duplex ultrasound), 134–135
  - DUAM (duplex ultrasound arterial mapping), arteriography as
    - alternative to, prior to femoral and popliteal reconstruction, 304
    - advantages of, 89, 96–97
    - arterial examinations relating to, 89–97
    - arteries, upper extremity, ultrasound mapping of, relating to, 123, 125, 127, 128, 129
    - disadvantages of, with ultrasonography, 96
    - implementation of
      - actual decision making, 95–96
      - comparisons relating to, 95
      - fundamental objective, 94–95
      - learning phase, 95
      - virtual decision making, 95
  - Duplex criteria
    - arterial stenosis, for grading of, 51–53
  - Duplex pulse Doppler spectral waveform analysis, 51
  - Duplex scanning, 116–118, 145–146
    - of carotid arteries, 18
  - Duplex ultrasonography. *See* DUS (duplex ultrasonography)
  - Duplex ultrasound. *See* DU (duplex ultrasound)
  - Duplex ultrasound arterial mapping. *See* DUAM (duplex ultrasound arterial mapping), arteriography as
    - alternative to, prior to femoral and popliteal reconstruction,
  - DUS (duplex ultrasonography), 15, 150–151
    - infrainguinal bypass grafts, prosthetic, relating to, 69–72
  - DVT (deep venous thrombosis)
    - peripheral vascular disease, lower extremities, relating to, 45
  - Dynamic venous pressure, 133
- E**
- Echodensity, 81
  - Emboli, 110
  - Embolization, 114, 123
  - Endothelial dysfunction, 165
- Endovascular procedures, duplex scanning
    - of PAD relating to, 53, 54
  - Endovascular repair of graft stenosis,
    - duplex criteria for, 65
  - Endovascular therapy, for PAD
    - atherectomy, 12
    - balloon angioplasty, 12
    - stenting, 12
  - Episodic digital ischemia, 109–110
  - External carotid artery disease. *See* Stenosis
  - External iliac arteries, 1, 76
- F**
- Femoral arteries, PTA and stenting of, 75–81
  - Femoral pseudoaneurysms, 48, 50
    - duplex ultrasound used for
      - definition and incidence relating to, 83–84
      - diagnosis relating to, 83, 84
      - risk factors for, 84
      - treatment options for
        - duplex-guided thrombin injection, 83, 85–86
        - observation, 84–85
        - surgical intervention, 87
        - ultrasound-guided compression, 83, 85, 86
  - Femoropopliteal segment, 90–91
  - Fibromuscular dysplasia, 111, 114
  - Forearm arteries, 129
  - Frostbite, 110, 112
  - Functional arterial studies, indications and guidelines for, 41
  - Functional venous studies, indications and guidelines for, 45
- G**
- Giant cell arteritis, 111, 113
  - Graft failure
    - criteria for identification of, 71
    - mechanisms and hemodynamics of, 58–61
  - Grafting. *See* Arterial bypass grafting; *specific* Infrainguinal bypass grafts, duplex surveillance of
  - Graft lesion, 64
  - Graft stenosis, 64
    - endovascular repair of, duplex criteria for, 65
  - Graft surveillance, 44
  - Graft thrombosis, 63–64, 72
  - Grayscale median. *See* GSM (grayscale median)
  - GSM (grayscale median), 80
  - Guanethidine, 119
- H**
- Hand and digit arteries, 129
  - Hemodialysis, 133
  - Hemodialysis access graft imaging
    - interpretation pitfalls relating to, 163
    - interpretations of, 162, 163
    - technique of, 162
  - Hemodynamic changes, associated with AVFs, 142–143
  - Hypercoagulable states, 110
  - Hyperemia
    - reactive, 37
  - Hypersensitivity angitis, 110, 112
  - Hypothernar Hammer syndrome, 115, 127–128
- I**
- Idiopathic vasospasm, 110
  - Iliac arteries
    - common, 1
    - external, 1, 76
    - internal, 1
    - PTA and stenting of, 75–81
  - Iliac interventions, 79
  - Imaging. *See specific* imaging
  - Infrainguinal bypass grafts, duplex surveillance of, 57–66, 138
    - graft failure, mechanisms and hemodynamics of, arterial bypass hemodynamics, 58–61
    - intraoperative, 61–63
      - algorithm for, 61, 65
      - interpretation of, 62
      - of stenosis, 62
    - postoperative
      - graft revision in, threshold velocity criteria for, 63–66
      - testing intervals relating to, 63
  - Infrainguinal bypass grafts, prosthetic, surveillance after, 69–72
    - abnormal findings, 71
    - DUS relating to, 70–71
    - interventions, indications for, 71–72
    - lifelong surveillance, recommendation of, 72
    - natural history of, 69–70
  - Infrainguinal lesions, 48
  - Infrainguinal revascularization, with autogenous conduit, 69
  - Infrapopliteal arteries, 92–93
  - In situ* bypass technique, 99
  - Insonation, 126
  - Internal carotid spectra. *See* Stenosis
  - Internal elastic lamina, 3
  - Internal iliac arteries, 1
  - Intravascular ultrasound. *See* IVUS (intravascular ultrasound)
  - Ischemia
    - digital, episodic, 109–110
    - resting, 41–42
    - transient borderline, 42
    - upper extremities, vasospastic diseases and, 160
  - Ischemic arterial lesions, 42, 47
  - Ischemic rest pain, 6, 7
  - Ischemic skin lesions, 154–155
  - Ischemic ulcers, 120, 154
  - IVUS (intravascular ultrasound), 137

**L**

Large artery disease, 110, 111–112  
 Large proximal arteries, 129  
 Laser Doppler measurements, 21  
 Lesions  
   aortoiliac, 48  
   arterial, 42, 47, 49  
   infrainguinal, 48  
   ischemic arterial, 42, 47  
   ischemic skin, 154–155  
 Losartan, 119  
 Lumbar sympathectomy, 153–154

**M**

Magnetic resonance imaging. *See* MRI  
 Mapping. *See also* DUAM (duplex ultrasound arterial mapping), arteriography as alternative to, prior to femoral and popliteal reconstruction; Saphenous vein mapping, preoperative arterial, 153 preoperative, 93 radial artery, for coronary bypass, 125–127 ultrasound, 96–97  
 MRA (magnetic resonance angiography) for PAD, 8 for peripheral vascular disease, lower extremity, 55, 89, 96  
 MRI (magnetic resonance imaging), 161 CT scanning and, for AVFs, 147

**N**

Natural history  
   of infrainguinal bypass grafts, prosthetic, surveillance after, 69–70  
   staging and, of PAD, 6–7  
 Neoplasm, 110  
 Noninvasive testing  
   for diagnosis of vascular disease, upper extremity, 109–120  
   for PAD, 8, 15–22  
 Noninvasive vascular techniques, in PAD  
   electromagnetic flowmeter, 22  
   laser Doppler measurements, 21  
   plethysmography  
     clinical applications of, 20  
     instrumentation, 19–20  
     principle of, 19  
     pulse-wave analysis relating to, 20  
   radioisotope techniques, 21–22  
   temperature detection relating to, 22  
   transcutaneous PO<sub>2</sub>, 20–21  
   ultrasound  
     B-mode, 18  
     CW Doppler, 16  
     Doppler, 15–17  
     duplex ultrasound and color flow imaging, 18  
     instrumentation, 17  
     pulsed Doppler, 15–17

Non-ultrasound-based methods, of dialysis surveillance, 133–134  
 physical examination, 133

**P**

PAD (peripheral arterial disease),  
   diagnosis of, vascular laboratory's role in  
   arterial aneurysms, 163–165  
   arterial reconstructive procedure for aortofemoral popliteal reconstruction, 153  
     lumbar sympathectomy, 153–154  
     profundaplasty, 152–153  
     selection of, based on duplex scanning, 152–153  
 AVMs, 160–161  
 compression syndromes  
   popliteal artery entrapment syndrome, 157  
   thoracic outlet syndrome, 156–157  
 endothelial dysfunction, 165  
 healing response  
   to amputation sites, 155  
   to ischemic skin lesions, 154–155  
   to skin fluorescence, 155–156  
 hemodialysis access graft imaging  
   interpretation pitfalls relating to, 163  
   interpretations of, 162, 163  
   technique of, 162  
   volume flow criteria relating to, 162–163  
 ischemia, upper extremities, vasospastic diseases and, 160  
 location and severity, assessment of, 149–151  
 lumbar sympathectomy, 153–154  
 penile circulation, 157–160  
 perioperative evaluation, 152  
 postoperative follow-up, 154  
 profundaplasty, 153  
 prognosis and medical therapeutic implications, 151–152  
 screening, 149  
 PAD (peripheral arterial disease), lower extremity  
   ABI relating to, 149, 151–154  
   arterial wall, normal structure of  
     adventitia, 3  
     intima, 3  
     media, 3  
   arteriograms related to, 8, 9, 11  
   atherogenesis, hypotheses relating to, 4–5  
     injury, 5  
     lipid, 5  
     monoclonal (smooth muscle proliferation), 5  
   atherosclerosis  
     hemodynamic changes in, 5  
     pathophysiology of, 3–4  
     risk factors of, 4  
   classification of, 6  
   clinical manifestations of, 5–6  
   collateral circulation of, 1–3  
   coronary artery disease, cerebrovascular disease, and, 4  
   diagnostic investigation relating to contrast angiography, 8–12  
     history and physical examination, 7–8  
     MRA, 8  
     noninvasive tests, 8  
   duplex scanning of  
     accuracy of, 48–49  
     clinical applications of, 48  
     color duplex examination, 49–51  
     endovascular and surgical intervention based on, 53  
     endovascular procedures relating to, 54  
     following intervention, 54–55  
     preintervention arterial testing, 47–49  
   natural history and staging of  
     stage 0 (asymptomatic), 7  
     stage I (claudication), 5–8, 11  
     stage II (ischemic rest pain), 6–7  
     stage III (trophic changes), 6–7  
   noninvasive vascular techniques in, 15–22  
   stress testing for  
     reactive hyperemia used in, 37  
     treadmill exercise used in, 35–37  
   treatment options for  
     endovascular therapy, 12  
     medical therapy, 8–11  
     surgical therapy, 11–12  
   vascular system of, anatomy of, 1  
 Palmar artery occlusion, 112  
 Pathophysiology  
   of atherosclerosis, 3–4  
   of vascular disease, upper extremity, 110–112  
 PC-based PVR, 40–41  
 Peak systolic velocity, 58–59, 76–, 80  
 Penile circulation, 157–160  
   imaging techniques for, 158–160  
   PSVs relating to, 158–160  
 Penile Doppler pressure, 158  
 Pentoxifylline, 119  
 Percutaneous transluminal balloon angioplasty. *See* PTA (percutaneous transluminal balloon angioplasty)  
 Peripheral arterial disease. *See* PAD (peripheral arterial disease), diagnosis of, vascular laboratory's role in  
 Peripheral vascular disease, lower extremities  
   amputation relating to, 42–43  
   ankle pressure relating to, 42  
   arterial obstruction in, location of, 43–45  
   clinical studies and results, 32–33  
   Doppler waveform analysis in, 26–28, 34

- DVT relating to, 45  
 functional arterial studies, indications and guidelines for, 41  
 functional venous studies, indications and guidelines for, 45  
 instrumentation and physical principles of, 25  
 ischemic arterial lesions relating to, 42, 47  
 methods and interpretations of, 26  
 pulse volume recording in diagnosis of, 39–46  
   PVR—2005, 40–41  
 resting ischemia relating to, 41–42  
 segmental Doppler pressures in, 29–33  
 testing, indications for, 25–26  
 vascular claudication relating to, 43  
 venous valvular insufficiency relating to, 45
- Peroneal artery, 1, 92
- Photoplethysmography. *See* PPG (photoplethysmography)
- Plantar arch, 1
- Plaque, carotid. *See* Carotid plaque echodensity
- Plaque morphology, 80–81
- Pletal. *See* Cilostazol (Pletal)
- Plethysmographic tracings, 144–145
- Popliteal aneurysm, 48
- Popliteal artery, 1, 91
- Popliteal artery entrapment syndrome, 157
- Posterior tibial artery, 1
- Posterior tibial veins, 92
- Postexercise measurements, 44
- PPG (photoplethysmography), 114–116, 120, 156
- Prazosin, 119
- Preoperative mapping, 93
- Profunda femoris artery, 1
- Profundaplasty, 153
- Prosthetic infrainguinal bypass grafts. *See specific Infrainguinal bypass grafts, prosthetic, surveillance after*
- Pseudoaneurysms, 48, 124. *See also* Femoral pseudoaneurysms
- PTA (percutaneous transluminal balloon angioplasty), 54–55, 152–153
- PTA and stenting, of iliac and femoral arteries  
   plaque morphology relating to, 80–81  
   surveillance after, 24–81  
     bypass procedures v., 77–78  
     outcome measures for, 76–77  
     patency rates relating to, 76, 77  
     rationale for, 75–76  
     with and without stents, 77  
   surveillance duplex protocol, 78–80  
   surveillance methods, alternate, 78
- Pulsed Doppler ultrasound, 15–16
- Pulsed velocity Doppler spectra, 51
- Pulse volume recorder. *See* PVR (pulse volume recorder)
- Pulse volume recording, 39–46
- PVR (pulse volume recorder), 39–46, 48, 89, 149–150, 155, 156–157, 161
- PVR—2005, 40–41
- PVR amplitude, 43–44
- PVR amplitude relationships, 44
- PVR reflected wave, 43
- R**
- Radial arteries, visualization of, 118
- Radial artery mapping for coronary bypass, 125–127
- Radial forearm flap, 127
- Radiation arteritis, 111, 114
- Radionuclide AV shunt quantification, 146–147
- Raynaud's syndrome, 109–111, 119–120, 123, 125
- Reactive hyperemia, 37
- Resting ischemia, 41–42
- Rheumatoid arthritis, 110
- S**
- Saphenous vein mapping, preoperative  
   calf saphenous vein anatomy, 106–107  
   anterior system of, 106  
   posterior system of, 106  
   imaging of  
     method of, 100–104  
     “Mickey Mouse” relating to, 101  
     sites of, 101  
     transverse vein image, 102  
     ultrasound, 100  
     with venography, 99–100  
   mapping data, proper use of, 107  
   saphenous veins, variants of, 104–106  
     below knee, 104  
     above knee, 104  
   vein wall relating to, 103
- Scleroderma, 110, 112
- Screening, 149
- Segmental arm pressures, 114–115
- Segmental Doppler pressures, 150  
   ABI relating to, 31, 36, 47–48, 50–51, 59, 78, 89–90  
   arterial occlusive disease, lower extremity, relating to, 89  
   determination of, limitations and sources of errors of, 31–32  
   interpretations of, 30–31  
   peripheral vascular disease, lower extremities, relating to, 28–32, 34  
   technique for, 29–30  
   high pressure indexes, 31  
   toe Doppler systolic pressure, 31
- Segmental limb pressures, 143
- Segmental plethysmography, 143–144
- Segmental systolic limb pressures, 44
- Selective serotonin reuptake inhibitors. *See* SSRIs (selective serotonin reuptake inhibitors)
- Sjögren's syndrome, 110
- Skin fluorescence, 155–156
- Small artery disease, 110, 112
- Society of Vascular Ultrasound, 86
- SSRIs (selective serotonin reuptake inhibitors), 119
- Static venous pressure, 133
- Steal syndrome, 127
- Stenosis, 30, 31  
   arterial, 51–253  
     critical, 5  
     graft, 64–65  
     infrainguinal bypass grafts relating to, 62
- Stress testing, for PAD  
   reactive hyperemia used in, 37  
   treadmill exercise used in, 35–37
- Stump, of occluded axillofemoral bypass, 125
- Subclavian arteries, 114  
   right, 117  
   visualization of, 118
- Subclavian/axillary arteries, aneurysms of, 123–125
- Subclavian steal syndrome, 123–124
- Superficial femoral artery, 1, 50, 91  
   stenosis of, 52
- Surgical intervention, based on duplex scanning of PAD, 53
- Surgical therapy, for PAD, 12
- Surveillance  
   dialysis, 133–138  
   graft, 44  
   of infrainguinal bypass grafts, 57–66, 138
- Systematic lupus erythematosus, 110
- T**
- Takayasu's arteritis, 111, 113, 123–124
- TASC (Transatlantic Intersociety Consensus), 4, 49, 53
- Therapy. *See specific therapy*
- Thoracic outlet syndrome, 156–157
- Thyrotoxicosis, 145
- Tibioperoneal trunk, 1, 93
- Toe Doppler systolic pressure, 31
- Transatlantic Intersociety Consensus. *See* TASC (Transatlantic Intersociety Consensus)
- Transcutaneous PO<sub>2</sub>, as noninvasive vascular techniques, 20–21
- Transdermal glyceryl trinitrate patches, sustained-release, 119
- Transient borderline ischemia, 42
- Trauma  
   of arteries, upper extremity, ultrasound imaging of, 123  
   large artery disease, as cause of, 111, 114
- Treadmill exercise, 35–37
- Tumor detection, ultrasound imaging for, 128
- U**
- Ulnar arteries, visualization of, 118, 125
- Ultrasonic characterization of carotid plaque. *See* Carotid plaque, ultrasonic characterization of



- Ultrasonography. *See also* DUS (duplex ultrasonography)  
 Ultrasound. *See also*; DU (duplex ultrasound); DUAM (duplex ultrasound arterial mapping), arteriography as alternative to, prior to femoral and popliteal reconstruction; IVUS (intravascular ultrasound)  
   B-mode, 18  
   CW Doppler, 16  
   dialysis access creation, and dialysis surveillance  
     DU relating to, 134–138  
     IVUS relating to, 137  
     preoperative planning, 134  
     vascular access blood flow, 137  
   Doppler, 15–17  
   duplex ultrasound and color flow imaging, 18  
   instrumentation, 17  
   pulsed Doppler, 15–17  
 Ultrasound imaging. *See also* Arteries, upper extremity, ultrasound imaging of  
   of saphenous vein, 100  
   for tumor detection, 128  
 Ultrasound mapping, advantages of, 96–97
- V**  
 Vasa vasorum, 3  
 Vascular claudication, 43  
 Vascular diagnostic laboratory. *See* VDL (vascular diagnostic laboratory), physicians in  
 Vascular disease, upper extremity. *See also specific Peripheral vascular disease entries*  
   treatment and outcome of, 119–120  
     acupuncture, 119  
     amputation, 119  
     behavioral modification, 119  
     captopril, 119  
     cold avoidance, 119  
     guanethidine, 119  
     losartan, 119  
     pentoxifylline, 119  
     prazosin, 119  
     SSRIs, 119  
     transdermal glyceryl trinitrate patches, sustained-release, 119  
     vasodilators, 119  
 Vascular disease, upper extremity, noninvasive diagnosis of  
   episodic digital ischemia, 109–110  
   large artery disease, 110, 113–114  
   noninvasive diagnostic techniques used in  
     cold challenge testing, 116  
     cut film views, magnified, 119  
   digital pressure and plethysmography, 114–116, 119  
   duplex scanning, 116–118  
   laboratory evaluation, 118  
   physical examination, 118  
   PPG, 114–116, 120  
   segmental arm pressures, 114–115  
   for PAD, 15–22  
   pathophysiology relating to, 110–112  
   Raynaud's syndrome, 109–112, 119–120  
   small artery disease, 110, 112–113  
 Vascular laboratory  
   PAD, diagnosis of, used in, 163–165  
 Vascular system, anatomy of, 1  
 Vasculitis, 123  
 Vasodilators, 119  
 VDL (vascular diagnostic laboratory), physicians in, 141  
 Veins. *See specific veins*  
 Vein stripping, 99  
 Velocity waveform analysis, 144–145  
 Venous pressure, 144  
 Venous studies, functional, 45  
 Venous valvular insufficiency, 45  
 Vibration injury, 110  
 Volume flow criteria, 162–163