

Index

A

- Administration for Children and Families' (ACF), 201
- Adult Attachment Interview (AAI), 37
- Adult Attachment Inventory, 225
- Adverse Childhood Experiences Study (ACES), 8, 10, 14, 280, 336
- Adverse contexts and experiences, 117
- Adverse early experiences, 124, 125
- Adversity and trauma, 9
- Ages & Stages Questionnaires: Social-Emotional*, Second Edition (ASQ:SE-2), 147
- Ages and Stages Questionnaire (ASQ), 110
- American Academy of Child and Adolescent Psychiatry (AACAP), 28, 46
- American Academy of Pediatrics, 45, 203
- American child rearing, 307
- Assisted reproductive technology (ART), 31
- Attachment and biobehavioral catch-up (ABC)
 - children's lead, 218–219
 - early intervention programs, 214
 - effective co-regulators, 228
 - efficacy, 214
 - emotion regulation strategies, 228
 - implementation challenges and opportunities, 224–225
 - infants, 214
 - fidelity and certification, 226–227
 - preliminary outcomes and future directions, 227–228
 - selection and agency buy-in, 225–226
 - training and supervision, 227
 - infants and young children, 213, 214
 - intervention, 214
 - maltreating parents, 216
 - in the moment comments, 219–220
 - non-frightening care, 219
 - nurturance, 217–218
 - overview, 215–216
 - parent coaches, 219
 - parental behaviors, 214
 - parental responses, 216
 - physiological regulation and self-esteem, 228
 - preliminary outcomes and future directions, 229
 - research support
 - cultural belief, 222
 - efficacy of, 222, 224
 - intervention, 223
 - neurobiological change, 223
 - pre- to post-intervention, 223
 - randomized clinical trial, 223
 - sensitivity findings, 223
 - session-by-session
 - childhood, 221
 - frightening behavior, 221
 - homework assignments, 222
 - nurturing relationships, 220
 - parental behavior, 221
 - parent-child relationship, 222
 - parents, 220, 221
 - research support, 221
 - voices from the past, 222
 - stress neurobiology, 216–217
- Attachment Q-sort (AQS), 5, 107
- Attachment security and reactivity, 93

Attachment theory, 4, 43, 105–108, 164
 behavioral and biological processes, 108
 bidirectional effects, 109
 classifications, 5
 cultures, 6
 maternal-infant attachment, 4
 parenting behaviors and interactions, 5
 proximal processes, 109
 psychobiological approaches, 108
 scores, 5
 theoretical approach, 108

Atypical maternal behavior instrument for assessment and classification (AMBIANCE), 91

Autism spectrum disorders (ASD), 83, 170

B

Baby pediatric symptom checklist, 46

Behavioral symptoms, 65

Bidirectional mechanisms, 109–110

Biobehavioral context, 91–93

Bioecological model, 120

Bioecological systems theory, 110

Biopsychosocial model, 10

Black Parenting Strengths and Strategies program (BPSS), 313, 314

Brain development
 brain-environment interactions, 117
 infants and toddlers, 115
 postnatal experience, 115
 pruning process, 115
 science, 114
 toxic stress, 116

Brazelton developmental model, 259

Brazelton Touchpoints Center (BTC), 265

Breastfeeding, 40, 44

Brief Infant Toddler Social Emotional Assessment (BITSEA), 147

Brief Instrument Psychological Pedagogical Problem Inventory, 148

Brief Rating Inventory of Executive Functions (BRIEF), 288

Bronfenbrenner's ecological model, 307

Bronfenbrenner's ecological systems theory, 7

Bucharest Early Intervention Project (BEIP), 9

Building Early Relationships Model of Change, 14

Building sense of community (BSC), 199

C

California Evidence-Based Clearinghouse for Child Welfare, 224

Caregiver-child connection, 16

Caregiver-child interactions, 145

Caregiver-child relationships, 94

Caregiver-infant relationship, 91

Caregiver-infant synchronous interactions, 92

Caregiver sensitivity, 94

Caregiver symptoms, 45

Caregiving environment, 109, 110, 119, 124

Center for Disease Control and Prevention (CDC), 105, 114, 186

Center for the Developing Child at Harvard University, 140

Center of the Developing Child, 138, 306

Certified nurse assistant (CNA), 286, 287

Cesarean section births, 41

Child care
 development and language, 144–145
 development-driving proximal process, 144
 emotions and mental state talk, 145–146
 predictability, 146–147
 quality, 123–124

Child care context development
 center-based child care, 142
 childcare settings, 148
 classroom, 142
 mental health, 147
 positive interactions and relationships, 143–144
 quality and teacher-child interactions, 143
 social and emotional development, 147
 teachers' relationships, 143
 toddlers' mental health, 147

Child maltreatment, 119–120

Children's developmental well-being, 120

Circle of Security (COS)
 attachment-caregiving pattern, 238
 attachment system, 239
 attachment theory, 238
 caregiving system, 239
 child behaviors, 238
 children's relationship needs
 attachment theory, 240
 bottom half of the circle, 241–242
 circles of limited security, 242–244
 hands on the circle, 242
 top half of the circle, 240
 developmental considerations, 255
 DVD program, 250–252
 emotion regulation, 245–246
 empathy, 246
 group facilitator-parent relationship, 247

- implementation challenges and opportunities, 256
 - intervention protocols, 238, 239
 - mind-blindness protects, 240
 - observational and inferential skills, 244
 - parent-child attachment security, 240
 - pre- to post treatment, 238
 - prevention and intervention programs, 237
 - reflective functioning, 240, 244–245
 - wealth of research, 239
 - Circle of Security Home Visiting-4 program (COS-HV4), 252–254
 - Circle of Security Intensive (COSI), 238
 - caregivers, 247
 - facilitators, 249
 - group facilitators, 248
 - group meetings, 248
 - intervention, 249
 - observational skills and inferential skills, 248
 - parent-child relationship, 248
 - parent self-protective strategies, 249
 - psychoeducational content, 247
 - video clips, 248
 - video-recorded interactions, 249
 - Circles of Security Home Visiting 4 (COS-HV4), 238
 - Circles of Security Parenting DVD program (COS-P), 238, 254
 - Classroom Assessment Scoring System-Toddler (CLASS-Toddler), 148
 - Clinical observation tools, 70
 - Clinician-rating tools, 71
 - Community-based organizations (CBOs), 17
 - Co-parenting and parallel parenting, 121
 - Cortisol, 94
 - COSPI, 254–255
 - Cost Quality and Child Outcomes Study, 143
 - Creative Learning Activities for Time Together (CLATT), 199
 - Credibility, 309
 - Cultural adaptation, 308–311, 319
 - Cultural and linguistic diversity, 17
 - Cultural attunement, 308
 - Cultural competence, 308
 - Cultural practices, 306
 - Cultural sensitivity, 309
 - Culturally adapting treatment programs
 - action theory, 311
 - conceptual theory, 311
 - contextualizing content, 311
 - ecological validity model, 310, 312
 - engagement, 311
 - external validity, 312
 - factors
 - adoption, 312
 - effectiveness, 312
 - implementation, 312
 - maintenance, 312
 - reach, 312
 - goals, 310
 - implementation, 312
 - internal validity, 312
 - isolation, 313
 - mixed methods approach, 313
 - multilevel cultural frameworks, 311
 - public health, 312
 - surface vs. deep structure, 311
 - Culturally tailored interventions, 309
 - Culturally targeted interventions, 309
 - Cultures
 - early childhood
 - child-rearing, 307
 - definition, 306
 - developmental niche, 307
 - exosystems, 307
 - factors, 308
 - human development, 307
 - macrosystems, 307
 - mesosystems, 307
 - parenting practices, 307
 - racial/ethnic discrimination, 308
 - social development, 306
 - teaching dependent behaviors, 307
 - young children and families, 305, 306
- D**
- Department of Health and Human Services, 317
 - Depressed mothers' interactions, 67
 - Developmental ecological theory, 13
 - Distress, 94
 - Dual-generation, 278
 - Dyadic synchrony, 8
- E**
- Early Childhood and Family Child Care Environment Rating Scales*, 148
 - Early Childhood Longitudinal Study, 122
 - Early childhood teachers, 278
 - Early experiences, 103, 114, 124, 125
 - Early Head Start and Head Start programs, 202, 272
 - Early infancy, 63
 - Early Relational Health Screen (ERHS), 338
 - Early relationships
 - development, 328, 329, *see* Cultures

Ecological validity model, 310, 311
 Edinburgh Postnatal Depression Scale, 36
 Educare leadership, 296
 Educare master teacher, 298
 Educare mental health professionals, 285
 Educare's Health Advisory Committee, 285
 EduCareers outcomes, 287
 EduCareers program, 287, 290, 296
 EduCareers redesign assessment, 288
 Emic vs. etic conflicts, 310
 Emotion socialization, 166, 167

- families and early childcare programs, 168
- infancy and toddlerhood, 168
- mindfulness, 168–169
- parent/caregiver-child relationship, 168
- self reflection, 169–170

 Endorsement®, 328
 Ethological and evolutionary theories, 4
 Event-related potential (ERP), 223
 Evidence-based practices (EBP), 311
 Evidence-based treatment (EBT), 308
 Excessive crying, 66

F

Family adaptive systems (FAS), 11
 Family connections, 290
Family Connections program, 290
 Family context development

- homelessness, 140–141
- immigrant families, 141, 142
- maternal sensitivity, 138
- parenting research, 138
- sibling relationships, 138, 139
- social interactions, 138
- stress, 140

 Family engagement, 124
 Family health and stress demographic data, 292
 Family health and stress study, 291
 Family Literacy program, 298
 Family resilience model (FRM), 11
 Family systems theory, 120, 164
 Family-teacher relationships, 16
 Family Unity Network Club component (FUN Club), 197
 Formula feeding, 63
 Fragile Families and Child Wellbeing Study, 121
 Fraiberg Model, 329

G

General education development (GED), 286
 General Health Questionnaire (GHQ), 72
 Generalized anxiety disorder (GAD), 67

George Kaiser Family Foundation
 (GKFF), 280
 Guiando A Ninos Activos (GANA), 314

H

Head start and early head start centers, 280
 Health and Human Services (HRSA), 328
 Heterogeneity, 141
 Home Visiting Evidence of Effectiveness
 (HomVEE), 335
 Honoring Children, Making Relatives
 (HC-MR), 314, 315
 Honoring Children, Mending the Circle
 (HC-MC), 317, 318
 Honoring Children, Respectful Ways
 (HC-RW), 318, 319
 Hospital Anxiety and Depression Scales
 (HADS), 72
 Hypothalamic pituitary adrenal (HPA), 117,
 217, 294

I

Infant attachment, 47
 Infant-caregiver relationship assessments, 28,
 48, 88–89

- disorganized attachment, 87
- infant assessments, 68
- social-emotional development, 67
- SSP, 87

 Infant mental health (IMH), 2, 17, 325, 326
 ABC, 336

- advancement, 332
- attention, 338
- bio-behavioral impact, 335–337
- caregiving experiences, 3
- component, 334
- education, 18–19
- ERHS tool, 338
- field, 3
- foundations, 3
- HomVEE, 335
- intervention, 330
- parents and infants, 331
- practice, 338
- prevention, 330
- principles, 326, 338
- promotion, 330
- PTSD, 336
- RCT, 337
- reflection, 331
- reflective supervision, 334
- research and evaluation, 333

- researchers and practitioners, 2
 - RIOS, 334
 - service Continuum, 330–331
 - social and emotional health, 329
 - treatment, 331
- Infant-toddler assessments, 110–114
- Infant-Toddler Environmental Rating Scale, 148
- Infant Toddler Mental Status Exam (ITMSE), 71
- Institute for Building Early Relationships (IBEaR), 19
- Institute of Medicine (IOM), 281
- Intergenerational pathways of risk and resilience (IPRR) model, 11
 - caregivers and children, 12
 - conceptual model, 13
 - EHS model, 14
 - executive function games, 13
 - literature, 13
 - neurobiological and brain imaging research, 12
 - parent-child relations, 12
 - stress, 12
- Internal working models, 105

- J**
- Johns Hopkins University, 329
- Joint attention, 83

- L**
- Late toddlerhood
 - assessment strategies, 173
 - caregiving practices, 166–168
 - communication and language skills, 162–163
 - developmental milestones and potential indicators, 159
 - emerging regulatory behaviors
 - compliance, 160–161
 - emotion regulation, 162
 - inhibitory control, 161
 - intentional strategies, 160
 - internal capacities, 160
 - emerging social/peer behaviors, 163–164
 - infant-caregiver relationships, 172
 - mindfulness, reflective functioning and emotion socialization, 173–174
 - relationship systems and attachment, 164–166
 - research, parenting education and professional development efforts, 172–173
 - social-emotional developmental awareness of self identity, 160
 - communication and language skills, 158
 - helping behaviors, 158
 - self-conscious emotions, 158
 - self-regulation skills, 158
- Later infancy
 - crawling infants, 82
 - facial expressions and behaviors, 85
 - goal-directed actions, 86
 - goal-directed behaviors, 85
 - infant movement, 82
 - inferring goals and intentions, 86
 - motor development, 82
 - motor skills, 82
 - prosocial behaviors, 86
 - self-locomotive infant, 83
 - self-produced locomotion, 81
 - 6 and 12 months, 81
 - social and emotional development, 82
 - social referencing, 83
 - stranger anxiety, 84
 - understanding and prosocial behaviors, 86
- Legacy for children™, 315, 316
 - broader dissemination and integration, 205
 - caregiving relationships, 185
 - challenges and solutions, 203–204
 - child development, 186
 - child developmental period, 189
 - child poverty, 184
 - community-based implementation, 186
 - building capacity, 202
 - childhood educational programs, 200
 - community-based implementations, 200
 - early childhood development, 202
 - fidelity and quality assurance, 201
 - fidelity tools, 202
 - group-based format, 201
 - leadership support, 202
 - long-term implementation and sustainability, 202
 - parenting interventions, 200
 - support system, 201
 - sustainability and local implementation, 200
 - community-building events and activities, 187
 - developmental considerations, 197–200
 - distinct characteristics
 - components, 194
 - early childhood, 196
 - group-based parenting programs, 195
 - hypothesis, 195
 - parallel process, 196

- Legacy for children™ (*cont.*)
 parent-child relationship, 196
 self-efficacy, 194
 traditional parenting education programs, 194
 early childhood, 184
 evidence-based parenting interventions, 204
 heterogeneous, 205
 mixed-methods program evaluation, 204
 mother-child group time, 187
 parent-child relationship, 186
 parent engagement strategies, 205
 parenting, 206
 poverty, 185
 prevention programs, 185
 public health approaches, 185, 186
 public health programs, 205
 research evidence
 child cognitive and language findings, 193
 child developmental outcomes, 193
 eligibility criteria, 188
 mother-child pairs, 188
 parenting cognitions and behaviors, 194
 process evaluation, 193
 qualitative findings, 194
 sociodemographic factors, 188
 socioemotional and behavioral findings, 193
 social isolation, 185
 social support, 185
 stressors, 184
 translation process, 204
 verbal and cognitive stimulation, 187–188
 Legacy University of Miami (UM) curriculum, 199–200
 Licensed professional nurse (LPN), 286
 Linking Actions for Unmet Needs in Children's Health (LAUNCH), 201
- M**
 Main session topic (MST), 199
 Massie-Campbell attachment, 90
 Maternal depression, 66, 96
 Maternal Fetal Attachment Scale (MFAS), 37
 Maternal physical bonding, 95
 Maternal Postnatal Attachment Scale (MPAS), 47
 Maternal psychological distress, 119
 Maternal psychological well-being, 43
 Maternal satisfaction, 39
 Maternal sensitivity, 106
- Maternal, infant and early childhood home visiting (MIECHV), 328
 evidence-based, 329
 Medical Home Team, 284
 Mentorship/reflective practice sessions, 265
 Metacognitive strategies, 262
 MI-AIMH *Competency Guidelines*®, 327
 Michigan Association for Infant Mental Health (MI-AIMH), 327
 Middle toddlerhood
 autonomy and peer awareness, 134
 social and emotional development, 133, 134
 autonomy, 134–135
 cognitive development, 136
 language development, 137
 peer awareness, 135–136
 physical development, 137
 Mindfulness-based stress reduction (MBSR), 288
 Mindfulness-based stressed reduction programs, 13
 Modified Checklist for Autism in Toddlers (M-CHAT), 110–113
 Mother-infant cortisol attunement, 93
- N**
 National Initiative for Children's healthcare quality (NICHQ), 283
 National Institute of Child Health and Human Development (NICHD) Study, 64
 National Institute of Child Health and Human Development Early Child Care Research Network (NICHD EECRN), 142
 National Research Council & Institute of Medicine, 2000, 138
 National Scientific Council on the Developing Child (NSCDC, 2004), 138
 National Survey of America's Families (NSAF), 122
 Neonatal assessment, 45–48
 Neonatal Behavioral Assessment Scale (NBAS), 45
 Neonatal Developmental Care and Assessment Program (NIDCAP), 46
 Neonatal period
 birth complications, 41
 bonding process, 40
 breast milk, 41
 breastfeeding, 40
 caregiver symptoms, 45
 childbirth, 39
 experience, childbirth, 39

- infant development, 45
 - infant temperament and sensory reactivity, 46
 - internal working models, 47
 - life stressors, 44
 - longitudinal evidence, 43
 - maternity care, 39
 - mother-child bonding, 44
 - NBAS, 46
 - neonatal assessment, 45–48
 - neonatal context, 45
 - NIDCAP, 46
 - OT, 44
 - post-birth, 40
 - prenatal attachment, 43
 - sleep disturbances and fatigue, 44
 - social and emotional development, 41
 - Neuroscience, 117, 336
 - Newborn Behavioral Observations (NBO), 46
 - NICHD Study of Early Child Care, 96
 - Non-maternal caregivers, 96
 - Normative vs. adaptive behaviors, 310
 - Nutrition education classes, 285
- O**
- Observation tools, 70–71
 - Opportunities for learning group (OLG), 283
 - Oxytocin (OT), 40, 44
- P**
- Parent child interaction therapy (PCIT), 15, 314
 - Parent-child interactions, 220
 - Parent-child relationship, 260, 325, 329, 330
 - Parent-child time together (PCTT), 199
 - Parent Development Interview, 248
 - Parent health problems, 293
 - Parent interviews, 68–70
 - Parenting factors and characteristics, 295
 - Parenting in early infancy, 63
 - Parenting Matters*, 20
 - Parenting programs, 15
 - Parenting stress index, 72
 - Parenting the Strong-Willed Child program, 313
 - Parent-rated screening tools, 69
 - Paternal Antenatal Attachment Scale (PAAS), 37
 - Paternal postpartum depression, 66
 - Patient-centered medical home, 284
 - Patient Health Questionnaire – 4 (PHQ4), 72
 - Perinatal mood and anxiety disorders, 66
 - Positive early experiences, 104
 - Positive stress, 140
 - Postpartum Bonding Questionnaire (PBQ), 47
 - Postpartum depression (PPD), 72
 - Poverty, 118
 - Predictable temporary regression, 262
 - Prenatal Attachment Inventory (PAI), 37
 - Prenatal period
 - AAI, 38
 - attachment, 29
 - caregiver symptoms, 36
 - consequences, 38
 - contextual influences, 30–32
 - genetic abnormalities and disability, 31
 - infant-caregiver relationship, 30
 - internal working models, 38
 - MAAS, 37
 - maternal age, 30
 - maternal-fetal attachment, 29
 - maternal sensitivity, 38
 - mother-infant bond, 29
 - pregnancy, 32
 - pregnancy attachment, 30
 - pregnancy context, 36
 - pregnancy experiences, 31
 - prenatal attachment, 37
 - social factors and events, 31
 - Preterm birth, 40
 - Primary care physicians, 338
 - Primary caregiving relationships, 103
 - Process-person-context-time (PPCT) model, 138
 - Professional development model, 272
 - Protective and compensatory experiences (PACEs)
 - ACEs, 14
 - conditional effect, 14
 - questions, 21
 - Proximal processes, 7
 - Psychoanalytic theories
 - infant mental health, 3
 - psychosocial conflict inherent, 4
- R**
- Randomized controlled trials (RCTs), 188, 337
 - Ray Marshall center (RMC), 286
 - RE-AIM model, 312
 - Reflective functioning, 169
 - Reflective Interaction Observation Scale, 334
 - Reflective practice activities, 265
 - Reflective supervision, 332
 - Reflective supervisory relationship, 332–333

Relationship-based care, 260–261
 Resilience, 10, 11, 16
 Responsive caregiving, *see* Child care

S

SafeCare, 317
 Scheduled feeding, 63
 Self-conscious emotions, 160
 Self-produced locomotion, 82
 Self-report from caregivers, 72
 Social-cultural theory, 6
 Social-emotional assessment, 68
 Social-emotional development, 109, 294
 behavioral challenges, 170
 child-centered approaches, 171
 early childhood and childcare programs, 171
 early childhood mental health, 171
 emotionally supportive interactions, 170
 internalizing and externalizing behaviors, 171
 quality of parenting, 170
 teacher-child relationships, 171
 toddler-adult relationships, 170
 trauma exposure, 170
 Social-emotional development & attachment attention, 67
 breastfeeding, 63
 caregivers, 60, 61
 communication abilities, 61
 crying, 65
 infants, 62
 infants and caregivers, 61
 interrelated and growth, 60
 medical community, 63
 non-familial care options, 65
 parenting styles, 67
 parents and caregivers, 62
 perinatal depression, 66
 public health campaigns, 63
 responsiveness, 60
 scheduled feeding, 63
 sleep, 63, 64
 social-emotional development, 62, 64
 social-emotional skills, 62
 social interaction, 61
 social interactive skills, 61
 social responsiveness, 60
 STTN, 64
 Social-emotional skills, 110
 Social referencing, 83
 and stranger anxiety, 85
 Socioeconomic status (SES), 137

Stereotyping, 309
 Still cace, 9
 Still-Face Paradigm (SFP), 90, 95
 Strange Situation Procedure, 47, 87
 Stranger anxiety, 84
 Substance Abuse and Mental Health Administration's (SAMHSA) Project, 201
 Super parents, 297
 Synchrony/attunement, 92

T

Teaching Pyramid Infant Toddler Observation Scale (TPITOS), 148, 149

Toddlers

 adverse contexts, 117
 AQS, 107
 assessments, 111–113
 attachment behaviors, 107
 attachment classifications, 107
 caregiving experiences, 105
 early experiences, 104
 environmental contexts, 104
 insecure attachments, 106
 language, 104
 regulation strategies, 106
 responsive relationships, 104
 Tolerable stress, 140
 Touchpoints-informed practice (TIP), 272
 application, 264, 269
 child developmental process, 261
 childhood professionals, 261
 developmental processes, 261
 disorganization, 261, 262
 early care professionals, 261
 evaluation data, 273
 human relationships, 260
 implementation, 267, 268
 knowledge and skills, 272
 leadership support, 267
 parent-child relationship, 260
 professional development, 260, 262
 professional participation, 271
 professionals and community members, 270
 reorganization, 261
 training content, 262
 Touchpoints intensive training, 268
 Touchpoints leadership teams, 266
 Touchpoints model, 266
 Touchpoints training, 262, 264
 Toxic stress, 116, 140
 Trauma focused-cognitive behavioral therapy, 317

- Tulsa Children's Project (TCP), 298, 300
 academic partners, 280
 ACE scores, 292, 293
 addiction problems, 292
 career training group, 287
 classroom support, 283
 cognitive, social and emotion-regulating skills, 299
 component, 278, 283
 comprehensive program, 283
 DECA, 293
 ECEI, 291
 educare family support, 296
 educare parents, 291
 ESL, 286
 evidence-based programs, 299
 family health intervention, 285
 follow-up meetings, 289
 GED, 286
 GKFF, 280
 health promotion, 285
 ICU and ER, 287
 intervention components, 290
 LPN, 287
 material and psychosocial hardships, 279
 mental health team, 298
 multiple evidence-based interventions, 296
 neuroscience, 299
 parent-child relationships, 299
 parent involvement, 284
 phases, 283
 poverty, 279, 280
 SEM analyses, 294
 support and training, 289
 theoretical model, 281, 282
 Tulsa community, 286
 Tulsa Educare centers, 298
 Tutoring and study sessions, 288
- U**
 University of California at Los Angeles (UCLA) curriculum, 187, 197–199
 University of Miami (UM), 187
 University of Minnesota, 334
- W**
 Workforce development program, 281
 Workforce Investment Act (WIA), 287