
Index

A

Additive white Gaussian noise (AWGN) channel, 74
Affine function, 115
Affine set, 69
AGC, *see* Automatic generation control
Algebraic Riccati equation (ARE), 121
Area control error (ACE) signals, 6, 161–163
Artificial intelligence (AI), 11
 ANNs (*see* Artificial neural networks)
 GAs
 cost function, 157
 crossover operator, 157–158
 fitness function, 157
 gradient-based optimization, 159
 load-generation, 161–165
 multi-objective optimization, 160–161
 mutation, 158, 159
 population of potential solutions, 159
 selection methods, 157–159
 knowledge management, 138
 PSO
 global position, 151
 microgrid, 151–158
 particle position, 150
 position vector, 150
 standard algorithm, 151
 velocity vector, 150
Artificial neural networks (ANNs)
 adaptation, 139, 143
 backpropagation, 141–142
 bipolar sigmoid function, 141, 165
 control structure, 146
 direct analytic computation, 143
 elements, 139–140
 error signal, 143, 144
 feedforward, 142
 initial conditions, 143
 learning rate, 144
 mapping, 141
 MATLAB codes, 146–148
 multi-objective control problems, 146
 parallel processing and multivariable systems, 138
 photovoltaics system, 148–150
 primary factors, 139

 recursive update techniques, 143
 reinforcement learning algorithm, 143
 static and dynamic, 143
 supervised learning algorithm, 143
 three-layer ANN, 141
 training of, 141
 unsupervised learning algorithm, 143
 water tank example, 145, 146
Automatic generation control (AGC), 5
Automatic voltage regulators (AVRs), 9
Autoregressive moving average (ARMA), 3

B

Base station (BS), 4

C

Cauchy–Schwarz inequality, 27
Channel stated information (CSI), 4
Complementary slackness property, 98–99
Concave function, 71
Conventional DGs (CDGs), 6, 7
Convex programming, 11
 convex function
 concave function, 71
 convexity property, 78
 definition, 71–72
 examples, 72
 first-order condition, 72–73
 quasi-convex function, 75–77
 second-order condition, 73–75
 convex problem
 characteristics, 79
 geometric programming, 83–84
 linear programming, 82
 local optimal point, 81
 quasi-convex problem, 82–83
 wireless network, 80
 convex set, 69–71
 joint power and bandwidth allocation, 85
 microgrids, 89–91
 software packages, 85
 standard optimization problem, 78–79

- Convex programming (*cont.*)
 - wireless communication channel
 - parameters, 85
 - power control, 86–89
- Convex set, 69–71
- CSI, *see* Channel stated information

- D**
- Diagonal matrix, 20
- Directional derivative, 41–42
- Distributed generators (DGs), 5
 - block diagram, 151–152
 - droop control block, 152
 - frequency and voltage, 153
 - PSO algorithm, 153–158
 - switching operations, 152
- Dual decomposition, 107
- Dual function, 96
- Duality
 - cross-layer resource allocation
 - dual decomposition, 107
 - multi-hop wireless network, 105
 - network layers, 105
 - OSI/TCP/IP reference models, 105
 - system-wide problem, 107
 - utility maximization problem, 106–107
 - dual problem, 96–98
 - KKT conditions, 98–100
 - Lagrangian algorithm, 100–102
 - Lagrangian function, 95–96
 - sensitivity analysis, 107–109
 - wireless communication system, 102–105
- Duality gap, 97
- Dual problem, 96–98

- E**
- Eigenvalues, 28–29
- Eigenvectors, 28–29
- Evolutionary algorithm (EA), *see* Artificial intelligence (AI)

- F**
- Feasible point, 79
- Frobenius norm, 28

- G**
- Genetic algorithm (GA)
 - cost function, 157
 - crossover operator, 157–158
 - fitness function, 157
 - gradient-based optimization, 159
 - load-generation
 - ACE signal, 161–163
 - PI controllers, 161–163, 165
 - three-control area power system, 162–165
 - multi-objective optimization, 160–161
 - mutation, 158, 159
 - population of potential solutions, 159, 168
 - selection methods, 157–159
- Geometric programming, 83–84
- Global maximizer, 48
- Global minimizer, 48
- Gradient descent method, 142, 144

- I**
- Identity matrix, 20
- Iterates, 58–59
- Iterative LMI (ILMI) solution
 - multi-objective control design, 132, 134
 - optimization problem, 122, 123
- Iterative search method
 - directional search method, 59
 - initialization, 58
 - Newton’s method, 65–67
 - search direction, 59
 - steepest descent method, 59–64
 - step sizes, 59
 - termination criterion, 59–60
 - wireless communication system, 105

- K**
- Karush–Kuhn–Tucker (KKT) conditions, 11, 98–100

- L**
- Lagrangian algorithm, 100–102
- Lagrangian multipliers, 95, 96
- Least mean square (LMS), 142
- Least square optimization, 56–58
- Level set
 - curve, 39–41
 - gradient vectors, 40–41
 - orthogonal to tangent vector, 40–41
 - sublevel sets, 39
 - superlevel sets, 39
- Linear algebra
 - directional derivative, 41
 - eigenvalues, 28–29
 - eigenvectors, 28–29
 - gradient, 36–37
 - Hessian matrix, 37–38
 - infimum, 38–39
 - inner product, 27
 - inverse of square matrix, 26–27
 - level set
 - curve, 39–41
 - gradient vectors, 40–41
 - orthogonal to tangent vector, 40–41
 - sublevel sets, 39
 - superlevel sets, 39
 - linear equations, 24–25

- matrix
 - determinant function, 23–24
 - nonzero minor, 24
 - null spaces, 20–21
 - properties, 19
 - range spaces, 20–21
 - rank of A , 21–22
 - transpose matrix, 19–20
 - two-dimensional matrix, 19
 - matrix diagonalization, 29–31
 - norm function, 28
 - quadratic form, 34–36
 - singular values, 31–32
 - supremum, 38–39
 - SVD, 31–34
 - vector space
 - basis for S , 18
 - column vector, 15–16
 - dimension of S , 18
 - linearly dependent, 16, 17
 - linearly independent vectors, 17, 18
 - real vector, 15–16
 - span of, 17–18
 - subspace, 17
 - Linear matrix inequalities (LMIs), 11
 - convex optimization, 115
 - iterative algorithm
 - MATLAB codes, 122–125, 130, 133
 - non-convex optimization problem, 121–122
 - numerical examples, 126–128
 - Lyapunov inequality, 113–115
 - maximum singular value, 118
 - multi-objective optimization
 - H_∞ -based SOF, 119–120
 - ILMI algorithm, 130, 131
 - optimal mixed H_2/H_∞ control technique, 128–130
 - SOF control problem, 118
 - Schur complement, 117–118
 - standard presentation, 115–116
 - Linear programming, 82
 - Linear quadratic Gaussian (LQG) terms, 128, 129
 - Line search method, 59
 - Load-frequency control (LFC), 5–6
 - Local maximizer, 48, 50
 - Local minimizer, 48
 - Lyapunov function, 113
 - Lyapunov theory, 113
- M**
- Matrix**
- determinant function, 23–24
 - nonzero minor, 24
 - null spaces, 20–21
 - properties, 19
 - range spaces, 20–21
 - rank of A , 21–22
 - transpose matrix, 19–20
 - two-dimensional matrix, 19
- Maximum of S , 38
- Mean absolute error (MAE), 149
 - Mean square error, 57
 - MG control center (MGCC), 6, 7
 - Micro-gas turbines (MGT), 6
 - Microgrids (MGs)
 - block diagram, 151–152
 - distributed power units, 89–91
 - droop control block, 152
 - frequency and voltage, 153
 - optimal operational planning, 6–7
 - power dispatching problem, 5
 - PSO algorithm, 153–158
 - switching operations, 152
 - voltage–frequency control, 8–9
 - Minimum of S , 37
 - Moving average (MA), 3
 - Multi-objective optimization
 - H_∞ -based SOF, 119–120
 - ILMI algorithm, 130, 131
 - optimal mixed H_2/H_∞ control technique, 128–130
 - SOF control problem, 118
- N**
- Newton’s method, 65–67
 - Non-convex set, 69–70
 - Nonsingular matrix, 26
- O**
- One-point crossover, 158
 - Optimization in electrical engineering, 2
 - artificial intelligence (*see* Artificial intelligence (AI))
 - circuit design, 3
 - convex programming (*see* Convex programming)
 - duality (*see* Duality)
 - example, 2
 - KKT conditions, 11
 - LFC, 5–6
 - linear algebra (*see* Linear algebra)
 - LMIs (*see* Linear matrix inequalities)
 - mathematical optimization, 10
 - microgrid voltage–frequency control, 8–9
 - nature-inspired searching methods, 11
 - optimal operational planning, 6–7
 - power dispatching, 5
 - requirements, 2
 - resource allocation
 - communication parameters, 4
 - controller blocks, 4
 - cross-layer design, 4
 - supported users and services, 3
 - transmission technologies, 4
 - set constrained optimization (*see* Set constrained optimization)
 - signal processing, 2–3
 - structure of, 10
 - taxonomy, 1–2
 - WAMS, 9–10
 - OSI/TCP/IP reference models, 105

P

Pareto-optimal solutions, 161
 Particle swarm optimization (PSO), 8
 global position, 151
 microgrid, 151–158
 particle position, 150, 151
 position vector, 150
 standard algorithm, 151
 velocity vector, 150, 151
 Perceptron, 139
 Performance index, 121
 Perturbed problem, 108
 Phasor measurement units (PMUs), 9
 Photovoltaics (PV) system, 6, 7, 148–150
 Posynomial function, 83
 Power system stabilizers (PSSs), 9–10
 Primal problem, 96
 Proportional-integral (PI) controller, 161–163, 165

Q

Quasi-concave function, 75
 Quasi-convex function
 α -sublevel set, 75
 α -superlevel set, 75
 definition, 75
 optimality condition, 81, 82
 quasi-concave function, 77
 Queue state information (QSI), 4

R

Reinforcement learning algorithm, 143
 Renewable power resources, 89
 Root mean square error (RMSE), 149–150

S

Saddle point, 54
 Selection probability, 157–158
 Semi-definite programming (SDP) problem, 116
 Sensitivity analysis, 107–109
 Set constrained optimization, 10–11
 constraint set, 47
 feasible direction, 49–52
 first-order necessary condition, 49–51
 general algorithms
 directional search method, 59
 initialization, 58
 iterates, 59
 search direction, 59
 step size, 59
 termination criterion, 59–60
 global optimal points, 48–49
 least square optimization, 53–55
 local optimal points, 48–49
 Newton's method, 65–67
 objective function, 47, 48

 optimal solution/point, 48–49
 optimization variable, 47, 48
 second-order necessary condition, 51–52
 second-order sufficient condition, 54–56
 steepest descent method, 59–64
 unconstrained problems, 48
 Shadow prices, 108
 Singular matrix, 26
 Singular value decomposition (SVD), 31–34
 Square matrix, 19
 State of charge (SOC), 7
 Static output feedback (SOF) control problem, 118–119
 Steepest descent method, 59–64
 Supervised learning algorithm, 143
 Supremum of S , 38
 Symmetric matrix, 19

T

Terminal branches, 139

U

Unconstrained optimization problem, 48
 Unit commitment problem (UCP), 7
 Unit matrix, 20
 Unsupervised learning algorithm, 143

V

Vector space
 basis for S , 18
 column vector, 15–16
 dimension of S , 18
 linearly dependent, 16, 17
 linearly independent vectors, 17, 18
 real vector, 15–16
 span of, 17–18
 subspace, 17

W

Water-falling power allocation, 103
 Wide area measurement system (WAMS), 9–10
 Wind turbine (WT) units, 6, 7
 Wireless communication system
 base station, 102
 channel gains, 102, 103
 dual functions, 103–104
 iterative search method, 104–105
 Lagrangian functions, 103
 optimal transmit powers, 103
 parameters, 85
 power control, 86–89

Z

Zero duality gap, 98