

# Index

## A

- Abu Dhabi Water and Electricity Company (ADWEC), 163
- Abu Dhabi Water and Energy Authority (ADWEA), 163
- Adapted Base Case scenario simulation, 205–207
- Adenosine triphosphate (ATP), 349
- Adoption models, 363
- Advanced Vehicle Simulator (ADVISOR), 64–66
- Advanced Very High Resolution Radiometer (AVHRR) datasets, 144
- Anthropogenic, 364
- Applied energy, 303
- Assembled Countries Improvement Program, 240
- Assets, 364

## B

- Balance of system (BoS), 195
- Battery energy storage system (BESS)
  - drawbacks, 199, 200
  - emergency energy units/uninterrupted power supply, 198
  - grid-connected storage systems, 198
  - grid fluctuations, 198
  - levels, 197
  - primary reserve control, 198
  - research, 198
  - services, 198
  - T&D network, 199 (*see also* Utility-scale BESS)

- Battery storage value streams, 218, 219
- Bidirectional DC-DC converters, 115
  - classification, 115
  - control mechanism, 116
  - dual loop control layer, 116
  - simulation results, 117–118
  - specification, 117
  - split PI converter, 115
- Biodiesel, 348, 351, 354
- Biofuel, 355, 365
- Blue Map Scenario, 331
- Brine concentrators, 162
- Brine discharge quantities, 149
- Brookhaven Energy System Optimization Model (BESOM), 24

## C

- Capacity credit/value, 204, 205
- Capacity factor (CF), 96
- Capacity value, 213–216
- Carbon cycle
  - at atmosphere, 325
  - biological/physical processes, 325
  - geological process, 325
  - insoluble carbonates, 326
  - inventories and fluxes, 325
- Carbon storage technologies
  - CCS, 336
  - CO<sub>2</sub> injection process, 336
  - geochemical storage, 338
  - geological storage, 336–338
  - hydrodynamic storage, 338
  - transportation, 336

- Case study analysis, 251, 253
- Cell or concentrating solar power (CSP)
  - method, 274
- Clean Development Mechanism (CDM), 86
- Clean energy, 11, 363, 365
  - boundaries, 313
  - efficiency, 313
  - electricity sector, 314, 318, 319
  - hydrocarbon production, 314
  - implementation, 310
  - industrial consumption, 314
  - mitigation efforts, 313
  - NOE countries, 313
  - NOI countries, 313
  - renewable energy, 314
  - research, 320
  - sociotechnical change (*see* Socio-technical change)
  - subsidies, 314
  - transition journey, 314
- Climate change, 79
  - and energy decisions (*see* Dynamic modeling)
  - dramatic historical events in 2007, 260
  - Egypt
    - adaptation, 82
    - awareness, 83
    - factors, 80
    - flared gas production, 83
    - IPCC, 80
    - energy-related challenges, UAE, 132
    - freshwater inflow, 147
    - historical conditions, 145
    - net volume transport, 147
    - optimizing and econometric modeling
      - approaches, 5
    - potable water requirements, 132
    - Saudi Arabia (*see* Saudi Arabia)
    - sea surface salinity, 146
    - socioeconomic progress, 82
    - time-averaged sea surface temperature and sea surface salinity, 145
  - Climate change in Egypt
    - Aswan High Dam and heavy groundwater extraction, 236
    - Atbarah Stream, 232
    - energy-generated scenario, 233
    - greenhouse effect, 232
    - international and national studies, 234
    - natural grain production, 236
    - natural environment, 235
    - Nile Valley, 231
    - physical areas, 231
    - respiratory disorders, 235
    - sea level rise, 235
    - soil moisture, 234
    - topography, 231
    - use of coal, 233
    - vulnerability, 234
    - WRI 2005 report, 233
  - Climate-sensitive sectors, 80
  - Climatic obstacles, 315
  - Closed Cycle Gas Turbine (CCGT), 20
  - CO<sub>2</sub> capture & storage methods
    - advantages and disadvantages, 332
    - approaches, 331
    - carbon, principles, 332
    - IEA, 330
    - reduction goals, 330
    - schematic diagram, 335
    - separation
      - absorbents, 332–334
      - cryogenic distillation, 334
      - gas separation by membranes, 335
    - utilization options, 339
  - CO<sub>2</sub> emission, 294, 296, 362–365
  - CO<sub>2</sub> mitigation, 353
  - Coal gasification, 340
  - Cointegration tests, 282–283
  - Computer models, 96
  - Computer simulation models, 27
  - Concentrated PV (CPV), 186
  - Concentrated solar power (CSP), 22, 186, 315
  - Contributions, 361, 362
  - Cost-benefit analysis (CBA), 58–60
  - Cost of energy (COE), 245

**D**

  - DC micro-grids
    - advantages, 110
    - bidirectional AC/DC converter, 111
    - to common DC bus, 112
    - meshed DC grids, 112
    - radial structure, 111
    - system configuration, 111
    - targeted mock-up, 113
  - Decarbonization, 325, 330, 336
  - Decision-making, 4, 7, 98
  - Deep well injection, 162
  - Demand side management, 212, 213
  - Desalination, 148–150, 156, 159, 161, 293
  - Developing countries
    - climate change, impacts of, 80
    - complex socio-technical systems, 51
    - Egypt, 80 (*see also* Egypt)
    - representative driving cycle, 52
    - road transport system, in Lebanon, 49

- safety regulations, 63
- system dynamics studies, 76
- systematic approach, road passenger transport systems, 51
- vehicle ownership and operating costs, 60
- Dimensions and sectors
  - economic, 365
  - environment, 365
  - social, 365
- Direct jobs, 33
- Disposal to end of wastewater treatment plant, 161
- Disposal to front of wastewater treatment plant, 161
- Driving cycle construction methods, 53
- Driving cycles
  - collecting driving and trip data, 53
  - construction, 52
  - description, 51
  - driving patterns, 52
  - for GBA, 53–55, 65, 66
  - representative driving cycle, 52, 53
- DSPACE DS1103, 118, 121, 126
- Dubai Electricity and Water Authority (DEWA), 163
- Dynamic modeling
  - Egypt, 7
  - energy and emissions, 6
  - energy-water-health nexus, 8
  - meshed DC Micro-grid, 7
  - state-of-the-art applications, 5
- E**
- Earth system models (ESM), 143
- Earth-wide temperature boost issue, 236
- Economic carrying capacity, 193, 194, 198, 204, 205, 207, 211, 213, 218
- Economic diversification, 316
- Economic growth, 260, 267, 280, 286, 361, 365
- Economic indicators, 362
- Egypt
  - adaptation measures, 82
  - carbon dioxide emissions, 86
  - climate change, 80
  - Climate Change Action Plan, 82
  - developing country, 80
  - economic growth, 87
  - energy, 83 (*see also* Energy)
  - energy resources
    - electricity generation, 88, 89
    - fossil fuel consumption, 88
    - solar sources, 93
    - water energy, 93
    - wind energy technology, 88–90
    - wind, sunlight and hydro-energy, 88
  - energy-led growth hypothesis, 87
  - fossil fuel, 87
  - hydroelectricity generation, 94
  - Industrial Revolution, 86
  - natural gas, 86
  - Nile River, 80
  - nonrenewable energy, 83–85
  - sea-level rise, 81
  - solar power plant, 93
  - temperature, 80
  - Western Desert, 81
  - wind regime, 90
- Electrical grid connection, 246
- Electricity
  - fossil-based, 4
  - natural gas consumption, 6
- Electricity supply and demand, 9
- Emerge Alliance, 112
- Energy, 94
  - Egypt
    - assessment, energy decision systems, 97
    - demand, 94
    - ETSAP, 94
    - model imperfection, 95
    - model uncertainty, 95
    - SD, 95
    - energetic and economic evaluation, 97
    - Iran, 96
    - Iraq, 96
  - Energy consumption, 260, 263, 265, 267
  - Energy consumption in road transportation, GBA, 50–51, 67
  - Energy dynamics, *see* Climate change in Egypt
  - Energy-Economy-Environment Modelling Laboratory (E3MLab), 18
  - Energy efficiency, 364
  - Energy Information Administration (EIA), 260
  - Energy management system (EMS), 194
  - Energy modelling, vehicle technologies
    - energy consumption, in GBA, 66–68
    - in real driving conditions, 64
    - simulated vehicle loads, 65, 66
    - vehicle and powertrain characteristics, 64, 65
  - Energy policy in Oman, 5, 6
  - Energy Technology Systems Analysis Program (ETSAP), 94
  - Energy use, 18, 25

- Energy-water-health nexus
  - analytical framework, 133
  - description, 132
  - development strategies, 132
  - heat island effect, 133
  - public health risks, 133
  - RCM (*see* Regional climate modeling (RCM))
  - research activities, 133
- Enthalpy, 343
- Environment, 311
  - emissions, 4
  - pollution, 294
  - sustainability, 317
- Error correction term (ECT), 283
- Ethanol, 349
- European Bank for Reconstruction and Development (EBRD), 350
- European Investment Bank (EIB), 279
- Evaporation ponds, 162
  
- F**
- Federal Electricity and Water Authority (FEWA), 226–227
- Flash cycle, 343
- Flue gases, 334
- For Future Inland Transport Systems (ForFITS), 68–70
- Fossil fuels, 20, 24, 37, 43, 294, 313, 319, 324, 325, 327, 340, 344, 363
- Fuel-efficient, 362
  
- G**
- GDP per capita, 279, 283, 286
- General Equilibrium Model for Energy-Economy-Environment interactions (GEM-E3) model, 25
- Generation flexibility, 211, 212
- Geochemical storage, 338
- Geographical conditions, 362
- Geological storage, 336
- Geothermal, 365
  - brine, 355
  - emissions, 344
  - energy, 343, 354
  - fluids, 343
  - power plants, 11, 12
- Geothermal power plants (GPPs), 274
- Giga Watt (GW) coal power plant, 226
- Global Innovation Index, 320
- Global trends, 319
- Global warming, 3, 324, 327, 340
  
- Golf Cooperation Countries (GCC), 294, 296–298
- Gravitational forces, 337
- Greater Beirut Area (GBA)
  - driving characteristics, 53, 54
  - energy modelling (*see* Energy modelling, vehicle technologies)
  - road transport system, characteristics, 49–50
  - traffic conditions, 50
  - typical routes, 54
- Greenhouse effects
  - cheapest fuel, 327
  - climate agreements, 326
  - CO<sub>2</sub> concentration, 328
  - emissions, 329
  - Kyoto Protocol, 329
  - natural CO<sub>2</sub> producers, 327
  - Paris Climate Agreement, 330
  - ultraviolet radiation, 326
- Greenhouse gas (GHG) emissions, 8, 10, 48, 297
  - in ForFITS, 68
  - Oman, 22
  - road transportation, in Lebanon, 50, 51, 55
- Greenhouse gases, 306, 324, 327, 339, 348, 364
- Gulf Cooperation Council (GCC), 18, 216
  
- H**
- Hardware, 119, 122
- Health-energy nexus
  - air pollutant emissions, 168
  - analytical approach, 169, 171–173
  - extreme weather events, 167
  - fossil-fired power generation efficiency, 168
  - outdoor air quality and human health, 168
  - particulate matter (PM) emissions, 168
  - urban morbidity/mortality and energy-related air pollutant emissions, 168
- Helioculture process, 11, 348, 349, 351, 354, 363, 365
- HOMER Pro software, 9, 203, 239
  - annual real interest rate, 245
  - capital recovery factor, 244
  - COE, 245
  - defined, 244
  - net present cost, 244
  - total annualized cost, 244
- Humanity, 324
- Hybrid energy systems, 237
- Hybrid power system, 9
  - Assembled Countries Improvement Program, 240
  - HOMER Pro software, 239
  - power-administration strategies, 241

- solar and wind resource, 239
  - sunlight-based energy, 239
  - Universal Energy Office, 240
  - wind control, 241
- Hybrid system, 363
- Hydrocarbon resources, 22
- Hydrodynamic storage, 338
  
- I**
- IEC (standards), 112
- Immobilization, 349
- Indirect jobs, 33
- Induced employment, 34
- Industrial revolution, 326
- Industrialization, 293, 324
- Inexhaustible power age innovations, 237
- Initial condition uncertainties (ICUs), 95
- Innovation, 310, 311, 316, 318
- Intended national determined contributions (INDCs), 216
- Intergovernmental Panel on Climate Change (IPCC), 330
- Internal combustion engine vehicles (ICEV), 49, 60, 64, 67, 68
- International Energy Agency (IEA), 259, 299, 330
- International Renewable Energy Agency (IRENA), 189, 276, 298
- Internationalization, 320
- Interpretation, 95
  
- J**
- Job creation sub-model, 34
  
- K**
- King Abdullah City, 294
- Kingdom of Saudi Arabia (KSA), *see* Saudi Arabia
- Kızıldere (Denizli) geothermal field
  - biofuel demonstration, 353
  - CO<sub>2</sub> Emissions, 351
  - deepest reservoir, 345
  - depth reservoir, 345
  - gas chemistry, 347
  - hydro-geochemistry, 347
  - Kızıldere-I GPP, 346
  - NCG, 343, 344
  - photo-biocatalytic process, 348–350
  - process flow diagram, 347
  - schematic comparison, 348
  - shallow reservoir, 345
- Kyoto Agreement, 324
- Kyoto Protocol, 345
  
- L**
- Land application, 161
- Landscape, 363
  - envisaged transformation, 316
  - grand initiatives, 316
  - historical changes, 316
  - institutional frameworks, 316
  - profound transformation, 316
- Lebanese electricity system
  - electricity tariffs, 185
  - life cycle assessment method, 186
  - NREAP plan, 186
  - policy paper, 186
  - power generation units, 185
  - power supply and demand, 185
- Lebanese power system, 9
  - BESS, 184 (*see also* Lebanese electricity system)
  - load demand in 2022, 202, 203
  - policy makers, 184
  - social, economic and environmental implications, 184
- Lebanon
  - GBA, 48 (*see also* Greater Beirut Area (GBA))
  - road transportation systems, 48, 49
- Levelized cost of electricity (LCOE), 362
- Life cycle assessment (LCA), 339
- Lithium-ion (Li-ion) batteries, 194
- Load profile, 241
- Local, National, and Regional Climate Change Programme (LNRCCP), 133
- Long-range Energy Alternatives Planning (LEAP) modeling, 18, 25, 163
  
- M**
- Main Interconnected System (MIS), 19, 20
- MARKet ALlocation (MARKAL), 24, 25
- Meshed DC Micro-grid, 7
- Meteorites, 326
- Micro-grids
  - AC micro-grid synchronization, 110
  - architectures, 110
  - DC micro-grids, 110
  - definition, 110
  - global architecture standards, 111
- Middle East
  - CO<sub>2</sub> emissions, 263
  - countries, 261

- Middle East (*cont.*)  
 energy use, 265  
 full sample and two sub-samples, 263  
 GDP, 262, 263  
 greenhouse gases emissions, 267–270, 272  
 MENA, 262  
 NICs, 262  
 oil production, 261  
 per capita income of countries, 261, 262  
 RE (*see* Renewable energy (RE))  
 research, 265  
 smart grid development, 126  
 total petroleum and liquids production  
 2017, 261
- Middle East and North Africa region (MENA),  
 216, 219, 313
- Middle East country, 231
- Mineral carbonation, 338
- Ministry of Energy and Water (MEW) Policy  
 Paper, 186
- Mitigation strategies  
 characteristics, transport system, 70, 71  
 CO<sub>2</sub> emissions, 72  
 combined strategies, 75  
 comprehensive modelling tools, 68  
 data and modelling assumptions, 70, 72  
 energy use and GHG emissions, in road  
 transport, 51  
 ForFITS model, 68, 69  
 fuel efficient HEV, 74  
 hybrid technology, 70  
 modelling assumptions, for baseline  
 scenario, 70, 71  
 passenger activity, 74  
 vehicle technologies, 75
- Modeled systems, 204
- Modeling and simulation approaches, 4, 8
- Multi-criteria analysis (MCA), 60, 61
- Multi-criteria decision-making methods  
 (MDMM), 97
- Multi-effect distillation (MED), 142
- Multi-flash process, 343
- Multi-level perspective (MLP)  
 innovation strategies, 312  
 interaction, 312  
 iterative interaction, 312  
 pathway, 312  
 sociotechnical change, 312  
 socio-technical regime, 312  
 trajectories, 313  
 vertical levels  
 landscape, 312, 316  
 niche, 312, 318  
 regime, 312, 316–318
- Multi-stage flash (MSF), 142
- N**
- National Renewable Energy Action (NREAP)  
 plan, 186
- Natural gas, Egypt, 86
- Near-field modeling, 150
- Net oil-exporting (NOE) countries, 313
- Net oil-importing (NOI) countries, 313
- Net present costs, hybrid system, 246–251
- Newly industrialized countries (NICs), 262
- Niche, 363  
 firms, 318  
 oil-exporting countries, 318  
 research centres, 318
- Nicotinamide adenine dinucleotide phosphate  
 (NADPH), 349
- Non-condensable gases (NCG), 343
- Nuclear energy, 314
- O**
- Oman, 363  
 capacity margin (CM), 31  
 dynamic model  
 capacity margin (CM), 31  
 CO<sub>2</sub> emission sub-models, 36  
 employment sub-model, 34  
 energy security sub-model, 32  
 stock-and-flow diagrams, 31  
 economy, 18  
 electric power system, 19  
 electricity generation, 20  
 electricity production and consumption,  
 dynamics, 21  
 electricity sector, 19  
 energy challenges, 21  
 fuel mix for electricity generation, 20  
 future total electricity installed  
 capacities, 28  
 GHG emissions, 22  
 natural gas, 21  
 new Ministry for Water and Electricity  
 Regulation, 19  
 Oman's Authority for Electricity  
 Regulation, 22  
 OPWP, 19  
 population growth and semi-arid  
 environment, 20  
 power demand, annual growth, 20  
 RE (*see* Renewable energy (RE))  
 scenario modelling (*see* Scenario  
 modelling)  
 stock-and-flow models (*see* Stock-and-flow  
 models)  
 supply and demand sub-model, 31
- Omani energy system, 30

- Oman Power and Water Procurement Company (OPWP), 19, 20, 28
- Oman's electric power system, 19
- Open Cycle Gas Turbine (OCGT), 20
- Optimal system configuration, 212, 213
- Optimization and econometric models
- challenges & solutions, 9
  - GHG emissions, 10
  - quantitative methods, in Saudi Arabia, 10
  - utility-scale renewable energy systems and battery energy storage, 9
- Original equipment manufacturers (OEMs), 52, 61
- P**
- Pan-Arab Strategy, 216
- Panel data analysis model, 18
- Panel Granger causality, 283–286
- Panel unit root tests, 280–282
- Paris Climate Agreement, 324
- Passivated emitter rear cell (PERC)
- architecture, 189
- Photobioreactor (PBR), 348
- Photosynthesis, 326, 349
- Photovoltaic (PV) technology, 229, 245, 315, 364
- Plate tectonics theory, 326
- Platform for regional integrated modeling and analysis (PRIMA), 97
- Policymakers, 366
- Power converter, 246
- Power plants, 365
- conventional, 339
  - electricity generation, 343
  - electricity supply technologies, 342
  - renewable energy, 339, 341
- Power purchasing agreement (PPA), 186, 190
- Power systems, 305
- Powertrain technology, 64, 65, 68, 69, 71, 72
- Precipitation, 93
- Pumped-storage hydropower (PSH)
- technology, 94
- Q**
- Quantitative models, Saudi Arabia, 365
- articles, 301, 303, 304
  - econometric, 301
  - electricity power, 299
  - environmental dimensions, 299
  - journals, 301
  - optimization, 301
  - simulation, 301
- R**
- Real-driving conditions, in Lebanon's GBA, 48, 52, 53, 63–65
- Reasonable power sources, 228
- Refueling, 363
- Regime, 363
- applications, 317
  - electricity subsidies, 317
  - free competition, 317
  - government bureaucracy, 316
  - public finances, 317
  - stability, 317
- Regional climate modeling (RCM)
- Abu Dhabi City vicinity, 138
  - AOGCM projections, 134
  - approach, 135–137
  - average annual rainfall, 138
  - current and future climate simulations, 139
  - cyclonic events, 139
  - future temperature, historical period, 137
  - higher-resolution climatic models, 134
  - meteorological dynamics, 134
  - ocean-land temperature gradient, 138
- Regional ocean modeling
- Arabian Gulf ROMS development, 143
  - desalinated water production, 142
  - EMS historical forcing, 144
  - GHGs concentrations, 142
  - Gulf circulation patterns, 141
  - internal microphysics schemes, 144
  - oceanographic characteristics, 144
  - on-site requirements and national electricity needs, 142
  - physical and numerical algorithms, 143
  - pre-validation process, 143
  - primitive equations, 144
  - seasonal oscillation signal, 141
  - stressed marine environments, 141
- Renewable and Sustainable Energy Reviews, 303
- Renewable energy (RE), 295, 320, 324, 325, 362–364
- Algeria, 276
  - classification of, 275
  - climate change, 236–239
  - DC micro-grid, 111
  - defined, 274
  - Egypt, 91–92
  - feed-in tariff law, 94
  - fossil fuel, 88
  - oil, in economics, 99
  - PSH technology, 94
  - resources, 88
  - solar power plant, 93
  - wind farms, 90
  - wind turbines, 90

- Renewable energy (RE) (*cont.*)
- electricity demand, 315
  - energy efficiency, 8
  - energy types, 274
  - GDP per capita, 10
  - generation, 362
  - global final energy consumptions, 275
  - government of Jordan, 278
  - growth and development, 276
  - hydro in Turkey, 276
  - hydropower capacity, 275
  - in Iran, 96
  - in Iraq, 96
  - in Oman
    - alternative energy sources, 23
    - conceptual framework, 29
    - CSP systems, 22
    - electricity capacity, 23
    - environmental conditions, 22
    - job creation sub-models, 35
    - national energy strategy, 23
    - Oman's Authority for Electricity Regulation, 22
    - petcoke and imported gas, 23
    - policy initiatives, 23
    - PV installation, 22
    - scenario, 28
    - stock-and-flow diagrams, 31
    - wind energy potential, 23
  - initiatives, 315
  - integrity, in Oman, 5
  - micro-grid architectures, 110
  - NREA, 278
  - number of sources, 275
  - real-time data, 9
  - solar, geophysical/biological sources, 274
  - UAE installation, 279
  - utility-scale, 9
- Renewable energy operation and maintenance (O&M) jobs, 35
- Renewable energy sources (RES), 260
- Renewable energy technologies, 237
- Renewable Fuel Standards (RFS), 349
- Renewable penetration, 206
- Representative Concentration Pathways (RCP), 137
- Research articles, 302
- Reservoir rocks, 344
- RETScreen programming information, 230
- Reverse osmosis (RO), 142
- Road passenger transport, in GBA, 48, 52, 70
- S**
- Sahim' scheme, 23
- "Saline river" approach, 150
- Saudi Arabia
  - CO<sub>2</sub> emissions, 299, 300
  - electricity market models, 295
  - electricity production and consumption, 297
  - energy and emission reduction, 298, 299, 301
  - energy types, classification system, 295–296
  - mixed-method scenarios, 295
  - modeling energy and environment, 296, 305
  - optimization models, 295
  - power and water sectors, 298
  - power systems, 305
  - renewable energy, 299
  - simulation models, 295
  - sustainable development, 306
  - Vision 2030, 305
- Saudi Energy Efficiency Center, 294
- Scenario modelling
  - BESOM, 24
  - challenges, 24
  - computer tools, 24
  - energy security, 29
  - future renewable energy deployment, in Oman, 28
  - GEM-E3 model, 25
  - MARKAL, 25
  - oil price, 24
  - system dynamics, 25
    - (*see also* System dynamics)
  - TEEESE, 24
  - Threshold 21, 25
- Scimago Journal & Country Rank (SJR), 299
- Sediment rocks, 325
- Sensitivity analysis, 207–210
- Sensitivity variables, 200–202
- Sharjah Energy and Water Authority (SEWA), 163
- Simplified DC network, 127
- Smart demand management, 315
- Smart nodes
  - bidirectional DC/DC converter, 114
  - communication layer, 114
  - as DC breaker, 114
  - hardware, in experimental evaluation, 121, 122
  - proposed control scheme, 121
  - proposed steady state control strategy, 115
  - protection strategy, 114
  - targeted mock-up, 113
  - with DSPACE DS1103, 126



- Social cost of carbon (SCC), 200
  - Social indicator, 362
  - Socio-economic and environmental implications, Oman
    - CO<sub>2</sub> emission, 40
    - employment, 39
    - energy security, 38
  - Sociotechnical change
    - economic motives, 311
    - implementation, 311
    - incentive schemes, 311
    - societal governance, 311
  - SolarConverter system, 348
  - Solar energy, 314, 350, 355
  - Solar panels, 315
  - Solar photovoltaic (PV), 18, 22, 28
  - Solar power plant, 227, 238, 245, 247, 248
  - Solar radiation, 242, 244
  - Special Report on Emissions Scenarios (SRES), 98
  - Split PI converter
    - advantage, 116
    - control current and voltage settings, 116
    - dSPACE DS1103, 118
    - meshed DC micro-grid, 114
    - in multi-terminal DC-grid, 112
    - topology, 115
  - Steam separation process, 346
  - Stock-and-flow models
    - data sources, 27
    - quantitative data, 27
  - Sunlight, 349
  - Sustainability, 9
    - complexity, 310
    - grand challenge, 310
    - innovation, 311
    - MLP (*see* Multi-level perspective (MLP))
  - Sustainable development (SD), 95, 294, 299, 306, 361, 362, 365
  - Sustainable development goals (SDGs), 309
  - Sustainable energy transitioning, 216, 218–219
  - System dynamics, 4, 6, 363
    - advantage, 26
    - behaviour, 25
    - behavioural validity tests, 42
    - complexity, 26
    - definition, 25
    - economic domain, 30
    - environmental domain, 30
    - feedback loops, 27
    - feedback process, in decision-making, 26, 27
    - methodology, 27
    - modelling, 26
    - models, 26
    - road passenger transport, in GBA, 68, 69, 76
    - scenario models, 29
    - social domain, 30
    - structural validity tests, 40–41
    - system thinking, 26
  - System dynamics modelling, 26
  - System thinking, 26
- T**
- Technical Assistance to support the reform of the Energy Sector (TARES), 94
  - Technology needs assessment, 55, 56
    - barrier analysis, 57, 58
    - CBA, 58–60
    - market chain analysis, 56
    - MCA, 60, 61
    - needs and challenges, 61
  - Teri Energy Economy Environment Simulation Evaluation model (TEEESE), 24
  - Thermal management system (TMS), 194
  - “TIMES” energy model, 7
  - Tonnes of oil equivalent (TOE), 174, 175
  - Turkey, 343–345, 350, 354
- U**
- United Arab Emirates (UAE), 271
  - United National Environment Programme (UNEP), 133
  - United Nations Framework Convention on Climate Change (UNFCCC), 216, 330
  - Utility-scale BESS
    - commercialization, 196
    - Li-ion batteries and types, 194
    - market analysts and academic work done, 195, 196
    - Navigant Research, 197
    - price forecast, 196
    - representation, 195
    - synergetic learning effects, 196
    - Tesla technology, 197
    - two-factor model, 197
  - Utility scale solar PV systems
    - annual additions, 187
    - capital costs, 189
    - climatic conditions, 192
    - commercial solar PV sites, 190
    - conventional power generation units, 193

- Utility scale solar PV systems (*cont.*)  
 current and projected LCOEs, 190  
 GHI for Lebanon, 188  
 increased economic carrying capacity, 194  
 increased ramping rate and ramping  
 range, 193  
 IRENA, 189  
 PERC, 189  
 PPA, 190  
 research, development and innovation, 189  
 variable generation systems, 193
- Utility-scale wind farm system  
 high-level assumptions, 191  
 infrastructure works, 191  
 LCOE of wind farms decline over time,  
 191, 192  
 mature technology, 191  
 onshore wind turbines, 190  
 speed, 190
- V**  
 Vensim software, 27  
 Volcanic eruptions, 226
- W**  
 Water-energy nexus  
 BAU-RCP8.5 scenario, 166  
 costs and benefits, 165–166
- economic diversification agenda, 167  
 energy-intensive desalination  
 activities, 162  
 energy system model, 163  
 extensive stakeholder consultations, 163  
 future benefits, 162  
 high efficiency and conservation  
 scenario, 164  
 high efficiency scenario, 166  
 integrated policy scenario,  
 164, 167  
 local agencies information, 163  
 national green growth scenarios, 167  
 natural resource protection scenario,  
 164, 166  
 water resource management, 162  
 WEAP and LEAP systems, 163
- Water Evaluation And Planning (WEAP)  
 modeling, 163
- Wind energy, 315  
 Wind energy technology, 88–90  
 Wind farms, Egypt, 90  
 Wind speed, 242, 244  
 Wind turbine, 246  
 World Resources Institute (WRI) 2005  
 report, 233
- Z**  
 Zero liquid discharge, 162