

Index

A

- Adult rat-derived hippocampal progenitor (AHP) cells, 172
 - Advanced Computation and Exploration of data tools, 102
 - AFM, *see* Atomic force microscopy
 - AFM-based force clamp (AFM-FC), 6, 7, 10–11
 - AFM-based force spectroscopy (AFM-FS)
 - AFM-based force clamp, 10–11
 - AFM-based pulling lipid tubes, 12–13
 - breakthrough force characterization, 6–10
 - dynamic force spectroscopy, 6–10
 - Z piezo position, 6
 - AFM-FC, *see* AFM-based force clamp
 - AFM-FS, *see* AFM-based force spectroscopy
 - Alkyl-thiolated gold nanoparticles, 119, 134, 143, 144
 - All-atom model, 77
 - Amiodarone, 230
 - Amitriptyline hydrochloride (AMI), 241
 - Amphotericin B (AMB), 241
 - Ampicillin, 229, 236
 - Amyloid beta (A β) protein, 231
 - Antimicrobial mechanisms, 79
 - Aquaporin (Aqp), 251–252
 - Arginyl-glycylaspartic acid (RGD), 155, 169, 171
 - Array strategies, 220–221
 - Artificial water channels, 254–256
 - Astemizole, 229, 237, 239, 241
 - Asymmetric droplet interface bilayer, 59, 60
 - Asymmetric model membranes
 - biological membranes, 47
 - limitations, 64–66
 - lipid asymmetry
 - asymmetry influencing enzymes, 49–50
 - in eukaryotic membranes, 47
 - inner and outer lipid monolayers, 47–48
 - role of, 50–51
 - vesicle size, 48–49
 - morphological representations, 51
 - multilamellar and unilamellar vesicles, 51
 - vesicle preparation methods, 52
 - droplet interface bilayer, 59–60
 - 2-hydroxypropyl- α -CD, 57
 - methyl- α -cyclodextrin, 57
 - methyl- β -cyclodextrin-mediated lipid exchange, 55–57
 - microfluidic jetting, 63–64
 - microfluidics, 60–63
 - pH gradient-induced lipid asymmetry, 54
 - protein-mediated synthesis, 2–54
 - typical phase-transfer setup, 58–59
 - water-in-oil (w/o) emulsions, 58
 - Weitz's methodology, 58
 - vesicle systems, 51
- Asymmetry conservation, 49
 - Atomic force microscopy (AFM), 292
 - advantage, 4
 - AFM-based force spectroscopy
 - AFM-based force clamp, 10–11
 - AFM-based pulling lipid tubes, 12–13
 - breakthrough force characterization, 6–10
 - dynamic force spectroscopy, 6–10
 - cholesterol in membranes, 15–16
 - high-speed AFM, 4–5

- Atomic force microscopy (AFM) (*cont.*)
 homogeneous/phase-separated morphology, 4–5
 phospholipid molecular structure, 13–15
 sphingolipids
 ceramide, 18–19
 galactosylceramide, 19
 sphingomyelin, 17–18
 Au NP, *see* Gold nanoparticles
 Azithromycin, 227, 234
- B**
- Basic Local Alignment Search Tool (BLAST), 80
- Bidentate aptamer-functionalized polydiacetylene (PDA) liposome, 197, 199
- Bilayer coated microfluidics, 2
- Bio-beads, 186
- “Bioinformatics” technique, 80
- Biomembrane system modeling
 All-atom model, 77
 analysis tool, 101–103
 antimicrobial mechanisms, 79
 bioinformatics technique, 79, 80
 biomolecular simulations, 73
 coarse-grained model, 77
 complex system, 74
 critical assessment of structure prediction, 81
 dopamine transporters, 78
 energy minimization, 75
 experimental and computational studies, 77
 force-field parameters, 74
 free and open-source software packages, 76
 homology modeling, 80
 leap-frog algorithm, 75
 lipid bilayers
 CHARMM, 83
 class, 85–93
 classification, 84, 85
 composition, 84
 databases, 84
 Individual Lipid Molecule Library, 84
 Membrane Builder, 84
 molecular dynamics algorithms scale, 83
 parameter sets, 83
 POPE-type membrane lipid model, 94
 three-dimensional structures, 83
 united-atom model, 83
 with water phases, 94
 membrane proteins, 75, 94–97
 molecular dynamics simulation, 74, 77
 Monte Carlo technique, 74
 multiscale membrane system simulations
 CHARMM PDB ID code 1UYN, 99, 100
 coarse-grained membrane simulations, 97
 curvature-inducing model, 97–98
 Protein/Membrane Complex Library, 99
 quantum mechanics, 98
 sensory rhodopsin II with PDB ID code 1H2S, 99, 101
 with simple point charge, 98
 transferable intermolecular potential
 four-point water model, 98
 transferable intermolecular potential
 three-point water model, 98
 united-atom, 97
 visual molecular dynamics, 99
 ordinary differential equations, 81
 particle mesh Ewald, 75
 peptides, TN3, binding position of, 79, 80
 phase transformations, 77
 pore formation, 77
 steepest descent algorithm, 75
 time-dependent Schrödinger equation, 74
 trajectories of simulations, 79
 transmembrane helices, 82
 transmembrane proteins, 81
 united atom model, 77
- Biomimetic membrane fabrication strategies
 applications, 264, 276
 cross-linking method, 258
 easy-to-implement method, 258
 interfacial polymerization method, 258
 Langmuir–Blodgett method, 257–258
 layer-by-layer method, 258
 pore-spanning membrane fabrication, 258
 studies, 265–275
 surface imprinting method, 258
 vesicle rupture method, 258
- Biomolecular simulations, 73
- Biosensors, 187–189
- Black lipid membranes, 183
- Bone mesenchymal stem cells (BMSCs), 171
- Bone sialoprotein (bsp-RGD), 169, 171
- Bovine serum albumin (BSA-biotin), 197
- Bretylium tosylate, 230
- C**
- Calcium release-activated calcium (CRAC), 240
- Carbon nanotube porins (CNTPs), 255–256

- Cationic amphiphilic drugs (CADs), 241
 Cationic magnetoliposomes, 200
 Cellular adhesion feature, 206–208
 Cellular differentiation and functionality approaches, 204–206
 CG molecular dynamic simulations (CGDB), 97
 Channel-forming structures
 aquaporin, 251–252
 artificial water channels, 254–257
 ionophores
 application, 252
 classification, 252
 gramicidin, 253–254
 molecular weight, 252
 nystatin, 254
 valinomycin, 252–253
 Chinese hamster ovary (CHO) cells, 176
 Chinese hamster ovary plasma membrane, 125
 Chlorpromazine hydrochloride (CPZ), 241
 Coarse-grained force field, 116–118
 Coarse-grained (CG) model, 77, 124, 126, 152
 Complex system, 74
 Computer-aided drug design (CADD), 78
 Continuum nucleation model (CNM), 11
 C-reactive proteins (CRP), 195, 196
 Critical assessment of structure prediction (CASP), 81
 Cross-linking method, 258
 Cytotoxic T-lymphocyte (CTL) epitope, 203
- D**
 Decellularized extracellular matrix (dECM), 207, 208
 Delaunay triangulation, 39
 DIB, *see* Droplet interface bilayer
 Dicapryloylphosphatidylcholine (DCPC), 112, 125
 1,2-dimyristoyl-rac-glycero-3-phosphocholine (DMPC), 112, 116, 125, 128, 234, 237
 1,2-dimyristoyl-sn-glycero-3-phospho-rac-(1-glycerol) (DMPG), 234
 1,2-dioleoyl-sn-glycero-3-phosphocholine (DOPC), 234, 241
 1,2-dioleoyl-3-trimethylammonium-propane (DOTAP), 168, 206
 Dipalmitoylphosphatidylcholine (DPPC), 112, 116, 123, 125, 195, 234
 chemical structure of, 112
 compressibility of, 126, 128
 self-assembly, 122
 1,2-dipalmitoyl-sn-glycero-3-phosphoethanolamine (DPPE), 235
 1,2-dipalmitoyl-sn-glycero-3-phospho-rac-(1-glycerol) (DPPG) lipids, 235
 Dip-pen nanolithography (DPN), 197, 198
 Dissipative particle dynamics (DPD) simulations, 153
 1,2-distearoyl-sn-glycero-3-phosphocholine (DSPC), 241
 2d-microemulsions, 43
 1,2-d myristoyl-sn-glycero-3-phosphocholine (DMPC), 241
 Dopamine transporters (DATs), 78
 Double/higher order emulsion method, 219
 Doxorubicin, 227
 Droplet emulsion transfer, 219–220
 Droplet interface bilayer (DIB), 59–60, 216, 217
 Drug–membrane interactions, 225, 226, 232, 234, 239–242
 Drug–receptor interactions, 225, 226, 232
 Drug screening, 232–233
 complex biological membrane structure, 225, 226
 drug–lipid membrane/receptor interactions, 239–242
 drug, model lipid membranes/membrane receptors, 227–231
 G-protein-coupled receptors, 226
 lipid monolayers, 233–234
 lipid vesicles, 234–235
 nanodiscs, 237–239
 supported lipid bilayer, 236–237
 Dynamic force spectroscopy (DFS), 6
- E**
 E4031, 229, 237, 239, 241
 Easy-to-implement method, 258
 Electrochemical biosensor, 290, 294
 Electroformation strategies, 214–215
 Emulsion-based techniques, 219–220
 Eph-receptor (EphR) signaling, 174, 175
 Ephrin A5, 175, 204
 Epithelial (E)-cadherin, 204
 Exosomes for cancer diagnosis, 215
 Extracellular matrix (ECM), 167, 169, 204
 Extrusion strategy, 215
- F**
 FASTA, 80
 FIA, *see* Flow injection analysis

- Flip-flop, 49
 Flow focusing strategy, 215–217
 Flow injection analysis (FIA), 291, 293
 Fluorescence polarization (FP) assay, 237
 Force clamp mode, 10
 Force-driven phase-transfer methods, 58
 Force map mode, 6
 Forward osmosis (FO) process, 264
 Fourier transform IR (FTIR) spectroscopy, 292
- G**
- Generic symmetric phospholipid bilayer construction protocol, 52
 Giant plasma membrane vesicles (GPMVs), 2
 Giant unilamellar vesicles (GUVs), 2, 214, 215, 217, 234
 Glycosphingolipids (GSLs), 17
 Gold nanoparticles (Au NP), 114–115, 155–156
 direct transport of
 bilayer membrane recovers, 144–145
 center of bilayer membrane, 135–137
 ion leakage, 144
 lipid bilayer and nanoparticle at interface, 133–134
 lipid displacement from membrane, 140–141
 lipid flip-flop, 138–140
 nanoparticle exits bilayer membrane, 137–138
 outer leaflet of bilayer membrane, 134–135
 water permeation, 142–144
 gold nanocores, 115
 with hydrophilic ligands, 129–132
 with hydrophobic ligands, 128–129
 versatility, 114
 Gold nanorod (NR)
 applications, 145
 with hydrophilic ligands, lipid bilayer, 145–146, 150–151
 coarse-graining, 152
 lipid flip-flop events, 151–152
 permeation mechanism, 146–150
 rotational behavior, 152–154
 G-protein-coupled receptors (GPCRs), 197, 226, 232
 Gramicidin, 253–254
 Graphical processing units (GPUs), 74
 GRaphing tool, 102
 Grazing incidence X-ray diffraction (GIXD), 16
 Green-fluorescent proteins (GFPs), 217
- Grid-based membrane analysis tool for use with molecular dynamics (GridMAT-MD), 103
 Guillain-Barré syndrome (GBS), 78
 GUV-collapse method, 41, 43–44
 GUVs, *see* Giant unilamellar vesicles
- H**
- Haloperidol, 228, 229
 Hexa (m-phenylene ethynylene) channels, 255
 High-performance computers (HPCs), 74
 High-speed AFM (HS-AFM), 4–5
 Homology modeling, 80
 Human embryonic kidney cells (HEK-293 (β 3)), 171
 Human mesenchymal stem cell (hMSC) adhesion, 205
 Hydration techniques, 215
 Hydrophilicity, 81
 Hydrophobicity, 81
 2-hydroxypropyl- α -CD (HP α CD), 57
- I**
- Immunoassay approaches, 193–196
 Individual Lipid Molecule Library, 84
 Integrin TM helix heterodimers yield conformations, 82
 Interfacial polymerization method, 258
 Ion-exclusion phenomena, 255
 Ionophores
 application, 252
 classification, 252
 gramicidin, 253–254
 molecular weight, 252
 nystatin, 254
 valinomycin, 252–253
- K**
- Kaposi's sarcoma, 202
- L**
- Laminin-derived 19-mer peptide, 172
 Langmuir–Blodgett (LB) method, 3–4, 236, 257–258
 Langmuir monolayers, 233–234, 242
 Langmuir–Schäfer (LS) method, 236
 Layer-by-layer (LbL) method, 258
 Leap-frog algorithm, 75
 Lennard-Jones (LJ) potential, 117

- Lipid asymmetry
asymmetry influencing enzymes, 49–50
in eukaryotic membranes, 47
inner and outer lipid monolayers, 47–48
role of, 50–51
vesicle size, 48–49
- Lipid bilayers
CHARMM, 83
class, 85–93
classification, 84, 85
composition, 84
databases, 84
Individual Lipid Molecule Library, 84
Membrane Builder, 84
molecular dynamics algorithms scale, 83
parameter sets, 83
POPE-type membrane lipid model, 94
three-dimensional structures, 83
united-atom model, 83
with water phases, 94
- Lipid density profiles, 127
- Lipid flip-flop, 114, 151–152
- Lipid membranes-based biosensors
metal-supported lipid layers, 287, 288
polymer lipid films
advantages, 290
dropwise dispersion, 291
electrochemical biosensing, 290, 294
flow injection analysis, 291, 293
graphene microelectrodes, 291, 292
interferences effect, 291
naphthalene acetic acid, 292
potentiometric carbofuran minisensor,
293
potentiometric cholera toxin minisensor,
294
potentiometric saxitoxin minisensor,
294–295
potentiometric urea lipid film, 292
Raman spectrometry, 291
self-assembled bilayer lipid membranes,
293–294
synthetic “receptor” immobilization,
292
ultrathin film technology, 294
polymer-supported bilayer lipid
membranes, 290
stabilized lipid films, 287–289, 291
- Lipid monolayers (LMs), 233–234
- Lipid vesicles (LVs), 234–235
- Liposome rupture method, 3–4
- Liposomes
immunoassay approaches, 193–196
micro- and nano-arrays, 196–197
microfluidic systems
array strategies, 220–221
electroformation, 214–215
emulsion-based techniques, 219–220
extrusion strategy, 215
flow focusing, 215–217
hydration technique, 215
pulsed jetting strategy, 217–219
naked-eye detection strategy, 197–200
theranostic and imaging approaches,
200–202
vaccination, 202–203
- M**
- MARTINI model, 116–118
- Mechano-transduction, 173
- Membrane Protein Data Bank (MPDB), 97
- Membrane proteins, 75, 94–97, 189
- Membrane proteins of known structures
(MPKS), 96
- Membrane receptors, 189
- Membrane scaffold proteins (MSP), 237
- Metal-supported lipid layers, 287
- Methyl- α -cyclodextrin (M α CD), 57
- Methyl- β -cyclodextrin-mediated lipid
exchange, 55–57
- Micro- and nano-arrays, 196–197
- Microfluidic chip system, 235, 238
- Microfluidic jetting, 63–64
- Microfluidic systems, 60–63, 213
array strategies, 220–221
electroformation, 214–215
emulsion-based techniques, 219–220
extrusion strategy, 215
flow focusing, 215–217
hydration, 215
pulsed jetting strategy, 217–219
- Mitoxantrone, 228
- Model lipid membranes
giant unilamellar vesicles, 2
Na⁺, K⁺-ATPase (*see* Reconstitution Na⁺,
K⁺-ATPase)
phospholipid monolayer, 3–4
polymer-cushioned membranes, 3
pore spanning bilayers on porous
substrates, 3
SLBs (*see* Supported lipid bilayers)
stacked bilayers (or multibilayers), 3
- Molecular Assembly Patterning by Lift-off
(MAPL) technique, 197
- Molecular dynamics simulation, 74
- Molecular nature of lipid film, 11
- Multidrug resistance (MDR), 232

- Multilamellar vesicles (MLVs), 51, 234
- Multiscale membrane system simulations
- CHARMM PDB ID code 1UYN, 99, 100
 - coarse-grained membrane simulations, 97
 - curvature-inducing model, 97–98
 - Protein/Membrane Complex Library, 99
 - quantum mechanics, 98
 - sensory rhodopsin II with PDB ID code 1H2S, 99, 101
 - with simple point charge, 98
 - transferable intermolecular potential
 - four-point water model, 98
 - transferable intermolecular potential three-point water model, 98
 - united-atom, 97
 - visual molecular dynamics, 99
- 1-Myristoyl-2-palmitoyl-sn-glycero-3-phosphocholine* (MPPC), 176
- N**
- Naked-eye detection strategy, 197–200
- Nanoparticle permeation method, 120–121
- Nanoparticle transport, molecular dynamics simulations of, 109–111
- coarse-grained force field, 116–118
 - gold nanoparticle (*see* Gold nanoparticle)
 - gold nanorod (*see* Gold nanorod)
 - lipid bilayer membrane in silico
 - dynamic nature of, 122–125
 - membrane compressibility, 125–128
 - self-assembly, isotropic solution into bilayer, 121–122
 - liquid-ordered (lipid rafts) and liquid-disordered phases, 155
 - membrane properties and processes, 111–115
 - compressibility of bilayer, 112
 - DPPC, chemical structure of, 112
 - gold nanoparticles, 114–115
 - lipid composition, 113
 - nonzero electrostatic membrane potential, 113–114
 - transmembrane protein, 113
 - transversal diffusion/lipid flip-flop, 114
 - nanoparticle permeation method, 120–121
 - nanoparticles, construction of, 118–120
 - orthogonal fluorescent sensors, 154
 - PEGylated gold nanorod, 110
- Naphthalene acetic acid (NAA), 292
- N-cadherin, 175, 176, 204, 205
- Neural stem cells (NSCs), 171
- Nystatin, 254
- O**
- 9-OH-risperidone, 228
- OmpA, 112, 124
- Ordinary differential equations (ODEs), 81
- Orientation of Proteins in Membranes (OPM), 84, 96
- Oritavancin, 228
- P**
- Paclitaxel, 227
- 1-palmitoyl-2-oleoyl-*sn*-glycero-3-phosphocholine (POPC), 206
- Paramagnetic gadolinium (Gd) liposomes, 202
- Particle mesh Ewald (PME), 75
- Passive transverse diffusion, 49
- Patch-clamp technique, 239, 240
- PEGylated gold nanoparticles, 120, 129, 134, 135, 137, 138, 140, 143–145
- PEGylated gold nanorod, 110, 148, 153
- Peptide amphiphiles, chemical structure of, 170
- Peptide-appended pillar [5] arenes (PAP[5]), 255
- Periosteum-derived multipotent cells (PDCs), 204
- pH gradient-induced lipid asymmetry, 54
- Phosphatidylcholine (PC), 168, 171
- Phospholipase-A₂ (PLA₂), 195
- Photothermal therapy, 145
- Planar lipid bilayer (PLB) patches, 36
 - Delaunay triangulation, 39
 - imaging membrane phase and protein orientation, 36–37
 - multiple bright spots with non-uniform lateral extent, 38–39
- preparation, 36
- vs. protein density, 41
- quantifying number density, 37–38
- spatial distribution, 39–40
- ternary patch, 38–39
- z-height elevation, 41
- Plasma membrane (PM), 47
- Polymer lipid films
 - advantages, 290
 - dropwise dispersion, 291
 - electrochemical biosensor, 290, 294
 - flow injection analysis, 291, 293
 - graphene microelectrodes, 291, 292
 - interferences effect, 291
 - naphthalene acetic acid, 292

- potentiometric carbofuran minisensor, 293
 - potentiometric cholera toxin minisensor, 294
 - potentiometric saxitoxin minisensor, 294–295
 - potentiometric urea lipid film, 292
 - Raman spectrometry, 291
 - self-assembled bilayer lipid membranes, 293–294
 - synthetic “receptor” immobilization, 292
 - ultrathin film technology, 294
 - Polymer-tethered multi-lipid bilayer system, 174
 - POPE-type membrane lipid model, 94
 - Pore-spanning membrane fabrication, 258
 - Potentiometric carbofuran minisensor, 293
 - Potentiometric cholera toxin minisensor, 294
 - Potentiometric experiments, 287
 - Potentiometric saxitoxin minisensor, 294–295
 - Potentiometric urea lipid film, 292
 - Pro-pranolol hydrochloride (PROP), 241
 - Protein Data Bank (PDB), 84, 96
 - Protein data bank of transmembrane proteins (PDBTM), 96–97
 - Protein kinase C (PKC), 232
 - Protein-mediated synthesis, 2–54
 - Proteoliposomes, 32
 - Protocells, 201
 - Pulsed jetting strategy, 217–219
- Q**
- QPatch 16, 240
 - Quartz crystal microbalance with dissipation (QCM-D) technique, 169, 171, 172
- R**
- Radial distribution functions (RDFs), 102
 - Raman spectrometry, 291
 - Reconstitution Na^+ , K^+ -ATPase
 - advantages and disadvantages, 43–44
 - applications
 - imaging protein clusters, with Lo/Ld microdomains, 43
 - P-type ATPases, 43
 - quantifying membrane phase, 41–42
 - enzyme preparation, 32
 - free-standing GUVs, 41
 - function, 30–31
 - physiological relevance, 31
 - planar lipid bilayer patches
 - Delaunay triangulation, 39
 - imaging membrane phase and protein orientation, 36–37
 - multiple bright spots with non-uniform lateral extent, 38–39
 - preparation, 36
 - vs. protein density, 41
 - quantifying number density, 37–38
 - spatial distribution, 39–40
 - ternary patch, 38–39
 - z-height elevation, 41
 - proteoGUVs
 - in Lo/Ld phase and characterization, 35
 - in single fluid phase and characterization, 33–34
 - proteoliposomes preparation and characterization, 32–33
 - structure, 29–30
 - time and length scales, 35
- Reverse osmosis (RO) process, 264
- Rifabutin, 227, 235
- Risperidone, 228
- Root-mean-square displacement (RMSD), 102
- Root-mean-square fluctuations (RMSFs), 102
- S**
- Salicylic acid (SA), 227
 - Self-assembled bilayer lipid membranes (s-BLM), 293–294
 - Self-assembled monolayer-monolayer systems, 2
 - Self-assembling channels, 254–255
 - Shear-focusing-based droplet forming method, 219
 - Simple point charge (SPC), 98
 - S-layer proteins, 237
 - SLBs, *see* Supported lipid bilayers
 - Small unilamellar vesicles (SUVs), 4
 - Solid-supported lipid membranes, 183
 - Sotalol, 230
 - Sparsely tethered lipid bilayer membrane (stBLM), 185, 186
 - Spin-coating technique, 4
 - Stabilized bilayer lipid membrane (sBLM), 287
 - Supported lipid bilayers (SLBs), 167, 196
 - AFM
 - advantage, 4
 - AFM-based force spectroscopy, 4–13
 - cholesterol in membranes, 15–16
 - high-speed AFM, 4–5
 - homogeneous/phase-separated morphology, 4–5

- Supported lipid bilayers (SLBs) (*cont.*)
 phospholipid molecular structure,
 13–15
 sphingolipids in membranes, 17–19
 biomimetic model membranes, drug
 screening, 236–237
 cell adhesion
 on charged SLB, 168–169
 on patterned SLB, 176–179
 immunoassay approaches, 196
 Langmuir–Blodgett technique, 3–4
 liposome rupture/fusion method, 3–4
 micro- and nano-arrays, 196–197
 microfluidic systems
 array strategies, 220–221
 flow focusing, 216
 mimicking cell–cell interactions, 174–176
 mimicking cell–ECM biointerface
 ECM protein-incorporated, 173–174
 IKVAV, 169
 peptide-functionalized, 169–173
 RGD, 169
 phosphatidylcholine, 168
 spin-coating technique, 4
 tissue engineering applications, 203–204
 cellular adhesion feature, 206–208
 cellular differentiation and functionality
 approaches, 204–206
- Supported planar bilayers (SPBs), *see*
 Supported lipid bilayers
- Surface imprinting method, 258
- Surface plasmon resonance (SPR), 240
- T**
- Tamoxifen (TAM), 229
- Taxol, 227
- tBLM, *see* Tethered bilayer lipid membrane
- T cell receptor (TCR)-peptide-major
 histocompatibility complex
 (pMHC), 196
- Tethered bilayer lipid membrane (tBLM),
 236–237
 bio-beads, 186
 for biosensing, 187–189
 chemical structure of, 184
 His-tags, 186
 inner leaflet of, 184, 185
 methods for, 186–187
 outer leaflet of, 186
 stBLM, 185, 186
- Tetracyclines, 228
- Theranostic and imaging approaches, 200–202
- Thioridazine, 229
- Tissue engineering applications, 203–204
- Transferable intermolecular potential (TIP4P)
 four-point water model, 98
- Transferable intermolecular potential (TIP3P)
 three-point water model, 98
- Transmembrane (TM) helices, 82
- Transmission electron microscopy (TEM),
 292
- Transversal diffusion, 114
- Two-state rupture activation process, 11
- Typical phase-transfer setup, 58–59
- U**
- Ultrathin film technology, 294
- Unilamellar vesicle, 51
- Unimolecular transmembrane channels, 255
- UV-Vis, 292
- V**
- Vaccination, 202–203
- Valinomycin, 252–253
- Vesicle preparation methods, 52
- Vesicle rupture method, 258
- Vesicle systems, 51
- Visual molecular dynamics (VMD), 99
- Voltage-dependent anion channel (VDAC),
 237
- W**
- Water-in-oil (w/o) emulsions, 58
- Web-based PPM server, 96
- Web servers, 80
- Weitz's methodology, 58