

References

1. Acar, U., Koyuncu, F., Tanay, B.: Soft sets and soft rings. *Comput. Math. Appl.* **59**, 3458–3463 (2010)
2. Aggarwal, M.: Representation of uncertainty with information and probabilistic information granules. *Int. J. Fuzzy Syst.* **19**(5), 1617–1634 (2017)
3. Akram, M.: *m*-Polar Fuzzy Graphs: Theory, Methods & Applications. Studies in Fuzziness and Soft Computing. Springer, Berlin (2019)
4. Akram, M.: Bipolar fuzzy graphs. *Inf. Sci.* **181**, 5548–5564 (2011)
5. Akram, M.: Bipolar fuzzy graphs with applications. *Knowl. Based Syst.* **39**, 1–8 (2013)
6. Akram, M.: Bipolar fuzzy soft Lie algebras. *Quasigroups Relat. Syst.* **21**, 11–18 (2013)
7. Akram, M.: Single-valued neutrosophic planar graphs. *Int. J. Algebr. Stat.* **5**(2), 157–167 (2016)
8. Akram, M., Alshehri, N., Davvaz, B., Ashraf, A.: Bipolar fuzzy digraphs in decision support systems. *J. Mult.-Valued Log. Soft Comput.* **27**, 531–551 (2016)
9. Akram, M., Arshad, M., Shumaiza: Fuzzy rough graph theory with applications. *Int. J. Comput. Intell. Syst.* **12**(1), 90–107 (2018)
10. Akram, M., Ashraf, A., Sarwar, M.: Novel applications of intuitionistic fuzzy digraphs in decision support systems. *Sci. World J.* **2014**, 1–11 (2014)
11. Akram, M., Davvaz, B.: Strong intuitionistic fuzzy graphs. *FILOMAT* **26**(1), 177–196 (2012)
12. Akram, M., Davvaz, B., Feng, F.: Intuitionistic fuzzy soft *K*-algebras. *Math. Comput. Sci.* **7**(3), 353–365 (2013)
13. Akram, M., Davvaz, B., Feng, F.: Fuzzy soft Lie algebras. *J. Mult.-Valued Log. Soft Comput.* **24**(5–6), 501–520 (2015)
14. Akram, M., Dudek, W.A.: Interval-valued fuzzy graphs. *Comput. Math. Appl.* **61**, 289–299 (2011)
15. Akram, M., Dudek, W.A.: Regular bipolar fuzzy graphs. *Neural Comput. Appl.* **21**, 197–205 (2012)
16. Akram, M., Dudek, W.A.: Intuitionistic fuzzy hypergraphs with applications. *Inf. Sci.* **218**, 182–193 (2013)
17. Akram, M., Feng, F.: Soft intersection Lie algebras. *Quasigroups Relat. Syst.* **21**, 1–10 (2013)
18. Akram, M., Feng, F., Saeid, A.B., Leoreanu-Fotea, V.: A new multiple criteria decision-making method based on bipolar fuzzy soft graphs. *Iran. J. Fuzzy Syst.* **15**(4), 73–92 (2018)
19. Akram, M., Feng, F., Sarwar, S., Jun, Y.B.: Certain types of vague graphs. *Univ. Politeh. Buchar. Sci. Bull. Ser. A* **76**(1), 141–154 (2014)
20. Akram, M., Karunambigai, M.G., Kalaivani, O.K.: Some metric aspects of intuitionistic fuzzy graphs. *World Appl. Sci. J.* **17**, 1789–1801 (2012)

21. Akram, M., Luqman, A.: Certain network models using single-valued neutrosophic directed hypergraphs. *J. Intell. Fuzzy Syst.* **33**(1), 575–588 (2017)
22. Akram, M., Luqman, A.: Bipolar neutrosophic hypergraphs with applications. *J. Intell. Fuzzy Syst.* **33**(3), 1699–1713 (2017)
23. Akram, M., Luqman, A.: Intuitionistic single-valued neutrosophic hypergraphs. *OPSEARCH* **54**(4), 799–815 (2017)
24. Akram, M., Luqman, A.: A new decision-making method based on bipolar neutrosophic directed hypergraphs. *J. Appl. Math. Comput.* (2017). <https://doi.org/10.1007/s12190-017-1121-4>
25. Akram, M., Nasir, M.: Concepts of interval-valued neutrosophic graphs. *Int. J. Algebr. Stat.* **6**(1–2), 22–41 (2017)
26. Akram, M., Nasir, M.: Interval-valued neutrosophic competition graphs. *Ann. Fuzzy Math. Inform.* **14**(1), 99–120 (2017)
27. Akram, M., Nawaz, S.: Operations on soft graphs. *Fuzzy Inf. Eng.* **7**(4), 423–449 (2015)
28. Akram, M., Nawaz, S.: On fuzzy soft graphs. *Ital. J. Pure Appl. Math.* **34**, 497–514 (2015)
29. Akram, M., Nawaz, S.: Certain types of soft graphs. *Sci. Bull. Univ. Politeh. Buchar. Ser. A* **78**(4), 67–82 (2016)
30. Akram, M., Nawaz, S.: Fuzzy soft graphs with applications. *J. Intell. Fuzzy Syst.* **30**(6), 3619–3632 (2016)
31. Akram, M., Sarwar, M.: Novel applications of m-polar fuzzy competition graphs in decision support system. *Neural Comput. Appl.* **30**(10), 3145–3165 (2018)
32. Akram, M., Sarwar, M.: Transversals of m-polar fuzzy hypergraphs with applications. *J. Intell. Fuzzy Syst.* **33**(2), 351–364 (2017)
33. Akram, M., Sayed, S., Smarandache, F.: Neutrosophic incidence graphs with application. *Axioms* **7**(3), 47 (2018)
34. Akram, M., Shahzadi, G.: Operations on single-valued neutrosophic graphs. *J. Uncertain Syst.* **11**(3), 176–196 (2017)
35. Akram, M., Shahzadi, G., Borumand Saeid, A.: An application of single-valued neutrosophic sets in medical diagnosis. *Neutrosophic Sets Syst.* **18**, 80–88 (2017)
36. Akram, M., Shahzadi, S.: Neutrosophic soft graphs with application. *J. Intell. Fuzzy Syst.* **32**(1), 841–858 (2017)
37. Akram, M., Shahzadi, S.: Representation of graphs using intuitionistic neutrosophic soft sets. *J. Math. Anal.* **7**(6), 31–53 (2016)
38. Akram, M., Shahzadi, S.: Single-valued neutrosophic hypergraphs. *TWMS J. Appl. Eng. Math.* (2018). <https://doi.org/10.26837/jaem.377615>
39. Akram, M., Shahzadi, S.: Novel intuitionistic fuzzy soft multiple-attribute decision-making methods. *Neural Comput. Appl.* **29**(7), 435–447 (2018)
40. Akram, M., Shahzadi, S., Smarandache, F.: Multi-attribute decision-making method based on neutrosophic soft rough information. *Axioms* **7**, 19 (2018)
41. Akram, M., Shumaiza, Arshad, M.: A new approach based on fuzzy rough digraphs for decision-making. *J. Intell. Fuzzy Syst.* **35**(2), 2105–2121 (2018)
42. Akram, M., Shum, K.P.: Bipolar neutrosophic planar graphs. *J. Math. Res. Appl.* **36**(6), 631–648 (2017)
43. Akram, M., Siddique, S.: Neutrosophic competition graphs with applications. *J. Intell. Fuzzy Syst.* **33**(2), 921–935 (2017)
44. Akram, M., Siddique, S., Davvaz, B.: New Concepts in neutrosophic graphs with application. *J. Appl. Math. Comput.* (2017). <https://doi.org/10.1007/s12190-017-1106-3>
45. Akram, M., Siddique, S., Shum, K.P.: Certain properties of bipolar neutrosophic graphs. *Southeast Asian Bull. Math.* **42**, 463–490 (2018)
46. Akram, M., Siddique, S.: Certain single-valued neutrosophic graphs. *J. Fuzzy Math.* **26**(3), 593–614 (2018)
47. Akram, M., Zafar, F.: On soft trees. *Buletinul Academiei de Stiinte a Republicii Moldova* **2**(78), 82–95 (2015)
48. Akram, M., Zafar, F.: Fuzzy soft trees. *Southeast Asian Bull. Math.* **40**, 151–170 (2016)

49. Akram, M., Zafar, F.: Rough fuzzy digraphs with applications. *J. Appl. Math. Comput.* (2018). <https://doi.org/10.1007/s12190-018-1171-2>
50. Akram, M., Zafar, F.: Multi-criteria decision-making methods under soft rough fuzzy knowledge. *J. Intell. Fuzzy Syst.* **35**(3), 3507–3528 (2018)
51. Akram, M., Zafar, F.: A new approach to compute measures of connectivity in rough fuzzy network models. *J. Intell. Fuzzy Syst.* (2018). <https://doi.org/10.3233/JIFS-181751>
52. Aktas, H., Cagman, N.: Soft sets and soft groups. *Inf. Sci.* **177**, 2726–2735 (2007)
53. Al-Hawary, T.: Complete fuzzy graphs. *Int. J. Math. Comb.* **4**, 26–34 (2011)
54. Alcantud, J.C.R.: A novel algorithm for fuzzy soft set based decision making from multiobserver input parameter data set. *Inf. Fusion* **29**, 142–148 (2016)
55. Alcantud, J.C.R.: Some formal relationships among soft sets, fuzzy sets, and their extensions. *Int. J. Approx. Reason.* **68**, 45–53 (2016)
56. Alcantud, J.C.R., Santos-García, G.: A new criterion for soft set based decision making problems under incomplete information. *Int. J. Comput. Intell. Syst.* **10**, 394–404 (2017)
57. Alcantud, J.C.R., Santos-García, G., Galilea, E.H.: Glaucoma diagnosis: a soft set based decision making procedure. *Lecture Notes in Artificial Intelligence*, pp. 49–60 (2015)
58. Alcantud, J.C.R., Torra, V.: Decomposition theorems and extension principles for hesitant fuzzy sets. *Inf. Fusion* **41**, 48–56 (2018)
59. Ali, M.I.: A note on soft sets, rough soft sets and fuzzy soft sets. *Appl. Soft Comput.* **11**(4), 3329–3332 (2011)
60. Ali, M.I., Feng, F., Liu, X.Y., Min, W.K., Shabir, M.: On some new operations in soft set theory. *Comput. Math. Appl.* **57**(9), 1547–1553 (2009)
61. Atanassov, K.T.: Intuitionistic fuzzy sets. In: VII ITKR's Session, Deposited in Central for Science-Technical Library of Bulgarian Academy of Sciences, 1697/84, Sofia, Bulgaria(Bulgarian) (1983)
62. Atanassov, K.T.: Intuitionistic fuzzy sets. *Fuzzy Sets Syst.* **20**, 87–96 (1986)
63. Atanassov, K.T.: Intuitionistic Fuzzy Sets: Theory and Applications. *Studies in Fuzziness and Soft Computing*. Physica-Verlag, Heidelberg (1999)
64. Atanassov, K.T., Pasi, G., Yager, R.: Intuitionistic fuzzy interpretations of multi-criteria multi-person and multi-measurement tool decision making. *Int. J. Syst. Sci.* **36**(14), 859–868 (2007)
65. Babitha, K.V., Sunil, J.J.: Soft set relations and functions. *Comput. Math. Appl.* **60**, 1840–1849 (2010)
66. Banerjee, M., Pal, S.K.: Roughness of a fuzzy set. *Inf. Sci.* **93**, 235–246 (1996)
67. Bao, Y.L., Yang, H.L.: On single valued neutrosophic refined rough set model and its application. *J. Intell. Fuzzy Syst.* **33**(2), 1235–1248 (2017)
68. Bashir, M., Salleh, A.R., Alkhalzaleh, S.: Possibility intuitionistic fuzzy soft set. *Adv. Decis. Sci.* **2012**, 1–24 (2012)
69. Basu, T.M., Mahapatra, N.K., Mondal, S.K.: Different types of matrices in intuitionistic fuzzy soft set theory and their application in predicting terrorist attack. *Int. J. Manag. IT Eng.* **2**(9), 73–105 (2012)
70. Bhattacharya, P.: Some remarks on fuzzy graphs. *Pattern Recognit. Lett.* **6**, 297–302 (1987)
71. Bhutani, K.R.: On automorphism of fuzzy graphs. *Pattern Recognit. Lett.* **9**, 159–162 (1989)
72. Bhutani, K.R., Battou, A.: On M-strong fuzzy graphs. *Inf. Sci.* **155**, 103–109 (2003)
73. Bhutani, K.R., Moderson, J.N., Rosenfeld, A.: On degrees of end nodes and cut nodes in fuzzy graphs. *Iran. J. Fuzzy Syst.* **1**(1), 57–64 (2004)
74. Bhutani, K.R., Rosenfeld, A.: Strong arcs in fuzzy graphs. *Inf. Sci.* **152**, 319–322 (2003)
75. Binu, M., Mathew, S., Mordeson, J.N.: Connectivity index of a fuzzy graph and its application to human trafficking. *Fuzzy Sets Syst.* (2018). <https://doi.org/10.1016/j.fss.2018.06.007>
76. Biswas, R.: On rough sets and fuzzy rough sets. *Bull. Pol. Acad. Sci. Math.* **42**(4), 345–350 (1994)
77. Biswas, R.: On rough fuzzy sets. *Bull. Pol. Acad. Sci. Math.* **42**(4), 351–356 (1994)
78. Broumi, S., Smarandache, F.: Intuitionistic neutrosophic soft set. *J. Inf. Comput. Sci.* **8**(2), 130–140 (2013)

79. Broumi, S., Smarandache, F.: Interval-valued neutrosophic soft rough sets. *Int. J. Comput. Math.* (2015)
80. Broumi, S., Smarandache, F., Dhar, M.: Rough neutrosophic sets. *Neutrosophic Sets Syst.* **3**, 62–67 (2014)
81. Broumi, S., Talea, M., Bakali, A., Smarandache, F.: Single-valued neutrosophic graphs. *J. New Theory* **10**, 86–101 (2016)
82. Burillo, P.J., Bustince, H.: Intuitionistic fuzzy relations (Part I). *Mathw. Soft Comput.* **2**(1), 5–38 (1995)
83. Burillo, P.J., Bustince, H.: Intuitionistic fuzzy relations (Part II). Effect of Atanassov's operators on the properties of the intuitionistic fuzzy relations. *Mathw. Soft Comput.* **2**(2), 117–148 (1995)
84. Cagman, N., Enginoglu, S.: Soft matrix theory and its decision making. *Comput. Math. Appl.* **59**(10), 3308–3314 (2010)
85. Cagman, N., Enginoglu, S., Citak, F.: Fuzzy soft set theory and its applications. *Iran. J. Fuzzy Syst.* **8**(3), 137–147 (2011)
86. Cagman, N., Karatas, S.: Intuitionistic fuzzy soft set theory and its decision making. *J. Intell. Fuzzy Syst.* **24**(4), 829–836 (2013)
87. Chakrabarty, K., Biswas, R., Nanda, S.: Fuzziness in rough sets. *Fuzzy Sets Syst.* **110**, 247–251 (2000)
88. Cornelis, C., De Cock, M., Kerre, E.E.: Intuitionistic fuzzy rough sets: at the crossroads of imperfect knowledge. *Expert Syst.* **20**(5), 260–270 (2003)
89. Corsini, P., Leoreanu-Fotea, V.: Fuzzy sets and join spaces associated with rough sets. *Rendiconti del Circolo Matematico di Palermo* **51**(3), 527–536 (2002)
90. Darabian, E., Borzooei, R.A.: Results on vague graphs with applications in human trafficking. *New Math. Nat. Comput.* **14**(1), 37–52 (2018)
91. Das, M., Chakraborty, M.K., Ghoshal, T.K.: Fuzzy tolerance relation, fuzzy tolerance space and basis. *Fuzzy Sets Syst.* **97**(3), 361–369 (1998)
92. Delgado, M., Verdegay, J.L., Vila, M.A.: On fuzzy tree definition. *Eur. J. Oper. Res.* **22**(2), 243–249 (1985)
93. Deli, I., Ali, M., Smarandache, F.: Bipolar neutrosophic sets and their application based on multi-criteria decision making problems. In: *IEEE International Conference on Advanced Mechatronic Systems*, pp. 249–254 (2015)
94. Deli, I., Broumi, S.: Neutrosophic soft relations and some properties. *Ann. Fuzzy Math. Inform.* **9**(1), 169–182 (2015)
95. Deli, I., Cagman, N.: Intuitionistic fuzzy parameterized soft set theory and its decision making. *Appl. Soft Comput.* **28**(4), 109–113 (2015)
96. Dhavaseelan, R., Vikramaprasad, R., Krishnaraj, V.: Certain types of neutrosophic graphs. *Int. J. Math. Sci. Appl.* **5**(2), 333–339 (2015)
97. Dinda, B., Samanta, T.K., Vidyapith, M.R.: Relations on intuitionistic fuzzy soft sets. *Gen. Math. Notes* **1**(2), 74–83 (2010)
98. Dinesh, T.: Fuzzy incidence graph-an introduction. *Adv. Fuzzy Sets Syst.* **21**(1), 33–48 (2016)
99. Dubois, D., Prade, H.: Rough fuzzy sets and fuzzy rough sets. *Int. J. Gen. Syst.* **17**, 191–209 (1990)
100. Feng, F.: Generalized rough fuzzy sets based on soft sets. In: *Proceedings of the First International Workshop on Intelligent Systems and Applications, ISA'2009, Wuhan, China, 23–24 May 2009*, pp. 825–828 (2009)
101. Feng, F.: Soft rough sets applied to multicriteria group decision making. *Ann. Fuzzy Math. Inform.* **2**(1), 69–80 (2011)
102. Feng, F., Akram, M., Davvaz, B., Fotea, V.L.: Attribute analysis of information systems based on elementary soft implications. *Knowl. Based Syst.* **70**, 281–292 (2014)
103. Feng, F., Ali, M.I., Shabir, M.: Soft relations applied to semigroups. *FILOMAT* **27**(7), 1183–1196 (2013)
104. Feng, F., Li, Y.: Soft subsets and soft product operations. *Inf. Sci.* **232**, 44–57 (2013)

105. Feng, F., Li, C., Davvaz, B., Ali, M.I.: Soft sets combined with fuzzy sets and rough sets: a tentative approach. *Soft Comput.* **14**(9), 899–911 (2010)
106. Feng, F., Li, Y., Fotea, V.L.: Application of level soft sets in decision making based on interval-valued fuzzy soft sets. *Comput. Math. Appl.* **60**(6), 1756–1767 (2010)
107. Feng, F., Liu, X., Fotea, V.L., Jun, Y.B.: Soft sets and soft rough sets. *Inf. Sci.* **181**(6), 1125–1137 (2011)
108. Feng, F., Jun, Y.B., Liu, X.Y., Li, L.F.: An adjustable approach to fuzzy soft set based decision making. *J. Comput. Appl. Math.* **234**, 10–20 (2010)
109. Feng, F., Pedrycz, W.: On scalar products and decomposition theorems of fuzzy soft sets. *J. Mult.-Valued Log. Soft Comput.* **25**, 45–80 (2015)
110. Gani, A.N., Begum, S.S.: Degree, order and size in intuitionistic fuzzy graphs. *Int. J. Algorithms Comput. Math.* **3**(3), 11–16 (2010)
111. Gau, W.L., Buehrer, D.J.: Vague sets. *IEEE Trans. Syst. Man Cybern.* **23**(2), 610–614 (1993)
112. Gong, K., Xiao, Z., Zhang, X.: Exclusive disjunctive soft sets. *Comput. Math. Appl.* **60**, 2270–2278 (2010)
113. Guo, Z.L., Yang, H.L., Wang, J.: Rough set over dual-universes in intuitionistic fuzzy approximation space and its application. *J. Intell. Fuzzy Syst.* **28**(1), 169–178 (2015)
114. Habib, S., Akram, M., Ashraf, A.: Fuzzy climate decision support systems for tomatoes in high tunnels. *Int. J. Fuzzy Syst.* **19**(3), 751–775 (2017)
115. Hammack, R., Imrich, W., Klavzar, S.: *Handbook of Product Graphs*. CRC Press, Boca Raton (2011)
116. Huang, B., Guo, C., Zhuang, Y.L., Li, H., Zhou, X.: Intuitionistic fuzzy multigranulation rough sets. *Inf. Sci.* **277**(1), 299–320 (2014)
117. Ishfaq, N., Sayed, S., Akram, M., Smarandache, F.: Notions of rough neutrosophic digraphs. *Mathematics* **6**(2), 18 (2018)
118. Jiang, Y., Tang, Y., Chen, Q.: An adjustable approach to intuitionistic fuzzy soft sets based decision making. *Appl. Math. Model.* **35**(2), 824–836 (2011)
119. Jiang, Y., Tang, Y., Chen, Q., Wang, J., Tang, S.: Extending soft sets with description logics. *Comput. Math. Appl.* **59**, 2087–2096 (2010)
120. Karaaslan, F.: Neutrosophic soft sets with applications in decision making. *Int. J. Inf. Sci. Intell. Syst.* **4**(2), 1–20 (2015)
121. Karaaslan, F., Davvaz, B.: Properties of single-valued neutrosophic graphs. *J. Intell. Fuzzy Syst.* **34**(1), 57–79 (2018)
122. Karunambigai, M.G., Palanivel, K., Sivasankar, S.: Edge regular intuitionistic fuzzy graph. *Adv. Fuzzy Sets Syst.* **20**(1), 25–46 (2015)
123. Karunambigai, M.G., Parvathi, R., Buvanewari, R.: Arc in intuitionistic fuzzy graphs. *Notes Intuitionistic Fuzzy Sets* **17**, 37–47 (2011)
124. Kauffman, A.: *Introduction a la Theorie des Sous-ensembles Flous*. Masson et Cie, vol. 1 (1973)
125. Kiran, R.B.: On automorphisms of fuzzy graphs. *Pattern Recognit. Lett.* **9**(3), 159–162 (1989)
126. Koczy, L.T.: Fuzzy graphs in the evaluation and optimization of networks. *Fuzzy Sets Syst.* **46**(3), 307–319 (1992)
127. Lee-kwang, H.: *First Course on Fuzzy Theory and Applications*. Springer Science and Business Media, New York (2006)
128. Leoreanu-Fotea, V.: The lower and upper approximations in a hypergroup. *Inf. Sci.* **178**(18), 3605–3615 (2008)
129. Leoreanu-Fotea, V.: Fuzzy rough n-ary subhypergroups. *Iran. J. Fuzzy Syst.* **5**(3), 45–56 (2008)
130. Leoreanu-Fotea, V., Feng, F., Zhan, J.: Fuzzy soft hypergroups. *Int. J. Comput. Math.* **89**(8), 963–974 (2012)
131. Liu, G.L.: Rough set theory based on two universal sets and its applications. *Knowl. Based Syst.* **23**(2), 110–115 (2010)
132. Liu, P.: Multiple attribute group decision making method based on interval-valued intuitionistic fuzzy power Heronian aggregation operators. *Comput. Ind. Eng.* **108**, 199–212 (2017)

133. Liu, P., Chen, S.M.: Group decision making based on Heronian aggregation operators of intuitionistic fuzzy numbers. *IEEE Trans. Cybern.* **47**(9), 2514–2530 (2017)
134. Liu, P., Chen, S.M.: Multiattribute group decision making based on intuitionistic 2-tuple linguistic information. *Inf. Sci.* **430–431**, 599–619 (2018)
135. Liu, P., Chen, S.M., Liu, J.: Multiple attribute group decision making based on intuitionistic fuzzy interaction partitioned Bonferroni mean operators. *Inf. Sci.* **411**, 98–121 (2017)
136. Liu, P., Liu, J.: Some q-Rung Orthopair fuzzy Bonferroni mean operators and their application to multi-attribute group decision making. *Int. J. Intell. Syst.* **33**(2), 315–347 (2018)
137. Liu, P., Liu, J., Merigo, J.M.: Partitioned Heronian means based on linguistic intuitionistic fuzzy numbers for dealing with multi-attribute group decision making. *Appl. Soft Comput.* **62**, 395–422 (2018)
138. Liu, P., Wang, P.: Some q-Rung orthopair fuzzy aggregation operators and their applications to multiple-attribute decision making. *Int. J. Intell. Syst.* **33**(2), 259–280 (2018)
139. Ma, X., Liu, Q., Zhan, J.: A survey of decision making methods based on certain hybrid soft set models. *Artif. Intell. Rev.* **47**, 507–530 (2017)
140. Ma, X., Zhan, J., Ali, M.I., Mehmood, N.: A survey of decision making methods based on two classes of hybrid soft set models. *Artif. Intell. Rev.* **49**(4), 511–529 (2018)
141. Ma, X., Zhan, J., Jun, Y.B.: Soft R_0 -algebras based on fuzzy sets. *J. Mult.-Valued Log. Soft Comput.* **19**(5–6), 547–563 (2012)
142. Maji, P.K., Biswas, R., Roy, A.R.: Soft set theory. *Comput. Math. Appl.* **45**(4–5), 555–562 (2003)
143. Maji, P.K., Biswas, R., Roy, A.R.: Fuzzy soft sets. *J. Fuzzy Math.* **9**(3), 589–602 (2001)
144. Maji, P.K., Roy, A.R., Biswas, R.: An application of soft sets in a decision making problem. *Comput. Math. Appl.* **44**, 1077–1083 (2002)
145. Majumdar, P., Samanta, S.K.: Generalised fuzzy soft sets. *Comput. Math. Appl.* **59**(4), 1425–1432 (2010)
146. Maji, P.K., Biswas, R., Roy, A.R.: Intuitionistic fuzzy soft sets. *J. Fuzzy Math.* **9**(3), 677–692 (2001)
147. Majumdar, P., Samanta, S.K.: Similarity measure of soft sets. *New Math. Nat. Comput.* **4**(1), 1–12 (2008)
148. Malik, H.M., Akram, M.: A new approach based on intuitionistic fuzzy rough graphs for decision-making. *J. Intell. Fuzzy Syst.* **34**(4), 2325–2342 (2018)
149. Malik, H.M., Akram, M., Smarandache, F.: Soft rough neutrosophic influence graphs with application. *Mathematics* **6**(7), 1–37 (2018)
150. Mathew, S., Mordeson, J.N.: Fuzzy influence graphs. *New Math. Nat. Comput.* **13**(3), 311–325 (2017)
151. Mathew, S., Sunitha, M.S.: Types of arcs in a fuzzy graph. *Inf. Sci.* **179**, 1760–1768 (2009)
152. Mathew, S., Sunitha, M.: Strongest strong cycles and θ -fuzzy graphs. *IEEE Trans. Fuzzy Syst.* **21**(6), 1096–1104 (2013)
153. Meng, D., Zhang, X., Qin, K.: Soft rough fuzzy sets and soft fuzzy rough sets. *Comput. Math. Appl.* **62**(12), 4635–4645 (2011)
154. Molodtsov, D.A.: Soft set theory—first results. *Comput. Math. Appl.* **37**, 19–31 (1999)
155. Molodtsov, D.A.: *The Theory of Soft Sets*. URSS Publishers, Moscow (2004). (in Russian)
156. Mordeson, J.N.: Fuzzy incidence graphs. *Adv. Fuzzy Sets Syst.* **21**(2), 121–133 (2016)
157. Mordeson, J.N., Mathew, S.: Non-deterministic flow in fuzzy networks and its application in identification of human trafficking chains. *New Math. Nat. Comput.* **3**, 1–13 (2017)
158. Mordeson, J.N., Mathew, S., Malik, D.S.: *Fuzzy Graph Theory with Applications to Human Trafficking. Studies in Fuzziness and Soft Computing*. Physica Verlag, Heidelberg (2018)
159. Mordeson, J.N., Nair, P.S.: Cycles and cocycles of fuzzy graphs. *Inf. Sci.* **90**(1–4), 39–49 (1996)
160. Mordeson, J.N., Nair, P.S.: Successor and source of (fuzzy) finite state machines and (fuzzy)directed graphs. *Inf. Sci.* **95**(1–2), 113–124 (1996)
161. Mordeson, J.N., Nair, P.S.: *Fuzzy Graphs and Fuzzy Hypergraphs*. Physica Verlag, Heidelberg (1998). 2nd edn. (2001)

162. Mordeson, J.N., Peng, C.S.: Operations on fuzzy graphs. *Inf. Sci.* **79**, 159–170 (1994)
163. Morsi, N.N., Yakout, M.M.: Axiomatics for fuzzy rough sets. *Fuzzy Sets Syst.* **100**(1–3), 327–342 (1998)
164. Nagoorgani, A.: Properties of μ -complement of a fuzzy graph. *Int. J. Algorithms Comput. Math.* **2**(3), 73–83 (2009)
165. Nagoorgani, A., Begum, S.S.: Degree, order, size in intuitionistic fuzzy graphs. *Int. J. Algorithms Comput. Math.* **3**(3), 11–16 (2010)
166. Nagoorgani, A., Latha, S.R.: On irregular fuzzy graphs. *Appl. Math. Sci.* **6**(11), 517–523 (2012)
167. Nagoorgani, A., Radha, K.: The degree of a vertex in some fuzzy graphs. *Int. J. Algorithms Comput. Math.* **2**(3), 107–116 (2009)
168. Nagoorgani, A., Radha, K.: On regular fuzzy graphs. *J. Phys. Sci.* **12**, 33–40 (2010)
169. Nakamura, A.: Fuzzy rough sets. *Note Mult.-Valued Log. Jpn.* **9**(8), 1–8 (1988)
170. Nanda, S.: Fuzzy rough sets. *Fuzzy Sets Syst.* **45**, 157–160 (1992)
171. Nandhini, S.P., Nandhini, E.: Strongly irregular fuzzy graphs. *Int. J. Math. Arch.* **5**(5), 110–114 (2014)
172. Naz, S., Akram, M., Smarandache, F.: Certain notions of energy in single-valued neutrosophic graphs. *Axioms* **7**(3), 50 (2018)
173. Nicoletti, M.C., Uchoa, J.Q., Baptistini, M.T.Z.: Rough relation properties. *Int. J. Appl. Math. Comput. Sci.* **11**(3), 621–635 (2001)
174. Parvathi, R., Karunambigai, M.G.: *Intuitionistic fuzzy graphs. Computational Intelligence, Theory and Applications.* Springer, Berlin (2006)
175. Parvathi, R., Karunambigai, M.G., Atanassov, K.T.: Operations on intuitionistic fuzzy graphs. In: *IEEE International Conference on Fuzzy Systems, FUZZ-IEEE 2009*, pp. 1396–1401 (2009)
176. Pasi, G., Yager, R., Atanassov, K.T.: Intuitionistic fuzzy graph interpretations of multi-person multi-criteria decision making: generalized net approach. In: *2nd International IEEE Conference on Intelligent Systems, Proceedings*, vol. 2, pp. 434–439 (2004)
177. Pawlak, Z.: Rough sets. *Int. J. Comput. Inf. Sci.* **11**(5), 341–356 (1982)
178. Pawlak, Z.: Rough sets and fuzzy sets. *Fuzzy Sets Syst.* **17**, 99–102 (1985)
179. Pawlak, Z.: Rough sets, rough relations and rough functions. *Fundamenta Informaticae* **27**(2), 103–108 (1996)
180. Pei, D.W., Xu, Z.B.: Transformation of rough set models. *Knowl. Based Syst.* **20**(8), 745–751 (2007)
181. Polkowski, L.: *Rough Sets - Mathematical Foundations.* Springer, Berlin (2002)
182. Qin, K.Y., Hong, Z.Y.: On soft equality. *J. Comput. Appl. Math.* **234**, 1347–1355 (2010)
183. Qin, J., Liu, X., Pedrycz, W.: Hesitant fuzzy Maclaurin symmetric mean operators and its application to multiple-attribute decision making. *Int. J. Fuzzy Syst.* **17**(4), 509–520 (2015)
184. Radha, K., Arumugam, S.: On lexicographic products of two fuzzy graphs. *Int. J. Fuzzy Math. Arch.* **7**(2), 169–176 (2015)
185. Radha, K., Arumugam, S.: On strong product of two fuzzy graphs. *Int. J. Sci. Res. Publ.* **4**(10), 1–6 (2014)
186. Rao, R.V.: A decision-making framework model for evaluating flexible manufacturing systems using digraph and matrix methods. *Int. J. Adv. Manuf. Technol.* **30**(11–12), 1101–1110 (2006)
187. Rashmanlou, H., Samanta, S., Pal, M., Borzooei, R.A.: Bipolar fuzzy graphs with categorical properties. *Int. J. Comput. Intell. Syst.* **8**(5), 808–818 (2015)
188. Rosenfeld, A.: Fuzzy graphs. In: Zadeh, L.A., Fu, K.S., Shimura, M. (eds.) *Fuzzy Sets and Their Applications*, pp. 77–95. Academic Press, New York (1975)
189. Roy, A.R., Maji, P.K.: A fuzzy soft set theoretic approach to decision making problems. *J. Comput. Appl. Math.* **203**(2), 412–418 (2007)
190. Samanta, S., Akram, M., Pal, M.: m -step fuzzy competition graphs. *J. Appl. Math. Comput.* **47**(1–2), 461–472 (2015)
191. Sarkar, B., Samanta, S.: Generalized fuzzy trees. *Int. J. Comput. Intell. Syst.* **10**, 711–720 (2017)

192. Sarwar, M., Akram, M.: An algorithm for computing certain metrics in intuitionistic fuzzy graphs. *J. Intell. Fuzzy Syst.* **30**(4), 2405–2416 (2016)
193. Sarwar, M., Akram, M.: Novel concepts bipolar fuzzy competition graphs. *J. Appl. Math. Comput.* **54**, 511–547 (2017)
194. Sarwar, M., Akram, M., Zafar, F.: Decision making approach based on competition graphs and extended TOPSIS method under bipolar fuzzy environment. *Math. Comput. Appl.* **23**(4), 1–17 (2018)
195. Shahzadi, S., Akram, M.: Edge regular intuitionistic fuzzy soft graphs. *J. Intell. Fuzzy Syst.* **31**(3), 1881–1895 (2016)
196. Shahzadi, S., Akram, M.: Intuitionistic fuzzy soft graphs with applications. *Axioms* **7**(2) (2018). <https://doi.org/10.3390/axioms7020020>
197. Shahzadi, S., Akram, M.: Graphs in an intuitionistic fuzzy soft environment. *J. Appl. Math. Comput.* **55**(1–2), 369–392 (2017)
198. Singh, P.K., Kumar, C.A.: Bipolar fuzzy graph representation of concept lattice. *Inf. Sci.* **288**, 437–448 (2014)
199. Smarandache, F.: *A Unifying Field in Logics: Neutrosophic Logic*. American Research Press, Rehoboth (1995)
200. Smarandache, F.: *Neutrosophy Neutrosophic Probability, Set and Logic*. American Research Press, Rehoboth (1998)
201. Smarandache, F.: *A unifying field in logics. Neutrosophy: Neutrosophic Probability, Set and Logic*. American Research Press, Rehoboth (1999)
202. Smarandache, F.: Neutrosophic set-a generalization of the intuitionistic fuzzy set. *Int. J. Pure Appl. Math.* **24**(3), 287 (2005)
203. Som, T.: On the theory of soft sets, soft relation and fuzzy soft relation. In: *Proceedings of the National Conference on Uncertainty: A Mathematical Approach, UAMA-06, Burdwan*, pp. 1–9 (2006)
204. Sun, B.Z., Ma, W.: Soft fuzzy rough sets and its application in decision making. *Artif. Intell. Rev.* **41**(1), 67–80 (2014)
205. Sun, B.Z., Ma, W., Liu, Q.: An approach to decision making based on intuitionistic fuzzy rough sets over two universes. *J. Oper. Res. Soc.* **64**(7), 1079–1089 (2013)
206. Sun, B.Z., Ma, W., Qian, Y.: Multigranulation fuzzy rough set over two universes and its application to decision making. *Knowl. Based Syst.* **123**, 61–74 (2017)
207. Sun, B.Z., Ma, W., Xiao, X.: Three-way group decision making based on multigranulation fuzzy decision-theoretic rough set over two universes. *Int. J. Approx. Reason.* **81**, 87–102 (2017)
208. Sunitha, M.S., Vijayakumar, A.: A characterization of fuzzy trees. *Inf. Sci.* **113**(3–4), 293–300 (1999)
209. Sunitha, M.S., Vijayakumar, A.: Complement of a fuzzy graph. *Indian J. Pure Appl. Math.* **33**(9), 1451–1464 (2002)
210. Sut, D.K.: An application of fuzzy soft relation in decision making problems. *Int. J. Math. Trends Technol.* **3**(2), 50–53 (2012)
211. Thumbakara, R.K., George, B.: Soft graphs. *Gen. Math. Notes* **21**(2), 75–86 (2014)
212. Wang, H., Smarandache, F., Zhang, Y.Q., Sunderraman, R.: Single-valued neutrosophic sets. *Multispace Multistruct.* **4**, 410–413 (2010)
213. Wu, S.Y., Kao, Y.M.: The compositions of fuzzy digraphs. *J. Res. Educ. Sci.* **31**, 603–628 (1986)
214. Wu, W.Z., Mi, J.S., Zhang, W.X.: Composition of approximation spaces and its applications. *J. Eng. Math.* **19**(3), 86–94 (2002)
215. Wu, W.Z.: Intuitionistic fuzzy rough sets determined by intuitionistic fuzzy implicators. In: *2010 IEEE International Conference on Granular Computing*, pp. 536–540 (2010)
216. Xiao, Z., Gong, K., Xia, S.S., Zou, Y.: Exclusive disjunctive soft sets. *Comput. Math. Appl.* **59**, 2128–2137 (2010)
217. Xu, Z.S.: *Uncertain Multiple Attribute Decision Making, Methods and Applications*. Tsinghua University Press, Beijing (2004)

218. Xu, W., Liu, Y., Sun, W.: Intuitionistic fuzzy rough sets model based on (Θ, Φ) -operators. In: 9th International Conference on Fuzzy Systems, Knowledge Discovery, pp. 234–238 (2012)
219. Yang, H.L., Guo, Z.L.: Kernels and closures of soft set relations, and soft set relation mappings. *Comput. Math. Appl.* **61**(3), 651–662 (2011)
220. Yang, H.L., Li, S.G., Guo, Z.L., Ma, C.H.: Transformation of bipolar fuzzy rough set models. *Knowl. Based Syst.* **27**, 60–68 (2012)
221. Yang, H.L., Li, X., Wang, S., Wang, J.: Fuzzy probabilistic rough set model on two universes and its applications. *Int. J. Approx. Reason.* **54**(9), 1410–1420 (2013)
222. Yang, H.L., Li, S.G., Yang, W.H., Lu, Y.: Notes on bipolar fuzzy graphs. *Inf. Sci.* **242**, 113–121 (2013)
223. Yang, X., Lin, T.Y., Yang, J., Li, Y., Yu, D.: Combination of interval-valued fuzzy set and soft set. *Comput. Math. Appl.* **58**(3), 521–527 (2009)
224. Yang, Y., Tan, X., Meng, C.C.: The multi-fuzzy soft set and its application in decision making. *Appl. Math. Model.* **37**(7), 4915–4923 (2013)
225. Yao, Y.Y., Zhao, Y.: Attribute reduction in decision-theoretic rough set models. *Inf. Sci.* **178**(17), 3356–3373 (2008)
226. Zadeh, L.A.: Fuzzy sets. *Inf. Control* **8**(3), 338–353 (1965)
227. Zadeh, L.A.: Similarity relations and fuzzy orderings. *Inf. Sci.* **3**(2), 177–200 (1971)
228. Zadeh, L.A.: The concept of a linguistic variable and its application to approximate reasoning. *Inf. Sci.* **8**, 199–249 (1975)
229. Zafar, F., Akram, M.: A novel decision-making method based on rough fuzzy information. *Int. J. Fuzzy Syst.* **20**(3), 1000–1014 (2018)
230. Zhan, J., Alcantud, J.C.R.: A novel type of soft rough covering and its application to multicriteria group decision making. *Artif. Intell. Rev.* (2018). <https://doi.org/10.1007/s10462-018-9617-3>
231. Zhan, J., Alcantud, J.C.R.: A survey of parameter reduction of soft sets and corresponding algorithms. *Artif. Intell. Rev.* (2018). <https://doi.org/10.1007/s10462-017-9592-0>
232. Zhan, J., Ali, M.I., Mehmood, N.: On a novel uncertain soft set model: Z-soft fuzzy rough set model and corresponding decision making methods. *Appl. Soft Comput.* **56**, 446–457 (2017)
233. Zhan, J., Davvaz, B.: Notes on roughness in rings. *Inf. Sci.* **346–347**, 488–490 (2016)
234. Zhan, J., Liu, Q., Davvaz, B.: A new rough set theory: rough soft hemirings. *J. Intell. Fuzzy Syst.* **28**, 1687–1697 (2015)
235. Zhan, J., Liu, Q., Herawan, T.: A novel soft rough set: soft rough hemirings and its multicriteria group decision making. *Appl. Soft Comput.* **54**, 393–402 (2017)
236. Zhan, J., Malik, H.M., Akram, M.: Novel decision-making algorithms based on intuitionistic fuzzy rough environment. *Int. J. Mach. Learn. Cybern.* (2018). <https://doi.org/10.1007/s13042-018-0827-4>
237. Zhan, J., Sun, B., Alcantud, J.C.R.: Covering based multigranulation (I, T) -fuzzy rough set models and applications in multi-attribute group decision-making. *Inf. Sci.* **476**, 290–318 (2019)
238. Zhan, J., Wang, Q.: Certain types of soft coverings based rough sets with applications. *Int. J. Mach. Learn. Cybern.* (2018). <https://doi.org/10.1007/s13042-018-0785-x>
239. Zhan, J., Xu, W.: Two types of coverings based multigranulation rough fuzzy sets and applications to decision making. *Artif. Intell. Rev.* (2018). <https://doi.org/10.1007/s10462-018-9649-8>
240. Zhan, J., Zhu, K.: A novel soft rough fuzzy set: Z-soft rough fuzzy ideals of hemirings and corresponding decision making. *Soft Comput.* **21**(8), 1923–1936 (2017)
241. Zhang, W.R.: Bipolar fuzzy sets and relations: a computational framework for cognitive modeling and multiagent decision analysis. In: Fuzzy Information Processing Society Biannual Conference, 1994. Industrial Fuzzy Control and Intelligent Systems Conference, and the NASA Joint Technology Workshop on Neural Networks and Fuzzy Logic, IEEE, pp. 305–309 (1994)
242. Zhang, X., Dai, J., Yu, Y.: On the union and intersection operations of rough sets based on various approximation spaces. *Inf. Sci.* **292**, 214–229 (2015)

243. Zhang, H., Shu, L., Liao, S.: Intuitionistic fuzzy soft rough set and its application in decision making. *Abstr. Appl. Anal.* **2014**, 13 pp. (2014)
244. Zhang, H., Shu, L.: Generalized interval-valued fuzzy rough set and its application in decision making. *Int. J. Fuzzy Syst.* **17**(2), 279–291 (2015)
245. Zhang, H., Xiong, L., Ma, W.: Generalized intuitionistic fuzzy soft rough set and its application in decision making. *J. Comput. Anal. Appl.* **20**(4), 750–766 (2016)
246. Zhang, L., Zhan, J.: Novel classes of fuzzy soft β -coverings-based fuzzy rough sets with applications to multi-criteria fuzzy group decision making. *Soft Comput.* (2018). <https://doi.org/10.1007/s00500-018-3470-9>
247. Zhang, L., Zhan, J.: Fuzzy soft β -covering based fuzzy rough sets and corresponding decision-making applications. *Int. J. Mach. Learn. Cybern.* (2018). <https://doi.org/10.1007/s13042-018-0828-3>
248. Zhang, X., Zhou, B., Lic, P.: A general frame for intuitionistic fuzzy rough sets. *Inf. Sci.* **216**(20), 34–49 (2012)
249. Zhou, L., Wu, W.Z.: On generalerized intuitionistic fuzzy rough approximation operators. *Inf. Sci.* **178**(11), 2448–2465 (2008)
250. Zhu, K., Zhan, J.: Fuzzy parameterized fuzzy soft sets and decision making. *Int. J. Mach. Learn. Cybern.* **7**(6), 1207–1212 (2015)

Index

Symbols

- (r, \bar{r}) —regular, 282
- α —strong, 48, 249
- α —strong soft rough neutrosophic edge, 385, 403
- β —strong, 48, 249
- β —strong pair, 403
- β —strong soft rough neutrosophic edge, 386, 403
- δ —arc, 48, 249
- δ —strong pair, 404
- δ —strong soft rough neutrosophic edge, 386, 404
- δ^* —arc, 249
- δ^* —strong pair, 405
- δ^* —strong soft rough neutrosophic edge, 404
- μ —complement, 34, 103, 135, 358
- k —regular, 180
- r —regular fuzzy soft graph, 230
- r —totally regular fuzzy soft graph, 230

A

- Absolute intuitionistic fuzzy soft set, 262
- Algorithm, 63, 114, 348, 363
- Approximate function, 357
- Approximation operators, 79
- Automorphism, 40
- Average connectivity index, 58

B

- Bipolar fuzzy graph, 354
- Bipolar fuzzy soft class, 354
- Bipolar fuzzy soft graph, 354
- Bipolar fuzzy soft set, 354
- © Springer Nature Switzerland AG 2020

M. Akram and F. Zafar, *Hybrid Soft Computing Models Applied to Graph Theory*, Studies in Fuzziness and Soft Computing 380, <https://doi.org/10.1007/978-3-030-16020-3>

- Bridge, 384, 400
- Busy node, 179

C

- Cartesian product, 12, 86, 147, 225, 265, 337
- Choice value, 112
- Closed walk, 382
- Complement, 30, 98, 137, 169, 227, 262, 273, 354, 356
- Complete bipolar fuzzy soft graph, 356
- Complete fuzzy graph, 218
- Complete fuzzy soft graph, 218
- Complete intuitionistic fuzzy rough graph, 170
- Complete intuitionistic fuzzy soft graph, 275, 282
- Complete possibility intuitionistic fuzzy soft graph, 281
- Component, 397
- Composition, 23, 87, 165, 226, 269, 341
- Connected, 397
- Connected fuzzy subgraph, 213
- Connectivity enhancing vertex, 59
- Connectivity index, 55
- Connectivity reducing vertex, 58
- Counter property, 354
- Co-weak isomorphism, 39, 109, 172
- Cross product, 149, 224, 267
- Cutnode, 385, 401
- Cutpair, 401
- Cutvertex, 385
- Cycle, 382, 394, 397

D

- Decision, 254

Decision-making, 61, 111, 187, 254, 345
 Degree, 178
 Degree of an edge, 131
 Degree of a vertex, 130
 Degree of indeterminacy, 371
 Degree of membership, 129, 371
 Degree of nonmembership, 371
 Degree of uncertainty, 130
 Degree pair, 41, 178
 Diagram of a rough set, 3
 Directed path, 46
 Direct sum, 11, 334
 Disconnected, 50
 Ditre, 384

E

Edge regular, 285, 361
 Effective, 376
 Effective edge, 179
 Endomorphism, 40
 Equivalence relation, 2, 4

F

Forest, 399
 Free node, 179
 Full regular fuzzy soft graph, 234
 Fuzzy approximation space, 81
 Fuzzy bridge, 242
 Fuzzy cutnode, 244
 Fuzzy cutvertex, 52
 Fuzzy cycle, 241
 Fuzzy digraph, 2
 Fuzzy directed bridge, 51
 Fuzzy equivalence relation, 79
 Fuzzy graph, 2
 Fuzzy relation, 2
 Fuzzy rough digraph, 82
 Fuzzy rough relation, 82
 Fuzzy rough set, 2, 80, 81
 Fuzzy set, 2, 371
 Fuzzy soft bridge, 242
 Fuzzy soft cutnode, 244
 Fuzzy soft cycle, 241
 Fuzzy soft graph, 212
 Fuzzy soft subgraph, 216, 217
 Fuzzy soft tree, 238
 Fuzzy spanning subgraph, 238
 Fuzzy tolerance relation, 81

G

Geodesic, 48

H

Hesitation, 130
 Highly irregular, 43, 184, 292
 Highly irregular fuzzy graph, 236
 Highly irregular fuzzy soft graph, 236
 Homomorphism, 36, 106, 171
 Human trafficking, 71

I

Indegree, 40, 178
 Induced soft rough neutrosophic relation, 375
 Influence effective, 378
 Influence strength, 395
 Intersection, 11, 85, 140, 223, 333
 Intuitionistic fuzzy edge set, 130
 Intuitionistic fuzzy graph, 130
 Intuitionistic fuzzy relation, 130
 Intuitionistic fuzzy rough graph, 133
 Intuitionistic fuzzy rough relation, 132
 Intuitionistic fuzzy set, 129, 130, 371
 Intuitionistic fuzzy soft edge, 263
 Intuitionistic fuzzy soft graph, 262
 Intuitionistic fuzzy soft relation, 262
 Intuitionistic fuzzy soft set, 261, 262
 Intuitionistic fuzzy soft subgraph, 265
 Intuitionistic fuzzy soft vertex, 263
 Intuitionistic fuzzy vertex set, 130
 Irregular, 41, 184, 291
 Irregular fuzzy graph, 236
 Irregular fuzzy soft graph, 236
 Isolated, 170, 357
 Isomorphic, 37, 109
 Isomorphism, 37, 108, 172

J

Join, 143, 222, 272

L

Lexicographic product, 17, 89, 159, 224, 268
 Lower approximation, 4
 Lower edge, 393
 Lower non-influence edge, 393
 Lower pair, 393

M

MATLAB coding, 191
 Maximal product, 21, 338
 Maximum choice value, 62, 309
 Maximum degree, 179

Maximum edge degree, 286, 362
 Minimal dominating set, 118
 Minimum degree, 179
 Minimum edge degree, 286, 362
 Multi-attribute decision-making problem, 309
 Multi-criteria, 319, 346
 Multiple-criteria decision-making, 363

N

Neighbourly edge irregular, 296
 Neighbourly edge totally irregular, 296
 Neighbourly irregular, 43, 184, 291
 Neighbourly irregular fuzzy graph, 236
 Neighbourly irregular fuzzy soft graph, 236
 Neighbourly total irregular, 44, 293
 Neutral vertex, 59
 Neutrosophic power set, 374
 Neutrosophic sets, 371
 Null intuitionistic fuzzy soft set, 262

O

Operators, 3
 Order, 7, 83, 177, 218, 264, 330
 Outdegree, 41, 178

P

Partial, 53
 Partially regular fuzzy graph, 234
 Partially regular fuzzy soft graph, 234
 Pawlak approximation space, 2
 Pawlak rough set, 3
 Positive membership degree, 354
 Possibility intuitionistic fuzzy soft edge, 279
 Possibility intuitionistic fuzzy soft graph, 279
 Possibility intuitionistic fuzzy soft vertex, 279

R

Reference set, 4
 Regular, 180, 282, 361
 Regular fuzzy graph, 230
 Regular fuzzy soft graph, 230
 Rejection, 25, 94, 152, 342
 Relation, 212
 Residue product, 22, 340
 Ring sum, 124
 Rough fuzzy cutvertex, 52
 Rough fuzzy digraph, 6

Rough fuzzy directed block, 52
 Rough fuzzy directed bridge, 51
 Rough fuzzy end vertex, 48
 Rough fuzzy relation, 5
 Rough fuzzy set, 2, 3
 Rough fuzzy subdigraph, 53
 Rough set, 2

S

Satisfaction degree, 354
 Score function, 347
 Self complementary, 31, 99, 174, 229, 273
 Self μ -complementary, 34, 104, 173
 Set-valued function, 212, 372
 Single-valued function, 326
 Size, 7, 84, 178, 218, 264
 Soft approximation space, 326
 Soft neutrosophic approximation space, 372
 Soft rough digraph, 325
 Soft rough fuzzy digraph, 328
 Soft rough fuzzy relation, 327
 Soft rough fuzzy set, 326
 Soft rough neutrosophic bridge, 385, 400
 Soft rough neutrosophic cutnode, 385, 401
 Soft rough neutrosophic cutpair, 401
 Soft rough neutrosophic cutvertex, 385
 Soft rough neutrosophic cycle, 382, 397
 Soft rough neutrosophic ditree, 384
 Soft rough neutrosophic forest, 399
 Soft rough neutrosophic graph, 379
 Soft rough neutrosophic influence, 376
 Soft rough neutrosophic influence block, 405
 Soft rough neutrosophic influence bridge, 400
 Soft rough neutrosophic influence cutnode, 401
 Soft rough neutrosophic influence cutpair, 402
 Soft rough neutrosophic influence forest, 399
 Soft rough neutrosophic influence graph, 388
 Soft rough neutrosophic influence path, 394
 Soft rough neutrosophic influence spanning subgraph, 399
 Soft rough neutrosophic influence subgraph, 399
 Soft rough neutrosophic influence trail, 394
 Soft rough neutrosophic influence tree, 400
 Soft rough neutrosophic path, 382, 394
 Soft rough neutrosophic relation, 374, 375
 Soft rough neutrosophic set, 373

Soft rough neutrosophic spanning subgraph, 384
 Soft rough neutrosophic subgraph, 383
 Soft rough neutrosophic trail, 382, 394
 Soft rough neutrosophic tree, 400
 Soft rough relation, 324
 Soft set, 212
 Soft universe, 212
 Spanning, 53, 265
 Spanning fuzzy soft subgraph, 217
 Strength, 46, 382, 395
 Strength of connectedness, 46
 Strength of strongest path, 396
 Strong, 48
 Strong bipolar fuzzy soft graph, 356
 Strong directed path, 48
 Strongest directed path, 47
 Strong fuzzy graph, 218
 Strong fuzzy soft graph, 218
 Strong intuitionistic fuzzy rough graph, 168
 Strong intuitionistic fuzzy soft graph, 275, 282
 Strongly connected, 49
 Strongly edge irregular, 302
 Strongly edge totally irregular, 302
 Strongly irregular, 300
 Strong neighbor, 48
 Strong pair, 402
 Strong product, 19, 91, 162, 224, 269
 Strong soft rough neutrosophic edge, 385, 402
 Symmetric difference, 27, 96, 155, 343

T

Tensor product, 15, 89
 Total degree, 41, 178
 Total edge degree, 131
 Totally edge regular, 362
 Totally irregular, 44, 184, 293
 Totally regular, 181, 283, 361
 Totally regular fuzzy graph, 230
 Totally regular fuzzy soft graph, 230
 Tree, 400

U

Underlying crisp digraph, 8
 Underlying graph, 381
 Underlying influence graph, 392
 Underlying rough digraph, 331
 Unilaterally connected, 50
 Union, 8, 84, 138, 220, 271, 332
 Upper approximation, 3, 4
 Upper edge, 393
 Upper non-influence edge, 393
 Upper pair, 393

W

Walk, 381, 393
 Weakest arc, 46
 Weak isomorphism, 38, 109
 Weakly connected, 51