
Index

- A**
- Acculturation, 99, 114, 130, 158, 161, 162, 168–170, 183, 184, 214–216, 256
 - Acculturation family distancing (AFD), 184
 - Acculturation stressors, 204
 - Acculturative stress, 161, 214–216, 221, 255, 256, 263
 - Adaptation, 99
 - Adaptive social behaviors, 258
 - Adverse childhood experiences (ACEs), 108
 - Age-appropriate assessment of psychosexual development, 240
 - Agency for Healthcare Research and Quality (AHRQ), 60
 - Alprazolam, 186, 187
 - Alzheimer’s disease, 119, 120
 - American Academy of Pediatrics (AAP), 239
 - American identity, 65
 - American Indians and Alaska Natives mental health
 - Bureau of Indian Affairs (BIA), 133
 - collecting and measuring mental health data, 139, 140
 - counseling and psychotherapy, complexities in, 136
 - cultural mental health practices of, 142–144
 - delivery of services, 132
 - demographic patterns, 131, 132
 - epidemiological considerations, 139
 - epidemiological data, 139
 - evaluation-related considerations, 138, 139
 - Indian Health Service (IHS), 133, 134
 - native traditional healers and collaboration, 135
 - prevention approaches, 140
 - prevention-related considerations, 140, 141
 - primary prevention efforts, 141, 142
 - program evaluation, 137
 - secondary prevention efforts, 142
 - service delivery considerations, 134, 135
 - service providers, characteristics of, 136, 137
 - state and local services, 132
 - treatment approaches, 135, 136
 - treatment-related considerations, 137
 - Tribal-Based Health Care Programs, 134
 - utilization of services, 137, 138
 - American Medical Association (AMA), 239
 - American Psychiatric Association (APA), 168, 169, 239
 - American Psychiatric Association Conferences, 232
 - American Psychological Association (APA), 239
 - Amitriptyline, 187
 - Anatomical dysphoria, 250
 - Anterior cingulate cortex (ACC) activates, 112
 - Anti-bullying legislation, 82
 - Antidepressant, 31
 - Anti-gay bullying, 82
 - Anti-immigrant policies, 92, 99
 - Anti-immigrant rhetoric, 92
 - Anti-immigrant sentiment, 99
 - Anti-LGBTQ bullying, prevalence of, 82
 - Antipsychotic/tricyclic antidepressant, 186
 - Anxiety, 109, 120, 153, 178, 179, 191, 257
 - LGBTQ, 167–171
 - client with active coping, 170
 - clinical recommendations, 169
 - education and acculturation, 168
 - mental health services, 169
 - relaxation and organizational techniques, 168
 - and panic attacks, treatment on, 245
 - Arab Americans, mental health of
 - alternative cultural practice, traditional healers, 154, 155
 - clinical recommendations for working with, 163, 164, 166, 167
 - cultural considerations
 - acculturation, 161, 162
 - family, 159
 - language, 158
 - Western psychiatric methods, 158
 - discrimination, 162, 163
 - gender, 159–161
 - immigrants, 149
 - immigration patterns to United States, 151, 152
 - LGBTQ, 167–171
 - mental health resources, underutilization of, 155, 156
 - paroxysmal episodes of body shaking, 153, 154
 - PTSD, 156–158
 - religious considerations, 163
 - research, 152, 153
 - social demographics, 150, 151
 - Arab world, 149
 - Arena, 86

- Asian Americans
 abuse/trauma, 193, 194
 acculturation and families, 183, 184
 denial, 190
 disparity of percentage of college graduates, 176
 engaging in treatment, 184–186
 family culture, 182, 183
 idioms of distress, 179
 cultural concepts, 180, 181
 somatization, 179, 180
 immigration history, 176, 177
 inpatient treatment, 188, 189
 intergenerational conflict, 191, 192
 large scale studies of mental health, 178
 lesbian, gay, bisexual, or transgendered, or
 questioning (LGBTQ), 192
 mental health disorders, prevalence of, 177–179
 mental health services, utilization of, 179
 primary care physician (PCP), 196
 psychopharmacology, 186–188
 psychotherapy, 188
 racism and mental health, 192, 193
 religion, philosophy and health beliefs, 181, 182
 shame, 191
 stigma, 190, 191
 traditional medicine and Western approaches, 189, 190
 US Census information, 175, 176
- Assimilation, 130
- Attention deficit hyperactivity disorder, 87
- Atypical antipsychotics, 187
- B**
- Banking model, 14
- Beck Depression Inventory, 262
- Bent nail research, 120
- Benzodiazapines, 187
- Benzodiazepine diazepam, 186
- Best/wise evidence, 139
- Best/wise practice, 139
- Bias, definition of, 12
- Bicultural Effectiveness Training model, 221
- Biculturalism, 99
- Biologic and maturational processes, 234
- Biologic sex, 230
- Biological influences, 230
- Biopsychosociocultural framework, 230, 239–241
- Biosocial theory, 234
- Bipolar disorder, 116, 118, 191
- Black Identity Development Model, 11
- Boomer generation, 55
- Bouffées delirantes, 111
- Bowenian models, 221
- Building awareness/small group discussions, 18
- Bupropion, 194
- Bureau of Indian Affairs (BIA), 133
- C**
- Cancer, 71, 77, 78, 108, 159, 241, 242
- Catholicism, 218
- CBT, *see* Cognitive behavioral therapy (CBT)
- Center for Disease Control and Prevention, 108, 130, 242
- Cervical cancer, 77
- Chain migration, 92
- Cherokee Talking Circle, 141
- Cis-gender, 45
- Civil Rights, 107
- Client-centered approach, 170
- Clomipramine, 187
- Clozapine, 187
- CNSDose, 210
- Cocaine, 244
- Cognitive and affective processes, medical-decision
 making, 205
- Cognitive behavioral therapy (CBT), 188, 189, 264, 266
- Cognitive dissonance, 57
- Cognitive learning, 19
- Co-mediation, 50
- Communication patterns, 219–221
- Communication styles, 9
- Community-based initiatives, 203
- Compounded community trauma, 204
- Confounding variables, 45, 46
- Conscious bias, 8
- Cortisol, 115
- Counseling and psychotherapy, 145
 complexities in, 136
 outcome research, 135
- Cross cultural communication, 4, 267
 communication styles, 9
 intersectionality, 10
 privilege, 9, 10
 racial identity development theory, 11
 segregation, 9
 white fragility, 10, 11
- Cross' Five Step Black Identity Development Model, 11
- Cuento therapy, 220
- Cultural and diversity issues, 38, 39
 cultural competence development, 46, 47
 discrimination in negotiation, 40, 41
 diverse practitioners, field of medication, 51
 gender as culture, 44, 45
 internalized oppression, 42
 mediation and problem of bias, 39, 40
 gender differences, 39
 mandatory mediation, 39
 mediator role, 38
 mediator's relationship with parties, 47
 co-mediation, 50
 confronting bias, 48
 power of narrative, 50
 pre-mediation consultation, planning, and
 research, 48
 validating differences and commonalities, 48, 49
 values-based conflict, 49
 negotiation styles, 43, 44
 psychological issues, 45
 social dynamics, 45, 46
- Cultural and familial values, 216
- Cultural belief system, 217
- Cultural bias, 177, 179
- Cultural brokers, 267
- Cultural coherence, 61

Cultural competency, 7, 71, 111, 112, 266
 definition, 27
 development, 46, 47
 and migration (*see* Migration)
 Cultural complexity, 150
 Cultural curiosity, 71
 Cultural differences, 3, 43, 45, 68, 256
 between Anglo Americans and Latinos, 215
 Cultural diversity, 37, 59
 Cultural Formulation Interview (CFI), 29
 Cultural history, 62
 Cultural humility, 27, 204, 266
 Cultural identity, 19, 61, 70, 256
 Culturally competent communications, 62, 63
 Culturally-focused psychiatric (CFP) consultation
 service, 34
 Culturally relevant care, 129
 Culturally-responsive services, 266
 Cultural safety, 7
 Cultural sensitivity, 7, 70, 75, 76, 79, 99, 112, 150, 153
 medical care to diverse populations, 57, 58
 in news reports of suicide, 84, 85
 opportunities to improve efforts in the media, 85, 86
 People of African Descent (PAD) in the USA, 120
 Cultural syndromes of distress, 180, 181
 Culture-bound syndromes, 109–111, 180, 181
 Culture-centered family therapy models, 221
 Culture-centered genograms, 221
 CYP2D6, 117, 118, 210
 CYP-2D6 poor metabolizer (PM) polymorphism, 210
 CYP450 enzymes, 117

D

Defense of Marriage Act (DOMA), 239
 Depression, 26, 27, 31, 33, 68, 87, 94, 106, 108,
 118, 162, 177, 178, 181, 192, 194, 255,
 256, 258, 266
 Dervish, 155
 Desipramine, 187
Diagnostic and Statistical Manual of Mental Disorders,
 5th Edition (DSM-5) criteria, 154, 232
 Diazepam, 187
 Didactic/cognitive learning, 18
 Discrimination, 162, 163, 244
 Disease, definition of, 26
 Dissonant acculturation, 183, 184
 Diversity Among Latinos
 demographic patterns, 203
 living circumstances, 203
 quality of clinical care, 204
 self-sustained ethnicities, 203
 therapeutic alliance, 204
 Diversity Dialogue, 3, 4, 19
 assumptions, 12
 bias, 12
 Black Identity Development Model, 11
 cognitive learning, 19
 concept of other, 14
 cross cultural communication
 communication styles, 9
 intersectionality, 10

privilege, 9, 10
 racial identity development theory, 11
 segregation, 9
 white fragility, 10, 11
 equity and inclusion
 healthcare settings, diversity initiatives in, 7, 8
 United States, diversity initiatives in, 4–7
 expression, 15
 Helms' Six Step White Identity Development
 Model, 11
 language, various forms of, 15
 Liberatory Education, 14
 liberatory learning, 15
 lived experience, 15
 microaggression, 12, 13
 post-dialogue evaluation survey, 20–21
 structure and course
 building awareness/small group discussions, 18
 didactic/cognitive learning, 18
 facilitators training, 16, 17
 frame setting, 17
 getting to know each other, 17, 18
 large group reflections and intention, 18
 post-dialogue evaluation stage, 18, 19
 Pre-Dialogue Needs-Assessment Stage and
 Planning, 16
 traditional diversity training, 15, 16
 Diversity training, 3–6, 17, 18
 Domestic violence, history of, 159–161
 Double-Loop Learning, 6
 Down's syndrome, 119
 Drapetomania, 106
 DSM-5, 232

E

Eating disorders, prevalence of, 178
 Educational attainment, 205
 Enculturation, 183, 184
 Engagement Interview Protocol (EIP)
 in clinical interventions, 34
 cross-cultural studies of illness beliefs, 26, 27
 culture and illness beliefs, 26
 definition, 27
 development of, 28
 DSM-5 diagnoses, 35
 elements of, 29
 heartburn, patient with, 33
 history of illness, 34, 35
 mental status examination, 35
 minority mental health in United States, 26
 patients' explanatory models (*see* Patients'
 explanatory models)
 patients' illness narratives, 29
 plurality of United States population, 25, 26
 psychiatric assessment, culture in, 28, 29
 psychosocial history, 35
 Erikson's psychosocial theory of development, 237
 Ethnic bias in clinical decision-making, 67
 Ethnic identity, 64
 Ethnic matching, 212, 213
 Ethnicity, 10, 58, 59, 63, 111, 255

Ethnocentrism, 64, 65
 Evidence-based initiatives, 202
 Evidence-based practice, 8, 67
 Evidenced-based interventions, 247
 Experiential-based learning opportunities, 86
 Expertise-related migration, 92
 Explanatory Model Interview Catalogue (EMIC), 26–27
 Explanatory Models framework, 260
 Extensive metabolizers (EM), 210
 Extra pyramidal symptoms (EPS), 118

F

Familismo, 216
 Family hierarchical balance, 212
 Fatalismo, 218
 Federal Drug Administration (FDA), 209
 Female hysteria, 79
 Female reproductive system, 235
 Fetal Alcohol Spectrum Disorder (FASD), 110, 119, 120
 Filial piety, 182
 Fluoxetine, 194
 Fluvoxamine, 187
 Food insecurity, 204
 Forced migration, 93, 95
 resilience and positive responses to, 259
 Foster cultural sensitivity, 150

G

Gender and sexuality, 230
 assessment tool, 231
 continuums, 230
 development, 234
 assessment, 245
 social anxiety, 246
 fluidity, 246
 minorities, 234, 243, 244
 Gender consistency, 234
 Gender continuum, 230
 Gender development, 234–236
 Gender differences, 44
 Gender dysphoria, 232, 249
 Gender identity, 45, 169, 170, 234
 Gender identity disorder, 232
 Gender revolution, 229
 Gender stability, 234
 Gender variance, 248, 249
 GeneCept, 210
 Generalized anxiety disorder (GAD), 207, 249
 GeneSight, 210
 Genetic and environmental studies in Hispanics, 208, 209
 Global Assessment of Functioning (GAF) scores, 266
 Group for the Advancement of Psychiatry's online LGBT Mental Health Syllabus, 238

H

Hajjab, 155
 Haloperidol, 187

Harvard Trauma Questionnaire, 262
Healer through Koran, 155
 Health care environment and diversity, 67, 68
 Health care planning and policy, 140
 Health care services, 205
 Health insurance coverage, 202
 Helms' Six Step White Identity Development Model, 11
 Hepatitis, 243
 Heterosexuality treatment, 246, 247
 Highly active antiretroviral treatments (HAART), 242
 High-risk behaviors, identification and management, 247
Hijab, 153
 Hikkomori, 181
 Hispanic Community Health Study of Latinos (HCHS), 207
 Hispanic Health and Nutrition Examination Survey (HHANES), 206
 History of present illness, 29
 Home, definition of, 95
 Homosexual Gypsy musicians, 236
 Homosexuality, 168, 169, 232
 Hopkins Symptom Checklist-25, 262
 Hormones, 235
 HPV-associated genital and anal warts, 243
 Human immunodeficiency virus (HIV), 242, 243
 Hwa-Byung, 188

I

Identity construction, 221
 IDgenetix, 210
 Idioms of distress, 110, 115, 198
 among Asian Americans, 179
 cultural concepts, 180, 181
 somatization, 179, 180
 substance use disorders (SUDs), 110
 Illness, definition of, 26
 Imaginative and social/relational play, 234
 Immigration, 7, 91, 92, 99, 106, 170
 Arab immigration patterns to United States, 151, 152
 Asian Americans, mental health in, 176, 177
 Impact of Event Scale, 262
 Implicit Association Test (IAT), 46
 Indian Health Service (IHS), 133, 134, 140
 Indian Self-Determination Act, 134
 Indigeneity, 139
 Indigenous leadership, 139
 Indigenous leadership influence, 139
 Inpatient treatment, 188, 189
 Institute of Medicine (IOM), 56, 264
 Intermediate metabolizers (IM), 210
 Internalized homophobia, 42, 245
 Internalized oppression, 42
 Intersectionality, 10, 57
 Invisible minority, 150, 152
 Involuntary migration, 93
 Iraqi refugees in United States, 156–158
 Islamophobia, 91
 Isolation stress, 263

J

Journalism, 76, 77, 80, 81, 86, 87

K

Katib, 155

L

Language-based limitations, 205

Large group reflections and intention, 18

Latino characteristics, 214

Latino children's psychosocial maladjustment, 204

Latinos' economic and social circumstances, 207

Latinos, inequities, 201

Latinos' parental involvement within school system, 206

Latinos with LEP, 211

Lesbian, gay, bisexual, transgender (LGBT), 5, 75

Lesbian, gay, bisexual, transgender, questioning or queer (LGBTQ), 45, 76, 82, 192, 198

individual, 239

rights organizations, 239

Syrian-American woman with anxiety, 167–171

client with active coping, 170

clinical recommendations, 169

education and acculturation, 168

mental health services, 169

relaxation and organizational techniques, 168

Liberatory Education, 14

Liberatory learning, 15

Limited English proficiency (LEP), 205, 206

Lithium, 187

Los Angeles Epidemiologic Catchment Area Study (LA-ECA), 206

Low-income African American families, 110, 115

Low-income Black communities, 119

M

Major depressive disorder (MDD), 26, 27, 31–33, 107, 178, 195, 256

Maladaptive social behaviors, 258

Mandatory mediation, 39

Manic depressive illness (bipolar disorder), 116

Marginalized population, 99

Mediation, definition, 37

Medical and mental health concerns, 241

Medical and psychiatric illnesses, 204

Medical care to diverse populations

adaptation, 68, 69

awareness, 63, 64

continuing cultural education, 69, 70

cultural diversity, 59

culturally competent communications, 62, 63

cultural sensitivity and clinical practice, 57, 58

diversity and clinical practice, implications of, 70, 71

ethnic bias in clinical decision-making, 60

identity theory, 61, 62

treatment dichotomy, 60, 61

ethnocentrism, 64, 65

health care environment and diversity, 67, 68

health disparities, 56, 57

cognitive dissonance, 57

intersectionality, 57

mental health services for immigrant

population, 55

negative social frames, 65–67

private health care coverage, 55

race and ethnicity, teaching implications of, 58, 59

Medical model, 25

Medicine, 231

Mental disorders, 79

Mental health care, 97

demographic shift, 201

Mental health disorders, 130

prevalence of, 177–179

Mental health

disparities, 211, 212

facility, 79

issues, 75, 81, 84, 86

needs, 201

services, 202, 212

and substance abuse, 243, 244

systems, 208

Mental illness, 75, 80, 81, 87, 108

poverty, 204

risk factors, 204

stigma of, 190, 260

as white privilege, 82, 83

MeToo Movement, 83, 84

Mexican American Prevalence and Services Survey (MAPSS), 206

Microaffirmations, 13

Microaggression, 5, 12, 13, 107, 116, 117, 193, 219

Microassaults, 13

Microinequities, 13

Microinsults, 13, 107

Microinvalidations, 13

Migration, 91, 157

acculturation, 99

adaptation, 99

current stressors identification, 94

diversity within diversity, 96

fusion, 99

home, 95

involuntary, 93

language, 96

parenting, 98, 99

pathology, 97

permanence and totality of, 95

potential cultural differences identification, 94

potentially relevant recent/distant stressors

identification, 94

push and pull factors, 93

safety, 92

stigma, 96, 97

strength identification, 94

treatment planning, 94

tripartite model, 93, 94

understanding person, 94

understanding relationships, 94

voluntary, 92, 93, 95

- Mindfulness approach, 63, 64
 Mini clinical ethnographies, 29
 Minnesota Multiphasic Personality Inventory (MMPI), 116
 Minority racial identity development, 11
 Minority stress theory, 243, 244
 Mirtazapine, 187
Moalj belKoran, 155
 Model minority, 177, 197, 198
 Models of sexual minority identity development, 171
 Moderate managerial bias, 6
 Modern mental health coverage and diversity in the news media, 80–82
 Money and Ehrardt's biosocial theory, 234
 Mullerian inhibiting substance (MIS), 234
 Multiculturalism among adolescents, 208
 Multidimensional Ecosystemic Comparative Approach, 221
 Multiple identities, 245
- N**
 Naltrexone, 142
 Narcissistic personality disorder, 45
 Narrative expressive therapy approaches, 264
 Narrative therapy, 213, 214
 National Association of Social Workers (NASW), 239
 National Comorbidity Study (NCS), 206
 National Comorbidity Survey Replication Adolescent Supplement (NCS-A), 208
 National Comorbidity Survey-Replication (NCS-R), 206
 National Epidemiological Survey on Alcohol and Related Conditions (NESARC), 206
 National Institutes of Health (NIH) prevention policy, 140
 National Latino and Asian American Study (NLAAS), 177–179, 193, 206
 National Suicide Prevention Lifeline, 85
 Nation of immigrants, 91
 Naturalization ceremony, 99
 Negative social frames, 65–67
 New Jim Crow phenomenon, 119
 NLAAS, *see* National Latino and Asian American Study (NLAAS)
 Normative distress and psychopathology, 244
 Nortryptiline, 187
- O**
 Observational learning, 235
 Obsessive compulsive disorder, 87
 Office of Minority Health (OMH), 60
 Olanzapine, 187
 Organizational research, 5
 Outline for Cultural Formulation (OCF) model, 28
- P**
 Panic disorder without agoraphobia, 249
 Parent's unfamiliarity, 206
 Parental avoidance of school meetings, 206
 Parental involvement in low-income Latino families and academic outcomes, 206
 Parent-Teacher Organization, 82
 Paroxetine, 266
 Patient-centered approach, 14, 62
 Patient-clinician relationship, 63
 Patient-doctor relationship, 4
 Patient compliance with antidepressant treatment, 210
 Patients' explanatory models, 29, 30
 culturally sensitive disclosure of diagnosis, 33, 35
 culturally sensitive disclosure of psychiatric diagnoses, 30, 31
 accepting multiple explanatory models, 31
 diagnostic labels, 31
 disclosing diagnoses and treatment approaches in stages, 32
 elicits patients' beliefs, 31
 reframing Western psychiatric concepts, 31
 terminology, flexible use of, 31, 32
 DSM-5 diagnoses, 30
 mental status examination, 30
 PERCEPTS, 33–34
 psychosocial history, 30
 treatment negotiation, 32–35
 People of African Descent (PAD) in USA
 adverse childhood experiences, 108
 awareness, 112, 113
 clinical skills
 assessment, 116
 diagnosis, 116
 psychopharmacology, 117–119
 psychotherapy and support groups, 116, 117
 treatment, 116
 cultural competence, 111, 112
 culture-bound syndromes, 110, 111
 definition, 105
 enhancing cultural sensitivity, 120
 history, related to mental health, 106, 107
 idioms of distress, 110
 knowledge, culture and context, 113
 acculturation, 114
 extended family, 113
 family and class, 114, 115
 racial socialization, 114
 racism, 115
 religion/spirituality, 113
 MDD, 107
 mental illness, 108
 paradoxical prevalence rates, factors
 contributing to, 109
 prevention, 120
 research, 119, 120
 utilization, 109, 110
 Perceived discrimination, 207
 Perceived U.S. social standing, 207
Personalismo, 217
 Personality disorders, 83, 181
 Pharmacogenomics, 210
 Pharmacotherapy, 117

- Population-based epidemiological studies, 206
 Positive emotional expressiveness among Latinos, 219
 Post-dialogue evaluation stage, 18, 19
 Post-migration distress, 193
 Post-migration stress, 256
 Post-migration stressors, 157
 Post-racial society, 115
 Post-traumatic stress disorder (PTSD), 152, 156–158, 162, 187, 188, 194, 195, 255–258, 264, 266
 Posttraumatic Symptom Scale-30, 262
 Prejudice and discrimination, 244
 Pre-migration stressors, 157
 President's Commission on Mental Health (PCMH), 144
 Primary care physician (PCP), 195, 196
 Privileged Identity Exploration Model (PIE), 10
 Privilege, 9, 10
 Psychiatric and medical comorbidities, 247
 Psychiatric community about homosexuality, 232
 Psychiatric disorders, 177, 207
 Psychiatric prevalence, 207
 Psychoeducation, 50, 187, 189
 Psychological distress, 257
 Psychological diversity theory, 5
 Psychopharmacological nonadherence, 210
 Psychopharmacology, 117–119, 186–188, 265, 266
 Psychotherapy, 153, 188, 195, 249
 Psychotropic medications, 209, 210
 PTSD, *see* Post-traumatic stress disorder (PTSD)
 Puerto Rico Epidemiologic Catchment Area Study (PR-ECA), 206
- R**
- Race, 10, 58, 59, 63, 111
 Racial/ethnic minority group, 204
 Racial identity development theory, 11
 Racial socialization, 114
 Racism, 8, 11, 115, 116, 192, 193
 Reasons for Life and Reflective Processes, 142
 Refugees, 93, 255, 265
 acculturative stress, 255, 256
 barriers to care, 259
 distrust of authority and/or systems, 259, 260
 linguistic factors, 260, 261
 resettlement stressors, primacy of, 261
 stigma of mental illness, 260
 clinical approaches, 268
 core stressors, 256
 cultural considerations, 266, 267
 mental health assessment
 broader social context and protective resources, 263
 complex physical, psychological and socio-cultural factors, 262
 cross-cultural validity, 261, 262
 mental health interventions, 264
 mental health needs
 of child and adolescent refugees, 258
 PTSD, 256, 257
 suicide, 257
 suicide rate, 257
 trauma- and stress-related outcomes, 257
 organizational/systemic, 267, 268
 psychopharmacology, 265, 266
 resettlement process, 254, 255
 resilience and positive responses to forced migration, 259
 social isolation, 255
 trauma, 255, 256
 UNHCR, 253, 254
 Religious and spiritual affiliations and institutions, 245
 Resettlement stress, 256, 259, 263
 Resettlement stressors, primacy of, 261
 Resilience, 259
Respeto, 217, 218
 Risperidone, 187
- S**
- Schizophrenia, 85, 112, 116, 154, 191, 247, 257
 Scholastic Aptitude Test, 42
 School-based studies, 244
 Selective serotonin re-uptake inhibitors (SSRIs), 117, 266
 Self-awareness, 63, 65
 Serotonin-norepinephrine reuptake inhibitor (SNRI), 266
 Sertraline, 266
 Service providers, characteristics of, 136, 137
 Service utilization disparities, 204
 Severe depressive disorder, 31
 Sexual behavior, 237
 Sexual development, 236–238
 Sexual identity, 150, 168, 170, 171, 237
 Sexual orientation and gender identity, 233, 234
 Short-term therapy, 197
 Single loop learning teaches, 6
 Situational-awareness, 65
 Social and cultural factors, 235
 Social and cultural influences, 234
 Social anxiety disorder, 195, 249
 Social attitudes, 229
 Social identity theory, 61, 62
 Social learning theory, 235
 Social networks, 207
 Societal antigay attitude internalization, 245
 Socioeconomic status (SES), 204, 206, 258
 Somatization, 155, 179, 180
 Spirituality, 218, 219
 Stereotype, 57, 65, 67, 69, 160, 170
 phenomenon, 112
 threat, 42, 205
 Stigma and bias, 247, 248
 Stress-related psychiatric illness, 257
 Study of Latinos (SOL), 207
 Subconscious bias, 8
 Substance abuse, 178
 Substance use disorders (SUD), 108, 110, 157, 202
 Suicidal ideation, 161, 178, 257

Suicide, 129, 130, 142
 cultural sensitivity in news reports, 84, 85
 rates, 107
 refugees, 257

T

Taijin kyofushu, 181
 Talk therapy, 32, 156
 Tardive dyskinesia (TD), 118
 Testosterone, 234–236, 248, 250
The Baltimore Sun, 78
The Immortal Life of Henrietta Lacks, 77–79
The New York Times, 79, 81
The New York Times and The Washington Post, 79
The New York World, 79, 80
 Traditional healing, 154, 155
 Transformational Learning, 6
 Transgender, 45
 Trauma, 193–195, 255–259, 264
 Trauma Systems Therapy, 264
 Tribal-Based Health Care Programs, 134
 Tricyclic antidepressants, 187
 Tripartite model, 93, 94
 Triple loop learning, 6
 Tuberculosis, 78

U

Ultra-rapid metabolizers (UM), 210
 Unconscious biases, 8
 Unconscious racial biases, 11
 United Nations High Commissioner for Refugees
 (UNHCR), 253, 254

United States Refugee Admissions Program
 (USRAP), 151
 Urban Indian health organizations (UIHOs), 133
 U.S. Department of Health and Human Services
 (DHHS), 133
 US Public Health Service (PHS), 107
 US Refugee Admissions Program (USRAP), 158

V

Venlafaxine, 194, 266
 Ventromedial prefrontal cortex (vmPFC)
 activation, 113
 Voluntary migration, 92, 93, 95

W

War Trauma Scale, 262
 Waves of immigration, 151
 White fragility, 10, 11
 White Identity Development Model, 11
 White privilege, 82, 83
 World Professional Association for Transgender
 Health, 248

Y

Youth bullying, 82
 Youth Risk Behavior Surveillance System (YRBSS),
 208, 239

Z

Zuni Life Skills Development Curriculum, 141