

Index

A

- Abduction, 153
- Aberrant regeneration, 95
- Abnormal retinal correspondence (ARC), 47
- AC/A ratio, 79
- Accommodative esotropia, 81–82
- Acquired brown syndrome, 149, 152
- Acute acquired comitant esotropia (AACE), 77, 78
- Acute non accommodative esotropia (ANAET), 77–78
- Alphabet patterns
 - aetiology, 125–127
 - arrow pattern, 125
 - diamond pattern, 125
 - lambda pattern, 125
 - presentation, 128
 - treatment of, 128–129
 - X pattern, 125
 - Y pattern, 125
- Alternate cover test, 34–36
- Amblyopia, 1
- Amblyoscope, 50
- Anisomyopia, 66
- Anisostigmatism, 66
- Antiacetylcholine esterase inhibitors (AChE), 135
- Antiacetylcholine receptor antibodies (AChR-Abs), 131
- Azathioprine (AZA), 135, 141

B

- Bagolini's glasses, 61
- Bielchowsky's Head Tilt test, 38
- Bifocals, 82
- Botulinum toxin, 7, 108

- Botulinum toxin type A, 69
- Brown's syndrome
 - acquired and congenital, 149
 - investigation, 151
 - management, 151
 - presentation, 150
- Bruckner's test, 41
- Bupivacaine hydrochloride, 162

C

- Cavernous sinus syndrome, 91–92
- Chavasse's theory, 2
- Childhood esotropias, 71
- Chronic progressive external ophthalmoplegia (CPEO), 142, 143
- Ciancia syndrome, 75
- Claude Worth's theory, 2
- Cogan's ocular motor apraxia, 111
- Combined immunosuppression & radiotherapy in thyroid eye disease (CIRTED), 141
- Comitant exotropia, 3
- Concomitant strabismus
 - classification, 63
 - esotropias
 - AACE/ANAET, 77, 78
 - AC/A ratio, 79–81
 - accommodation, role of, 79
 - accommodative esotropia, 81–82
 - bimedial recession, 82, 83
 - cyclical esotropia, 78, 79
 - delayed surgery, 76
 - non accommodative late onset esotropia, 77
 - non-accommodative esotropias, 73–76
 - exotropia

- Concomitant strabismus (*cont.*)
- botulinum toxin type A, 69
 - classification of, 64
 - consecutive exotropia, 70, 72
 - conservative, 68
 - convergence exercises, 68
 - intermittent exotropia, 65–66
 - Newcastle Control Score, 67
 - orthoptic testing, 66, 67
 - overminus lens therapy, 68
 - part time occlusion, 68
 - primary constant exotropia, 70
 - prisms, 69
 - sensory exotropia, 70–71
 - surgery, 69, 70
 - surgical intervention, 69
- Congenital brown syndrome, 149
- Conjugate movements, 21
- Convergence excess esotropia, 82
- Convergence insufficiency exotropia, 64
- Convergence spasm, 116–118
- Cover-uncover test, 31–34
- Craniosynostosis syndromes, 3
- Cyclical esotropia, 78, 79
- D**
- Diplopia, 1
- Divergence excess exotropia, 64
- Double elevator palsy, 114–117
- Duane retraction syndrome, 152
- E**
- Early versus late infant strabismus surgery (ELISS), 76
- Edrophonium (Tensilon) test, 133
- European Group of Graves' Orbitopathy (EUGOGO), 140
- Extraocular muscles
- anatomy of
 - action and innervation of, 10
 - blood supply, 12, 13
 - bony trochlea, 9
 - levator palpebrae superioris, 9
 - pulley systems, 12
 - recti muscles, 9
 - ring of Zinn, 9
 - Spiral of Tillaux, 9
 - surgery, 7
- Eye movements
- actions of EOMs, 17, 18
 - antagonist, 15
 - conjugate movements, 15
 - disjunct movements, 15
 - ductions, 16
 - herrings law, 18
 - optokinetic movements, 20
 - saccades, 19
 - sherringtons law, 19
 - smooth pursuit movements, 19
 - synergist, 15
 - vergence movements, 21
 - versions, 16
 - vestibulo ocular, 21
- F**
- Fornix incision, 163
- Foville's syndrome, 106
- Frisby stereotest, 55–56
- Frontal eye field (FEF), 19
- Fully accommodative esotropia, 81
- Fundus photographs, 61
- G**
- Globe-to-wall theory, 145
- Goldenhar syndrome, 153
- Gradinego's syndrome, 106
- Graves' disease, 137
- Grove sign, 138
- H**
- Heredity, 3
- Herring's law, 44, 53, 86, 87
- Herrings and Sherrington's law, 56
- Hess charts, 56, 58
- Hess/Lees screen, 61
- Holt-Oram syndrome, 153
- Horner's syndrome, 106
- Huber's classification, 154
- Hydraulic mechanism, 146
- Hypermetropia, 3, 66
- Hyperthyroidism, 138
- I**
- Ice test, 133–134
- Incomitant strabismus
- blow out fracture
 - aetiology, 145–146
 - management, 148, 149
 - presentation, 146–148
 - brown's syndrome

- acquired and congenital, 149
 - investigation, 151
 - management, 151
 - presentation, 150
 - dissociated vertical deviation, 156, 157
 - Duane retraction syndrome
 - etiology, 152
 - genetics, 152, 153
 - investigation, 155
 - presentation, 153, 154
 - treatment, 156
 - Intermuscular septum, 9
 - Internuclear ophthalmoplegia (INO), 111–114
- J**
- Jampolsky's scoring system, 67
- L**
- Lambert eaton syndrome, 135
 - Lang test, 56
 - Lang two pencil test, 54
 - Limbal incision, 163
 - LogMAR, 29
- M**
- Maddox rods, 59
 - Marlowe's test, 66
 - May Scale, 67
 - Milliard-Gubler syndrome, 106
 - Minimally invasive strabismus surgery (MISS), 163
 - Mobius sign, 138
 - Monocular elevation deficit syndrome (MEDS), 114
 - Myasthenia gravis
 - clinical presentation, 132–133
 - diagnosing
 - edrophonium (Tensilon) test, 133
 - ice test, 133–134
 - immunological testing, 133
 - single-fiber electromyography, 134, 135
 - management of, 135
 - pathophysiology, 131
 - TED
 - etiology, 136, 137
 - imaging, 139
 - immunosuppression, 140–141
 - lid signs, 138
 - lid surgery, 142
 - natural history, 137
 - non surgical management, 140
 - ocular motility, 138–139
 - orbital decompression, 141–142
 - proptosis, 138
 - risk factors, 137
 - selenium, 140
 - strabismus surgery, 141
 - symptoms of, 137
 - Mycophenolate mofetil, 135
- N**
- Non-specific or basic exotropia, 64
 - Normal retinal correspondence (NRC), 47
 - Nystagmus blockage syndrome, 75
- O**
- Oculomotor synkinesis, 95
 - Okiihiro's syndrome, 153
 - Optokinetic movements, 20
 - Orbital apex syndrome, 107
 - Orbital radiotherapy (RT), 141
 - Orthoptic assessment
 - ARC and NRC, 47, 49, 50
 - binocular vision, 46
 - binocular vision testing
 - macular perception, 51
 - motor fusion, 52–54
 - qualitative test, 54
 - quantitative tests, 55, 56, 58, 59, 61
 - sensory fusion, 51–52
 - stereopsis, 54
 - Bruckner's test, 41
 - diplopia charting, 44
 - field of BSV, 45
 - prism cover test, 41–43
 - prism reflex test, 44
 - Overminus lens therapy, 68
- P**
- Paralytic strabismus
 - anatomy, 85
 - clinical presentation, 86, 87
 - fourth nerve palsy
 - acquired fourth nerve palsy, 98, 99
 - aetiology, 98
 - anatomy, 97
 - bilateral fourth nerve palsy, 100–101
 - clinical assessment, 99, 100
 - congenital palsies, 98

- Paralytic strabismus (*cont.*)
- Harada Ito procedure, 103
 - investigation, 99
 - management, 101, 102
 - site of trauma, 99
- sixth nerve palsy
- adult acquired sixth nerve palsy, 105
 - anatomy, 103, 104
 - cavernous sinus, 106
 - course of, 104
 - management, 107
 - nucleus and fasciculus, 106
 - orbital apex syndrome, 107
 - petrous apex, 106
 - subarachnoid space, 106
 - treatment, 107, 108
- third nerve palsy
- anatomy, 87, 89
 - cavernous sinus syndrome, 91–92
 - in children, 94
 - complete and partial, 93, 94
 - in 18–50 year olds, 94
 - fascicular portion, 90
 - investigation and management, 93
 - microvascular palsies, 96
 - nuclear portion, 89–90
 - orbital portion, 92–93
 - in over 50-year olds, 95–96
 - presentation, 89
 - pupil sparing isolated IIIrd cranial nerve palsy, 95–96
 - subarachnoid space, 90
 - surgical options, 96
- Paramedian pontine reticular formation (PPRF), 110, 113
- Parapontine reticular formation (PPRF), 21
- Parinaud's syndrome, 118–120
- Partially accommodative esotropia, 81
- Patch test, 66
- Primary esotropias, 71
- Prism cover test, 41–43
- Prism reflex test, 44
- Prisms, 69
- Pseudo Gradinego's syndrome, 106
- Pulley systems, 12
- Q**
- Quantitative tests
- cyclotopia measurement, 59
 - Frisby stereotest, 55–56
 - fundus photographs, 61
 - hess charts, 56, 58
 - hess/lees screen, 61
 - Lang test, 56
 - Maddox rods, 59
 - postoperative diplopia test, 58
 - prism adaptation, 58–59
 - synoptophore, 59
 - TNO test, 55
 - Wirt's fly test, 55
- R**
- Raymonds syndrome, 106
- Refractive errors, 3, 66
- Retroequatorial myopexy, 166
- Rituximab, 135
- Rundle's curve, 137
- S**
- Scotts procedure, 168
- Secondary esotropias, 71
- Sherringtons law, 19
- Simulated divergence excess, 64
- Single-fiber electromyography, 134, 135
- Smooth pursuit movements, 19
- Snellen Conversion, 29
- Stellwag sign, 138
- Stilling-Turk-Duane syndrome, 152
- Strabismus
- aetiology of, 2–4
 - amblyopia, 1
 - botulinum toxin, 7
 - classification of, 4–6
 - correcting refractive error, 6
 - diplopia, 1
 - extraocular muscle surgery, 7
 - loss of binocular vision, 1
 - occlusion and prismatic correction, 6
 - occlusion therapy, 6
 - orthoptic assessment (*see* Orthoptic assessment)
 - patient examination
 - alternate cover test, 34–36
 - complaints, 23–25
 - cover-uncover test, 31–34
 - ductions, 36, 37
 - Hirschberg's test, 30
 - medical history, 25
 - ocular deviation assessment, 28, 29
 - ocular motility testing, 35, 36
 - ophthalmic examination, 26
 - Park's three step test, 38, 40
 - patient history, 23

- saccades and pursuit, 40
- versions, 36, 37
- visual acuity assessment, 26–31
- predisposing features, 1, 2
- surgical and non-surgical treatment
 - (see Strabismus, surgical and non-surgical treatment)
- treatment of, 5
- Strabismus, surgical and non-surgical treatment
 - botulinum toxin
 - acute onset esotropia, 160
 - Botox/ Xeomin, 161
 - complications, 161–162
 - Dysport, 161
 - electrodes, 161
 - infantile esotropia, 160
 - bupivacaine
 - Fornix incision, 163
 - Limbal incision, 163
 - myotoxicity, 162
 - surgery for, 162
 - surgical procedures, 164–165
 - Swan's incision, 163
 - transposition, 171
 - weakening procedures, 164–168
 - complications of, 173
 - excessive recession, 169, 170
 - Harada Ito procedure, 172
 - inferior oblique, 172
 - occlusion, 159
 - orthoptic exercises, 159
 - prismatic correction, 159
 - strengthening procedure, 166, 167
 - transposition, 170
 - Yokoyama's procedure, 170–172
- Strabismus, patient examination, Hirschberg's test, 30
- Supranuclear disorders
 - cogan's ocular motor apraxia, 111
 - conjugate gaze deviation, 110
 - convergence spasm, 109, 116–118
 - dorsal midbrain syndrome, 118–120
 - double elevator palsy, 109, 114–117
 - horizontal gaze, 109
 - INO, 111–114

- one and half syndrome, 114
- parinaud's syndrome, 118–120
- skew deviation, 109, 120–122
- superior oblique
 - myokimia, 122–123
- vertical gaze, 109
- Swan's incision, 163
- Synoptophore, 50, 54, 59

T

- Tenon's capsule, 12
- Thyroid eye disease (TED), 136
 - etiology, 136, 137
 - imaging, 139
 - immunosuppression, 140–141
 - lid signs, 138
 - lid surgery, 142
 - natural history, 137
 - non surgical management, 140
 - ocular motility, 138–139
 - orbital decompression, 141–142
 - proptosis, 138
 - risk factors, 137
 - selenium, 140
 - strabismus surgery, 141
- TNO test, 55
- Tolosa-Hunt syndrome, 92, 93, 107
- 20 PD base out test, 53

V

- Vergence movements, 21
- Vestibulo ocular, 21
- Vigouroux sign, 138
- Von Grafe's sign, 138
- V-pattern strabismus, 3

W

- Wildervanck syndrome, 153
- Wirt's fly test, 55

Y

- Yoke muscle pair, 15