

Index

A

Adolescent Interpretation and Belief Questionnaire (AIBQ), 95
Adolescents' social groups, 12
Affect-integration-motivation (AIM), 204, 206
Affective processes
 animals and human infants, 223
 anterior insula and cingulate, 257
 biological and psychosocial interventions, 257
 biology, 258
 brain-based markers, 236–238
 brain mapping vs. brain modeling, 231
 brain measures, 224
 brain models, 242–243, 255
 brain processes, 222
 brain representations, 222, 223
 brain systems, 256, 257
 brain targets, 224
 cognitive control, 257
 complexities and variability, 256
 emotion categories, 236, 238
 emotional experience, 236, 238
 hyper-complexity, 228, 229
 maps and models, 229–231
 mental health disorders, 258
 multiple affect systems, 257
 negative affect, 256, 257
 NPS, 232, 234
 over-simplified measures, 226, 227
 pain and pleasure, 221
 PINES, 235, 236
 positive affect, 257
 representations and measures, 223, 225, 226
 types of affect, 251
 vicarious vs. experienced pain, 249

Amygdalohippocampal subcortical regions, 80
Anhedonia, 141
Anterior insula (AIns), 199, 206
Anterior midcingulate (aMCC), 227
Anterior temporal cortex, 254
Anticipatory affect
 cognitive predictions, 195
 fMRI activity, 199–201
 incentive motivation, 202–205
 model, 195
 monoaminergic activity, 198
 NAcc activity, 205
 norepinephrine release, 205
 positive and negative arousal, 195
Anxiety, 80, 81
Arbitrary inference, 80
The Archipelago of Pain, 244
Attentional control theory (ACT), 87
Autonomic nervous system (ANS), 13

B

Basic research, 65
Basolateral amygdala (BLAmy), 199
Beck Depression Inventory, 81
Beck's cognitive model, 80
Beck's model, 82
Behavioral models, 61
Biased information processing, 80
Black box, 228
Brain- and behavior-based variables, 51
Brain-derived neurotrophic factor (BDNF), 100
Brain measures, 223, 228
Brain models, 230
Brain processes, 226

Brain representation, 223, 224
 Brain systems, 234

C

Cell signaling, 99
 Childhood emotional abuse, 107
 Children's emotion organization, 20
 CogBIAS model, 78, 83, 110
 Cognitive approaches
 anxiety, 80, 81
 attention bias, 108
 CogBIAS model, 110
 cognitive vulnerability models, 80–83
 depression, 80, 81
 emotional disorders, 110
 environmental-sensitivity polygenic
 scores, 110
 genes, 109
 memory bias, 108
 models, 79
 multiple genetic variants, 109
 network-based model, 83–85
 psychological science, 79
 psychological well-being, 109
 psychopathology, 108, 109
 quantitative and molecular genetic
 studies, 107
 reliability, measures, 108
 stress-sensitivity and vantage-sensitivity
 variants, 110
 Cognitive behavioral therapy (CBT), 80
 Cognitive processes, 11
Cognitive Psychology, 79
 Cognitive reappraisal, 31
 Cognitive revolution, 79, 97
 Cognitive Style Questionnaire (CSQ), 83
 Cognitive vulnerability models, 80–83

D

Deep science approach
 affect
 anticipatory, 194, 195
 avoidance behavior, 195
 definitions, 194
 nonverbal expressive behavior, 194
 peripheral physiology, 194
 valence and arousal dimensions, 194
 AIM, 204
 causal impact, 212
 electrical stimulation, 199
 emotion, 210, 211
 experimental psychology, 193

financial risk-taking, 203
 fMRI, 199, 200
 implications
 leveling down, 207
 leveling levels, 209
 leveling up, 207, 209
 recursive influence, 209, 210
 incentive processing, 201
 linking levels of analysis, 193, 196
 algorithmic level, 196
 behavioral data, 196
 broad science approach, 196
 computational level, 196
 functional systems, 196
 hedonic sharpener metaphor, 198
 human imagination, 197
 implementational level, 197
 information processor metaphor, 198
 matching resolution, 198
 neural mechanisms, 198–199
 object identification, 197
 visual processing, 197
 metaphorical reframing, 212, 213
 motivation, 195
 NAcc activity, 201
 neural responses, 200
 noninvasive neuroimaging, 199
 philosophical tractability, 211
 self-awareness, 211
 self-stimulation, 199
 sensorimotor localization, 200
 social interaction, 204
 Depression, 80, 81
 cognitive control, 138
 dACC activation, 132
 effort allocation, 136
 error-related negativity, 132
 fMRI, 128, 129
 goal-directed action, 138
 hedonic responses, 127
 monetary (secondary) rewards, 127, 128
 prediction error, 131
 primary rewards, 128
 reinforcement learning, 131
 reward anticipation, 130, 131
 reward valuation, 135
 vs. schizophrenia, 140
 Diathesis stress models, 101
 Differential susceptibility models, 101, 102
 Dopamine (DA), 125
 Dorsal anterior cingulate cortex (dACC), 47,
 126, 245
 Dorsal medial prefrontal cortex (dmPFC), 52
 Dorsolateral prefrontal cortex (DLPFC), 138

Duke Neurogenetics Study, 238
 Dysfunctional Attitudes Scale (DAS), 83

E

Effort allocation

- DA, 136
- dACC, 136
- depression, 136
- medial PFC, 136
- schizophrenia, 137, 138

Effort-cost decision-making (ECDM)

- cognitive control processes, 123
- cortico-limbic-striatal circuit, 123
- mood pathology, 123
- psychotic disorders, 123
- RDoC PVS, 122

Electroencephalography (EEG), 3, 200

Emotion

- age-related changes, 4
- brain representations, 6
- categories, 1
- cognitive processing, 5
- dimensional models, 5
- emotion-related disorders, 4
- genetic, environmental and cognitive factors, 5
- human experience, 2
- interdisciplinary field, 3
- measurement techniques, 2
- mind-body dualism, 2
- motivation, 4
- neurobiological and structural brain changes, 3
- political behavior, 2
- positive/negative arousal, 6
- psychology and conscious experience, 3
- psychopathology, 5
- self-identity, 6
- self-regulation, 5, 6
- sensory and perceptual experiences, 1
- shaping human behavior, 2
- social and cognitive processes, 1
- social psychologists, 3
- social regulation, 5
- structural and functional MRI, 3

Emotion concept development

- child and adolescent, 19
- constructionist theories, 19
- data, 19
- emotion regulation, 30–32
- emotion words, 29, 30
- emotional perception, 20
- psychopathology, 32, 33

Emotion concept organization

- analogous conceptualized process, 14
- childhood to adulthood
 - bootstrapping, 24
 - emotion vocabulary assessment, 20
 - fluid reasoning, 22
 - foundational cognitive processes, 21
 - intellectual development, 22
 - multidimensional emotion representation, 22
 - multidimensional semantic organization, 21
 - semantic knowledge, 20
 - verbal knowledge, 22, 23
- constructionist theory, 14
- definition, 14
- emotion experience (*see* Emotion experience)
- emotion perception, 14, 15
- expressions of emotion, 17
- morphed expressions, 16
- perceptual encoding, emotional faces, 15

Emotion experience, 1–4, 6

- adolescence, 26, 28
- average emotional intensity, 27
- childhood, 28
- childhood to adolescence, 26
- cognitive reappraisal strategies, 25
- constructionist theory, 24
- co-occurring emotions, 28, 29
- emotion concepts, 18, 19
- emotion regulation strategies, 25
- empirical investigations, 24
- greater differentiation, 24
- negative emotion differentiation, 27
- negative emotion granularity, 26, 27
- positive mental health benefits, 25
- psychopathology, 28

Emotion language development, 33

Emotion perception

- categorizing faces, 16, 17
- functional neuroimaging, 16
- surprised facial expressions, 17
- top-down processing, 16

Emotion regulation, 4, 5, 30–32

Emotional disorders, 80, 97, 99

- anxiety, 100
- cognitive biases, 106, 107
- cognitive vulnerabilities, 105
- depression and symptoms, 100
- diathesis stress models, 101
- differential susceptibility models, 101, 102
- gene environment interplay, 107
- genes, 105, 106

- Emotional disorders (*cont.*)
- genetic and environmental influences, 99
 - polygenic gene-environment interaction, 103, 104
 - quantitative genetic studies, 100
- Emotional expression, 1, 3, 6
- Emotional valence categories, 1
- Emotion-related cognitive biases
- selective attention
 - anxiety-related biases, 92
 - assessment techniques, 90
 - attentional-probe task, 91, 93
 - contemporary studies, 92
 - depression, 93
 - emotional Stroop paradigm, 90
 - ERP measures, 93
 - mechanisms, 92
 - self-reported anxiety, 93
 - spider-related photographs, 92
 - Stroop-like interference effects, 91
 - task-irrelevant and task-relevant attributes, 91
 - threat-related/negative words, 91
 - selective interpretation, 94, 95
 - selective memory, 96, 97
- Empathy
- action planning mechanisms, 245
 - amygdala, 250
 - analyses, 250, 251
 - anterior insula and cingulate, 244
 - brain similarity, 247
 - care and personal distress, 244
 - childhood blood transfusion, 253
 - cognitive processes, 250
 - cross-prediction, 247
 - developed models, 248
 - distributed representations, 246
 - dorsal cingulate and anterior insula, 247
 - dorsomedial prefrontal cortex, 244
 - emotions and social cognitive, 253
 - empathic distress, 253
 - empathy mechanism, 246
 - experience sharing, 244
 - feelings, 253
 - fMRI study, 248, 253
 - linear spatial similarity, 246
 - mental events, 252
 - mental processes, 245
 - mirror neurons, 244
 - multivariate pattern analysis, 246
 - NPS and VPS, 252
 - pain, 247
 - personal distress and empathic care, 244, 254
 - political and social identity, 253
 - population-level models, 254
 - prosocial emotions, 253
 - saliency, 249
 - self-pain and other-pain, 248
 - sensory modalities, 250
 - separate modifiability, 249
 - shared mechanism, 245
 - somatic and vicarious pain, 252
 - somatomotor networks, 250
 - state matching, 244
 - subjective intensity, 248
 - superior temporal sulcus, 244
 - upper- and lower-limb body sites, 248
 - ventral attention, 250
 - visual cortex, 249
 - wealth of population, 246
- Event-related potentials (ERPs), 105, 127
- Explicit memory, 86
- F**
- Feedback-related negativity (FN), 128
- Forward inference, 227
- Functional magnetic resonance imaging (fMRI), 46, 125, 196
- Functional neuroimaging data, 18
- G**
- Generalized anxiety disorder (GAD), 91
- Genetic approaches
- molecular genetic studies, 98, 99
 - polygenic scoring, 99
 - quantitative genetics, 97, 98
- Genome-wide association studies (GWAS), 99
- H**
- Hierarchical feedback control
- abstraction, 168
 - action loops, 170–172
 - ascending control loops, 169
 - Bayesian inference, 169
 - computational principle, 168
 - descending control loops, 169
 - optimal, 169
 - perception loops, 170, 172
 - reinforcement learning, 169
 - valuation systems, 173
- Hierarchical mental models
- abstraction, 164, 165
 - action tendencies, 167
 - certainty tagging, 166, 167

- embodied semantic models, 164
 - mental representations, 164
 - multimodal configuration, 164
 - predictions, 165, 167, 168
 - reusability, 164–166
 - valence tags, 166, 167
 - Hopelessness theory of depression, 81
 - Human neuroimaging, 128
 - Hyper-complexity, 228, 229
 - Hypothalamic-pituitary-adrenal (HPA), 13, 99
- I**
- Identity motivation, 162
 - behavioral impulses, 180
 - emotions, 183
 - goal pursuit, 183
 - intentional-level goals, 181
 - recursiveness, 182
 - self-models, 181
 - self-regulation, 181–183
 - Implicit memory, 86
 - Inferotemporal cortex, 239
 - Intentional motivation, 162
 - accountability and coping potential, 180
 - achievement emotions, 179
 - action tendencies, 177
 - expectancy-value, 177
 - goal commitment, 177, 178
 - goal gap, 178
 - goal pursuit, 177, 179, 180
 - incentive salience, 177
 - Interpretability, 228
 - Intrinsic motivation, 162
 - competence, 175–177
 - conscious reflections, 176
 - distributed valuation systems, 176
 - feedback control loops, 175
 - nonlinearity, 176
 - predictability, 175–177
 - Iowa Gambling Task, 135
- K**
- Kappa opioid system, 141
- L**
- Learning
 - affective outcomes, 242
 - amygdala, 240
 - brain activity patterns, 240
 - brain regions, 239
 - brain representations, 242
 - brain structure and mental events, 238
 - complexity, 239
 - emotional experience, 241
 - emotions, 242
 - fMRI, 240
 - human brain activity, 242
 - inferotemporal cortex, 239
 - predictive brain models, 238
 - predictive models, 239
 - spatial patterns, 242
 - thermal and mechanical stimulation, 240
 - validating predictive models, 240
 - Linear/logistic regression, 99
 - Long-term goal pursuit, 1, 6
- M**
- Machine learning approaches, 228
 - Magnetoencephalography (MEG), 3
 - Major depressive disorder (MDD), 91
 - Mass-univariate outcomes, 226
 - Medial hypothalamus (MHyp), 199
 - Medial prefrontal cortex (mPFC), 46–47
 - Mental constructs, 225, 228
 - Mental illness, 32
 - Mentalizing network, 54
 - Model-based learning systems, 134
 - Model-free learning systems, 134
 - Molecular genetic studies, 99
 - Monetary incentive delay (MID), 200
 - Mood-congruent stimuli, 85
 - Motivation, 1, 3–6
 - depression (*see* Depression)
 - D2 receptor overexpression, 141
 - ECDM, 122, 123
 - goals/action plans, 121
 - hedonic responsivity, 141
 - negative symptoms, 122
 - psychopathology, 122, 143
 - reward (*see* Reward)
 - schizophrenia (*see* schizophrenia)
 - social interactions, 142
 - valuation (*see* Valuation systems)
 - Motivation-related behaviors, 127
 - Multilevel model of emotion regulation
 - amygdala, 47
 - attention-focused strategies, 45
 - cognitive change-focused strategies, 45
 - cognitive control systems, 46, 48
 - effective regulation, 47
 - emotion generation proceeds, 45
 - emotion regulation strategies, 45
 - evaluation, 49
 - identification, 49

- Multilevel model of emotion regulation (*cont.*)
 implementation, 48
 James Gross's process model, 45
 lateral and medial control systems, 47
 neural systems, 46
 prefrontal control, 47
 process model, 46
 response-focused strategies, 45
 selection processes, 47, 48
 self-regulation, 48
 situation-focused regulatory strategies, 45
- N**
- National Institute of Mental Health, 196
 Negative automatic thoughts, 80, 81
 Network-based model, 83–85
 Neural activity, 18
 Neural markers, 62
 Neural mechanisms, 62
 Neural network models, 193
 Neuroforecasting, 207
 Neurogenesis, 99
 Neurologic pain signature (NPS), 232–234
 Neuropsychological research, 226
 Neuroscience research
 amygdala and insula, 55
 behavioral data, 55
 behavioral studies, 50
 brain systems, 50
 categorical condition, 55
 communication, 54
 continuous condition, 54
 emotion categories, 54
 evaluation, 51
 goal-relevant stimuli, 52
 identification, 52, 53
 large vs. small bins, 55
 liminal emotional states, 54
 pattern expression analysis, 51
 prefrontal systems, 50
 psychophysical techniques, 54
 selection, 50
 stress reactivity and cognitive control capacity, 51
 tipping point, 55
 types of effects, 54
 Neurotransmission, 99
 Normative emotional experiences, 12, 13
- O**
- Observations, 61
 One-region-one-function ideology, 226
- Optogenetics, 199
 Orbital frontal cortex (OFC), 124
- P**
- Pain systems, 234
 Painful stimulation, 232
 Panoply environment, 64
 Periaqueductal gray (PAG), 199
 Person level variables, 65
 Picture induced negative emotion signature (PINES), 235, 236
 Polygenic gene-environment interaction, 103, 104
 Population-level models, 248
 Positive predictive value, 227
 Positive valence systems (PVS), 122
 Positron emission tomography (PET), 200
 Posterior cingulate, 254
 Predictive map, 230
 Predictive modeling, 223
 Probabilistic and reinforcement learning, 125
 Psychological and behavioral interventions, 234
 Psychological growth, 11
 Psychopathology, 32, 33
 anxiety, 85, 87, 88
 anxiety-related biases, 87, 90
 automatic and strategic processing, 86
 cognitive and emotional processes, 86
 cognitive mechanisms and automatic processes, 87
 controlled processes, 86
 depressed mood, 87
 depression, 85, 87
 elaboration, 87
 emotional disorders, 86
 explicit and implicit memory, 86
 goal-directed system, 88
 information-processing approaches, 85
 information-processing models, 89
 integration, 87
 pervasive mood-congruent cognitive biases, 86
 psychiatric diagnosis, 85
 semantic processing, 87
 stimulus-driven effect, 88
 Stroop interference, 85
 top-down processes, 87, 88
- Q**
- Quantitative genetic studies, 98

R

Regions of interest (ROIs), 51
 Regression model, 230
 Research Domain Criteria (RDoC), 4, 122, 196
 Reverse inference, 227
 Reward
 anticipation, 124
 cognitive systems, 126
 learning, 123, 125
 prediction error, 125
 predictions, 123
 responsiveness, 123, 124
 valuation, 123, 125, 126
 Reward-processing systems, 123
 Rodent models, 13

S

Schemas, 80
 Schizophrenia
 cognitive control, 138, 139
 effort allocation, 137, 138
 goal-directed action, 138, 139
 monetary (secondary) rewards, 129
 prediction error, 133
 primary rewards, 129, 130
 reinforcement learning, 133, 134
 reward anticipation, 132, 133
 reward valuation, 135
 Self-regulation, 162
 Sensitivity factor, 101
 Single emotion experience, 27
 Situational variables, 65
 Social context, 234
 Social evaluation, 13
 Social networks, 63
 Social regulation of emotion
 ability, 43, 67
 affective neuroscience, 44
 amygdala activation, 60
 approaches, 67
 attentional and situation-focused
 strategies, 66
 behavior to psychological process, 67
 behavioral and brain imaging data, 58
 behavior-process-brain mappings, 67
 bidirectional, 67
 bottom row of boxes, 57
 brain mechanisms, 44
 brain systems, 65, 67
 children and older adults, 66
 clinical populations, 66
 cognitive and affective processes, 65
 dorsal medial prefrontal region, 60

ecological and relational context, 59
 emotion perception, 68
 evolution, 65–67
 executive/cognitive control, 68
 implementing social reappraisals, 63, 64
 impressions, 44
 initial behavioral session, 59
 initial model, 56
 interdisciplinary, 65
 learning, 66
 lifespan and training-related aspects, 66
 model of regulation, 65
 mood/personality disorders, 57
 MRI scanner, 59
 multilevel approach, 65
 multilevel model, 57
 multi-person interactions, 68
 neural markers, 61
 parents and children, 43
 person-to-person contexts, 68
 politics and bureaucracy, 57
 primary colors, 44
 psychological and neural bases, 56
 psychological processes, 44, 65
 self-identification, 60
 self-regulation, 45, 56, 57
 simulating/empathizing, 59
 social cognition, 68
 social contexts, 57, 68
 social forms, 57
 social influence, 61–63
 specific clinical populations, 66
 strategy selection stage, 66
 television, 44
 top row of boxes, 57
 variety of contexts, 45
 whole-brain pattern, 61
 Woody vs. Wayne perspectives, 60, 61
 Social regulatory effects of emotion
 identification, 61–63
 Somatic pain, 232
 State-dependent memory effects, 84
 Stria terminalis (ST), 199
 Striatum, 205, 207, 208
 Stroop interference, 85
 Susceptibility factor, 101

T

Temple-Wisconsin Cognitive Vulnerability to
 Depression Project, 83
 Temporal-parietal junction, 254
 Thermal stimulation, 232
 Transparency, 228

V

Valuation systems

- action loops, 162
- action problem, 163
- braking systems, 163
- complexity, 174
- conscious awareness, 174
- functional analysis, 163, 184
- hierarchical feedback control, 164, 168–173
- hierarchical mental models, 164–167
- information processing, 174
- internal and external environment, 163
- mental processes, 162
- motivation, 161, 162
 - allostatic, 184
 - constructive, 184

- emergent, 184

- identity, 162, 180, 181, 183

- intentional, 162, 177, 178, 180

- intrinsic, 162, 175–177

- perception loops, 162

- perception problem, 163

Ventral striatum (VS), 254

Ventral tegmental area (VTA), 125

Ventromedial prefrontal cortex
(vmPFC), 254

Verbal knowledge, 32

Vicarious pain signature (VPS), 250

W

Wechsler vocabulary assessment, 22

Weight map, 230