

# Index

## A

Abbe refractometer, 8, 43, 49, 65, 67  
Absorption coefficient, 1, 5  
Alcohols, 35  
Anisotropy factor, 9  
Antifreeze, 153

## B

Beer-Lambert equation, 82  
Biological tissues, 3, 4, 49, 50, 97  
Biomedical engineering, 90  
Biophotonics, 10, 17, 90  
Bouguer-Beer-Lambert equation, 61  
Bouguer-Beer-Lambert law, 23

## C

Cauchy equation, 66  
Cellular cytoplasm, 7  
Cerebral spinal fluid (CSF), 37  
Chemical penetration enhancers (CPEs), 43  
2-Chloroethyl ethyl sulfide (CEES), 144  
Clear, unobstructed brain/body imaging cocktails (CUBIC), 37  
Clearing mechanisms  
  OCA (*see* OCA flux in)  
  water (*see* Water flux out)  
Collimated transmittance ( $T_c$ ), 61–63, 79, 80, 86, 93, 94, 99–101  
Colorectal mucosa tissues, 97, 99  
Confocal light-sheet microscope (CLSM), 129  
Confocal microscopy (CM), 114  
Conrady equation, 66  
Control of optical properties, 23

Conventional refractometers, 65  
Cornu-type equation, 39, 40, 66  
Cryogenics  
  CPAs, 153, 155, 156  
  glycerol, 152  
  non-penetrating CPAs, 154  
  organ preservation, 152  
  preservation method, 153  
  TELSs, 154  
  tissue/organ protection, 153  
  tissue preservation, 152  
  toxicity, CPA, 154  
  vitrification method, 153–155  
Cryoprotective agents (CPAs), 153, 155, 156  
Cryosurgery, 20  
Cytoplasm, 49

## D

Dehydration mechanism, 50–53, 57, 149  
Dermal decontamination gel (DDGel), 144  
Diffuse reflectance ( $R_d$ )  
  colorectal muscle, 72, 73  
  hemoglobin, 70, 71  
  human colorectal muscle, 70, 71  
  human normal and pathological colon mucosa, 71, 72  
  in vivo rat skin, 72, 73  
  measuring setup, 70  
  optical fiber sensor, 70  
  oxyhemoglobin, 71, 72  
  skin reduction, 74  
Diffuse transmittance ( $T_d$ ), 63  
Diffusion properties  
  OCA, 90–93, 95, 98

Diffusion properties (*cont.*)

water, 90–93, 95, 98

**E**

EG-water solutions, 45

Electronic cigarettes (e-cig), 145, 164

Electrophoretic tissue clearing (ETC), 28

Ethyl cinnamate (ECi), 130

Ethylene glycol (EG), 93, 146

Eugenol, 151

Ex vivo measurements

collimated transmittance, 61–63

RI, 65–68

thickness, 68, 69

total reflectance, 64, 65

total transmittance, 63, 64

**F**

Fick's law, 27, 91

Fluorescence imaging, 10, 108

Fluorescence spectroscopy, 10

FocusClear, 114

Food industry, 167

advantages, 149

air-drying vs. freeze-drying methods, 149

dehydration, 149

eugenol, 151

evaluation

diffusion properties, 150

sugar gain, 151

water and agents, 152

water loss, 151

freeze-drying, 149

liquid water, 149

low temperatures, 149

osmotic agents, 151

osmotic-induced dehydration, 149

scanning electron microscopy, 149

stress, 151

ternary solutions, 151

traditional preserving method, 149

Future perspective of OC

cancerous tissue, 169

clearing agents and protocols, 164, 165

cosmetic industry, 167

food industry, 167

immersion, 168

kinetics, absorption coefficient, 169

natural wood, 168

new OCAs, 164

THz, 168, 169

tissue

dehydration, 169

imaging, 166, 167

spectroscopy, 165, 166

transparency, 167

transparent wood, 168

**G**

Gladstone and Dale equation, 8

Glucose-water solutions, 44, 98

Glycerol drops, 139

Glycerol-water solutions, 45, 99

Goniometric RI measurements, 65

**H**

Henyey-Greenstein function, 2

High-throughput evaluation system, 37

Human colorectal muscle, 66, 67

**I**

Immersion method

absorption coefficient, 30

agent concentration distribution, 24

cell/tumor necrotic core, 29

collimated transmittance, 23

diffusion coefficients, 24, 26, 27

exogenous chemical agents, 22

ex vivo/in vivo situations, 23

fibrous structure, 27

fibrous tissues, 23

first-order approximation, 25

hyperosmotic, 30

interfibrillar space, 29

optically soft particles, 30

osmotic pressure, 26

reversible clearing effect, 22

scattering coefficient, 29

skeletal muscle, 23–25

slab-form muscle, 23

temporary clearing effect, 22

tissue transparency, 27, 28

water and agent fluxes, 26

wavelength dependence, 31

weak hyperosmolarity, 30

Interstitial fluid (ISF), 7, 23, 49, 68, 79, 81, 83

Inverse adding-doubling (IAD), 4, 62, 86, 88

Inverse Monte Carlo (IMC), 62, 86

In vivo measurements

diffuse reflectance, 70–74

imaging methods, 74

**L**

- Laser speckle contrast imaging (LSCI), 10
  - acquire subcutaneous, 117
  - blood flow, 117, 118
  - blood microcirculation, 119
  - cerebral blood flow, 120
  - evaluation, 120, 121
  - glycerol and glucose, 118
  - hexagonal lens array, 120
  - innovative transparent cranial window, 119
  - OC treatment, 119
  - pancreatic microcirculation, 120
  - setup, 117, 118
  - single speckle intensity, 118
  - skin microvascular visualization, 119
  - visible laser, 118
- Light attenuation, 1
- Light-based methods, 163
- Light penetration depth, 3, 7, 10, 11
- Light scattering, 49
- Light-sheet fluorescence expansion microscopy (LSFEM), 131
- Light-sheet microscopy
  - biological specimen, 127
  - CUBIC, 131
  - eye and retinal vasculature, 130
  - fluorescence, 128
  - history, 127
  - neural networks, 130
  - OC, 129, 130
  - physiological processes, 129
  - SPIM, 128
  - subcellular resolution, 129
  - tissue immersion OC, 131
  - typical scheme, 128, 129

**M**

- Medical imaging, 107
- Methyl chloride, 144, 145
- Microscopic inspection, 107
- Microscopy methods, tissue imaging
  - clinical practice, 113
  - CM, 114, 115
  - neural circuits, 116
  - OC method, 114
  - ScaleS, 116, 117
  - typical fluorescence microscopy, 113
- Mie scattering theory, 86, 87
- Monte Carlo simulations, 72
- Multiphoton microscopy, 10
- Multiphoton tomography (MPT), 126

**N**

- Natural wood, 168
- Nonlinear and Raman microscopy, 10

**O**

- OCA flux in
  - calculation/estimation procedure, 54
  - characterization, 53
  - collagen dissociation, 53
  - diffusion, 51
  - discrimination, 53
  - fructose, 54
  - protein solubility capability, 52
  - RI matching, 52
  - skin treatments, 52
  - sucrose, 54
- OCA osmolarities
  - Abbe refractometer, 43
  - EG-water solutions, 45
  - glucose-water solutions, 44
  - glycerol-water solutions, 45
  - PG-water solutions, 45
  - solution preparation, 44
  - sucrose-water solutions, 46
  - trial and error method, 44
- OC treatments
  - collimated transmittance, 80
  - cryostat, 80
  - dehydration mechanism, 85
  - ex vivo/in vivo tissues, 79
  - human colorectal wall layers, 80
  - RI, 79, 80, 83, 85
  - tissue optical properties, 85–90
  - VFs, 82
- Omnipaque™ (iohexol), 37
- Optical clearing agents (OCAs), 31, 79
  - absorption, 38–42
  - biological materials, 139
  - cosmetics, 140, 143
  - cryogenics (*see* Cryogenics)
  - desirable properties, 35, 37
  - diffusion properties, 10
  - dispersion, 38–42
  - enhanced delivery, 42, 43
  - ex vivo method, 139, 142
  - food industry (*see* Food industry)
  - Franz diffusion cell, 142, 143
  - mobile water, 143
  - osmolarities (*see* OCA osmolarities)
  - pharmacology, 139, 141, 142
  - skin structure, 140
  - $T_c$  spectra, 41

- Optical clearing agents (OCAs) (*cont.*)  
 tissue poisoning (*see* Tissue poisoning  
 wavelength dependence, 38
- Optical coherence tomography (OCT), 10, 54,  
 74, 90  
 biological tissues, 110  
 cartilage tissues, 112  
 clearing potential, disaccharides, 112  
 contrast improvement, 111  
 Doppler signal, 110  
 dual-beam Michelson interferometer, 109  
*ex vivo*  
 bovine muscle, 111  
 human skin, 111  
 stomach, 111  
 improved probing depth, 110  
 interferometric technique, 109  
 melanoma microvasculature, 112  
 OC method, 111  
 ODD, 112  
 physical properties, tissue, 113  
 reference beam, 110  
 scattering coefficient, 111  
 signal intensity, 110  
 SLED, 110  
 ultrasound, 109
- Optical detection depth (ODD), 112
- Optical imaging techniques, 107
- Optical immersion clearing method, 50
- Optical sectioning techniques, 108
- Optical spectroscopy, 82
- Optimized clearing protocol, 126
- P**
- PG-water solutions, 45, 46
- Phosphate-buffered saline (PBS), 74, 143
- Photoacoustic imaging, 10
- Photodynamic therapy, 3
- Photon absorption, 2
- Photon scattering, 2
- Photothermal therapy, 3
- Polyethylene glycol-associated solvent system  
 (PEGASOS), 127
- Propylene glycol (PG), 145
- Protein solubility, 52
- R**
- Radiation-free imaging, 107
- Raman spectroscopy, 10, 82
- Reactive skin decontamination lotion  
 (RSDL), 144
- Reduced scattering coefficient, 3
- Reduced scattering ratio (RSR), 54
- Reference beam, 110
- Reflectance spectroscopy, 10
- Refractive index (RI), 3, 8, 9, 11, 23, 37, 41, 44,  
 45, 49, 62, 65–68, 79, 80, 83, 85
- Retinal pigment epithelium (RPE), 130
- RI matching, 11, 21, 22, 28, 30, 31, 51–53, 57,  
 62, 85, 150
- RI mismatch, 8, 9, 18, 21, 30, 35, 49, 50
- S**
- ScaleS, 116, 117
- Scanning electron microscopy, 149
- Scattering coefficient, 1, 5, 7–9
- Second harmonic generation (SHG), 10, 52  
 advantages, 121  
 biopsied placental membrane, 125  
 collagen dissociation, 125  
 collagen fibers, 121  
 cooperating tissue OC, 127  
 detect large concentrations of collagen, 127  
 imaging depth, 125  
 imaging microscope setup, 123  
 microscopy imaging techniques, 125  
 molecular density, 122  
 MPT, 126  
 muscle clearing, 123  
 nonlinear contrast method, 121  
 optimized clearing protocol, 126  
 polarization, 122  
 pulse, 122  
 signal efficiency, 124  
 skull window, 126  
 technology advances, 121
- Selective plane illumination microscopy  
 (SPIM), 128
- Skeletal muscle, 7
- Skin, 140, 141, 144
- Snell's law, 66
- Sodium dodecyl sulfate (SDS), 28, 129
- Specular reflectance ( $R_s$ ), 64
- Sucrose-water solutions, 46
- Sugars, 35, 151
- Super-luminescent LED (SLED), 110
- T**
- Temperature effects, 18–20
- Terahertz (THz) radiation, 168
- Three-dimensional imaging, 108
- THz spectroscopy, 10

Time-lapse multiphoton microscopy, 53  
Tissue coagulation, 18–20  
Tissue components, 3, 4  
Tissue compression/stretching, 21, 22  
Tissue-engineered liver slices (TELSs), 154  
Tissue imaging  
  light-sheet microscopy (*see* Light-sheet microscopy)  
  LSCI, 117–121  
  microscopy methods (*see* Microscopy methods, tissue imaging)  
  thick tissue, 108, 109  
Tissue optical clearing, 17, 163, 164  
Tissue optics, 163  
Tissue poisoning  
  CEES, 144  
  digestive system, 146  
  *e*-cig, 145  
  EG, 146  
  evaluation, diffusion properties, 146  
  eye  
    exposure, 148  
    structure, 147  
    tissues, 147, 148  
  human tissues, 144  
  inhalation, 146  
  methyl chloride, 144, 145  
  PG, 145  
  respiratory and digestive tract, 146  
  skin, 144  
  toothpaste, 147

  topical administration, 143  
  toxic chemical agents, 144  
  toxic substances, 148  
Tissue spectroscopy, 165, 166  
Tissue whitening, 17, 18  
Topical glycerol, 139  
Total reflectance ( $R_t$ ), 64, 65, 86  
Total transmittance ( $T_t$ ), 63, 64, 86  
Toxic chemical agents, 144  
Traditional imaging methods, 107

## U

UV-tissue windows, 99–101, 103

## V

Vitrification, 153–155  
Volume fractions (VFs), 80, 82, 83

## W

Water flux out  
  dehydration mechanism, 50  
  fructose, 57  
  OCA concentration, 54  
  osmotic pressure, 50  
   $\tau$  values, 55, 56  
  tissue dehydration, 51  
  tissue scatterers, 50  
Water-fructose solutions, 92