

Bibliography

- Abrams, P.A. (2001), 'Modelling the adaptive dynamics of traits involved in inter- and intraspecific interactions: an assessment of three methods', *Ecol. Lett.* **4**(2), 166–175.
- Akin, E. (1979), *The Geometry of Population Genetics*, Vol. 31 of *Lecture Notes in Biomathematics*, Springer-Verlag, Berlin.
- Akin, E. (1982), 'Cycling in simple genetic systems', *J. Math. Biol.* **13**, 305–324.
- Amundson, R. (2005), *The Changing Role of the Embryo in Evolutionary Thought: Roots of Evo-Devo*, Cambridge: Cambridge University Press, UK.
- Anderson, R.M. & May, R.M. (1982), 'Coevolution of hosts and parasites', *Parasitology* **85**, 411–426.
- Anderson, R.M. & May, R.M. (1991), *Infectious Diseases of Humans: Dynamics and Control*, Oxford University Press, Oxford, UK.
- Arnold, S.J., Bürger, R., Hohenlohe, P.A., Ajie, B.C. & Jones, A.G. (2008), 'Understanding the evolution and stability of the G -matrix', *Evolution* **62**(10), 2451–2461.
- Athreya, K.B. & Karlin, S. (1971a), 'Branching processes with random environments I – extinction probabilities', *Ann. Math. Stat.* **42**(5), 1499.
- Athreya, K.B. & Karlin, S. (1971b), 'Branching processes with random environments II – limit theorems', *Ann. Math. Stat.* **42**(6), 1843.
- Axelrod, R. & Hamilton, W.D. (1981), 'The evolution of cooperation', *Science* **211**(4489), 1390–1396.
- Baake, E. & Wiehe, T. (1997), 'Bifurcations in haploid and diploid sequence space models', *J. Math. Biol.* **35**(3), 321–343.
- Bacaër, N. (2009), *Histoires de Mathématiques et de Populations*, Editions Cassini, Paris.
- Barabino, G.A., Platt, M.O. & Kaul, D.K. (2010), 'Sickle cell biomechanics', *Annu. Rev. Biomed. Eng.* **12**, 345–367.
- Barles, G., Evans, L.C. & Souganidis, P.E. (1990), 'Wavefront propagation for reaction-diffusion systems of PDE', *Duke Math. J.* **61**(3), 835–858.
- Barles, G., Mirrahimi, S. & Perthame, B. (2009), 'Concentration in Lotka-Volterra parabolic or integral equations: a general convergence result', *Methods Appl. Anal.* **16**, 321–340.
- Barles, G. & Perthame, B. (2007), Concentrations and constrained Hamilton-Jacobi equations arising in adaptive dynamics, in D. Danielli, ed., 'Recent Developments in Non-linear Partial Differential Equations', Vol. 439 of *Contemporary Mathematics Series*, pp. 57–68.
- Barton, N.H. & Keightley, P.D. (2002), 'Understanding quantitative genetic variation', *Nat. Rev. Genet.* **3**(1), 11–21.
- Barton, N.H. & Turelli, M. (1987), 'Adaptive landscapes, genetic-distance and the evolution of quantitative characters', *Genetical Research* **49**(2), 157–173.
- Barton, N.H. & Turelli, M. (1991), 'Natural and sexual selection on many loci', *Genetics* **127**(1), 229–255.
- Barton, N.H. & Turelli, M. (2004), 'Effects of genetic drift on variance components under a general model of epistasis', *Evolution* **58**(10), 2111–2132.

- Beding, B. (2008), ‘The stone-age whale hunters who kill with their bare hands’, Daily Mail, 12th April.
- Berestycki, H., Nadin, G., Perthame, B. & Ryzhik, L. (2009), ‘The non-local Fisher-KPP equation: travelling waves and steady states’, *Nonlinearity* **22**(12), 2813–2844.
- Bernoulli, D. (1766), ‘Essai d’une nouvelle analyse de la mortalité causée par la petite vérole’, *Mem. Math. Phy. Acad. Roy. Sci. Paris, année 1760*.
- Biebricher, C.K., Eigen, M. & William C. Gardiner, J. (1983), ‘Kinetics of RNA replication’, *Biochemistry* **22**, 2544–2559.
- Biebricher, C.K., Eigen, M. & William C. Gardiner, J. (1984), ‘Kinetics of RNA replication: Plus-minus asymmetry and double-strand formation’, *Biochemistry* **23**, 3186–3194.
- Biebricher, C.K., Eigen, M. & William C. Gardiner, J. (1985), ‘Kinetics of RNA replication: Competition and selection among self-replicating RNA species’, *Biochemistry* **24**, 6550–6560.
- Billingsley, P. (1999), *Convergence of Probability Measures*, Wiley-Interscience, USA.
- Binet, J. (1843), ‘Mémoire sur l’intégration des équations linéaires aux différences finies, d’un ordre quelconque, à coefficients variables’, *Comptes Rendue Hebdomadaires des Séances de l’Académie des Sciences (Paris)* **17**, 559–567.
- Boehm, C. (1999), *Hierarchy in the Forest: The Evolution of Egalitarian Behavior*, Harvard University Press, USA.
- Boesch, C. (2002), ‘Cooperative hunting roles among tai chimpanzees’, *Human Nature – an Interdisciplinary Biosocial Perspective* **13**(1), 27–46.
- Bolker, B. & Pacala, S.W. (1997), ‘Using moment equations to understand stochastically driven spatial pattern formation in ecological systems’, *Theor. Popul. Biol.* **52**(3), 179–197.
- Bolker, B.M. & Pacala, S.W. (1999), ‘Spatial moment equations for plant competition: Understanding spatial strategies and the advantages of short dispersal’, *Am. Nat.* **153**(6), 575–602.
- Bovier, A. & Champagnat, N. (n.d.), ‘Time scales in adaptive dynamics: directional selection, fast and slow branching’, (*in preparation*).
- Bowers, R.G. (*in press*), On the determination of evolutionary outcomes directly from the population dynamics of the resident. *J. Math. Biol.*
- Bowles, S. (2003), *Microeconomics: Behavior, Institutions and Evolution*, Princeton University Press, USA.
- Boyd, R. & Richerson, P.J. (1985), *Culture and the Evolutionary Process*, University of Chicago Press, USA.
- Boyd, R. & Richerson, P.J. (1988), ‘The evolution of reciprocity in sizable groups’, *J. Theor. Biol.* **132**, 337–356.
- Brakmann, S. & Johnsson, K., eds. (2002), *Directed Molecular Evolution of Proteins or How to Improve Enzymes for Biocatalysis*, Wiley-VCH, Weinheim, DE.
- Brigatti, E., Schwammle, V. & Neto, M.A. (2008), ‘Individual-based model with global competition interaction: fluctuation effects in pattern formation’, *Phys. Rev. E* **77**(2, Part 1).

- Bryant, J. (1994), Coordination theory, the stag hunt and macroeconomics, in J. Friedman, ed., 'Problems of Coordination in Economic Activity', Kluwer, Dordrecht, The Netherlands, pp. 207–225.
- Bryden, J. & Jansen, V.A.A. (2010), 'The impact of clonal mixing on the evolution of social behaviour in aphids', *P. Roy. Soc. B: Biological Sciences* **277**, 1651–1657.
- Bull, J.J., Ancel Myers, L. & Lachmann, M. (2005), 'Quasispecies made simple', *PLoS Comp. Biol.* **1**, 450–460.
- Bull, J.J., Sanjuán, R. & Wilke, C.O. (2007), 'Theory for lethal mutagenesis for viruses', *J. Virology* **81**, 2930–2939.
- Bulmer, M.G. (1980), *The Mathematical Theory of Quantitative Genetics*, Oxford: Clarendon Press.
- Bürger, R. (1991), 'Moments, cumulants, and polygenic dynamics', *J. Math. Biol.* **30**(2), 199–213.
- Bürger, R. (2000), *The Mathematical Theory of Selection, Recombination and Mutation*, Wiley Series in Mathematical and Computational Biology. Chichester: Wiley.
- Bürger, R. (2005), 'A multilocus analysis of intraspecific competition and stabilizing selection on a quantitative trait', *J. Math. Biol.* **50**(4), 355–396.
- Bürger, R. (2009a), 'Multilocus selection in subdivided populations I. Convergence properties for weak or strong migration', *J. Math. Biol.* **58**(6), 939–978.
- Bürger, R. (2009b), 'Multilocus selection in subdivided populations II. Maintenance of polymorphism under weak or strong migration', *J. Math. Biol.* **58**(6), 979–997.
- Bürger, R. (2010), 'Evolution and polymorphism under the multilocus Levene model without epistasis', *Theor. Pop. Biol.* **78**, 123–138.
- Bürger, R. & Lande, R. (1994), 'On the distribution of the mean and variance of a quantitative trait under mutation-selection-drift balance', *Genetics* **138**(3), 901–912.
- Calsina, A. & Cuadrado, S. (2004), 'Small mutation rate and evolutionarily stable strategies in infinite dimensional adaptive dynamics', *J. Math. Biol.* **48**(2), 135–159.
- Calsina, A. & Perello, C. (1995), 'Equations for biological evolution', *Proc. R. Soc. Edinb. Sect. A-Math.* **125**(Part 5), 939–958.
- Carrillo, J.A., Cuadrado, S. & Perthame, B. (2007), 'Adaptive dynamics via Hamilton-Jacobi approach and entropy methods for a juvenile-adult model', *Math. Biosci.* **205**(1), 137–161.
- Castilloux, A.M. & Lessard, S. (1995), 'The fundamental theorem of natural selection in Ewens' sense (case of many loci)', *Theoret. Pop. Biol.* **48**, 733–742.
- Champagnat, N. (2003), 'Convergence of adaptive dynamics n -morphic jump processes to the canonical equation and degenerate diffusion approximation', Preprint of the University of Nanterre (Paris 10) No. 03/7.
- Champagnat, N. (2006), 'A microscopic interpretation for adaptive dynamics trait substitution sequence models', *Stoch. Process. Their Appl.* **116**(8), 1127–1160.
- Champagnat, N., Ferrière, R. & Méléard, S. (2006), 'Unifying evolutionary dynamics: From individual stochastic processes to macroscopic models', *Theor. Popul. Biol.* **69**(3), 297–321.

- Champagnat, N., Ferrière, R. & Méléard, S. (2008a), 'From individual stochastic processes to macroscopic models in adaptive evolution', *Stoch. Models* **24**(Suppl. 1), 2–44. 9th Symposium on Probability and Stochastic Process, Guanajuato, Mexico, Nov. 20–24, 2006.
- Champagnat, N., Ferrière, R. & Méléard, S. (2008b), Individual-based probabilistic models of adaptive evolution and various scaling approximations, in R. C. Dalang, M. Dozzi & F. Russo, eds., 'Seminar On Stochastic Analysis, Random Fields And Applications V', Vol. 59 of *Progress In Probability*, pp. 75–113. 5th Seminar on Stochastic Analysis, Random Fields and Applications, Ascona, Switzerland, May 30–Jun 03, 2005.
- Champagnat, N. & Méléard, S. (*to appear*), Polymorphic evolution sequence and evolutionary branching. *Probab. Theory Relat. Fields*.
- Christiansen, F.B. & Loeschcke, V. (1980), 'Evolution and intraspecific exploitative Competition. 1. One-Locus theory for small additive gene effects', *Theor. Popul. Biol.* **18**(3), 297–313.
- Claessen, D., Andersson, J., Persson, L. & de Roos, A.M. (2007), 'Delayed evolutionary branching in small populations', *Evol. Ecol. Res.* **9**(1), 51–69.
- Cohen, J.E. (2004), 'Mathematics is biology's next microscope, only better; biology is mathematics' next physics, only better', *PLoS. Biol.* **2**(12), 2017–2023.
- Crandall, M.G., Ishii, H. & Lions, P.L. (1992), 'User's guide to viscosity solutions of second order partial differential equations', *Bull. Amer. Math. Soc.* **27**(1), 1–67.
- Creel, S. & Creel, N.M. (1995), 'Communal hunting and pack size in African wild dogs, *Lycaon-pictus*', *Anim. Behav.* **50**, 1325–1339.
- Darwin, C. (1859), *On the Origin of Species by Means of Natural Selection or the Preservation of Favoured Races in the Struggle for Life*, John Murray, London.
- Darwin, C. (1871), *The Descent of Man, and Selection in Relation to Sex*, John Murray, London.
- Dawes, R.M. (1980), 'Social dilemmas. social dilemmas. social dilemmas', *Annu. Rev. of Psychol.* **31**, 169–193.
- Dercole, F. & Rinaldi, S. (2008), *Analysis of Evolutionary Processes: the Adaptive Dynamics Approach and its Applications*, Princeton University Press, USA.
- Desvillettes, L., Jabin, P.E., Mischler, S. & Raoul, G. (2008), 'On selection dynamics for continuous structured populations', *Commun. Math. Sci.* **6**(3), 729–747.
- Dieckmann, U. (2002), Adaptive dynamics of pathogens-host interaction, in U. Dieckmann, J. A. J. Metz, M. W. Sabelis & K. Sigmund, eds., 'Adaptive Dynamics of Infectious Diseases: In Pursuit of Virulence Management', Cambridge University Press, UK, pp. 39–59.
- Dieckmann, U. & Doebeli, M. (1999), 'On the origin of species by sympatric speciation', *Nature* **400**(6742), 354–357.
- Dieckmann, U., Doebeli, M., Metz, J. A. J. & Tautz, D., eds. (2004), *Adaptive Speciation*, Cambridge University Press, UK.
- Dieckmann, U. & Law, R. (1996), 'The dynamical theory of coevolution: A derivation from stochastic ecological processes', *J. Math. Biol.* **34**(5-6), 579–612.

- Dieckmann, U. & Law, R. (2000), Relaxation projections and the method of moments, in 'The Geometry of Ecological Interactions: Simplifying Spatial Complexity', Cambridge University Press, UK, pp. 412–455.
- Dieckmann, U. & Metz, J.A.J. (2006), 'Surprising evolutionary predictions from enhanced ecological realism', *Theor. Popul. Biol.* **69**(3), 263–281.
- Dieckmann, O. (2004), A beginner's guide to adaptive dynamics, in 'Mathematical Modelling of Population Dynamics', Vol. 63 of *Banach Center Publ.*, Polish Acad. Sci., Warsaw, pp. 47–86.
- Dieckmann, O., Gyllenberg, M. & Metz, J.A.J. (2003), 'Steady-state analysis of structured population models', *Theor. Popul. Biol.* **63**(4), 309–338.
- Dieckmann, O., Heesterbeek, J.A.P. & Metz, J.A.J. (1990), 'On the definition and the computation of the basic reproduction ratio r_0 in models for infectious-diseases in heterogeneous populations', *J. Math. Biol.* **28**(4), 365–382.
- Dieckmann, O., Jabin, P.E., Mischler, S. & Perthame, B. (2005), 'The dynamics of adaptation: An illuminating example and a Hamilton-Jacobi approach', *Theor. Popul. Biol.* **67**(4), 257–271.
- Doebeli, M. & Dieckmann, U. (2003), 'Speciation along environmental gradients', *Nature* **421**(6920), 259–264.
- Domingo, ed., E. (2005), 'Virus entry into error catastrophe as a new antiviral strategy', *Virus Research* **107**(2), 115–228.
- Donoghue, P. C. J. & Smith, M. P., eds. (2003), *Telling the evolutionary time: molecular clocks and the fossil record.*, CRC Press, USA.
- Drake, J.W. (1993), 'Rates of spontaneous mutation among RNA viruses', *Proc. Natl. Acad. Sci. USA* **90**, 4171–4175.
- Drake, J.W., Charlesworth, B., Charlesworth, D. & Crow, J.F. (1998), 'Rates of spontaneous mutation', *Genetics* **148**, 1667–1686.
- Dresher, M. (1961), *The Mathematics of Games of Strategy: Theory and Applications*, Prentice-Hall, Englewood Cliffs, NJ.
- Dugatkin, L.A. (2007), 'Inclusive fitness theory from Darwin to Hamilton', *Genetics* **176**(3), 1375–1380.
- Dunlap, R.A. (1997), *The Golden Ratio and Fibonacci Numbers*, World Scientific, Singapore.
- Durinx, M., Metz, J.A.J. & Meszner, G. (2008), 'Adaptive dynamics for physiologically structured population models', *J. Math. Biol.* **56**(5), 673–742.
- Edwards, A.W. (1994), 'The fundamental theorem of natural selection', *Biological Reviews* **69**, 443–474.
- Egas, M., Sabelis, M.W., Vala, F. & Lesna, I. (2004), Adaptive speciation in agricultural pests, in U. Dieckmann, M. Doebeli, J. A. J. Metz & D. Tautz, eds., 'Adaptive Speciation', Cambridge University Press, UK, pp. 249–263.
- Eigen, M. (1971), 'Selforganization of matter and the evolution of biological macromolecules', *Naturwissenschaften* **58**, 465–523.
- Eigen, M. & Schuster, P. (1978), 'The hypercycle. A principle of natural self-organization. Part B: The abstract hypercycle', *Naturwissenschaften* **65**, 7–41.

- Eldredge, N. & Gould, S.J. (1972), Punctuated equilibria: an alternative to phyletic gradualism, in T. Schopf, ed., 'Models in Paleobiology', Freeman, Cooper and Company,, EUA, pp. 82–115.
- Eshel, I. (1983), 'Evolutionary and continuous stability', *J. Theor. Biol.* **103**(1), 99–111.
- Eshel, I. (1996), 'On the changing concept of evolutionary population stability as a reflection of a changing point of view in the quantitative theory of evolution', *J. Math. Biol.* **34**(5-6), 485–510.
- Eshel, I. (*In press*), Short-term and long-term evolution, in U. Dieckmann & J. A. J. Metz, eds., 'Elements of Adaptive Dynamics', Cambridge University Press, UK.
- Eshel, I. & Feldman, M.W. (1984), 'Initial increase of new mutants and some continuity properties of ESS in two locus systems', *Am. Nat.* **124**(5), 631–640.
- Eshel, I. & Feldman, M.W. (2001), Optimization and evolutionary stability under short-term and long-term selection, in E. Sober & S. Orzack, eds., 'Adaptationism and Optimality', Cambridge University Press, Cambridge, UK, pp. 161–190.
- Eshel, I., Feldman, M.W. & Bergman, A. (1998), 'Long-term evolution, short-term evolution, and population genetic theory', *J. Theor. Biol.* **191**(4), 391–396.
- Ethier, S.N. & Kurtz, T.G. (1986), *Markov Processes, Characterization and Convergence*, John Wiley & Sons, USA.
- Euler, L. (1760), 'Theoremata arithmetica nova methodo demonstrata', *Novi Commentarii Scientiarum Imperialis Petropolitanae* **8**, 74–104. Reprinted in Euler's *Commentationes Arithmeticae Collectae*, Vol. 1, 274–286 and in Euler's *Opera Omnia*, Series 1, Vol. 2, 531–555.
- Euler, L. (1767), 'Recherches générales sur la mortalité et la multiplication du genre humain', *Mem. Acad. R. Sci. Belles Lett. (Berlin)* **16**, 144–164.
- Euler, L. (1988), *Introductio in Analysin Infinitorum*, 1748. *English Translation: John Blanton, Introduction to Analysis of the Infinite*, Vol. I and II, Springer-Verlag, Berlin.
- Evans, L.C. & Souganidis, P.E. (1989), 'A PDE approach to geometric optics for certain semilinear parabolic equations', *Indiana Univ. Math. J.* **38**(1), 141–172.
- Ewens, W.J. (1969), 'Mean fitness increases when fitnesses are additive', *Nature* **221**(5185), 1076.
- Ewens, W.J. (1979), *Mathematical Population Genetics*, Vol. 9 of *Biomathematics Texts*, Springer-Verlag, Berlin.
- Ewens, W.J. (1992), 'An optimizing principle of natural selection in evolutionary population genetics', *Theoret. Pop. Biol.* **42**, 333–346.
- Ewens, W.J. (2004), *Mathematical Population Genetics. I: Theoretical Introduction. 2nd ed.*, Interdisciplinary Mathematics 27. New York, NY: Springer.
- Ewens, W.J. (2011), 'What is the gene trying to do?', *Brit. J. Philos. Sci.* **62**(1), 155–176.
- Fahlbeck, P. (1898, 1902), *Sveriges adel, statistisk undersökning öfver de å riddarhuset introducerade ätterna, I and II (The Swedish Nobility, a Statistical Investigation of the Families of the House of Nobility)*, Gleerups, Sweden.
- Ferrière, R. & Gatto, M. (1995), 'Lyapunov exponents and the mathematics of invasion in oscillatory or chaotic populations', *Theor. Popul. Biol.* **48**(2), 126–171.

- Fisher, R.A. (1918), 'The correlation between relatives on the supposition of Mendelian inheritance', *Trans. of the Roy. Soc. of Edinburgh* **52**, 399–433.
- Fisher, R.A. (1922), 'On the dominance ratio', *Proc. Roy. Soc. Edin.* **42**, 321–341.
- Fisher, R.A. (1930), *The Genetical Theory of Natural Selection*, Clarendon Press, Oxford.
- Flood, M.M. (1952), 'Some experimental games, research memorandum RM-789', *RAND Corporation, Santa Monica, CA*.
- Fontana, W. & Schuster, P. (1998), 'Continuity in evolution. On the nature of transitions', *Science* **280**, 1451–1455.
- Fournier, N. & Méléard, S. (2004), 'A microscopic probabilistic description of a locally regulated population and macroscopic approximations', *Ann. Appl. Probab.* **14**(4), 1880–1919.
- Freidlin, M.I. & Wentzel, A.D. (1984), *Random Perturbations of Dynamical Systems*, Springer-Verlag, Germany.
- Galis, F. & Metz, J.A.J. (2001), 'Testing the vulnerability of the phylotypic stage: On modularity and evolutionary conservation', *J. Exp. Zool.* **291**(2), 195–204.
- Galis, F., van Alphen, J.J.M. & Metz, J.A.J. (2001), 'Why do we have five fingers? The evolutionary constraint on digit numbers', *Trends Ecol. Evol.* **16**, 637–646.
- Galis, F., Van Der Sluijs, I., Van Dooren, T.J., Metz, J.A. & Nussbaumer, M. (2007), 'Do large dogs die young?', *J. Exp. Zool. Part B* **308B**(2), 119–126.
- Galis, F., Van Dooren, T.J.M., Feuth, J.D., Metz, J.A.J., Witkam, A., Ruinard, S., Steigenga, M.J. & Wijnaendts, L.C.D. (2006), 'Extreme selection in humans against homeotic transformations of cervical vertebrae', *Evolution* **60**(12), 2643–2654.
- Galis, F., van Dooren, T.J.M. & Metz, J.A.J. (2002), 'Conservation of the segmented germband stage: modularity and robustness or pleiotropy and stabilizing selection?', *TIG* **18**, 504–509.
- Galton, F. (1873), 'Problem 4001: On the extinction of surnames', *Educational Times* **26**, 17.
- Galton, F. & Watson, H.W. (1874), 'On the probability of extinction of families', *EJ. Anthropol. Inst.* **4**, 138–144.
- Gardner, A. & West, S.A. (2004), 'Spite and the scale of competition', *J. Evol. Biol.* **17**(6), 1195–1203.
- Gauduchon, M. & Perthame, B. (2010), 'Survival thresholds and mortality rates in adaptive dynamics: conciliating deterministic and stochastic simulations', *Mathematical Medicine and Biology* **27**(3), 195–210.
- Gavrilets, S. (2004), *Fitness landscapes and the origin of species*, Princeton Univ. Press, Princeton, NJ.
- Genieys, S., Bessonov, N. & Volpert, V. (2009), 'Mathematical model of evolutionary branching', *Math. Comput. Model.* **49**(11–12), 2109–2115. Euro-Mediterranean Conference on Biomathematics, El Shorouk, Egypt, JUN, 2007.
- Genieys, S., Volpert, V. & Auger, P. (2006), 'Adaptive dynamics: modelling darwin's divergence principle', *C. R. Biol.* **329**(11), 876–879.
- Geritz, S.A.H. (2005), 'Resident-invader dynamics and the coexistence of similar strategies', *J. Math. Biol.* **50**(1), 67–82.

- Geritz, S.A.H., Gyllenberg, M., Jacobs, F.J.A. & Parvinen, K. (2002), 'Invasion dynamics and attractor inheritance', *J. Math. Biol.* **44**(6), 548–560.
- Geritz, S.A.H. & Kisdi, É. (2000), 'Adaptive dynamics in diploid, sexual populations and the evolution of reproductive isolation', *Proc. R. Soc. Lond. Ser. B-Biol. Sci.* **267**(1453), 1671–1678.
- Geritz, S.A.H., Kisdi, É., Meszena, G. & Metz, J.A.J. (1998), 'Evolutionarily singular strategies and the adaptive growth and branching of the evolutionary tree', *Evol. Ecol.* **12**(1), 35–57.
- Gillespie, J.H. (1991), *The Causes of Molecular Evolution*, Oxford University Press, UK.
- Gimelfarb, A. (1989), 'Genotypic variation for a quantitative character maintained under stabilizing selection without mutations: Epistasis', *Genetics* **123**(1), 217–227.
- Gimelfarb, A. & Willis, J.H. (1994), 'Linearity versus nonlinearity of offspring-parent regression: An experimental-study of *Drosophila melanogaster*', *Genetics* **138**(2), 343–352.
- Gould, S.J. & Eldredge, N. (1977), 'Punctuated equilibria: the tempo and mode of evolution reconsidered', *Paleobiology* **3**, 115–151.
- Gourley, S.A. (2000), 'Travelling front solutions of a nonlocal Fisher equation', *J. Math. Biol.* **41**(3), 272–284.
- Grafen, A. (1985), 'A geometric view of relatedness', *Oxford Surveys in Evolutionary Biology* **2**, 28–89.
- Grafen, A. & Archetti, M. (2008), 'Natural selection of altruism in inelastic viscous homogeneous populations', *J. Theor. Biol.* **252**(4), 694–710.
- Graham, R.L., Knuth, D.E. & Patashnik, O. (1994), *Concrete Mathematics*, second edn., Addison-Wesley Publishing Co., Reading, MA.
- Gyllenberg, M., Jacobs, F.J.A. & Metz, J.A.J. (2003), 'On the concept of attractor for community-dynamical processes II: the case of structured populations', *J. Math. Biol.* **47**(3), 235–248.
- Gyllenberg, M. & Parvinen, K. (2001), 'Necessary and sufficient conditions for evolutionary suicide', *Bull. Math. Biol.* **63**(5), 981–993.
- Gyllenberg, M. & Service, R. (2011), 'Necessary and sufficient conditions for the existence of an optimisation principle in evolution', *J. Math. Biol.* **62**, 259–369.
- Haccou, P., Jagers, P. & Vatutin, V.A. (2005), *Branching Processes. Variation, Growth, and Extinction of Populations*, Vol. 5 of *Cambridge Studies in Adaptive Dynamics*, Cambridge University Press, UK.
- Haldane, J.B.S. (1927), 'A mathematical theory of natural and artificial selection, Part V: Selection and mutation', *Proceed. of the Cambridge Phil. Soc.* **23**, 838–844.
- Haldane, J.B.S. (1932), *The Causes of Evolution*, Longmans Green, London.
- Haldane, J.B.S. (1955), 'Population genetics', *New Biol.* **18**, 34–51.
- Hamilton, W.D. (1964), 'Genetical evolution of social behaviour I', *J. Theor. Biol.* **7**(1), 1.
- Hamilton, W.D. (1967), 'Extraordinary sex ratios', *Science* **156**(3774), 477.
- Hamilton, W.D. (1970), 'Selfish and spiteful behaviour in an evolutionary model', *Nature* **228**, 1218–1220.

- Hamilton, W.D. (1971), Selection of selfish and altruistic behaviour in some extreme models, in J. F. Eisenberg & W. S. Dillon, eds., 'Man and Beast: Comparative Social Behaviour', Smithsonian Press, USA, pp. 57–91.
- Hamilton, W.D. (1975), Biosocial anthropology, in 'Biosocial anthropology', Malaby Press, London, UK, pp. 133–155.
- Hammerstein, P. (1996), 'Darwinian adaptation, population genetics and the streetcar theory of evolution', *J. Math. Biol.* **34**(5-6), 511–532.
- Hammerstein, P. & Selten, R. (1994), Game theory and evolutionary biology, in R. Auman & S. Hart, eds., 'Handbook of Game Theory With Economic Applications, Vol. II', Vol. 11 of *Handbooks in Econom.*, North-Holland, Amsterdam, pp. 929–993.
- Hammerstein, P.E. (2003), *Genetic and Cultural Evolution of Cooperation*, MIT press, Cambridge, MA., USA.
- Hamming, R.W. (1986), *Coding and Information Theory*, 2nd edn., Prentice-Hall, Englewood Cliffs, NJ.
- Hansen, T.F. & Wagner, G.P. (2001), 'Modeling genetic architecture: A multilinear theory of gene interaction', *Theor. Popul. Biol.* **59**(1), 61–86.
- Hardin, G. (1968), 'The tragedy of the commons', *Science* **162**(5364), 1243–1248.
- Hardy, G.H. (1908), 'Mendelian proportions in a mixed population', *Science* **28**, 49–50.
- Hassell, M.P., Lawton, J.H. & May, R.M. (1976), 'Patterns of dynamical behaviour in single-species populations', *J. Anim. Ecol.* **45**(2), 471–486.
- Hastings, A. (1981a), 'Simultaneous stability of $D = 0$ and $D \neq 0$ for multiplicative viabilities at two loci: an analytical study', *J. Theor. Biol.* **89**(1), 69–81.
- Hastings, A. (1981b), 'Stable cycling in discrete-time genetic models', *Proc. Natl. Acad. Sci. USA* **78**(11), 7224–7225.
- Hauert, C., Michor, F., Nowak, M.A. & Doebeli, M. (2006), 'Synergy and discounting of cooperation in social dilemmas', *J. Theo. Bio.* pp. 195–202.
- Hauert, C., Traulsen, A., Brandt, H., Nowak, M.A. & Sigmund, K. (2007), 'Via freedom fo coercion: The emergence of costly punishment', *Science* **316**, 1905–1907.
- Heino, M., Metz, J.A.J. & Kaitala, V. (1998), 'The enigma of frequency-dependent selection', *Trends Ecol. Evol.* **13**(9), 367–370.
- Hermisson, J., Hansen, T.F. & Wagner, G.P. (2003), 'Epistasis in polygenic traits and the evolution of genetic architecture under stabilizing selection', *Amer. Nat.* **161**(5), 708–734.
- Heyde, C.C. & Seneta, E. (1977), *I.J. Bienaymé, Statistical Theory Anticipated*, Springer-Verlag, New York.
- Hirsch, W.M. & Smale, S. (1974), *Differential Equations, Dynamical Systems, and Linear Algebra*, Academic Press, New York.
- Hoekstra, R.F., Bijlsma, R. & Dolman, A.J. (1985), 'Polymorphism from environmental heterogeneity – models are only robust if the heterozygote is close in fitness to the favored homozygote in each environment', *Genet. Res.* **45**(3), 299–314.
- Hofbauer, J. (1985), 'The selection mutation equation', *J. Math. Biol.* **23**, 41–53.
- Hofbauer, J. & Iooss, G. (1984), 'A Hopf-bifurcation theorem for difference-equations approximating a differential-equation', *Monatsh. Math.* **98**(2), 99–113.

- Hofbauer, J. & Sigmund, K. (1988), *The Theory of Evolution and Dynamical Systems. Mathematical Aspects of Selection*, London Mathematical Society Student Texts, 7. Cambridge University Press, U.K.
- Hofbauer, J. & Sigmund, K. (1990), 'Adaptive dynamics and evolutionary stability', *Appl. Math. Lett.* **3**(4), 75–79.
- Hofbauer, J. & Sigmund, K. (1998), *Evolutionary Games and Population Dynamics*, Cambridge Univ. Press, Cambridge, UK.
- Hofbauer, J. & Sigmund, K. (2003), 'Evolutionary game dynamics', *Bull. Amer. Math. Soc. (N.S.)* **40**(4), 479–519.
- Israel, G. (1993), 'The emergence of biomathematics and the case of population dynamics, a revival of mechanical reductionism and darwinism', *Science in Context* **6**(2), 469–509.
- Jabin, P.-E. & Raoul, G. (2009), 'On selection dynamics for competitive interactions', Preprint CMLA-ENS Cachan 17.
- Jäckel, C., Kast, P. & Hilvert, D. (2008), 'Protein design by directed evolution', *Annu. Rev. Biophys.* **37**, 153–173.
- Jacobs, F.J.A. & Metz, J.A.J. (2003), 'On the concept of attractor for community-dynamical processes I: the case of unstructured populations', *J. Math. Biol.* **47**(3), 222–234.
- Jagers, P. (1975), *Branching Processes with Biological Applications*, Wiley Series in Probability and Mathematical Statistics-Applied, London, UK.
- Jagers, P. & Klebaner, F. (2003), 'Random variation and concentration effects in PCR', *J. Theor. Biol.* **224**(3), 299–304.
- Jagers, P., Klebaner, F.C. & Sagitov, S. (2007), 'On the path to extinction', *Proc. Natl. Acad. Sci. USA* **104**(15), 6107–6111.
- Jansen, V.A.A. & Mulder, G.S.E.E. (1999), 'Evolving biodiversity', *Ecol. Lett.* **2**(6), 379–386.
- Jansen, V.A.A. & Vitalis, R. (2007), 'The evolution of dispersal in a Levins' type metapopulation model', *Evolution* **61**, 2386–2397.
- Janson, S. (1994), Large deviation inequalities for sums of indicator variables. Technical report, Dep. Mathematics, Uppsala University **34**.
- Jepsen, G. L., Simpson, G. G. & Mayr, E., eds. (1949), *Genetics, Paleontology and Evolution*, Princeton University Press, USA.
- Jervis, R. (1978), 'Cooperation under the security dilemma', *World Politics* **30**, 167–214.
- Joffe, A. & Metivier, M. (1986), 'Weak-convergence of sequences of semimartingales with applications to multitype branching-processes', *Adv. Appl. Probab.* **18**(1), 20–65.
- Jones, A.G., Arnold, S.J. & Bürger, R. (2003), 'Stability of the G -matrix in a population experiencing pleiotropic mutation, stabilizing selection, and genetic drift', *Evolution* **57**(8), 1747–1760.
- Jones, A.G., Arnold, S.J. & Bürger, R. (2004), 'Evolution and stability of the G -matrix on a landscape with a moving optimum', *Evolution* **58**(8), 1639–1654.
- Jones, B.L., Enns, R.H. & Rangnekar, S.S. (1976), 'On the theory of selection of coupled macromolecular systems', *Bull. Math. Biol.* **38**, 15–28.

- Joyce, G.F. (2004), 'Directed evolution of nucleic acid enzymes', *Annu. Rev. Biochem.* **73**, 791–836.
- Judson, H.F. (1979), *The Eighth Day of Creation. The Makers of the Revolution in Biology*, Jonathan Cape, London.
- Karlin, S. & Feldman, M.W. (1978), 'Simultaneous stability of $D = 0$ and $D \neq 0$ for multiplicative viabilities at two loci', *Genetics* **90**(4), 813–825.
- Karlin, S. & Taylor, H.M.A. (1975), *A First Course in Stochastic Processes*, 2nd edn., Academic, London, UK.
- Kauffman, S.A. (1994), *The Origins of Order. Self-Organization and Selection in Evolution*, Oxford University Press, New York.
- Kemeny, J.G. & Snell, J.L. (1960), *Finite Markov Chains*, Van Nostrand, Princeton, NJ.
- Keynes, J.M. (1923), *A Tract on Monetary Reform*, MacMillan, London.
- Kimura, M. (1983), *The Neutral Theory of Molecular Evolution*, Cambridge: University Press, UK.
- Kingman, J.F. (1961a), 'On an inequality in partial averages', *Q. J. Math.* **12**(45), 78.
- Kingman, J.F.C. (1961b), 'A mathematical problem in population genetics', *Proc. Camb. Phil. Soc.* **57**, 574–582.
- Kingman, J.F.C. (1961c), 'A matrix inequality', *Quart. J. Math.* **12**, 78–80.
- Kingman, J.F.C. (1982), 'The coalescent', *Stoch. Process. Appl.* **13**, 235–248.
- Kirkpatrick, M., Johnson, T. & Barton, N. (2002), 'General models of multilocus evolution', *Genetics* **161**(4), 1727–1750.
- Kisdi, É. (1999), 'Evolutionary branching under asymmetric competition', *J. Theor. Biol.* **197**(2), 149–162.
- Kisdi, É. & Geritz, S.A.H. (*In press*), Evolutionary branching and speciation: Insights from few-locus models, in U. Dieckmann & J. A. J. Metz, eds., 'Elements of Adaptive Dynamics', Cambridge University Press, UK.
- Klebaner, F.C. & Lazar, J. (1996), On the quasi-stationary distribution in randomly perturbed dynamical systems with a single attracting point, in R. Wilson, D. Pra Murthy & S. Osaki, eds., 'Proc. 2nd Australia-Japan Workshop on Stochastic Models in Engineering, Technology, and Management', The University of Queensland, Australia, pp. 348–354.
- Klebaner, F.C., Sagitov, S., Vatutin, V.A., Haccou, P. & Jagers, P. (*to appear*), Stochasticity in the adaptive dynamics of evolution: the bare bones. Invited submission. *J. Biol. Dynamics*.
- Klussmann, S., ed. (2006), *The Aptamer Handbook. Functional Oligonucleotides and Their Applications*, Wiley-VCh Verlag, Weinheim, DE.
- Knuth, D.E. (1997), *The Art of Computer Programming. Vol. I: Fundamental Algorithms*, third edn., Addison-Wesley Publishing Co., Reading, MA.
- Kollock, P. (1998), 'Social dilemmas: The anatomy of cooperation', *Annu. Rev. Sociol.* **24**, 183–214.
- Kopp, M. & Hermisson, J. (2006), 'The evolution of genetic architecture under frequency-dependent disruptive selection', *Evolution* **60**(8), 1537–1550.
- Kun, L.A. & Lyubich, Yu.I. (1980), 'Convergence to equilibrium in a polylocus polyallele population with additive selection', *Probl. Inform. Transmiss.* **16**, 152–161.

- Lamarck, J.B. (1809), *Philosophie zoologique ou exposition des considérations relatives à l'histoire naturelle des animaux*, Dentu, Paris.
- Lande, R. (1979), 'Quantitative genetic-analysis of multivariate evolution, applied to brain-body size allometry', *Evolution* **33**(1), 402–416.
- Lande, R. & Arnold, S.J. (1983), 'The measurement of selection on correlated characters', *Evolution* **37**(6), 1210–1226.
- Leimar, O. (2001), 'Evolutionary change and Darwinian demons', *Selection* **2**, 65–72.
- Leimar, O. (2005), 'The evolution of phenotypic polymorphism: Randomized strategies versus evolutionary branching', *Am. Nat.* **165**(6), 669–681.
- Leimar, O. (2009), 'Multidimensional convergence stability', *Evol. Ecol. Res.* **11**(2), 191–208.
- Leimar, O. (*In press*), Multidimensional convergence stability and the canonical adaptive dynamics, in U. Dieckmann & J. A. J. Metz, eds., 'Elements of Adaptive Dynamics', Cambridge University Press, UK.
- Leslie, P.H. (1945), 'On the use of matrices in certain population mathematics', *Biometrika* **33**(3), 183–212.
- Lessard, S. (1997), 'Fisher's fundamental theorem of natural selection revisited', *Theor. Popul. Biol.* **52**(2), 119–136.
- Li, C.C. (1967), 'Fundamental theorem of natural selection', *Nature* **214**(5087), 505.
- Liberman, U. (1988), 'External stability and ESS: criteria for initial increase of new mutant allele', *J. Math. Biol.* **26**(4), 477–485.
- Lorz, A., Mirrahimi, S. & Perthame, B. (n.d.), 'Dirac concentration in a multidimensional nonlocal parabolic equation', *In preparation*.
- Lucas, K. & Roosen, P., eds. (2010), *Emergence, Analysis, and Evolution of Structures. Concepts and Strategies across Disciplines*, Understanding Complex Systems, Springer-Verlag, Berlin.
- Lyubich, Yu.I. (1971), 'Basic concepts and theorems of evolutionary genetics of free populations', *Russ. Math. Surv.* **26**, 51–123.
- Lyubich, Yu.I. (1992), *Mathematical Structures in Population Genetics*, Vol. 22 of *Bio-mathematics*, Springer-Verlag, Berlin.
- Mackay, T.F.C. (2001), 'Quantitative trait loci in *Drosophila*', *Nat. Rev. Genet.* **2**(1), 11–20.
- Macy, M.W. & Flache, A. (2002), 'Learning dynamics in social dilemmas', *Proc. Natl. Acad. Sci. USA* **99**(3), 7229–7236.
- Malécot, G. (1948), *Les Mathématiques de l'Hérédité*, Masson, Paris.
- Malthus, T.R. (1798), *An Essay on the Principle of Population, as it Affects the Future Improvement of Society, with Remarks on the Speculations of Mr Godwin, M. Condorcet and Other Writers*, John Murray, London.
- Marrow, P., Law, R. & Cannings, C. (1992), 'The coevolution of predator prey interactions – ESSs and Red Queen dynamics', *Proc. R. Soc. Lond. Ser. B-Biol. Sci.* **250**(1328), 133–141.
- Maynard Smith, J. (1964), 'Group selection and kin selection', *Nature* **201**(492), 1145.
- Maynard Smith, J. (1966), 'Sympatric speciation', *Am. Nat.* **100**(916), 637.

- Maynard Smith, J. (1974), 'Theory of games and evolution of animal conflicts', *J. Theor. Biol.* **47**(1), 209–221.
- Maynard Smith, J. (1982), *Evolution and the Theory of Games*, Cambridge University Press, Cambridge, UK.
- Maynard Smith, J. & Price, G.R. (1973), 'The logic of animal conflict', *Nature* **246**(5427), 15–18.
- Maynard Smith, J. & Szathmáry, E. (1995), *The Major Transitions in Evolution*, Freeman, Oxford, UK.
- Mayr, E. (1982), *The Growth of Biological Thought: Diversity, Evolution, and Inheritance.*, Belknap Press, USA.
- Mayr, E. & Provine, W.B. (1980), *The Evolutionary Synthesis: Perspectives on the Unification of Biology*, Harvard University Press, USA.
- Méléard, S. & Tran, V.C. (2009), 'Trait substitution sequence process and canonical equation for age-structured populations', *J. Math. Biol.* **58**(6), 881–921.
- Mendel, G. (1866), 'Versuche über Pflanzenhybriden. (Experiments relating to plant hybridization)', *Verh. Naturforsch. Ver. Brünn* **4**, 3–17.
- Meszéna, G., Gyllenberg, M., Jacobs, F.J. & Metz, J.A.J. (2005), 'Link between population dynamics and dynamics of Darwinian evolution', *Phys. Rev. Lett.* **95**(7), 078105.
- Metz, J. A. J. & Diekmann, O., eds. (1986), *The dynamics of physiologically structured populations*, Vol. 68 of *Lecture Notes in Biomathematics*, Springer-Verlag, Berlin.
- Metz, J.A.J. (2008), Fitness, in S. E. Jørgensen & B. D. Fath, eds., 'Evolutionary Ecology', Vol. 2 of *Encyclopedia of Ecology*, Elsevier, UK, pp. 1599–1612.
- Metz, J.A.J. (*In press*), Invasion fitness, canonical equations, and global invasion criteria for Mendelian populations, in U. Dieckmann & J. A. J. Metz, eds., 'Elements of Adaptive Dynamics', Cambridge University Press, UK.
- Metz, J.A.J. & de Kovel, C.C. (*in preparation*), 'The canonical equation of adaptive dynamics for diploid and haplo-diploid mendelian populations'.
- Metz, J.A.J. & de Roos, A.M. (1992), The role of physiologically structured population models within a general individual-based modeling perspective, in D. DeAngelis & L. Gross, eds., 'Individual-based models and approaches in ecology: Concepts and Models', Chapman & Hall, USA, pp. 88–111.
- Metz, J.A.J., Geritz, S.A.H., Meszéna, G., Jacobs, F.J.A. & van Heerwaarden, J.S. (1996), Adaptive dynamics, a geometrical study of the consequences of nearly faithful reproduction, in 'Stochastic and spatial structures of dynamical systems (Amsterdam, 1995)', Konink. Nederl. Akad. Wetensch. Verh. Afd. Natuurk. Eerste Reeks, 45, North-Holland, Amsterdam, pp. 183–231.
- Metz, J.A.J., Klinkhamer, P.G.L. & de Jong, T.J. (2009), 'A different model to explain delayed germination', *Evol. Ecol. Res.* **11**(2), 177–190.
- Metz, J.A.J. & Leimar, O. (*in press*), A simple fitness proxy for structured populations with continuous traits, with case studies on the evolution of haplo-diploids and genetic dimorphisms. *J. Biol. Dyn.*
- Metz, J.A.J., Mylius, S.D. & Diekmann, O. (1996), When does evolution optimise? on the relation between types of density dependence and evolutionarily stable life history parameters. IIASA Working Paper WP-96-04.

- Metz, J.A.J., Mylius, S.D. & Diekmann, O. (2008), 'When does evolution optimize?', *Evol. Ecol. Res.* **10**(5), 629–654.
- Metz, J.A.J., Nisbet, R.M. & Geritz, S.A.H. (1992), 'How should we define "fitness" for general ecological scenarios?', *Trends Ecol. Evol.* **7**, 198–202.
- Michod, R.E. & Hamilton, W.D. (1980), 'Coefficients of relatedness in sociobiology', *Nature* **288**(5792), 694–697.
- Milinski, M., Semmann, D., Krambeck, H.J. & Marotzke, J. (2006), 'Stabilizing the Earth's climate is not a losing game: Supporting evidence from public goods experiments', *Proc. Natl. Acad. Sci. USA* **103**(11), 3994–3998.
- Milinski, M., Sommerfeld, R.D., Krambeck, H.J., Reed, F.A. & Marotzke, J. (2008), 'The collective-risk social dilemma and the prevention of simulated dangerous climate change', *Proc. Natl. Acad. Sci. USA* **105**(7), 2291–2294.
- Mulholland, H.P. & Smith, C.A.B. (1959), 'An inequality arising in genetical theory', *Am. Math. Mon.* **66**, 673–683.
- Nagylaki, T. (1977), *Selection in One- and Two-Locus Systems*, Springer, Berlin.
- Nagylaki, T. (1987), 'Evolution under fertility and viability selection', *Genetics* **115**, 367–375.
- Nagylaki, T. (1989), 'Rate of evolution of a character without epistasis', *Proc. Natl. Acad. Sci. USA* **86**(6), 1910–1913.
- Nagylaki, T. (1991), 'Error-bounds for the fundamental and secondary theorems of natural-selection', *Proc. Natl. Acad. Sci. USA* **88**(6), 2402–2406.
- Nagylaki, T. (1992), *Theoretical Population Genetics*, Springer-Verlag, Berlin.
- Nagylaki, T. (1993), 'The evolution of multilocus systems under weak selection', *Genetics* **134**(2), 627–647.
- Nagylaki, T. (2009), 'Evolution under the multilocus Levene model without epistasis', *Theor. Popul. Biol.* **76**(3), 197–213.
- Nagylaki, T. & Crow, J.F. (1974), 'Continuous selective models', *Theor. Popul. Biology* **5**, 257–283.
- Nagylaki, T., Hofbauer, J. & Brunovský, P. (1999), 'Convergence of multilocus systems under weak epistasis or weak selection', *J. Math. Biol.* **38**(2), 103–133.
- Nagylaki, T. & Lou, Y. (2007), 'Evolution under multiallelic migration-selection models', *Theor. Popul. Biol.* **72**(1), 21–40.
- Nowak, M.A. (2006a), *Evolutionary Dynamics: Exploring the Equations of Life*, The Belknap Press of Harvard University Press, Cambridge, MA.
- Nowak, M.A. (2006b), 'Five rules for the evolution of cooperation', *Science* **314**(5805), 1560–1563.
- Nowak, M.A. & Sigmund, K. (2004), 'Evolutionary dynamics of biological games', *Science* **303**(5659), 793–799.
- Ohtsuki, H., Hauert, C., Lieberman, E. & Nowak, M.A. (2006), 'A simple rule for the evolution of cooperation on graphs and social networks', *Nature* **441**(7092), 502–505.
- Okasha, S. (2008), 'Fisher's fundamental theorem of natural selection – A philosophical analysis', *Brit. J. Phil. Sci.* **59**, 319–351.
- Otto, S.P. (2009), 'The evolutionary enigma of sex', *Am. Nat.* **174**(Suppl. 1), S1–S14.

- Otto, S.P. & Jarne, P. (2001), 'Evolution – haploids – hapless or happening?', *Science* **292**(5526), 2441–2443.
- Pacheco, J.M., Santos, F.C. & Chalub, F.A.C.C. (2006), 'Stern-judging: A simple, successful norm which promotes cooperation under indirect reciprocity', *PLoS Computational Biology* **2**(12), e178.
- Pacheco, J.M., Santos, F.C., Souza, M.O. & Skyrms, B. (2009), 'Evolutionary dynamics of collective action in n-person stag-hunt dilemmas', *P. Roy. Soc. B: Biological Sciences* **276**(1655).
- Parvinen, K. (2005), 'Evolutionary suicide', *Acta Biotheor.* **53**(3), 241–264.
- Pearson, K. & Lee, A. (1903), 'On the laws of inheritance in man. I. Inheritance of physical characters', *Biometrika* **2**, 357–462.
- Pennings, P.S., Kopp, M., Meszner, G., Dieckmann, U. & Hermisson, J. (2008), 'An analytically tractable model for competitive speciation', *Am. Nat.* **171**(1), E44–E71.
- Perthame, B. & Barles, G. (2008), 'Dirac concentrations in Lotka-Volterra parabolic PDEs', *Indiana Univ. Math. J.* **57**(7), 3275–3301.
- Perthame, B. & Génieys, S. (2007), 'Concentration in the nonlocal Fisher equation: the Hamilton-Jacobi limit', *Math. Model. Nat. Phenom.* **2**(4), 135–151.
- Phillipson, P.E. & Schuster, P. (2009), *Modeling by Nonlinear Differential Equations. Dissipative and Conservative Processes*, Vol. 69 of *World Scientific Series on Nonlinear Science A*, World Scientific, Singapore.
- Price, G. (1972), 'Fisher's "Fundamental Theorem" made clear', *Ann. Hum. Genet.* **36**, 129–140.
- Price, G.R. (1970), 'Selection and covariance', *Nature* **227**(5257), 520.
- Proulx, S.R. & Day, T. (2002), 'What can invasion analyses tell us about evolution under stochasticity in finite populations?', *Selection* **2**, 2–15.
- Queller, D.C. (1994), 'Genetic relatedness in viscous populations', *Evol. Ecol.* **8**, 70–73.
- Queller, D.C. & Goodnight, K.F. (1989), 'Estimation of genetic relatedness using allozyme data', *Evolution* **43**, 258–275.
- Raup, D. (1991), *Extinction: Bad Genes or Bad Luck?*, NW. W. Norton & Company, USA.
- Reeve, J.P. (2000), 'Predicting long-term response to selection', *Genet. Res.* **75**(1), 83–94.
- Rice, S.H. (1990), 'A geometric model for the evolution of development', *J. Theor. Biol.* **143**(3), 319–342.
- Ripa, J. (2009), 'When is sympatric speciation truly adaptive? An analysis of the joint evolution of resource utilization and assortative mating', *Evol. Ecol.* **23**(1), 31–52.
- Robertson, A. (1966), 'A mathematical model of the culling process in dairy cattle', *Anim. Prod.* **8**, 95–108.
- Robertson, A. (1968), The spectrum of genetic variation, in R. Lewontin, ed., 'Population Biology and Evolutions', Syracuse University Press, EUA, pp. 5–16.
- Rodríguez-Trelles, F., Tarrío, R. & Ayala, F.J. (2003), Molecular clocks: whence and whither?, in P. C. J. Donoghue & M. P. Smith, eds., 'Telling the evolutionary time: molecular clocks and the fossil record', CRC Press, USA, pp. 5–26.

- Rodríguez-Trelles, F., Tarrío, R. & Ayala, F.J. (2004), Molecular clocks: whence and whither?, in P. C. J. Donoghue & M. P. Smith, eds., 'Telling the Evolutionary Time: Molecular Clocks and the Fossil Record', CRC Press, Boca Raton, USA, pp. 5–26.
- Roughgarden, J.A. (1979), *Theory of Population Genetics and Evolutionary Ecology: an Introduction*, Macmillan, New York.
- Rueffler, C., Metz, J.A.J. & Van Dooren, T.J.M. (*in revision*), What life cycle graphs can tell about the evolution of life histories. *J. Math. Biol.*
- Saiki, R.K., and Susanne Stoffel, D.H.G., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. & Erlich, H.A. (1988), 'Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase', *Science* **239**, 487–491.
- Salazar-Ciudad, I. (2006a), 'Developmental constraints vs. variational properties: How pattern formation can help to understand evolution and development', *J. Exp. Zool. Part B* **306B**(2), 107–125.
- Salazar-Ciudad, I. (2006b), 'On the origins of morphological disparity and its diverse developmental bases', *Bioessays* **28**(11), 1112–1122.
- Santos, F.C. & Pacheco, J.M. (2005), 'Scale-free networks provide a unifying framework for the emergence of cooperation', *Phys. Rev. Lett.* **95**(9), 098104.
- Santos, F.C., Pacheco, J.M. & Lenaerts, T. (2006), 'Evolutionary dynamics of social dilemmas in structured heterogeneous populations', *Proc. Natl. Acad. Sci. USA* **103**(9), 3490–3494.
- Santos, F.C., Santos, M.D. & Pacheco, J.M. (2008), 'Social diversity promotes the emergence of cooperation in public goods games', *Nature* **454**(7201), 213–216.
- Sasaki, A. & Ellner, S. (1995), 'The evolutionarily stable phenotype distribution in a random environment', *Evolution* **49**(2), 337–350.
- Schelling, T.C. (1973), 'Hockey helmets, concealed weapons, and daylight saving: A study of binary choices with externalities', *J. Conflict Resolution* **17**(381), 381.
- Scheuer, P.A.G. & Mandel, S.P.H. (1959), 'An inequality in population genetics', *Heredity* pp. 519–524.
- Schlögl, F. (1972), 'Chemical reaction models for non-equilibrium phase transitions', *Z. Physik* **253**, 147–161.
- Schneider, K.A. (2006), 'A multilocus-multiallele analysis of frequency-dependent selection induced by intraspecific competition', *J. Math. Biol.* **52**(4), 483–523.
- Schneider, K.A. (2007), 'Long-term evolution of polygenic traits under frequency-dependent intraspecific competition', *Theor. Popul. Biol.* **71**(3), 342–366.
- Schneider, K.A. (2008), 'Maximization principles for frequency-dependent selection I: the one-locus two-allele case', *Theor. Popul. Biol.* **74**(3), 251–262.
- Schneider, K.A. (2010), 'Maximization principles for frequency-dependent selection II: the one-locus multiallele case', *J. Math. Biol.* **61**, 95–132.
- Schnog, J.B., Duits, A.J., Muskiet, F.A.J., ten Cate, H., Rojer, R.A. & Brandjes, D.P.M. (2004), 'Sickle cell disease: A general overview', *The Netherlands Journal of Medicine* **62**, 364–374.
- Schuster, P. (2006), 'Prediction of RNA secondary structures: From theory to models and real molecules', *Reports on Progress in Physics* **69**, 1419–1477.
- Schuster, P. & Sigmund, K. (1983), 'Replicator dynamics', *J. Theor. Biol.* **100**, 533–538.

- Schuster, P. & Sigmund, K. (1985), 'Dynamics of evolutionary optimization', *Ber. Bunsenges. Phys. Chem.* **89**, 668–682.
- Schuster, P. & Swetina, J. (1988), 'Stationary mutant distribution and evolutionary optimization', *Bull. Math. Biol.* **50**, 635–660.
- Schwämmle, V. & Brigatti, E. (2006), 'Speciational view of macroevolution: Are micro and macroevolution decoupled?', *Europhys. Lett.* **75**(2), 342–348.
- Seneta, E. (1981), *Non-negative Matrices and Markov Chains*, second edn., Springer-Verlag, New York.
- Shahshahani, S. (1979), 'A new mathematical framework for the study of linkage and selection', *Mem. Am. Math. Soc.* **211**, 34.
- Sigler, L.E. (2002), *Fibonacci's Liber Abaci: A Translation into Modern English of Leonardo Pisano's Book of Calculation*, Springer-Verlag, New York. A translation of Leonardo Pisano's book of 1202 from Latin into modern English.
- Singh, P. (1985), 'The so-called Fibonacci numbers in ancient and medieval India', *Historia Mathematica* **12**, 229–244.
- Skyrms, B. (2001), 'The stag hunt', *Proceedings and Addresses of the American Philosophical Association* **75**(2), 31–41.
- Skyrms, B. (2004), *The Stag Hunt and the Evolution of Social Structure*, Cambridge University Press, UK.
- Souganidis, P.E. (1997), Front propagation: theory and applications, in 'Viscosity solutions and applications (Montecatini Terme, 1995)', Vol. 1660 of *Lecture Notes in Math.*, Springer, Berlin, pp. 186–242.
- Souza, M.O., Pacheco, J.M. & Santos, F.C. (2009), 'Evolution of cooperation under N -person snowdrift games', *J. Theor. Biol.* **260**(4), 581–588.
- Spiegelman, S. (1971), 'An approach to the experimental analysis of precellular evolution', *Quart. Rev. Biophys.* **4**, 213–253.
- Stadler, B.R.M., Stadler, P.F., Wagner, G.P. & Fontana, W. (2001), 'The topology of the possible: Formal spaces underlying patterns of evolutionary change', *J. Theor. Biol.* **213**, 241–274.
- Stander, P.E. (1992), 'Cooperative hunting in lions – the role of the individual', *Behavioral Ecology and Sociobiology* **29**(6), 445–454.
- Steffensen, F.H. (1930), 'Om sandsynligheden for at afkommet uddør', *Matematisk Tidsskrift B*, 19–23.
- Sugden, R. (1986), *The Economics of Rights, Co-operation and Welfare*, Basil Blackell, Oxford, UK.
- Svirezhev, Y.M. & Passekov, V.P. (1990), *Fundamentals of Mathematical Evolutionary Genetics*, Kluwer, Dordrecht.
- Svirezhev, Yu.M. (1972), Optimality principles in population genetics, in 'Studies in Theoretical Genetics', Novosibirsk: Inst. of Cytology and Genetics, pp. 86–102.
- Takeuchi, N. & Hogeweg, P. (2007), 'Error-thresholds exist in fitness landscapes with lethal mutants', *BMC Evolutionary Biology* **7**, 15.
- Taylor, P. (2009), 'Decompositions of Price's formula in an inhomogeneous population structure', *J. Evol. Biol.* **22**(1), 201–213.

- Taylor, P.D. (1989), 'Evolutionary stability in one-parameter models under weak selection', *Theor. Popul. Biol.* **36**(2), 125–143.
- Taylor, P.D. (1992a), 'Altruism in viscous populations – an inclusive fitness model', *Evol. Ecol.* **6**(4), 352–356.
- Taylor, P.D. (1992b), 'Inclusive fitness in a homogeneous environment', *Proc. R. Soc. Lond. Ser. B-Biol. Sci.* **249**(1326), 299–302.
- Taylor, P.D., Day, T. & Wild, G. (2007), 'Evolution of cooperation in a finite homogeneous graph', *Nature* **447**, 469–472.
- Taylor, P.D. & Frank, S.A. (1996), 'How to make a kin selection model', *J. Theor. Biol.* **180**(1), 27–37.
- Taylor, P.D., Lillicrap, T. & Cownden, D. (2010), Inclusive fitness analysis on mathematical groups. *Submitted*.
- Tejero, H., Marín, A. & Moran, F. (2010), 'Effect of lethality on the extinction and on the error threshold of quasispecies', *J. Theor. Biol.* **262**, 733–741.
- Thompson, C.J. & McBride, J.L. (1974), 'On Eigen's theory of the self-organization of matter and the evolution of biological macromolecules', *Math. Biosci.* **21**, 127–142.
- Traulsen, A., Nowak, M.A. & Pacheco, J.M. (2006), 'Stochastic dynamics of invasion and fixation', *Phys. Rev. E: Stat. Nonlin. Soft. Matter. Phys.* **74**(1 Pt 1), 011909.
- Traulsen, A., Nowak, M.A. & Pacheco, J.M. (2007), 'Stochastic payoff evaluation increases the temperature of selection', *J. Theor. Biol.* **244**(2), 349–356.
- Traulsen, A., Pacheco, J.M. & Nowak, M.A. (2007), 'Pairwise comparison and selection temperature in evolutionary game dynamics', *J. Theor. Biol.* **246**(3), 522–529.
- Turelli, M. (1988), 'Phenotypic evolution, constant covariances, and the maintenance of additive variance', *Evolution* **42**(6), 1342–1347.
- Turelli, M. & Barton, N.H. (1990), 'Dynamics of polygenic characters under selection', *Theor. Popul. Biol.* **38**(1), 1–57.
- Turelli, M. & Barton, N.H. (1994), 'Genetic and statistical analyses of strong selection on polygenic traits: What, me normal?', *Genetics* **138**(3), 913–941.
- Turelli, M. & Barton, N.H. (2004), 'Polygenic variation maintained by balancing selection: Pleiotropy, sex-dependent allelic effects and $G \times E$ interactions', *Genetics* **166**(2), 1053–1079.
- Van Dooren, T.J.M. (*In press*), Adaptive dynamics with Mendelian genetics., in U. Dieckmann & J. A. J. Metz, eds., 'Elements of Adaptive Dynamics', Cambridge University Press, UK.
- Van Doorn, G.S. & Dieckmann, U. (2006), 'The long-term evolution of multilocus traits under frequency-dependent disruptive selection', *Evolution* **60**(11), 2226–2238.
- van Strien, S. J. & Verduyn Lunel, S. M., eds. (1996), *Stochastic and spatial structures of dynamical systems. Proceedings of the meeting, Amsterdam, Netherlands, January 1995*, Verhandelingen, Afdeling Natuurkunde. Eerste Reeks. Koninklijke Nederlandse Akademie van Wetenschappen. North-Holland, Amsterdam: North-Holland.
- Verhulst, P. (1845), 'Recherches mathématiques sur la loi d'accroissement de la population', *Nouv. Mém. de l'Académie Royale des Sci. et Belles-Lettres de Bruxelles* **18**, 1–41.

- Verhulst, P. (1847), 'Deuxième mémoire sur la loi d'accroissement de la population', *Mém. de l'Académie Royale des Sci., des Lettres et de Beaux-Arts de Belgique* **20**, 1–32.
- Verhulst, P.F. (1838), 'Notice sur la loi que la population poursuit dans son accroissement', *Corresp. Math. Phys.* **10**, 113–121.
- Vincent, T.L. & Brown, J.S. (2005), *Evolutionary Game Theory, Natural Selection, and Darwinian Dynamics*, Cambridge University Press, UK.
- von Kiedrowski, G., Wlotzka, B., Helbig, J., Matzen, M. & Jordan, S. (1991), 'Parabolic growth of a self-replicating hexanucleotide bearing a 3'-5'-phosphoamidate linkage', *Angew. Chem. Internat. Ed.* **30**, 423–426.
- Wagner, G.P. & Krall, P. (1993), 'What is the difference between models of error thresholds and Muller's ratchet', *J. Math. Biol.* **32**, 33–44.
- Wakeley, J. (2008), *Coalescent Theory: An Introduction*, Greenwood Village, Colorado, USA.
- Wang, Z.C., Li, W.T. & Ruan, S.G. (2006), 'Travelling wave fronts in reaction-diffusion systems with spatio-temporal delays', *J. Differ. Equ.* **222**(1), 185–232.
- Watson, J.D. & Crick, F.H.C. (1953), 'A structure for deoxyribose nucleic acid', *Nature* **171**, 737–738.
- Waxman, D. (2006), 'Fisher's geometrical model of evolutionary adaptation – beyond spherical geometry', *J. Theor. Biol.* **241**(4), 887–895.
- Waxman, D. (2007), 'Mean curvature versus normality: A comparison of two approximations of fisher's geometrical model', *Theor. Popul. Biol.* **71**(1), 30–36.
- Waxman, D. & Welch, J.J. (2005), 'Fisher's microscope and Haldane's ellipse', *Am. Nat.* **166**(4), 447–457.
- Weinberg, W. (1908), 'Über den Nachweis der Vererbung beim Menschen. (On the detection of heredity in man)', *Jahreshelfts. Ver. Vaterl. Naturf. Württemb.* **64**, 368–382.
- Weissing, F.J. (1996), 'Genetic versus phenotypic models of selection: Can genetics be neglected in a long-term perspective?', *J. Math. Biol.* **34**(5-6), 533–555.
- West, S.A., Pen, I. & Griffin, A.S. (2002), 'Conflict and cooperation – cooperation and competition between relatives', *Science* **296**(5565), 72–75.
- Wiehe, T. (1997), 'Model dependency of error thresholds: The role of fitness functions and contrasts between the finite and infinite sites models', *Genet. Res. Camb.* **69**, 127–136.
- Wilke, C.O., Wang, J.L., Ofria, C., Lenski, R.E. & Adami, C. (2001), 'Evolution of digital organisms at high mutation rates leads to survival of the flattest', *Nature* **412**, 331–333.
- Wilson, D.S. (1975), 'Theory of group selection', *Proc. Natl. Acad. Sci. USA* **72**(1), 143–146.
- Wilson, D.S., Pollock, G.B. & Dugatkin, L.A. (1992), 'Can altruism evolve in purely viscous populations?', *Evol. Ecol.* **6**(4), 331–341.
- Wouters, A.G. (1999), 'Explanation without a cause (verklaren zonder oorzaken te geven)', *Questiones Infinitae*, Publications of the Zeno Institute of Philosophy, XXIX, Utrecht.

- Wrenn, S.J. & Harbury, P.B. (2007), 'Chemical evolution as a tool for molecular discovery', *Annu. Rev. Biochem.* **76**, 331–349.
- Wright, S. (1931), 'Evolution in mendelian populations', *Genetics* **16**, 97–159.
- Wright, S. (1935), 'Evolution in populations in approximate equilibrium', *J. Genetics* pp. 257–266.
- Wright, S. (1948), Genetics of populations, in 'Encyclopaedia Britannica, 14th ed. revised, vol 10', pp. 111–115.
- Wynne-Edwards, V.C. (1962), *Animal Dispersion in Relation to Social Behaviour*, Oliver and Boyd, Edinburgh.
- Yu, F. (2007), 'Stationary distributions of a model of sympatric speciation', *Ann. Appl. Probab.* **17**(3), 840–874.
- Zeeman, M.L. (1993), 'Hopf bifurcations in competitive three-dimensional Lotka-Volterra systems', *Dynam. Stability Systems* **8**(3), 189–217.
- Zhang, X.S., Wang, J.L. & Hill, W.G. (2004), 'Influence of dominance, leptokurtosis and pleiotropy of deleterious mutations on quantitative genetic variation at mutation-selection balance', *Genetics* **166**(1), 597–610.
- Zhivotovsky, L.A. & Gavrilets, S. (1992), 'Quantitative variability and multilocus polymorphism under epistatic selection', *Theor. Popul. Biol.* **42**(3), 254–283.
- Zwillinger, D. (1998), *Handbook of Differential Equations*, third edn., Academic Press, San Diego, CA.

Index

- ABO blood group, 9
- absorbing states, 131
- adaptive dynamics, 184, 193–227, 241
 - canonical equation, 163, 187–188, 206
- adaptive evolution, 159–192, 234
- age structure, 71
- allele, 9, 10, 12, 13, 20–24, 108, 141
 - distribution, 39
 - dominance, 16
 - frequency, 10, 13, 15, 39, 69, 107, 110
- altruism, 107, 115, 140
- asymptotic regimes, 160
- attractor
 - Conley-Ruelle, 200
 - stochastic, 200
- Bernoulli, D., 3
- Bienaymé, I.J., 91, 93
- boundary conditions
 - artificial, 160
 - Dirichlet, 168
 - Neumann, 168
 - periodic, 171
- branching process, 176
- carrying capacity, 32, 95, 102
 - variable, 34
- charge capacity, 182
- chemical
 - kinetics, 47, 49
 - reaction, 47
- coexistence, 183
- competition, 161, 164, 176, 177, 183, 184
 - for resource, 142, 160
 - intraspecific, 170
 - kernel, 164, 166
 - local, 171
 - small, 178
- competitive exclusion principle, 163
- continuously stable strategy, 241
- cooperation, 119–135
- Darwin, C., 1, 8, 27, 67, 84, 92, 105, 106, 110, 139, 160
- deterministic chaos, 31
- diffusion, 161, 167
- Dirac mass, 165, 171, 176
- DNA, 42, 43, 47, 62
- Dobzhanski, T., 196
- dominance, 9, 15, 70, 75, 76, 80, 81, 84
- dynamical system, 216
 - discrete, 69
- enzyme, 47
- epistasis, 73, 75, 76, 84
 - weak, 73, 76, 79
- equation
 - breeder's, 80, 81
 - canonical, *see also* adaptive dynamics, canonical equation
 - chemostat, 161
 - differential, 31
 - Fisher's selection, 29, 35, 37–40, 62
 - Fisher/KPP, 165
 - Hamilton-Jacobi, 163–164, 177
 - integro-differential, 160, 176, 181
 - kinetic, 46
 - Lande, 81, 82
 - Li-Price, 81
 - logistic, 31, 32, 182
 - Lotka's integral, 238
 - Lotka-Volterra, 142, 176, 182
 - mutation-selection, 46–48
 - Nonlocal-Fisher, 165, 166
 - partial differential, 176
 - parabolic, 160
 - renewal, 238
 - replicator, 34, 39, 121, 122, 128, 131, 134
 - Robertson, 83
 - selection, 32, 39
 - stability analysis, 33
 - Verhulst, *see also* equation, logistic
- ergodic environment, 200, 239
- error free replication, 46
- ESS, 197, 201, 209, 212, 223, 234, 236, 239–242, 244, 245, 259, 265
- Euler, L., 3, 31
- evo-devo, 198, 201, 207, 217, 221, 226
- evolutionarily
 - stable strategy, *see also* ESS
 - steady coalition, 201, 241, 243, 244
 - steady strategy, *see also* ESS
- evolutionary
 - branching, 177, 179, 188–190
 - change, 217, 218
 - dynamics, 68, 73, 81–83, 122, 127, 131, 142
 - game theory, 119–135, 159, 163
 - process, 148

- routes, 216
- singularity, 187, 189
- strategy, 32
- suicide, 103
- synthesis, *see also* modern synthesis
- time, 131, 161, 162, 176, 206, 216
- time scale, *see also* time scale,
 - evolutionary
- trajectory, 212
- extinction, 58, 91–103, 237
 - intrinsic, 92
 - probability, 93, 95
 - theorem, 92
 - time, 92, 95, 97
- extinction preserving chain attractor, 239

- Fermi function, 130
- fertility, 256
- Fibonacci, 2, 29
 - sequence, 29–31
- finite differences, 160, 166, 170, 171
- Fisher, R., 3
- Fisher, R.A., 16, 18–21, 24, 68, 70, 75, 80, 140, 196
- fitness, 7–26, 29, 33, 39, 40, 51, 55, 60, 67–85, 107, 109, 110, 121, 122, 140, 141, 144, 152, 194, 198–201, 225, 234, 236, 242, 243, 245, 251
 - additive, 16, 76
 - allelic, 14
 - constant, 34
 - degenerated, 56
 - difference, 131, 219
 - differential, 36
 - distribution, 33
 - function, 34, 83, 84, 183, 184, 190, 209, 212, 246, 247
 - homozygote-heterozygote, 13
 - inclusive, 148–149, 152
 - invasion, 183, 184, 200, 238–240, 246, 247, 253
 - landscape, 55, 62, 202, 211–213, 217, 225
 - Malthusian, 71
 - marginal, 69, 71, 74, 146–148, 150, 155
 - mean, 10, 12, 14, 18–23, 33, 36, 46, 51, 62, 69–78, 81, 82, 122, 130, 156, 194
 - mean viability, 10
 - multiplicative, 69, 76
 - negative, 202
 - positive, 195, 245
 - single-locus genotype, 19
 - total, 110
 - variance, 156
 - viability, 12
- fixed point, 122, 127, 134
- front propagation, 163
- FTNS, *see also* Fundamental Theorem of Natural Selection
- Fundamental Theorem of Natural Selection, 18, 19, 29, 39, 40, 68, 71, 234
 - asymptotic version, 70
 - classical interpretation, 18, 19, 68, 70
 - modern interpretation, 19–21
- Galton, F., 2, 91, 93–95
- Galton-Watson process, 91–103
- game
 - coexistence, 121
 - coordination, 121
 - dominance, 121
 - pay-off, 121, 122
 - prisoner's dilemma, 119–135
 - public good, 119–135
 - snowdrift, 119–135
 - stag-hunt, 119–135
 - strategy, 160, 235
- gamete frequency, 69, 73
- generations
 - discrete, 69
 - non-overlapping, 69
 - offspring, 19
- genetic covariance
 - additive, 81
- genetic drift, 68
- genetic variance
 - additive, 14, 18, 19, 75, 80, 83
 - residual, 75
 - total, 75
- genetic variation
 - maintenance, 84
 - standing, 10
- genetics
 - evolutionary, 85
 - Mendelian, 2, 7, 8, 11, 16, 67, 84, 242
 - population, 67, 85, 234
 - quantitative models, 80
- genotype to phenotype map, 203, 206, 216–218, 221, 225, 226, 234, 244, 245
- genotype-environment interaction, 85
- group selection, 139–156
- group theory, 105–116
- growth, 160, 161, 167, 185, 200, 236
 - arithmetic, 31

- exponential, 31, 44, 91, 94, 237
- function, 29, 34, 40
- geometric, *see also* growth, exponential
- homogeneous function, 35
- limited, 32
- Haldane, J.B.S., 11, 93, 110, 140, 196
- Hamilton's rule, 109
- Hamilton, W.D., 109, 120, 140, 197
- Hamming distance, 48, 51, 55
- Hardy, G.H., 3
- Hardy-Weinberg
 - law, 8–10, 20, 24, 68
 - proportions, 69–71
- heredity, 7, 39, 175
- heterozygote, 11, 203, 206
 - advantage, 40
 - selective advantage, 11
- homology, 219
- homozygote, 40, 206
 - advantage, 40
- IBM, *see also* individual based models
- individual based models, 161, 164, 166, 169–170, 176, 179
- infinitesimal generator, 185
- inheritance, 28, 46
- invasion, 177, 183, 185
 - dynamics, 144, 185
- Kimura, M., 2, 56, 85
- kin selection, 139–156
- Lagrange multiplier, 164
- Lamarck, J.-B., 1
- landscape
 - adaptive, 194
 - additive, 53
 - fitness, *see also* fitness, landscape
 - multiplicative, 53
 - step-linear, 53
- locus, 9, 21
 - multi-, 73, 76, 79, 82
 - single, 16, 69, 73, 74, 79
 - two, 77
- Lotka, A.J., 3
- macro-evolution, 216–222
- Malthus, T., 2, 31, 91
- Malthusian dichotomy, 92
- Malthusian parameter, 252
- manifold, 202
 - hyperbolic, 77
 - invariant, 77
- Markov chain, 237
- martingale, 181
- mating, 9, 12, 20, 21, 200
 - assortative, 10
 - barrier, 211
 - non-random, 9, 10, 17, 19, 72
 - random, 8–10, 12, 13, 16–22, 40, 69, 73, 83
- Maynard-Smith, J., 2, 106, 141, 150, 198
- Mayr, E., 196, 225
- meiosis, 43
- Mendel, G., 1, 28, 110, 196, 233
- meso-evolution, 159, 193–227
- micro-evolution, 10
- migration, 34, 68, 73, 79
 - weak, 79
- migration-selection balance, 85
- mitosis, 43
- model
 - continuous-time, 22, 69, 71
 - deterministic, 69
 - deterministic, 68, 200
 - eco-evolutionary, 252
 - ecological, 234
 - epidemiological, 262
 - finite state, 236
 - haystack, 139–156
 - microscopic, 177–181
 - random, 217
- modern synthesis, 2, 196, 197
- molecular biology, 28, 42
- Monte Carlo
 - algorithm, 166, 169
 - method, 169
 - simulation, 171
- Monte-Carlo
 - method, 170
 - simulation, 160, 166
- mutant, 185, 201, 243
 - heterozygote, 245
 - invasion, 160, 195, 207, 234
- mutation, 12, 28, 45, 46, 48–51, 67, 72, 82–84, 95, 100, 102, 144, 152, 160–162, 164, 169, 171, 175, 177, 178, 194, 216, 222
 - lethal, 58
 - long time scale, 184
 - rare, 160, 169–171, 176, 179, 184–186
 - rates, 51
 - small, 187, 223
 - small amplitude, 179
 - symmetry, 223

- neutral theory of evolution, 56, 234
 neutrality, 56
 next generation operator, 237

 optimality, 22
 optimization, 28–29, 35–37, 39, 46, 48–51, 62, 235
 principle, 50, 244, 245, 247, 251–254, 256, 259, 261, 264

 pairwise comparison rule, 130
 pairwise invasibility plot, 203, 204, 206, 216, 241, 246, 248
 Perron-Frobenius theorem, 49, 60
 persistence, 98, 100
 PES, *see also* polymorphic evolutionary sequence
 pessimization principle, 251
 phenotype variance, 80
 polymerase chain reaction, 43
 polymorphic evolutionary sequence, 176, 179, 184–186, 188
 population
 asexual, 28, 160, 175
 constant size, 33–35, 58
 dimorphic, 182
 diploid, 69, 242, 245
 finite, 115, 121, 130, 131, 133
 haploid, 69, 84, 108, 142
 heterozygote, 40
 homogeneous, 40, 50, 105–116, 201, 243
 infinite, 23, 24, 68, 115, 122, 134
 large, 176, 179, 184
 model, 160
 monomorphic, 122, 131, 176, 178, 182, 183, 185, 198
 panmictic, 79
 polymorphic, 175, 198
 resident, 183–185, 243, 260
 separated, 225
 sexual, 28
 small, 166
 structure, 107–108, 140
 variable size, 34
 well-mixed, 130, 134
 predation, 237
 Price, G., 198
 probability
 dispersal, 108
 distribution, 239
 process
 birth-death, 130, 177, 178, 185
 branching, 94–97, 166, 200, 236
 coalescent, 85
 density, 185
 deterministic, 144, 188
 deterministic monomorphic, 187
 developmental, 221
 evolutionary, 7, 10, 12, 14, 15, 68, 145, 177, 216
 finite variation, 181
 Galton-Watson, *see also* Galton-Watson process
 jump, 179, 184, 185
 Markov, 176, 180, 185, 199, 236
 micro-evolutionary, 10
 microscopic, 179, 180
 Poisson, 200, 236
 seed dispersion, 177
 splitting, 96
 stochastic, 23–25, 68, 121, 130, 144, 161
 proximate effect, 109

 quasi-stationary
 distribution, 100
 states, 95
 quasispecies, 48, 49, 55, 60

 recombination, 28, 68
 rates, 73, 74, 83
 relatedness, 16, 110, 153
 relative entropy method, 165
 replicator dynamics, *see also* equation, replicator
 reproduction
 asexual, 35
 clonal, 201, 203, 236–238
 sexual, 37
 RNA, 43, 45, 47, 52, 62

 scaling, 161–163, 176, 177, 181
 Secondary Theorem of Natural Selection, 81
 selection, 28–29, 34, 160, 175
 coefficient, 70–73, 76, 77
 directional, 212
 fertility, 73
 frequency dependent, 68, 79, 194, 257
 gradient, 241
 indirect, 221
 internal, 219
 multiple loci, 68
 natural, 8, 13, 15, 19, 22, 23, 29, 67, 68, 92, 123, 140, 175
 pressure, 218
 strong, 150, 218

- weak, *see also* weak selection
- Shahshahani gradient, 82
- sickle-cell anemia, 40
- Simpson, G.G., 196
- solution
 - singular, 160
- speciation, 159–174, 212, 215
 - adaptive, 210
 - allopatric, 225
 - sympatric, 176
- spite, 122
- stochastic effects, 166
- strategy, *see also* game, strategy
- survival
 - probability, 255
- thermodynamics, 49
- time scale, 177
 - evolutionary, 203
 - long, 178
 - macro-evolutionary, 216
- separation, 184, 195
- trait, 160, 176, 184, 194, 203, 209, 216, 223, 234, 243, 253, 257
 - group, 141
 - phenotypic, 175, 177
 - space, 197, 200, 222, 248, 250
 - value, 240
- trait substitution sequence, 176, 184, 185, 187
- transform
 - Fourier, 166
 - Hopf-Cole, 164
- transition ratio, 254
- TSS, *see also* trait substitution sequence
- Turing instability, 160, 165
- Verhulst, P.F., 3, 31
- virulence evolution, 262
- Volterra, V., 3
- Wallace, A.R., 1
- war of the sexes, 225
- weak rock-scissor-paper cycle, 247, 248
- weak selection, 70, 73, 77–79, 81, 84, 146–148, 155
 - approximation, 71
 - limit, 77–79
- Weinberg, W., 3
- WKB approach, 163
- Wright, S., 24, 68, 80, 196
- Wright-Fisher model, 24, 68
 - multiallelic, 72