

Bibliography

- [1] Atkinson, F.V., *Discrete and Continuous Boundary Problems*, Academic Press, New York, London, 1964.
- [2] Bini, D.A., Boito, P., Eidelman, Y., Gemignani, L., Gohberg, I., A fast implicit QR eigenvalue algorithm for companion matrices, *Linear Algebra Appl.* **432**, no. 8, 2006–2031 (2010).
- [3] Bini, D.A., Daddi, F., Gemignani, L., On the shifted QR iteration applied to companion matrices. *Electron. Trans. Numer. Anal.* **18** 137–152 (2004).
- [4] Bini, D.A., Eidelman, Y., Gemignani, L., Gohberg, I., Fast QR eigenvalue algorithms for Hessenberg matrices which are rank-one perturbations of unitary matrices. *SIAM J. Matrix Anal. Appl.* **29**, no. 2, 566–585 (2007).
- [5] Bini, D.A., Eidelman, Y., Gemignani, L., Gohberg, I., The unitary completion and QR iterations for a class of structured matrices. *Math. Comp.* **77**, no. 261, 353–378 (2008).
- [6] Boito, P., Eidelman, Y., Gemignani, L., Gohberg, I., Implicit QR with compression. *Indag. Math., (N.S.)* **23**, no. 4, 733–761 (2012).
- [7] Bella, T., Eidelman, Y., Gohberg, I., Koltracht, I., Olshevsky, V., A Björk–Pereyra-type algorithm for Szego–Vandermonde matrices based on properties of unitary Hessenberg matrices, *Linear Algebra Appl.*, **420**, no. 2-3, 634–647 (2007).
- [8] Bella, T., Eidelman, Y., Gohberg, I., Koltracht, I., Olshevsky, V., A fast Björk–Pereyra-type algorithm for solving Hessenberg-quasiseparable-Vandermonde systems. *SIAM J. Matrix Anal. Appl.*, **31**, no. 9, 790–815 (2009).
- [9] Bella, T., Eidelman, Y., Gohberg, I., Olshevsky, V., Computations with quasiseparable polynomials and matrices. *Theoret. Comput. Sci.*, **409**, no. 2, 158–179 (2008).
- [10] Bini, D.A., Gemignani, L., Pan, V., Inverse power and Durand-Kerner iterations for univariate polynomial root-finding, *Comput. Math. Appl.*, **47**, no. 2-3, 447–459 (2004).
- [11] Bini, D.A., Gemignani, L., Pan, V., Fast and stable QR eigenvalue algorithms for generalized companion matrices and secular equations, *Numer. Math.* **100**, no. 3, 373–408 (2005).

- [12] Bunch, J.R., Nielsen, C.P., Sorensen, D.C., Rank-one modification of the symmetric eigenproblem. *Numer. Math.* **31**: 31–48 (1978).
- [13] Bella, T., Olshevsky, V., Zhlobich, P., Signal flow graph approach to inversion of (H, m) -quasiseparable-Vandermonde matrices and new filter structures. *Linear Algebra Appl.*, **432**, no. 8, 2032–2051 (2010).
- [14] Bella, T., Olshevsky, V., Zhlobich, P., A quasiseparable approach to five-diagonal CMV and Fiedler matrices. *Linear Algebra Appl.*, **434**, no. 4, 957–976 (2011).
- [15] Cuppen, J., A divide and conquer method for symmetric tridiagonal eigenproblem. *Numer. Math.* **36**, no. 2, 177–195 (1981).
- [16] Chandrasekaran, S., Gu, M., Fast and stable eigendecomposition of symmetric banded plus semiseparable matrices. *Linear Algebra Appl.*, **313**, 107–114 (2000).
- [17] Chandrasekaran, S., Gu, M., Xia, J., Zhu, J., A fast QR algorithm for companion matrices. In: Recent advances in matrix and operator theory, *Operator Theory: Advances and Applications*, **179**, 111–143, Birkhäuser, Basel, 2008.
- [18] Demmel, J.W., Applied Numerical Linear Algebra, SIAM, Philadelphia, 1997.
- [19] Delvaux, S., Van Barel, M., A Hessenberg reduction algorithm for rank structured matrices. *SIAM J. Matrix Anal. Appl.*, **29**, no. 3, 895–926 (2008).
- [20] Delvaux, S., Van Barel, M., Eigenvalue computation for unitary rank structured matrices. *J. Comput. Appl. Math.*, **213**, no. 1, 268–287 (2008).
- [21] Eidelman, Y., Gohberg, I., Gemignani, L., On the fast reduction of a quasiseparable matrix to Hessenberg and tridiagonal forms. *Linear Algebra Appl.*, **420**, no. 1, 86–101 (2007).
- [22] Eidelman, Y., Gohberg, I., Gemignani, L., Efficient eigenvalue computation for quasiseparable Hermitian matrices under low rank perturbations. *Numer. Algorithms*, **47**, no. 3, 253–273 (2008).
- [23] Eidelman, Y., Gohberg, I., Olshevsky, V., The QR iteration method for Hermitian quasiseparable matrices of an arbitrary order. *Linear Algebra Appl.*, **404**, 305–324 (2005).
- [24] Eidelman, Y., Gohberg, I., Olshevsky, V., Eigenstructure of order-one-quasiseparable matrices. Three-term and two-term recurrence relations. *Linear Algebra Appl.*, **405**, 1–40 (2005).
- [25] Eidelman, Y., Haimovici, I., Divide and conquer method for eigenstructure of quasiseparable matrices using zeroes of rational matrix functions. In: A panorama of modern operators theory and related topics, *Operator Theory: Advances and Applications*, **218**, 299–328, Birkhäuser/Springer, Basel, 2012.
- [26] Fasino, D., Gemignani, L., Direct and inverse eigenvalue problems for diagonal-plus-semiseparable matrices. *Numer. Algorithms*, **34**, no. 2-4, 313–324 (2003).

- [27] Gu, M., and Eisenstat, S., A divide-and-conquer algorithm for the symmetric tridiagonal eigenproblem. *SIAM J. Matrix Anal. Appl.*, **16**, no. 1, 172–191 (1995).
- [28] Gu, M., Guzzo, R., Chi, X.-B., Cao, X.-Q., A stable divide and conquer algorithm for the unitary eigenproblem. *SIAM J. Matrix Anal. Appl.*, **25**, no. 2, 385–404 (2003).
- [29] Golub, G.L., Van Loan, C.F., *Matrix Computations*, John Hopkins University Press, Baltimore 1989.
- [30] Gragg, W., Reichel, L., A divide and conquer method for unitary and orthogonal eigenproblem. *Numer. Math.*, **57**, no. 8, 695–718 (1990).
- [31] Lancaster, P., Tismenetsky, M., *The Theory of Matrices*, Academic Press, New York, London, 1985.
- [32] Melman, A., Numerical solution of a secular equation. *Numer. Math.*, **69**, no. 4, 483–493 (1995).
- [33] Mastronardi, N., Chandrasekaran, S., Van Huffel, S., Fast and stable reduction of diagonal plus semiseparable matrices to tridiagonal and bidiagonal form. *BIT*, **41**, no. 1, 149–157 (2001).
- [34] Mastronardi, N., Van Camp, E., Van Barel, M., Divide and conquer algorithms for computing the eigendecomposition of symmetric diagonal-plus-semiseparable matrices. *Numerical Algorithms*, **9**, no. 4, 379–398 (2005).
- [35] Stoer, J., Bulirsch, R., *Introduction to Numerical Analysis*, Springer-Verlag, New York, London, 1993.
- [36] Vandebril, R., Van Barel, M., Mastronardi, N., *Matrix Computations and Semiseparable Matrices. Volume II: Eigenvalues and Singular Value Methods*, The John Hopkins University Press, Baltimore, 2008.
- [37] Wilkinson, J.H., *The Algebraic Eigenvalue Problem*, Monographs on Numerical Analysis, The Clarendon Press Oxford University Press, New York, 1988.

Index

- class
 - \mathcal{H}_N , 260
 - \mathcal{U}_N , 260
 - \mathcal{W}_N , 324
- complementary parameters, *see* parameters
- diagonal plus constant, *see* matrix
- diagonal plus semiconstant, *see* matrix
- eigenvalue of rational matrix function, 96
- eigenvector of rational matrix function, 96
- generating elements, 307
 - Q-generating elements, 325
- generators
 - lower generators, 260
 - upper triangular generators, 217
- \mathcal{H}_N , *see* class
- lower generators, *see* generators
- matrix
 - diagonal plus constant, 90
 - diagonal plus semiconstant, 90
 - perturbation matrices, 145, 148
 - unreduced, 87
- parameters
 - complementary parameters, 86
 - Schur parameters, 86
- perturbation matrices, *see* matrices, *see* matrix
- perturbation vectors, 260, 324
- Q-generating elements, *see* generating elements
- Schur parameters, *see* parameters
- \mathcal{U}_N , *see* class
- unreduced, *see* matrix
- upper triangular generators, *see* generators
- \mathcal{W}_N , *see* class
- zero of rational matrix function, 96