

References

- [ABe 98] L. Almeida and F. Bethuel; Topological methods for the Ginzburg-Landau equations, *J. Math. Pures Appl.*, **77** (1998), 1–49
- [Abr 57] A. Abrikosov; On the magnetic properties of superconductors of the 2nd type, *Soviet Phys. JETP*, **5** (1957), 1174–1182.
- [ACi 97] A. Assous and P. Ciarlet Jr.; Une caractérisation de l'orthogonal de $\Delta(H^2(\Omega) \cap H_0^1(\Omega))$ dans $L^2(\Omega)$, *C. R. Acad. Sci. Paris*, **325**, Série I (1997) 605–610.
- [ASh 95] N. André and I. Shafrir; Minimization of the Ginzburg-Landau functional with weight, *C.R. Acad. Sci. Paris, Série I*, **321** (1995), 999–1004.
- [Ada 75] R. Adams; *Sobolev Spaces*, Academic Press, New York, 1975.
- [Aft 97] A. Aftalion; On the minimizers of the Ginzburg-Landau energy for high kappa: the axially symmetric case, preprint.
- [ASo 98] L. Ambrosio and H.M. Soner; A measure theoretic approach to higher codimension mean curvature flows, preprint.
- [Ban 91] E. Bänsch; Local mesh refinement in 2 and 3 dimensions, *Impact of Computing in Science and Engineering* **3**, (1991), pp. 181–191.
- [Bat 67] G.K. Batchelor; *An Introduction to Fluid Mechanics*, Cambridge University Press, 1967.
- [Bau 99] H.-J. Bauer; *Objektorientierter Entwurf und Implementierung multilevel-adaptiver Finite-Element-Methoden*, Dissertation, Technische Universität München, 1999.
- [BBC 94] H. Berestycki, A. Bonnet and J. Chapman; A semi-elliptic system arising in the theory of type-II superconductivity, *Comm. Appl. Nonlinear Anal.*, **3** (1994), 1–21.
- [BBH 92] F. Bethuel, H. Brezis and F. Hélein; Limite singulière pour la minimization de fonctionnelles du type Ginzburg-Landau, *C.R.Acad.Sci.Paris*, **314**, Ser I, 1992, pp. 891–895.
- [BBH 93] F. Bethuel, H. Brezis and F. Hélein; Asymptotics for the minimization of a Ginzburg-Landau functional, *Calculus of Variations and PDE*, **1** (1993), 123–148.

- [BBH 94] F. Bethuel, H. Brezis & F. Hélein; Ginzburg-Landau Vortices, Birkhäuser (1994).
- [BCh 89] M. Berger and Y. Chen; Symmetric vortices for Ginzburg-Landau equations of superconductivity and nonlinear desingularization, *J. Func. Anal.*, **82** (1989) 259–295.
- [BCE 99] A.J. Briggs, J.R. Claisse and C.M. Elliott, Finite difference approximation of a non-local Hamilton-Jacobi equation arising in superconductivity, to appear, Preprint of CMAIA, University of Sussex.
- [BCP 93] P. Bauman, N. Carlson and D. Phillips; On the zeros of solutions to Ginzburg-Landau type systems, *SIAM J. Math. Anal.*, **24** (1993), 1283–1293.
- [BCPS 94] P. Bauman, C.N. Chen, D. Phillips and P. Sternberg; Annihilation of vortices for the Ginzburg-Landau heat flow, *European J. Appl. Math.* **6** (1995), no. 2, 115–126.
- [BCS 57] J. Bardeen, L.N. Cooper and J.R. Schreiffer; Theory of Superconductivity, *Phy. Rev.*, **108** (1957), p1175.
- [BDG 81] K.J. Brown, P.C. Dunne & R.A. Gardner; A Semilinear Parabolic System Arising in the Theory of Superconductivity, *J. of Diff. Equa.*, **40**, (1981) 232–252.
- [BGT 92] E. Barany, M. Golubitsky and J. Turski; Bifurcation with local gauge symmetries in the Ginzburg-Landau equations, *Physica D*, **56** (1992) 36–56.
- [BHa 95] A. Beaulieu and R. Hadji; Asymptotics for minimizers of a class of Ginzburg-Landau equations with weight, *C.R. Acad. Sci. Paris, Série I*, **320** (1995), 181–186.
- [BHe 93]. C. Bolley and B. Helffer; An application of semi-classical analysis to the asymptotic study of the supercooling field of a superconducting material, *Ann. Inst. Henri Poincaré, Anal. Non Linéaire*, **58** (1993), 189–233.
- [BHe 96] C. Bolley and B. Helffer; Upper bounds for the solutions of the Ginzburg-Landau equations in a semi-infinite superconducting film and applications to the superheating field in the large κ regime, preprint ECN.
- [BMi 87] I. Babuska and A. Miller; A feedback finite element method with a posteriori error estimation: Part I. The finite element method and some basic properties of a posteriori error estimator, *Computer Meth. Appl. Mech. Engineer.* **61** (1987), pp. 1–40.
- [BMR 94] H. Brezis, F. Merle and T. Rivière; Quantization effects for $-\Delta u = u(1-|u|^2)$ in \mathbb{R}^2 , *Arch. Rat. Mech. Anal.*, **126** (1994), 35–58.
- [BNe 97] J. Bak and D.J. Newman; *Complex Analysis*, 2nd edition, Springer, 1997
- [Bol 92] C. Bolley; Modélisation de champ de retard à la condensation d'un supraconducteur par un problème de bifurcation, *M²AN*, **26** (1992), 235–287.
- [BPT 98] P. Baumann, D. Phillips and Q. Tang; Stable nucleation for the Ginzburg-Landau system with an applied magnetic field, *Arch. Rat. Mech. Anal.*, **142** (1998), 1–43.
- [BRh 78] I. Babuska and C. Rheinboldt; Error estimates for adaptive finite element computations, *SIAM J. Numer. Anal.* **15** (1978), pp. 736–754.

- [BRi 95] F. Bethuel and T. Rivière; A variational problem related to superconductivity, *Annales Inst. H. Poincaré, Analyse Nonlinéaire*, **12** (1995), 243–303.
- [BRu 98] J. Berger and J. Rubinstein; Bifurcation and phase transitions in nonuniform superconducting rings, *SIAM J. Appl. Math.*, **58** (1998) 103.
- [CDa 99] Z. Chen and S. Dai; Adaptive Galerkin methods with error control for a dynamical Ginzburg-Landau model in superconductivity, to appear.
- [CDG 96] S.J. Chapman, Q. Du and M.D. Gunzburger; A model for variable thickness superconducting thin films, *Z. angew. Math. Phys.*, **47** (1996), 410–431.
- [CDGP 95] S. Chapman, Q. Du, M. Gunzburger and J. Peterson; Simplified Ginzburg-Landau models for superconductivity valid for high κ and high fields, *Advances in Applied Math.*, **5** (1995) 193–218.
- [CET 94] X. Chen, C.M. Elliott and Q. Tang; Shooting method for the vortex solutions of a Ginzburg-Landau equation, *Proc. Roy. Soc. Edinburgh*, **124A**, (1994) 1075–1088.
- [CET 98] Z. Chen, C.M. Elliott and Q. Tang; Justification of a two dimensional evolutionary Ginzburg-Landau superconductivity model, *M²AM*, Vol 32, No.1, (1998).
- [CFT 85] P. Constantin, C. Foias and R. Temam; Attractors representing turbulent flows, *Memoirs of AMS* **53** 314 (1985).
- [Cha1 95] S.J. Chapman; Nucleation of superconductivity in a decreasing field, *Euro. J. Appl. Math.*, **6** (1995) 97–114.
- [Cha2 95] S.J. Chapman; A mean-field model of superconducting vortices in three dimensions, *SIAM J. Appl. Math.*, **55** (1995) 1259–1274.
- [Che 90] Y.Y. Chen; Vortices for the Ginzburg-Landau equations – the nonsymmetric case in unbounded domain, *Contemporary Mathematics*, **108** (1990), 19–32.
- [Che 97] Z. Chen; Mixed finite element methods for a dynamical Ginzburg-Landau model in superconductivity, *Numer. Math.*, **76** (1997), pp. 323–353.
- [CHL 93] Z. Chen, K.H. Hoffmann and J. Liang; On a non-stationary Ginzburg-Landau superconductivity model, *Math. Meth. Appl. Sci.*, **16** (1993), 855–875.
- [CHo 94] Z. Chen and K.-H. Hoffmann, An error estimate of a finite element scheme for a phase field model, *IMA J. Numer. Anal.* **14** (1994), 243–255.
- [CHo 95] Z. Chen and K.-H. Hoffmann; Numerical studies of a non-stationary Ginzburg-Landau model for superconductivity, *Adv. Math. Sci. Appl.*, **5** (1995), 363–389.
- [CHo 96] Z. Chen and K.-H. Hoffmann; Optimal control of dynamical Ginzburg-Landau vortices in superconductivity, *Numer. Func. Anal. and Optimiz.* **17** (1996), pp. 241–258.
- [CHO 92] S.J. Chapman, S.D. Howison, J.R. Ockendon; Macroscopic models for superconductivity, *SIAM Review*, **34** No 4 (1990), 529–560.
- [Cia 78] P.G. Ciarlet; *The Finite Element Method for Elliptic Problems*, North-Holland, Amsterdam, 1978.

- [CNS 99] Z. Chen, R.H. Nochetto and A. Schmidt; A characteristic Galerkin method with adaptive error control for the continuous casting problem, to appear.
- [CRi 95] S.J. Chapman and G. Richardson; Motion of vortices in type II superconductors, *SIAM J. Appl. Math.*, **55** (1995) 1275–1296.
- [Cro 80] C. Cronström; A simple and complete Lorentz-covariant gauge condition, *Phys. Lett.*, **90B** (1980), 267–269.
- [CSW 97] M. Chipot, I. Shafrir and G. Wolansky; On the solutions of Liouville systems, *Journal of Differential Equations*, **140** 1 (1997) 59–105.
- [Cti 78] A.J. Callegari and L. Ting; Motion of a curved vortex filament with decaying vortical core and axial velocity, *SIAM J. Appl. Math.*, **35** (1978), 148–175.
- [DGP 92] Q. Du, M.D. Gunzburger and J.S. Peterson; Analysis and Approximation of the Ginzburg-Landau Model of Superconductivity, *SIAM Review*, **34**, (1992), 54–81.
- [DGP 95] Q. Du, M.D. Gunzburger and J.S. Peterson; Computational simulations of type-II superconductivity including pinning mechanisms, *Phys. Rev. B.*, **3** (1995) 16194–16203.
- [DGu 93] Q. Du and M.D. Gunzburger; A model for superconducting thin films having variable thickness, *Phys. D.*, **69** (1993) 215–231.
- [Dor 92] A. Dorsey; Vortex motion and the Hall effect in type II superconductors: a time dependent Ginzburg-Landau theory approach, *Phys. Rev. B.* **46** (1992) 8376–8368.
- [DHe 93] M. Dauge and B. Helffer; Eigenvalues variation, I, Neumann problem for Sturm-Liouville operators, *J. Diff. Eq.*, **104** (1993), 243–262.
- [DKN 97] P. Drábek, A. Kufner and F. Nicolosi; Quasilinear Elliptic Equations with Degenerations and Singularities, de Gruyter Series in Nonlinear Analysis and Applications, Vol. 5, Berlin-New York, 1997.
- [DLi 76] G. Duvaut, J.L. Lions; *Inequalities in Mechanics and Physics*, Springer, 1976.
- [DLi 97A] S. Ding and Z. Liu; Pinning of vortices for a variational problem related to the superconducting thin films having variable thickness, *J.PDEs*, 1997, vol.10, 174–192
- [DLi 1] S. Ding and Z. Liu; Asymptotic behaviour for minimizers of anisotropic G-L functional, to appear in *Diff. Int. Eqs.*.
- [DLi 97B] S. Ding and Z. Liu; Asymptotics for a class of G-L functionals, *Chin. Ann. Math.*, 1997, 18A, 437–444.
- [DLi 98] S. Ding and Z. Liu; A remark on “Asymptotics for a class of G-L functionals”, *Chin. Ann. Math.*, 1998, 19A, 621–628.
- [DLY 97] S. Ding, Z. Liu and W. Yu; Pinning of vortices for the G-L functional with variable coefficient, *Appl. Math. -JCU*, **12B** (1997), 77–88.
- [Du 94] Q. Du; Global existence and uniqueness of solutions of the time-dependent Ginzburg-Landau model for superconductivity, *Applicable Analysis*, **52** (1994), 1–17.

- [Du2 94] Q. Du: Finite element methods for the time-dependent Ginzburg-Landau model for superconductivity, *Comput. Math. Appl.* **27** (1994), pp. 119–133.
- [Du 98] Q. Du; Studies of a Ginzburg-Landau model for d-wave superconductors, *SIAM J. Appl. Math* **59** (1999), no 4, 1225–1250.
- [E1 94] W. E; Dynamics of vortices in Ginzburg-Landau Theories and applications to superconductivity, *Phys. D.*, **77** (1994) 383–404.
- [E2 94] W. E; Dynamics of vortex liquid in Ginzburg-Landau theories, with application to superconductivity, *Phys. Rev. B.*, **50** (1994) 1126–1135.
- [EJo 91] K. Eriksson and C. Johnson; Adaptive finite element methods for parabolic problems I: A linear model problem, *SIAM J. Numer. Anal.* **28** (1991), pp. 43–77.
- [EJo 95] K. Eriksson and C. Johnson; Adaptive finite element methods for parabolic problems IV: Nonlinear problems, *SIAM J. Numer. Anal.* **32** (1995), pp. 1729–1749.
- [Ell 97] C.M. Elliott, Approximation of curvature dependent interface motion, *State of the Art in Numerical Analysis*, ed. I.S.Duff and G.A.Watson, Clarendon Press, Oxford, (1997), pp. 407–440
- [EMT 93] C.M. Elliott, H. Matano and Q. Tang; Zeros of a complex Ginzburg-Landau order parameter with applications to superconductivity, *Eur. J. Appl. Math.*, **5** 7 (1994); 437–448.
- [ESS 98] C.M. Elliott, R. Schatzle and B. Stoth, Viscosity solutions of a degenerate parabolic elliptic system arising in the mean-field theory of superconductivity, *Arch. Rat. Mech. Anal.*, 145 (1998), 99–127.
- [ESt1 99] C.M. Elliott and V. Styles, Flux pinning and boundary nucleation of vorticity in a mean field model of superconducting vortices, *Interfaces and Free Boundaries*, 2 (2000), 143–180.
- [ESt2 99] C.M. Elliott and V. Styles, Numerical analysis of a mean field model of superconducting vortices, to appear in *I.M.A.J. Numerical Analysis*.
- [ETe 75] I. Ekeland, R. Temam; *Convex Analysis and Variational Problems*, North-Holland, 1976.
- [Fed 69] H. Federer; *Geometric Measure Theory*, Springer, 1969.
- [FGa 95] I. Fonseca and W. Gangbo; *Degree Theory in Analysis and Application*, Clarendon Press, 1995.
- [FKa 64] H. Fujita & T. Kato; On the Navier-Stokes Initial Value Problem, I, *Arch. Rat. Mech. Anal.*, **16**, (1964), 269–315.
- [GEI 68] L.P. Gor'kov & G.M. Éliashberg; Generalization of the Ginzburg-Landau Equations for Non-Stationary Problems in the Case of Alloys with Paramagnetic Impurities, *Soviet Physics JETP*, **27**, (1968), 328–334.
- [Gen 66] P.D. de Gennes; *Superconductivity of Metals and Alloys*, W.A. Benjamin, 1966; Reprinted edition, Addison-Wesley, 1996.
- [Ghi 84] J.M. Ghidaglia; Régularité de solutions de certains problèmes aux limites linéaires liés aux équations d'Euler, *Comm. in Partial Differential Equations*, **9** 13, (1984), 1265–1298.

- [Gia 83] M. Giaquinta; *Multiple Integrals in the Calculus of Variations and Nonlinear Elliptic Systems*, Princeton Univ. Press, Princeton, 1983.
- [GLa 50] V. Ginzburg & L. Landau; On the Theory of Superconductivity, *Zh. Èksper. Teoret. Fiz.*, **20**, (1950), 1064–1082. (In Russian.). *Man of Physics: L. D. Landau*, I. D. ter Haar, ed. Pergamon. Oxford, (1965), 138–167. (In English.)
- [GPh 99] Giorgio and D. Phillips; The breakdown of superconductivity due to strong fields for the Ginzburg-Landau model, *SIAM J. Math. Anal.* **30** (1999), no. 2, 341–359.
- [GRa 86] V. Girault & P.-A. Raviart; *Finite Element Methods for Navier-Stokes Equations*, Springer-Verlag, Berlin, (1986).
- [Gri 85] P. Grisvard; *Elliptic Problems in Nonsmooth Domains*, Pitman, 1985.
- [GTr 77] D. Gilbarg, N.S. Trudinger; *Elliptic Partial Differential Equations*, 2nd ed.; Springer, 1983.
- [GYu 98] B. Guo and G. Yuan; Cauchy problem of the Ginzburg-Landau equation for the superconductivity model, Preprint.
- [Hen 81] D. Henry; *Geometric Theory of Semilinear Parabolic Equations*, Springer-Verlag Berlin Heidelberg New York, (1981).
- [Hon 96] M.C. Hong; On a problem of Bethuel, Brezis and Hélein concerning the Ginzburg-Landau functional, *C.R. Acad. Sci. Paris. Ser. I Math.* **320** (1995) No.6, 679–684.
- [HSh 95] Z.-C. Han and I. Shafrir; Lower bounds for the energy of S^1 -valued maps in perforated domains, *J. Analyse Math.*, **66** (1995), 295–306.
- [Iva 98] J. Ivarsson; A posteriori error analysis of a finite element method for the time-dependent Ginzburg-Landau equations, Preprint, Chalmers University of Technology, 1998.
- [JMo 96] S. Jimbo and Y. Morita; Ginzburg-Landau equations and stable solutions in a rotational domain, *SIAM Math. Anal.*, **27** 5 (1996); 1360–1385.
- [JTa 80] A. Jaffe, C. Taubes; *Vortices and Monopoles*, Birkhäuser, 1980.
- [JZh 98] S. Jimbo and J. Zhai; Ginzburg-Landau equation with magnetic effect: non-simply-connected domains, *J.Math.Soc.Japan*, **50** 3 (1998) 663–684.
- [Kel 58] J.B. Keller; Propagation of a magnetic field into a superconductor, *Phys. Rev.*, **111** (1958) 1497.
- [Kis 95] Kissling; Conformally invariant systems of nonlinear PDEs of Liouville type, *Geometric and Functional Analysis*, **5** 6 (1995) 924–947.
- [Lad 69] O.A. Ladyzhenskaya; *The Mathematical Theory of Viscous Incompressible Flow*, Gordon And Breach, Science Publishers, New York London Paris, (1969).
- [Lan 97] S. Lang; *Complex Analysis*, Addison-Wesley, 1977.
- [LDu 97] F.H. Lin and Q. Du; Ginzburg-Landau vortices: dynamics, pinning and hysteresis, *SIAM J. Math. Anal.*, **28** (1997), 1265–1293.
- [Lin 95] F.H. Lin; Mixed vortex and anti-vortex solutions of Ginzburg-Landau equations, *Arch. Rat. Mech. Anal.*, **133** (1995) 103–127.

- [Lin2 95] F.H. Lin; Solutions of Ginzburg-Landau equations and critical points of the renormalized energy, *Ann. Inst. H. Poincaré Anal. Non Lin.*, **12**(5), 1995, 599–622.
- [Lin 96] F.H. Lin; Some dynamic properties of Ginzburg-Landau vortices, *Comm. Pure. Appl. Math.*, **49** (1996) 323–364.
- [LRa 81] M. Luskin and R. Rannacher; On the smoothing property of the Galerkin method for parabolic equations, *SIAM J. Numer. Anal.* **19** (1981), pp. 93–113.
- [LSU 68] O.A. Ladyzhenskaya, V.A. Solonnikov and N.N. Uralceva; *Linear and Quasi-linear Equations of Parabolic Type*, American Mathematical Society, Providence, 1968.
- [LTa 95] J. Liang and Q. Tang; Asymptotic behavior of the solutions of an evolutionary Ginzburg-Landau superconductivity model, *J. Math. Anal. Appl.* **195**, (1995); 92–107.
- [MGP 91] A.B. Monvel-Berthier, V. Georgescu and R. Purice; A boundary value problem related to the Ginzburg-Landau Model, *Comm. Math. Phys.*, **142** (1991), 1–23.
- [Mit 89] W.F. Mitchell; A Comparison of Adaptive Refinement Techniques for Elliptic Problems, *ACM Trans. Math. Software*, **15**(4) (1989), 326–347.
- [MKe 69] M.H. Millman and J.B. Keller; Perturbation theory of nonlinear boundary value problems, *J. Math. Phys.*, **10** (1969), 342–361.
- [Mod 87] L. Modica; The gradient theory of phase transitions and the minimal interface criterion, *Arch. Rat. Mech. Anal.*, **98** 1 1987, pp. 123–142
- [Mor 66] C.B. Morrey; *Multiple Integrals in the Calculus of Variations*, Springer, 1966
- [MSa 71] D.W. Moore and P.G. Saffman, Structure of a line vortex in an imposed strain, *Aircraft Wake Turbulence*, eds Olsen, Goldberg, Rogers, Plenum, 1971.
- [MTY 93] S. Muller, Q. Tang and B.S. Yan; On a new class of elastic deformations not allowing for cavitations, *Ann. Inst. H. Poincaré, Analyse Non Linear*, **11** (1994), 217–243.
- [Mu 99] M. Mu; A linearized Crank-Nicolson-Galerkin method for the Ginzburg-Landau model, *SIAM J. Sci. Comput.*, **18** (1997), No.4, 1028–1039.
- [Nec 67] J. Necas; *Les Méthodes Directes en Théorie des Equations Elliptique*, Masson, 1967.
- [Neu 90] J. Neu; Vortices in complex scalar fields, *Physica D*, **43** (1990) 385–406.
- [Noc 93] R.H. Nochetto; Removing the saturation assumption in a posteriori error analysis, *Istit. Lombardo Accad. Sci. Lett. Rend. A* **127** (1993), pp. 67–82.
- [Noc 95] R.H. Nochetto; Pointwise a posteriori error estimates for elliptic problems on highly graded meshes, *Math. Comp.* **64** (1995), pp. 1–22.
- [NSV 99] R.H. Nochetto, A. Schmidt and C. Verdi; A posteriori error estimation and adaptivity for degenerate parabolic problems, *Math. Comp.* (to appear).

- [Pri 96] L. Prigozhin; Sandpiles, river networks and type-II superconductors, preprint.
- [Pri 97] L. Prigozhin; On the Bean critical-state model in superconductivity, preprint.
- [PRu 93] L. Peres and J. Rubinstein; Vortex dynamics for $U(1)$ Ginzburg-Landau models, *Physica D*, **64** (1993) 299–309.
- [RSt 95] J. Rubinstein and P. Sternberg; On the slow motion of vortices in the Ginzburg-Landau heat flow, *Siam J. Math. Anal.*, **26** (1995), no.6, 1452–1466.
- [Rub 95] J. Rubinstein; On the equilibrium position of Ginzburg-Landau vortices, *A. angew. Math. Phys.*, **46** (1995) 739–751.
- [Saf 93] P.G. Saffman; Vortex dynamics, Cambridge University Press, Cambridge, UK, 1993
- [Ser1 98] S. Serfaty; Local minimizers for the Ginzburg-Landau energy near critical magnetic field, preprint.
- [Ser2 98] S. Serfaty; Stable configurations in superconductivity: uniqueness, multiplicity and vortex nucleation, preprint.
- [SF1 73] G. Strang and G. Fix; Analysis of the Finite Element Method, Prentice-Hall Englewood Cliffs (1973).
- [SGe 62] D. Saint-James and P.G. de Gennes; Onset of superconductivity in decreasing fields, *Phys. Rev. Lett.*, **9** (1962) 266.
- [SGe 63] D. Saint-James and P.G. de Gennes; Onset of superconductivity in decreasing fields, *Phys. Letters*, **7** (1963) 306–308.
- [Sim 83] L. Simon; Asymptotics for a class of non-linear evolution equations with applications to geometric problems, *Ann. of Math*, **118** (1983), pp. 525–572
- [Sim1 83] L. Simon; Lectures on Geometric Measure Theory. Proceedings of the Centre for Mathematical Analysis, Australian National University, Centre for Mathematical Analysis, Canberra, 1983.
- [SLU 68] O.A. Ladyzhenskaya, V.A. Solonnikov and N.N. Uralceva, Linear and Quasi-linear Equations of Parabolic Type, American Mathematical Society, Providence (1968).
- [SST 69] D. Saint-James, G. Sarma and E.J. Thomas; Type-II Superconductivity, Pergamon Press, (1969).
- [SSt 99] R. Schatzle and V. Styles, Analysis of a mean-field model of superconducting vortices, *EJAM*, **10**(1999), pp. 319–352.
- [Str 94] M. Struwe; On the asymptotic behaviour of minimizers of the Ginzburg-Landau model in 2-dimensions, *Differential Integral Equations*, **7** (1994), 1613–1624; Erratum, *Differential Integral Equations*, **8** (1995), 224.
- [Tan 93] Q. Tang; Remark on a relation between the magnetic field and the topological degree of the order parameter in superconductivity, *Physica D*; **69** (1993), 320–326.
- [Tan 95] Q. Tang; On an evolutionary system of Ginzburg-Landau equations with fixed total magnetic flux, *Commun. in Partial Differential Equations*, **20** (1 and 2) (1995); 1–36.

- [Tau 80] C.H. Taubes; Arbitrary N-vortex solutions to the first order Ginzburg-Landau equations, *Commun. Math. Phys.*; **72** (1980), 277–292.
- [Tem 79] R. Temam; *Navier-Stokes Equations*, North-Holland, (1979).
- [Tem 83] R. Temam; *Navier-Stokes and nonlinear functional analysis*, CBMS-NSF Regional Conference Series in Applied Mathematics (SIAM, Philadelphia, 1983).
- [Tem 88] R. Temam; *Infinite-Dimensional Dynamical Systems in Mechanics and Physics*, Springer-Verlag, 1988.
- [Tem 85] R. Temam; *Mathematical Problems in Plasticity*, Trans-Inter Scientia, 1985.
- [Tin 75] M. Tinkham; *Introduction to superconductivity*, McGraw-Hill, New York, 1975
- [TTi 86] D. Tilley and J. Tilley; *Superfluidity and Superconductivity*, 2nd edition, Adam Hilger Ltd., Bristol, 1986.
- [TWa 95] Q. Tang and S. Wang; Time dependent Ginzburg-Landau equations of superconductivity, *Physica D*, **8**, (1995); 139–166.
- [Wlo 82] J. Wloka, *Partielle Differentialgleichungen*, B.G.Teubner, Stuttgart, (1982).
- [WWi 92] D. Waxman and G. Williams; Estimate of the core size of a vortex in an extreme type II superconductor, *Annals of Physics*, **220** 2 (1992), 274–299.
- [Yan 90] Y. Yang; Boundary value problems of the Ginzburg-Landau equations, *Proc. Roy. Soc. Edinburgh*, **114A** (1990), 355–365.
- [Yan 98] Y. Yang; Coexistence of vortices and antivortices in an abelian gauge theory, *Phys. Rev. Lett.*, **80** 1 (1998), 26–29.
- [Yos 78] K. Yosida, *Functional analysis*, Springer-Verlag, 1978.

Index

- absorbing set, 147
- adaptive, 328
- attractor(s), 147, 149, 152
- average operator, 265
- coherence length, 6
- Coulomb gauge, 25
- critical, 7
- degree, 50
- dynamics, 149
- electric potential, 21
- energy minimizer, 5, 12, 41, 42, 48
- fractal dimension, 152
- Galerkin method, 129
- gauge invariance, 11, 13, 15, 24, 29
- Gibbs energy, 11–13
- global solutions, 126
- gradient flow, 158
- Gronwall inequality, 130
- harmonic map, 196
- Hausdorff dimension, 152
- Hessian matrix, 45
- hysteresis, 7
- jump condition, 31
- law of motion, 9
- local estimate, 171
- London equation, 5, 6, 17
- Lyapunov functional, 23, 44, 135
- Maxwell, 133
- Mean field model. 19, 81, 84
- Meissner effect, 2, 3, 6
- mixed state, 7
- non-adaptive, 328
- nucleation, 115
- ω -limit, 141
- orientation, 61
- penetration depth, 84
- pinning theory, 283
- plate, 20, 251
- Pohozaev, 284
- renormalized energy, 205
- (re)scaling, 13, 15, 16, 82, 83
- supercurrent, 7
- surface energy, 32, 41
- thin film, 251
- topological condition, 64
- topological degree, 40
- unstable manifold, 149
- vortex core, 6
- vortex curve, 61
- vortex motion, 59
- vortices, 7
- winding number, 49