

Index

A

Abiotic hydrolysis, 3, 14, 16–18, 30, 79
Acetylcholinesterase (ACHE), 3, 20, 31, 122, 168, 183, 202
Acute risk, 8, 166, 190–192, 200, 201, 205, 206, 211
Acute toxicity, 6, 7, 10, 130, 136, 148, 153, 154, 156, 173, 184–185, 187, 189, 241, 244, 259
Adsorption, 3, 13, 15, 19, 20, 30, 31, 64, 79–81, 89, 91, 137, 178
Adsorption, distribution, metabolism, and excretion (ADME), 20, 31, 65
Aerial application, 24, 148
Aerobic soil metabolism, 6, 15, 80, 91, 94, 96, 100, 107, 108, 110, 113
AgDRIFT, 5, 89, 90, 104, 107
Airblast application, 167
Alfalfa leaf-cutting bees, 10
Amphibians, 7, 36, 122, 124, 127, 130, 131, 136, 137, 153, 155
Apis mellifera, 9, 219
Aquatic insects, 7, 134, 135, 156
Aquatic organisms, 2, 6–7, 14, 20–22, 24, 55, 65, 69, 70, 77–114, 119–156, 164
Area under the risk curve (AUC), 175–177
Atmosphere, 3–4, 22, 36–63, 69–71, 121, 150, 209
Avian field studies, 9, 205, 212

B

Bioaccumulation, 12, 13, 65–68, 121, 166
Biphasic, 13, 16–18, 64, 91
Bird-kill incidents, 8

Birds, 2, 14, 38, 119, 122, 163, 238
Buffers, 2, 24
Bumble bees, 10, 226, 234, 244, 256, 257, 260

C

California Department of Pesticide Regulation (CDPR), 5, 6, 10, 77, 83, 85, 86, 100, 107, 109, 110, 113, 150
Changes in labels, 2, 14
Chlorpyrifos oxon (CPYO), 3–5, 7, 14, 16, 20–22, 35–37, 48–47, 54, 58–63, 67–71, 80, 86, 122, 137, 156, 220, 222, 223, 225, 230, 236
Chronic risk, 8, 166, 175, 178, 191, 195, 202–204
Cosm, 6, 7, 124, 137, 138, 140, 142, 145–148, 152
Crustaceans, 6, 7, 122, 126, 127, 131, 134, 147, 151–154, 156
Cumulative toxicity, 7

D

Degradation, 3, 6, 13, 15–19, 28, 30, 50, 51, 63, 64, 69, 79–81, 87, 89, 91, 93, 107, 111, 113, 124, 137, 166, 173, 177, 222, 224, 225, 233, 257, 258
Dietary items, 8, 9, 173, 178, 201, 211, 212
Dose-response, 8, 168, 173–175, 179, 180, 186–190, 194, 203–205, 207, 209, 211, 212
Drinking water, 5, 8, 19, 89, 96, 166–168, 179, 202, 211, 238–240, 253, 254

E

EC 1107/4, 70, 71, 2009
 Environmental fate, 2, 15, 35, 79–82, 90, 96,
 111, 229, 230
 European honey bee, 9, 219
 Exposure Analysis Modeling System (EXAMS),
 5, 18, 89, 91, 93, 239, 240, 253, 254
 Exposure-recovery events, 6
 Exposure scenarios, 2, 93–104, 137, 165,
 170–172, 176, 183, 190, 202, 204,
 210, 245

F

Field dissipation, 3, 15, 80
 Fish, 7, 20, 24, 57, 65–67, 120, 122–128, 131,
 132, 134–137, 148, 149, 151–156
 Flowable formulation, 8, 24, 78, 163,
 165–167, 170, 172, 191, 196, 221
 Focal bird species, 8, 170–172, 174, 175, 177,
 202, 204, 210
 Focus-watershed, 6, 111, 113
 Forager honey bees, 9, 259
 Frequencies of detection, 4, 83, 112
 Freshwater, 65, 68, 130, 141, 150
 Fugacity, 40, 41, 56–59, 71

G

Good agricultural practices, 9, 10, 259, 260
 Granular formulation, 1, 9, 23, 44, 163–165,
 167, 170, 172, 174, 181, 209, 211,
 237–239, 253, 259
 Granular pesticide avian risk model
 (GranPARAM), 8, 9, 174, 181–183,
 205, 208–210, 212
 Ground spray, 24, 107, 241, 247

H

Half-life, 4–6, 16, 18–20, 30, 42, 43, 45, 47,
 48, 50, 51, 53, 60–63, 69, 71, 80, 81,
 91–94, 96, 100, 108–111, 113, 152,
 166, 173, 186, 210, 218, 235, 255
 HC5, 7, 126, 130, 131, 134, 136, 147, 149,
 153, 154
 Hydrolysis, 3, 5, 14–19, 21, 30, 31, 55, 56, 63, 69,
 70, 79–81, 91, 93, 150, 165, 166, 225, 226

I

Incident reports, 120, 164, 175, 177, 229–231,
 250, 251
 Inhalation, 166, 167, 173, 203, 204, 209, 210
 Intense-use scenario, 7, 156

K

K_{OC}, 3, 15, 18, 19, 30, 41, 42, 45, 56, 80, 81,
 91, 92, 121, 210, 239

L

Label, 2, 5, 7–10, 14, 23, 24, 26, 28, 30,
 65–67, 69, 78, 89, 94, 96, 97, 99, 100,
 102, 104, 107, 110–112, 120, 121, 149,
 153, 154, 156, 163, 164, 166, 167, 170,
 177, 191, 196, 198–200, 208, 211, 212,
 221, 224, 231, 236, 241, 245, 255, 256,
 259, 260
 Liquid pesticide avian risk assessment model
 (LiquidPARAM), 8, 173, 174,
 177–181, 183, 196, 198–205, 211, 212
 Log K_{ow}, 3, 15, 28, 68, 80, 92, 150, 226, 241
 Long-range transport (LRT), 2–4, 14, 36–38,
 41–44, 49–51, 53, 55, 59, 60, 62, 63,
 67–71
 Lorsban Advanced[®], 23, 24, 99, 165–167, 170,
 172, 173, 184, 196, 198–200, 211, 220,
 231–233, 242
 Lorsban 4E[®], 23, 24, 191, 196, 231, 232, 241,
 242, 245–248
 Lorsban 15G[®], 9, 23, 24, 165, 167, 170, 172,
 174, 181, 182, 205, 208, 212
 Lorsban 50W[®], 184
 Lorsban 75WG[®], 23, 24
 Lowest-observed-effect-level (LOEL), 8, 130,
 181, 187, 189–191, 195, 196, 211

M

Mass balance model, 3, 36, 38, 49, 71
 Maximum retained dose, 8, 179, 190, 211
 Microbial degradation, 3, 16, 30, 79, 137
 Mixed-function oxidase enzymes, 3
 Monitoring data, 5, 6, 37, 38, 40, 43, 46, 53,
 54, 60, 62, 63, 71, 78, 84–86, 88, 109,
 110, 113, 251

N

Natural grit, 9, 174, 181, 182, 208, 209, 212
 Nectar, 9, 10, 220, 224–232, 234, 236, 251,
 252, 258–260
 Nervous system, 20, 123, 155
 Non-*Apis* pollinators, 9, 10, 219, 222, 226,
 230, 234, 244, 248, 256–258, 260
 No observed ecologically adverse effect
 concentrations (NOAECeco), 6, 7, 138,
 140, 142, 147, 152, 153, 155, 156
 No-observed-effect-level (NOEL), 8, 130, 181,
 184, 187, 189–191, 196, 211

O

- OH radicals, 4, 43, 48, 50, 51, 71
- 1st-order kinetics, 3
- Orestimba creek, 6, 10, 102, 104, 106, 107, 110–114, 151, 154
- Organophosphorus insecticide, 1–10, 35–71, 77–113, 163, 220, 259

P

- Persistent bioaccumulative and toxic (PBT), 4, 67–71
- Persistent organic pollutant (POP), 4, 36, 67
- Pesticide granules, 9, 174, 181–183, 210, 212
- Pesticide Root Zone Model (PRZM), 5, 18, 89–92, 94, 104, 110, 239, 240, 253, 254
- Photolysis, 3, 14–16, 19, 20, 30, 43–45, 62, 79–81, 91, 93, 137, 234
- Pollen, 9, 10, 220, 224–234, 236, 237, 247–252, 255, 258–260
- Pollinators, 2, 9–10, 14, 119, 164, 219–260
- Problem formulation, 120–128, 164–165, 203, 220–230

R

- Residential uses, 4, 5, 87, 110, 120
- Route of exposure, 9, 175, 186, 224, 231, 234, 238, 255, 259
- Runoff, 3, 5, 7, 20, 24, 82, 83, 88–90, 93–96, 102, 104, 110–113, 150, 156, 167, 226, 240, 253

S

- Saltwater, 5, 65, 130, 131
- Seasonal use, 3, 28
- Sediment, 5, 14–20, 39, 40, 42, 44, 50, 51, 56, 64–69, 81, 82, 85, 86, 88–90, 93, 107–111, 113, 121, 122, 136, 151, 153, 239
- Seeds, 9, 23, 29, 168, 170, 209, 212, 219, 225, 247, 250

- Semi-remote sites, 4
- Soil and Water Assessment Tool (SWAT), 5, 10, 90, 104, 107, 110, 152
- Species sensitivity distributions (SSDS), 6, 7, 120, 126, 127, 130, 131, 147, 148, 150, 151, 154
- Stockholm convention, 4, 67, 68, 71
- Surface-water, 2, 14, 136
- Synergize, synergism, 3, 22

T

- TCP. *See* 3,5,6-Trichloropyridinol (TCP)
- Termites, 3, 30, 64, 120
- Terrestrial investigation model (TIM), 173, 174, 177–179, 201, 202
- 3,5,6-Trichloro-2-methoxypyridinol (TMP), 16, 80, 166
- 3,5,6-Trichloropyridinol (TCP), 16, 21, 79, 80, 122, 165, 166, 230

U

- United States Geological Survey (USGS), 4–6, 82, 85, 86, 88, 100, 109, 110, 113
- Use-pattern, 86–87, 96, 111, 172

V

- Vapor pressure, 3, 15, 28, 41, 42, 45, 46, 56–58, 80, 90, 91, 167, 224
- Volatilization, 3, 14, 16, 30, 44–47, 49, 53, 79, 81, 89–91, 93, 94, 111, 166, 225, 234
- Vulnerability to runoff, 7, 113, 150, 156

W

- Washington State Department of Ecology (WDOE), 5, 6, 77, 84, 85, 109, 110, 113, 150
- Watershed, 5, 6, 10, 88, 89, 101–109, 111–113, 152, 156
- WINPRZM, 5, 89, 104