

Subject Index

A

Adjustment factors

General 77, 78, 80–82, 86,
91–93, 95, 98, 101–103,
105, 112

Lane width and lateral clearance
81, 83, 84, 86, 87–90,
92, 206, 207

Heavy vehicle 78, 92, 93, 95,
102–104, 110, 113, 114,
208, 212, 217, 219

Signalized intersections 113

Type of multilane highway and
environment 220

American Association of State
Highway and Transportation
Officials (AASHTO) 65

American Association of State
Highway Officials
(AASHO) 5

Audience 457, 465

Average highway speed 166

B

Basic freeway segments

1950 HCM 205, 206, 207

1965 HCM 209–213

1985 HCM 213, 215, 217–221

2000 HCM 222–229

2010 HCM 228–230

Capacity 223

Definition 120, 121

Free-flow speed 224, 225,
227, 229

General 205, 212, 218, 219, 225,
226, 232

Level of service criteria 210, 212,
213, 217, 218, 222,
223, 231

Sample problems 231, 234, 237,
243

Bureau of Public Roads (BPR) 5, 8,
11, 13

C

Capacity

Basic capacity 10, 30, 32, 224

General 36

Ideal capacity 10

Possible capacity 10, 31, 32

Practical capacity 10, 31

Circular 212, TRB 14, 15, 283

Cumberland Road (see National
Road) 3

D

Design speed 105

Diverge segment

Definition 119–121, 123

(See Merge and diverge segments)

Dixie Highway 4

F

Federal Aid Highway Acts

1916 5

1921 5

1944 6

1956 6

Federal Highway Administration 13

Ford, Henry 5

Freeway facilities 121, 126, 128

Free-flow speed 224, 225, 227,
229, 406

G

Good roads movement 3
 Greenshields, Bruce 9, 29, 37, 138,
 139, 141–145

H

Highway Capacity and Quality of
 Service Committee 6, 13,
 451, 452, 454–457, 460, 461,
 462, 466
 Highway Capacity Manual
 1950 Highway Capacity Manual 9,
 10, 30–32, 147, 205, 206,
 207, 254–256, 258, 339–
 342, 393, 394
 1965 Highway Capacity Manual
 10, 12, 13, 33, 34, 36, 145,
 158, 159, 162, 209, 211–
 213, 258, 259, 261, 262,
 263, 342, 343, 344, 345,
 351, 353, 355, 370, 372,
 376, 381, 389–391, 395,
 397, 399
 1985 Highway Capacity Manual
 13, 15–18, 36, 37, 38, 162,
 163, 166, 213–221, 281,
 283, 284, 286–288, 353,
 369, 398, 399, 403, 404
 1994 and 1997 Updates to the
 Highway Capacity Manual
 18, 19, 38, 39, 40, 166,
 168, 170, 172, 173, 355,
 356, 358, 359, 362
 2000 Highway Capacity Manual
 19, 40, 41, 173, 174, 289,
 292, 293, 363, 365, 366,
 367, 405, 406, 409, 412,
 415, 418, 419
 2010 Highway Capacity Manual
 20, 21, 23, 41, 43, 45, 173,
 174, 177, 179, 182, 186,
 199, 201, 228, 229, 237,
 294, 296, 301, 302, 305,
 367, 368, 421–423, 428,
 429, 431, 452–454
 Highway Capacity Software (HCS)
 16, 288, 462, 463
 Highway Research Board, 6, 7

I

Interim Materials on Highway Capacity
 (see Circular 212, TRB) 14
 Interstate highways (see Interstate
 system) 3
 Interstate system 6

J

Johnson, A.N. 27, 28, 136, 137

K

Kittelson, Wayne 6, 8, 11, 21

L

Leisch, Jack 252, 257, 259
 Level of service
 1950 HCM 50
 1965 HCM 50–58
 1985 HCM 58–60, 213, 214, 215
 2000 HCM 61–63
 2010 HCM 63, 65, 67–70
 Basic freeway segments 213–216,
 217, 227, 230
 Capacity 302
 General 12, 49, 75, 458, 461
 Maximum length 304
 Merge and diverge segments 343,
 344, 355, 356
 Multilane Highways 211, 213–
 217, 227
 Multiple weaving segments 305
 Two-lane highways 393, 395, 396,
 398
 Weaving segments 259, 261, 269,
 275, 276, 281, 287, 291,
 299, 301
 Lincoln Highway 4
 Lincoln Highway Association 4
M
 MacAdam surface 3
 Maysville Road Bill 3
 Merge segment
 Definition 120–122
 (See Merge and diverge segments)

- Merge and diverge segments
 - 1950 HCM 339, 340, 342
 - 1965 HCM 342–344
 - 1985 HCM 353–355, 375
 - 1994 and 1997 update 358
 - 1994 and 1997 updates 356, 359
 - 1994 and 1997 Updates 355
 - 2000 HCM 363, 364, 365, 366
 - 2010 HCM 367, 368
 - Capacity 357, 364
 - Density 364
 - Equivalence distance 365
 - General 340, 341, 345, 350, 353, 361, 365, 369, 389
 - Hess Method 369
 - level of service 344, 345, 349, 351, 352, 353, 354, 356
 - Newman/Moskowitz Method 349
 - Reasonableness Check 368
 - Sample problems 384, 388, 369
 - Speed 364–367
- Multilane highways
 - 1950 HCM 205–209
 - 1965 HCM 210–213
 - 1985 HCM 213, 215–219
 - 2000 HCM 222–226, 228, 229
 - 2010 HCM 228–230
 - Capacity 223
 - Free-flow speed 206, 224–227
 - General 205, 208, 212, 219, 225–227
 - Level of Service Criteria 210, 213, 222
 - Sample problems 230, 231, 234, 237
- N**
- National Pike (see National Road) 3
- National Road 3
- National trails movement 4
- Normann, O.K. 6, 11, 13, 29, 252, 258, 276, 451
- Office of Road Inquiry 4, 5
- Office of Public Roads 5
- Operating speed 56
- Passenger car equivalent
 - General 77, 79, 80, 94—102, 104, 105, 107–109, 111, 112
 - Walker Method 95, 99, 108
- multilane highways and freeways
 - 105, 110, 111, 144, 181, 227, 229,
- Two-Lane Highways 397, 428, 429, 410, 412, 422, 425
- Pershing map 5
- Plank roadways 2
- Prevailing roadway and traffic conditions 43
- Q**
- Quality of flow 328
- R**
- Reasonable expectancy 46
- Roosevelt, Franklin Delano 6
- S**
- Saturation flow rate 41
- Service flow rate 59, 217
- Service volume 57, 58, 217
- Speed-flow-density relationships
 - 1950 HCM 146
 - 1965 HCM 158–160, 162
 - 1985 HCM 165
 - 1994 and 1997 updates 166, 168
 - 2000 HCM 172–174, 178
 - 2010 HCM 173, 174, 177–179, 182
 - Base Conditions 133
 - D.W. Dougherty 137
 - Drake, Shofer, and May 154, 155, 156, 157
 - Edie, Les 153
 - Ellis, Raymond 153
 - General 134, 135, 138, 145, 147, 152, 153, 158, 169, 184, 186, 192
 - Greenberg, Harold 147–149
 - Greenshields, Bruce
 - Hamlin, G.E. 134, 138–142
 - Ideal conditions 133
 - Johnson, A.N. 136, 137
 - Underwood, Robin 149
- T**
- Toll roads 1, 2
- Transportation Research Board 13

- Travel time reliability 69
- Turnpikes 2
- Two-lane highways
- 1950 HCM 393, 394
 - 1965 HCM 395, 396, 397
 - 1985 HCM 398, 399, 400
 - 2000 HCM 405, 406, 409, 412, 415, 418, 419
 - 2010 HCM 422, 423, 428, 429, 431
- Average travel speed (ATS) 406, 408, 412, 437
- Capacity 394, 396, 398, 400, 403, 430
- Daily service volumes 428
- Design treatments 404, 405
- Directional distribution 399, 406
- General 121, 122, 395, 397, 399, 401, 402, 405, 406, 410, 418, 424, 425, 428, 431, 432, 435, 438, 440, 443, 452, 456
- Level of service 396, 400, 401, 406, 429
- Passenger car equivalents 396, 410, 412, 426, 427
- Percent time spent following 406, 414, 415, 418
- Sample problems 432, 436, 450
- U**
- Uninterrupted flow methodologies
- General 121, 122, 124, 129
- W**
- Walker, Powell 8, 252, 257, 262, 451
- Weaving Area Operations Study 15, 267, 268, 270
- weaving sections (see Weaving segments) 21
- Weaving segments
- 1950 HCM 254–256, 258
 - 1965 HCM 258, 259, 261, 262, 263
 - 1985 HCM 283, 284–, 285–288
 - 2000 HCM 289, 290, 292, 293
 - 2010 HCM 294, 296, 298, 301, 302, 305
- Basic weaving segment 254, 255
- Compound weaving segments 257
- Configuration 264
- Constrained operation 264, 289
- Crown line 255
- Definition 121, 122
- General 254, 259, 268, 270, 280, 286, 290, 293, 299, 301
- Hess Method 258
- Lane-changing behavior 297
- Leisch/Normann Method 259
- Leisch Method 276, 277, 278, 279, 280
- Length 262, 294
- Level of service 258, 261, 269, 275, 277, 283, 288, 291, 302
- Newman/Moskowitz Method 262
- Major weaves 251, 299
- One-sided weaves 251, 298
- Out of the realm of weaving 253, 259
- Overview 119
- PINY Method 276, 277, 281, 283
- Quality of flow 260
- Ramp-weaves 251, 294
- Reilly Method 281, 283
- Sample problems 306, 308
- Two-sided weaves 299
- Unconstrained operation 267, 288
- Weaving on non-freeway facilities 252
- W**
- Wilson vs. Shaw 3
- Yale Bureau of Highway Traffic 147
- Yellowstone Trail 4