

References

1. M. Abért, Group laws and free subgroups in topological groups. *Bull. Lond. Math. Soc.* **37**(4), 525–534 (2005) (Cited on pages 158 and 255).
2. S.I. Adian, Infinite irreducible systems of group identities. *Izv. Akad. Nauk SSSR Ser. Mat.* **34**, 715–734 (1970) (Cited on page 243).
3. S.I. Adian, *The Burnside Problem and Identities in Groups* (Springer, Berlin/New York, 1979) (Cited on pages 28, 222, and 223).
4. S.I. Adian, Random walks on free periodic groups. *Izv. Akad. Nauk SSSR Ser. Mat.* **46**(6), 1139–1149 (1982) (Cited on pages 213, 314, 315, and 319).
5. A. Adler, S.-Y. Robert Li, Magic cubes and Prouhet sequences. *Am. Math. Mon.* **84**, 618–627 (1977) (Cited on page 71).
6. R.L. Adler, L.W. Goodwyn, B. Weiss, Equivalence of topological Markov shifts. *Isr. J. Math.* **27**(1), 49–63 (1977) (Cited on pages 139, 140, 141, 148, and 150).
7. R.L. Adler, B. Marcus, Topological entropy and equivalence of dynamical systems. *Mem. Am. Math. Soc.* **20**(219), pp. iv+84 (1979) (Cited on page 159).
8. R.L. Adler, B. Weiss, Similarity of automorphisms of the torus. *Mem. Am. Math. Soc.* **98**, pp. ii+43 (1970) (Cited on page 139).
9. R. Aharoni, P. Haxell, Hall’s theorem for hypergraphs. *J. Graph Theory* **35**(2), 83–88 (2000) (Cited on page 308).
10. I. Agol (with an appendix by Ian Agol, Daniel Groves and Jason Manning). The virtual Haken conjecture, arXiv:1204.2810 (Cited on page 322).
11. M. Aigner, G. Ziegler, *Proofs from The Book*, 4th edn. (Springer, Berlin/New York, 2010) (Cited on page 183).
12. J. Alonso, T. Brady, D. Cooper, V. Ferlini, M. Lustig, M. Mihalik, M. Shapiro, H. Short, Notes on hyperbolic groups, group theory from a geometric viewpoint, in *Proceedings of ICTP*, Trieste (World Scientific, Singapore, 1991), pp. 3–63 (Cited on page 320).
13. A.S. Amitsur, J. Levitzki, Minimal identities for algebras. *Proc. Am. Math. Soc.* **1**, 449–463 (1950) (Cited on page 169).
14. S.E. Arshon, A proof of the existence of n -valued infinite asymmetric sequences. *Mat. Sb.* **2**(44), 769–777 (1937) (Cited on page 72).
15. M. Aschbacher, The status of the classification of the finite simple groups. *Not. Am. Math. Soc.* **51**(7), 736–740 (2004) (Cited on page 153).
16. R. Baer, Radical ideals. *Am. J. Math.* **65**(4), 537–568 (1943) (Cited on page 181).
17. K.A. Baker, G.F. McNulty, W. Taylor, Growth problems for avoidable words. *Theor. Comput. Sci.* **69**(3), 319–345 (1989) (Cited on page 84).
18. K.A. Baker, G.F. McNulty, H. Werner, The finitely based varieties of graph algebras. *Acta Sci. Math. (Szeged)* **51**(1–2), 3–15 (1987) (Cited on page 32).

19. K.A. Baker, G.F. McNulty, H. Werner, Shift-automorphism methods for inherently non-finitely based varieties of algebras. *Czechoslov. Math. J.* **39**(1), 53–69 (1989) (Cited on pages 32 and 36).
20. Yu.A. Bakhturin, A.Yu. Ol'shanski, Identity relations in finite Lie algebras. *Mat. Sb.* **96**(4), 543–559 (1975) (Cited on page 29).
21. S. Banach, A. Tarski, Sur la decomposition des ensembles de points en parties respectivement congruents. *Fund. Math.* **6**, 244–277 (1924) (Cited on page 304).
22. L. Bartholdi, The growth of Grigorchuk's torsion group. *Int. Math. Res. Not.* **20**, 1049–1054 (1998) (Cited on page 295).
23. L. Bartholdi, Lower bounds on the growth of a group acting on the binary rooted tree. *Int. J. Algebra Comput.* **11**(1), 73–88 (2001) (Cited on page 299).
24. L. Bartholdi, I.I. Reznikov, V.I. Sushchansky, The smallest Mealy automaton of intermediate growth. *J. Algebra* **295**(2), 387–414 (2006) (Cited on page 131).
25. H. Bass, The degree of polynomial growth of finitely generated nilpotent groups. *Proc. Lond. Math. Soc.* **25**, 603–614 (1972) (Cited on pages 285 and 292).
26. H. Bauer, *Measure and Integration Theory* (Trans. from the German by Robert B. Burckel). de Gruyter Studies in Mathematics, vol. 26 (Walter de Gruyter, Berlin, 2001) (Cited on pages 148 and 149).
27. J.A. Beachy, *Introductory Lectures on Rings and Modules*. London Mathematical Society Student Texts, vol. 47 (Cambridge University Press, Cambridge, 1999), pp. viii+238 (Cited on page 23).
28. D.R. Bean, A. Ehrenfeucht, G.F. McNulty, Avoidable patterns in strings of symbols. *Pac. J. Math.* **85**, 261–294 (1979) (Cited on pages 76, 77, and 84).
29. A. Belov-Kanel, Some estimations for nilpotence of nil-algebras over a field of an arbitrary characteristic and height theorem. *Commun. Algebra* **20**(10), 2919–2922 (1992) (Cited on page 172).
30. A. Belov-Kanel, On non-Specht varieties. *Fundam. Prikl. Mat.* **5**(1), 47–66 (1999) (Cited on page 191).
31. A. Belov-Kanel, Counterexamples to the Specht problem. *Mat. Sb.* **191**(3), 13–24 (2000); trans. in *Sb. Math.* **191**(3–4), 329–340 (2000) (Cited on page 191).
32. A. Belov-Kanel, The Kurosh problem, the height theorem, the nilpotency of the radical, and the algebraicity identity. *Fundam. Prikl. Mat.* **13**(2), 3–29 (2007); trans. in *J. Math. Sci. (N. Y.)* **154**(2), 125–142 (2008) (Cited on page 195).
33. A. Belov-Kanel, Local finite basis property and local representability of varieties of associative rings. *Izv. Ross. Akad. Nauk Ser. Mat.* **74**(1), 3–134 (2010); trans. in *Izv. Math.* **74**(1), 1–126 (2010) (Cited on page 195).
34. A. Belov-Kanel, V. Borisenko, V. Latyshev, Monomial algebras (Algebra, 4). *J. Math. Sci. (N. Y.)* **87**(3), 3463–3575 (1997) (Cited on pages 157 and 194).
35. A. Belov-Kanel, M.I. Kharitonov, Subexponential estimates in Shirshov's theorem on height. *Mat. Sb.* **203**(4), 81–102 (2012) (Cited on pages 174 and 176).
36. A. Belov-Kanel, L.H. Rowen, *Computational Aspects of Polynomial Identities*. Volume 9 of Research Notes in Mathematics (A K Peters, Wellesley, 2005) (Cited on pages 174, 194, and 195).
37. A. Belov-Kanel, L.H. Rowen, U. Vishne, Structure of Zariski-closed algebras. *Trans. Am. Math. Soc.* **362**(9), 4695–4734 (2010) (Cited on page 196).
38. A. Belov-Kanel, L.H. Rowen, U. Vishne, Full quivers of representations of algebras. *Trans. Am. Math. Soc.* **364**(10), 5525–5569 (2012) (Not cited).
39. A. Belov-Kanel, L.H. Rowen, U. Vishne, Specht's problem for associative affine algebras over commutative Noetherian rings. Accepted for publication in *Trans. Am. Math. Soc.* (Not cited).
40. A. Belov-Kanel, L.H. Rowen, U. Vishne, *PI*-varieties associated to full quivers of representations of algebras. *Trans. Am. Math. Soc.* (to appear) (Cited on page 196).
41. V.V. Belyaev, N.F. Seseikin, V.I. Trofimov, Growth functions of semigroups and loops. *Matem. Zapiski Ural'skogo Gos. Universiteta* **10**(3), 3–8 (1977) (Cited on page 131).

42. G.M. Bergman, Centralizers in free associative algebras. *Trans. Am. Math. Soc.* **137**, 327–344 (1969) (Cited on page 164).
43. G.M. Bergman, *A Note on Growth Functions of Algebras and Semigroups*. Mimeographed Notes (University of California, Berkeley, 1978) (Cited on page 157).
44. G.M. Bergman, The diamond lemma for ring theory. *Adv. Math.* **29**(2), 178–218 (1978) (Cited on page 54).
45. J. Berstel, Mots sans carré et morphismes itérés. *Discret. Math.* **29**, 235–244 (1979) (Cited on page 75).
46. J. Berstel, Sur les mots sans carré définis par un morphisme, in *ICALP*, Graz, ed. by A. Maurer (Springer, 1979), pp. 16–25 (Cited on pages 75 and 83).
47. Collected by M. Bestvina, Questions in geometric group theory (preprint), available at <http://www.math.utah.edu/~bestvina/eprints/questions-updated.pdf> (Cited on page 323).
48. O. Bogopolski, *Introduction to Group Theory* (trans., revised and expanded from the 2002 Russian original). EMS Textbooks in Mathematics (European Mathematical Society (EMS), Zürich, 2008) (Cited on page 209).
49. R.V. Book, F. Otto, *String-Rewriting Systems*. Texts and Monographs in Computer Science (Springer, New York, 1993) (Cited on page 54).
50. A. Braun, The radical in a finitely generated P. I. algebra. *Bull. Am. Math. Soc. (N.S.)* **7**, 385–386 (1982) (Cited on page 195).
51. M.R. Bridson, The geometry of the word problem, in *Invitations to Geometry and Topology*. Oxford Graduate Texts in Mathematics, vol. 7 (Oxford University Press, Oxford, 2002), pp. 29–91 (Cited on page 200).
52. M.R. Bridson, H. Wilton, The triviality problem for profinite completions, arXiv:1401.2273 (Cited on page 153).
53. M.G. Brin, C.C. Squier, Groups of piecewise linear homeomorphisms of the real line. *Invent. Math.* **79**(3), 485–498 (1985) (Cited on page 278).
54. K. Brown, Finiteness properties of groups, in *Proceedings of the Northwestern Conference on Cohomology of Groups*, Evanston, 1985. *J. Pure Appl. Algebra* **44**(1–3), 45–75 (1987) (Cited on page 324).
55. T.C. Brown, An interesting combinatorial method in the theory of locally finite semigroups. *Pac. J. Math.* **36**, 285–289 (1971) (Cited on page 106).
56. R.M. Bryant, Some infinitely based varieties of groups. *Aust. J. Math.* **16**(1), 29–33 (1973) (Cited on page 243).
57. R.M. Bryant, The laws of finite pointed groups. *Bull. Lond. Math. Soc.* **14**(1), 119–123 (1982) (Cited on page 156).
58. J. Brzozowski, Open problems about regular languages, in *Formal Language Theory: Perspectives and Open Problems* (Academic, New York, 1980), pp. 23–47 (Cited on page 154).
59. J. Burillo, Growth of positive words in Thompson’s group F . *Commun. Algebra* **32**(8), 3087–3094 (2004) (Cited on page 325).
60. W. Burnside, On an unsettled question in the theory of discontinuous groups. *Q. J. Pure Appl. Math.* **33**, 230–238 (1902) (Cited on page 28).
61. J.W. Cannon, The combinatorial structure of cocompact discrete hyperbolic groups. *Geom. Dedicata* **16**(2), 123–148 (1984) (Cited on page 321).
62. J.W. Cannon, W.J. Floyd, W.R. Parry, Introductory notes on Richard Thompson’s groups. *L’Enseignement Mathématique* **42**(2), 215–256 (1996) (Cited on pages 281, 282, 324, and 329).
63. A. Carpi, On abelian squares and substitutions, in *WORDS*, Rouen, 1997. *Theor. Comput. Sci.* **218**(1), 61–81 (1999) (Cited on page 83).
64. F. Cedó, J. Okniński, Semigroups of matrices of intermediate growth. *Adv. Math.*, **212**(2), 669–691 (2007) (Cited on page 131).

65. J. Černý, Poznámka k homogénnym experimentom s konečnými automatami. *Matematicko-fyzikálny Časopis Slovenskej Akadémie Vied* **14**(3), 208–216 (1964) (Cited on page 159).
66. A. Church, J.B. Rosser, Some properties of conversion. *Trans. Am. Math. Soc.* **39**(3), 472–482 (1936) (Cited on page 45).
67. R.J. Clark, The existence of a pattern which is 5-avoidable but 4-unavoidable. *Int. J. Algebra Comput.* **16**(2), 351–367 (2006) (Cited on page 84).
68. A.H. Clifford, G.B. Preston, *The Algebraic Theory of Semigroups. I* (American Mathematical Society, Providence, 1961) (Cited on page 23).
69. J.M. Cohen, Cogrowth and amenability of discrete groups. *J. Funct. Anal.* **48**(3), 301–309 (1982) (Cited on pages 313 and 314).
70. P.M. Cohn, Embedding in semigroup with one-sided division. *J. Lond. Math. Soc.* **31**, 169–181 (1956) (Cited on page 54).
71. P.M. Cohn, Embeddings in sesquilateral division semigroups. *J. Lond. Math. Soc.* **31**, 181–191 (1956) (Cited on page 54).
72. P.M. Cohn, *Free Rings and Their Relations*. London Mathematical Society Monographs, vol. 19, 2nd edn. (Academic/Harcourt Brace Jovanovich, London, 1985) (Cited on pages 164 and 166).
73. M. Coornaert, A. Papadopoulos, *Symbolic Dynamics and Hyperbolic Groups*. Lecture Notes in Mathematics, vol. 1539 (Springer, Berlin, 1993) (Cited on page 322).
74. M. Coudrain, M.P. Schützenberger. Une condition de finitude des monoïdes finiment engendrés. *C. R. Acad. Sci. Paris. Serie A* **262**, 1149–1151 (1966) (Cited on page 77).
75. M. Crochemore, Sharp characterizations of square-free morphisms. *Theor. Comput. Sci.* **18**, 221–226 (1982) (Cited on page 75).
76. K. Culik II, J. Karhumäki, J. Kari, A note on synchronized automata and Road Coloring Problem. *Int. J. Found. Comput. Sci.* **13**, 459–471 (2002) (Cited on page 141).
77. J.D. Currie, Pattern avoidance: themes and variations. *Theor. Comput. Sci.* **339**(1), 7–18 (2005) (Cited on pages 83 and 84).
78. J.D. Currie, V. Linek, Avoiding patterns in the abelian sense. *Can. J. Math.* **51**(4), 696–714 (2001) (Cited on page 84).
79. M.M. Day, Amenable semigroups. *Ill. J. Math.* **1**, 509–544 (1957)
80. P. Dehornoy, Geometric presentations for Thompson’s groups. *J. Pure Appl. Algebra* **203**(1–3), 1–44 (2005) (Cited on page 314). (Cited on page 277).
81. P. de la Harpe, *Topics in Geometric Group Theory*. Chicago Lectures in Mathematics (University of Chicago Press, Chicago, 2000) (Cited on page 298).
82. P. de la Harpe, R.I. Grigorchuk, T. Ceccherini-Silberstein, Amenability and paradoxical decompositions for pseudogroups and discrete metric spaces. *Tr. Mat. Inst. Steklova* **224** (1999), *Algebra. Topol. Differ. Uravn. i ikh Prilozh.* 68–111; trans. in *Proc. Steklov Inst. Math.* **224**(1), 57–97 (1999) (Cited on pages 300, 312, 327, 329, and 330).
83. A. de Luca, S. Varricchio, Combinatorial properties of uniformly recurrent words and an application to semigroups. *Int. J. Algebra Comput.* **1**(2), 227–246 (1991) (Cited on page 174).
84. N. Dershowitz, Orderings for term-rewriting systems. *Theor. Comput. Sci.* **17**, 279–301 (1982) (Cited on page 6).
85. W. Dicks, Joel Friedman’s proof of the strengthened Hanna Neumann conjecture (preprint), <http://mat.uab.es/~dicks/SimplifiedFriedman.pdf> (Cited on page 324).
86. W. Dicks, Simplified Mineyev (preprint), <http://mat.uab.es/~dicks/SimplifiedMineyev.pdf> (Cited on page 324).
87. V. Diekert, M. Kufleitner, K. Reinhardt, T. Walter, Regular languages are Church–Rosser congruential, in *Automata, Languages, and Programming*. Lecture Notes in Computer Science, vol. 7392 (Springer, Berlin/New York, 2012), pp. 177–188 (Cited on page 59).

88. Dnestr notebook, Math. Inst. Siberian Acad. Sci., Novosibirsk, 1993 (Cited on page 174).
89. A.P. Do Lago, On the burnside semigroups $x^n = x^{n+m}$. *Int. J. Algebra Comput.* **6**(2), 179–227 (1996) (Cited on page 154).
90. A.P. Do Lago, I. Simon, Free burnside semigroups. A tribute to Aldo de Luca. *Theor. Inform. Appl.* **35** (2001) (6), 579–595 (2002) (Cited on page 154).
91. C. Druțu, M. Kapovich, Lectures on geometric group theory (2012, preprint) (Cited on pages 282 and 320).
92. J. Dubnov, V. Ivanov, Sur l'abaissement du degré des polynômes en affineurs. *C. R. (Doklady) Acad. Sci. URSS (N.S.)* **41**, 95–98 (1943) (Cited on page 175).
93. S. Eilenberg, *Automata, Languages, and Machines, Vol. A*. Pure and Applied Mathematics, vol. 58 (Academic [A subsidiary of Harcourt Brace Jovanovich, Publishers], New York, 1974) (Cited on pages 12, 13, and 65).
94. M. Elder, É. Fusy, A. Rechinizer, Counting elements and geodesics in Thompson's group F . *J. Algebra* **324**(1), 102–121 (2010) (Cited on page 325).
95. G. Endimioni, Conditions de finitude pour un groupe d'exposant fini (Finiteness conditions for a group with finite exponent). *J. Algebra* **155**, 290–297 (1993) (Cited on page 327).
96. D.B.A. Epstein, J.W. Cannon, D.F. Holt, S.V.F. Levy, M.S. Paterson, W.P. Thurston, *Word Processing in Groups* (Jones and Bartlett, Boston, 1992) (Cited on page 321).
97. M. Ershov, Gold–Shafarevich groups: a survey. *Int. J. Algebra Comput.* **22**(5), 1230001, 68 (2012) (Cited on page 328).
98. M. Ershov, G. Golan, M. Sapir, The Tarski numbers of groups (2014, preprint) (Cited on page 330).
99. D.S. Farley, Proper isometric actions of Thompson's groups on Hilbert space. *Int. Math. Res. Not.* **45**, 2409–2414 (2003) (Cited on page 324).
100. D.S. Farley, Finiteness and CAT(0) properties of diagram groups. *Topology* **42**(5), 1065–1082 (2003) (Cited on page 324).
101. A.F. Filippov, An elementary proof of Jordan's theorem. *Uspehi Matem. Nauk (N.S.)* **5**(39), 173–176 (1950) (Cited on page 216).
102. N. Fine, H. Wilf, Uniqueness theorems for periodic functions. *Proc. Am. Math. Soc.* **16**, 109–114 (1965) (Cited on page 8).
103. N.P. Fogg, *Substitutions in Dynamics, Arithmetics and Combinatorics*, ed. by V. Berthé, S. Ferenczi, C. Mauduit, A. Siegel. Lecture Notes in Mathematics, vol. 1794 (Springer, Berlin, 2002) (Cited on page 83).
104. J. Friedman, Sheaves on graphs, their homological invariants, and a proof of the Hanna Neumann conjecture (submitted). arXiv:1105.0129 (Cited on page 323).
105. H. Furstenberg, Poincaré recurrence and number theory. *Bull. Am. Math. Soc.* **5**, 211–234 (1981) (Cited on page 95).
106. F. Galvin, R. Thompson, Unpublished notes (Cited on page 324).
107. I.M. Gelfand, A.A. Kirillov, Sur les corps liés aux algèbres enveloppantes des algèbres de Lie. *Publ. Math. I.H.E.S.* **31**, 5–19 (1966) (Cited on page 125).
108. R. Geoghegan (ed.), *Open Problems in Infinite-Dimensional Topology: The Proceedings of the 1979 Topology Conference*, Ohio University, Athens, 1979. *Topology Proceedings*, vol. 4 (1979) no. 1) (1980), pp. 287–338 (Cited on page 325).
109. R. Geoghegan, F. Guzmán, Associativity and Thompson's group, in *Topological and Asymptotic Aspects of Group Theory*. Contemporary Mathematics, vol. 394 (American Mathematical Society, Providence, 2006), pp. 113–135 (Cited on page 277).
110. E. Ghys, P. de la Harpe (eds.), *Sur les groupes hyperboliques d'après Mikhael Gromov*. Progress in Mathematics, vol. 83 (Birkhäuser, Boston, 1990) (Cited on pages 320 and 321).
111. S. Ginsburg, On the length of the smallest uniform experiment which distinguishes the terminal states of a machine. *J. Assoc. Comput. Mach.* **5**, 266–280 (1958) (Cited on page 138).

112. E.S. Golod, On nil-algebras and finitely approximable p -groups. *Izv. Akad. Nauk SSSR. Ser. Mat.* **28**, 273–276 (1964) (Cited on pages 166, 176, and 220).
113. E.S. Golod, Some problems of Burnside type, in *Proceedings of International Congress of Mathematicians*, Moscow, 1966 (Izdat. “Mir”, Moscow, 1968), pp. 284–289 (Cited on page 328).
114. E.S. Golod, I.R. Shafarevich, On the class field tower. *Izv. Akad. Nauk SSSR. Ser. Mat.* **28**, 261–272 (1964) (Cited on page 176).
115. W.H. Gottschalk, G.A. Hedlund, *Topological Dynamics*. AMS Colloquium Publications, vol. 36 (American Mathematical Society, Providence, 1955) (Cited on page 39).
116. J.A. Green, D. Rees, On semigroups in which $x^r = x$. *Proc. Camb. Philos. Soc.* **48**, 35–40 (1952) (Cited on pages 107 and 154).
117. F.P. Greenleaf, *Invariant Means on Topological Groups and Their Applications* (Van Nostrand Reinhold, New York, 1969) (Cited on page 300).
118. M. Greendlinger, Dehn’s algorithm for the word problem. *Commun. Pure Appl. Math.* **13**, 67–83 (1960) (Cited on page 211).
119. R.I. Grigorchuk, On Burnside’s problem on periodic groups. *Funktsional. Anal. i Prilozhen.* **14**(1), 53–54 (1980) (Cited on pages 294 and 295).
120. R.I. Grigorchuk, Symmetrical random walks on discrete groups, in *Multicomponent Random Systems*. *Advances in Probability and Related Topics*, vol. 6 (Dekker, New York, 1980), pp. 285–3251 (Cited on pages 313 and 314).
121. R.I. Grigorchuk, Symmetric random walks on discrete groups. *Uspehi Mat. Nauk* **32**(6)(198), 217–218 (1977) (Cited on page 313).
122. R.I. Grigorchuk, On the Milnor problem of group growth. *Dokl. Akad. Nauk SSSR* **271**(1), 30–33 (1983) (Cited on pages 282, 294, and 295).
123. R.I. Grigorchuk, Degrees of growth of finitely generated groups and the theory of invariant means. *Izv. Akad. Nauk SSSR Ser. Mat.* **48**(5), 939–985 (1984) (Cited on pages 294, 295, 296, and 299).
124. A.V. Grishin, Examples of T -spaces and T -ideals of characteristic 2 without the finite basis property. *Fundam. Prikl. Mat.* **5**(1), 101–118 (1999) (Cited on page 191).
125. A.V. Grishin, The variety of associative rings, which satisfy the identity $x^{32} = 0$, is not Specht, in *Formal Power Series and Algebraic Combinatorics* Moscow, 2000 (Springer, Berlin/New York, 2000), pp. 686–691 (Cited on page 191).
126. M. Gromov, Groups of polynomial growth and expanding maps (with an appendix by Jacques Tits). *Publ. Math. Inst. Hautes Études Sci.* **53**, 53–73 (1981) (Cited on pages 282 and 299).
127. M. Gromov, Hyperbolic groups, in *Essays in Group Theory*. *Mathematical Sciences Research Institute Publications*, vol. 8 (Springer, New York, 1987), pp. 75–263 (Cited on pages 213, 320, and 321).
128. V.S. Guba, The word problem for the relatively free semigroups satisfying $t^m = t^{m+n}$ with $m \geq 3$. *Int. J. Algebra Comput.* **3**(3), 335–348 (1993) (Cited on page 154).
129. V.S. Guba, On some properties of periodic words. *Math. Notes* **72**(3-4), 301–307 (2002) (Cited on page 10).
130. V.S. Guba, The Dehn function of Richard Thompson’s group F is quadratic. *Invent. Math.* **163**(2), 313–342 (2006) (Cited on page 324).
131. V.S. Guba, Notes on the Burnside problem for odd exponents, private communication, Oct 2012 (Cited on page 223).
132. V.S. Guba, S.J. Pride, Low-dimensional (co)homology of free Burnside monoids. *J. Pure Appl. Algebra* **108**(1), 61–79 (1996) (Cited on page 154).
133. V.S. Guba, M. Sapir, *Diagram Groups*. *Memoirs of the AMS*, vol. 130 (American Mathematical Society, Providence, 1997) (Cited on pages 265, 266, 272, 273, and 324).

134. V.S. Guba, M. Sapir, The Dehn function and a regular set of normal forms for R. Thompson's group F . *J. Aust. Math. Soc. Ser. A* **62**(3), 315–328 (1997) (Cited on page 279).
135. V.S. Guba, M. Sapir, On subgroups of R. Thompson's group F and other diagram groups. *Mat. Sb.* **190**(8), 3–60 (1999) (Cited on pages 278 and 282).
136. V.S. Guba, M. Sapir, Diagram groups and directed 2-complexes: homotopy and homology. *J. Pure Appl. Algebra* **205**(1), 1–47 (2006) (Cited on page 324).
137. V.S. Guba, M. Sapir, Diagram groups are totally orderable. *J. Pure Appl. Algebra* **205**(1), 48–73 (2006) (Cited on pages 273 and 324).
138. Y. Guivarc'h, Groupes de Lie à croissance polynomiale. *C. R. Acad. Sci. Paris, Sér. A–B* **271**, A237–A239 (1970) (Cited on pages 285 and 292).
139. Y. Guivarc'h, Croissance polynomiale et périodes des fonctions harmoniques. *Bull. Soc. Math. Fr.* **101**, 333–379 (1973) (Cited on pages 285 and 292).
140. C.K. Gupta, A.N. Krasilnikov, A simple example of a non-finitely based system of polynomial identities. *Comm. Algebra* **30**(10), 4851–4866 (2002) (Cited on page 191).
141. C.K. Gupta, A.N. Krasilnikov, The finite basis question for varieties of groups – some recent results. Special issue in honor of Reinhold Baer (1902–1979). *Ill. J. Math.* **47**(1–2), 273–283 (2003) (Cited on page 326).
142. M. Hall Jr., *The Theory of Groups* (Macmillan, New York, 1959) (Cited on pages 23 and 221).
143. P. Hall, G. Higman, On the p -length of p -soluble groups and reduction theorems for Burnside's problem. *Proc. Lond. Math. Soc.* **6**(3), 1–42 (1956) (Cited on page 153).
144. G.H. Hardy, S. Ramanujan, Asymptotic formulae in combinatory analysis. *Proc. Lond. Math. Soc.* **17**, 75–115 (1918) (Cited on page 128).
145. G.H. Hardy, E.M. Wright, *An Introduction to the Theory of Numbers*, 5th edn. (Clarendon Press, Oxford, 1979) (Cited on pages 127 and 130).
146. T. Harju, D. Nowotka, The equation $x^i = y^j z^k$ in a free semigroup. *Semigroup Forum* **68**(3), 488–490 (2004) (Cited on page 10).
147. T. Harju, D. Nowotka, On the equation $x^k = z_1^{k_1} z_2^{k_2} \dots z_n^{k_n}$ in a free semigroup. *Theor. Comput. Sci.* **330**(1), 117–121 (2005) (Cited on page 10).
148. P.J. Heawood, Map-colour theorems. *Q. J. Math. Oxf.* **24**, 332–338 (1890) (Cited on page 210).
149. G.A. Hedlund, Endomorphisms and automorphisms of the shift dynamical system. *Math. Syst. Theory* **3**, 320–375 (1969) (Cited on page 42).
150. S.M. Hermiller, Rewriting systems for Coxeter groups. *J. Pure Appl. Algebra* **92**(2), 137–148 (1994) (Cited on page 213).
151. N. Herstein, Wedderburn's theorem and a theorem of Jacobson. *Am. Math. Mon.* **68**, 249–251 (1961) (Cited on page 183).
152. G. Higman, On a conjecture of Nagata. *Proc. Camb. Philos. Soc.* **52**, 1–4 (1956) (Cited on page 175).
153. G. Higman, *Finitely Presented Infinite Simple Groups*. Notes on Pure Mathematics, vol. 8 (Department of Pure Mathematics, Department of Mathematics, I.A.S. Australian National University, Canberra, 1974) (Cited on page 324).
154. G. Higman, B.H. Neumann, H. Neumann, Embedding theorems for groups. *J. Lond. Math. Soc.* **24**, 247–254 (1949) (Cited on page 204).
155. W. Imrich, On finitely generated subgroups of free groups. *Arch. Math.* **28**, 21–24 (1977) (Cited on page 262).
156. S.V. Ivanov, The Burnside problem for all sufficiently large exponents. *Int. J. Algebra Comput.* **4**(1, 2), 1–300 (1994) (Cited on page 242).
157. S.V. Ivanov, Embedding free Burnside groups in finitely presented groups. *Geom. Dedicata* **111**, 87–105 (2005) (Cited on page 325).
158. S.V. Ivanov, A.M. Storozhev, On varieties of groups in which all periodic groups are abelian, in *Group Theory, Statistics, and Cryptography*. Contemporary Mathematics, vol. 360 (American Mathematical Society, Providence, 2004), pp. 55–62 (Cited on page 319).

159. M. Jackson, Small inherently nonfinitely based finite semigroups. *Semigroup Forum*, **64**, 297–324 (2002) (Cited on page 125).
160. M. Jackson, O. Sapir, Finitely based, finite sets of words. *Int. J. Algebra Comput.* **10**(6), 683–708 (2000) (Cited on page 155).
161. N. Jacobson, *Structure of Rings* (American Mathematical Society, Providence, 1956) (Cited on pages 194 and 195).
162. N. Jacobson, *Lie Algebras* (Dover, New York, 1962) (Cited on page 22).
163. B. Jónsson, A. Tarski, On two properties of free algebras. *Math. Scand.* **9**, 95–101 (1961) (Cited on page 26).
164. T.J. Kaczynski, Another proof of Wedderburn’s theorem. *Am. Math. Mon.* **71**(6), 652–653 (1964) (Cited on page 183).
165. J. Kadourek, Uncountably many varieties of semigroups satisfying $x^2y = xy$. *Semigroup Forum* **60**(1), 135–152 (2000) (Cited on page 155).
166. J. Kadourek, On bases of identities of finite inverse semigroups with solvable subgroups. *Semigroup Forum* **67**(3), 317–343 (2003) (Cited on page 156).
167. I. Kaplansky, Rings with a polynomial identity. *Bull. Am. Math. Soc.* **54**, 575–580 (1948) (Cited on pages 167 and 169).
168. I. Kapovich, A. Miasnikov, P. Schupp, V. Shpilrain, Average-case complexity and decision problems in group theory. *Adv. Math.* **190**(2), 343–359 (2005) (Cited on page 325).
169. M. Kapovich, Representations of polygons of finite groups. *Geom. Topol.* **9**, 1915–1951 (2005) (Cited on page 323).
170. M.I. Kargapolov, Yu.I. Merzlyakov, *Fundamentals of Group Theory*, 4th edn. (Fizmatlit “Nauka”, Moscow, 1996) (Cited on pages 220, 294, and 326).
171. J. Karhumäki, On cube free ω -words generated by binary morphisms. *Discret. Appl. Math.* **5**, 279–297 (1983) (Cited on page 83).
172. J. Kari, Synchronizing finite automata on Eulerian digraphs, in *Mathematical Foundations of Computer Science*, Mariánské Lázně, 2001. *Theor. Comput. Sci.* **295**(1–3), 223–232 (2003) (Cited on pages 142 and 159).
173. A.R. Kemer, Finite basability of identities of associative algebras. *Algebra i Logika* **26**(5), 597–641 (1987) (Cited on page 191).
174. A.R. Kemer, *Ideals of Identities of Associative Algebras*. Volume 82 of *Translations of Mathematical Monographs* (American Mathematical Society, Providence, 1991) (Cited on page 191).
175. H. Kesten, Symmetric random walks on groups. *Trans. Am. Math. Soc.* **92**, 336–354 (1959) (Cited on pages 313 and 314).
176. B.P. Kitchens, *Symbolic Dynamics. One-Sided, Two-Sided and Countable State Markov Shifts*. Universitext (Springer, Berlin, 1998) (Cited on page 159).
177. O. Kharlampovich, M. Sapir, Algorithmic problems in varieties. *Int. J. Algebra Comput.* **5**, 379–602 (1995) (Cited on pages xv and 152).
178. E.I. Kleiman, On bases of identities of Brandt semigroups. *Semigroup Forum* **13**, 209–218 (1977) (Cited on page 156).
179. E.I. Kleiman, Bases of identities of varieties of inverse semigroups. *Sibirsk. Mat. Zh.* **20**, 760–777 (1979) (Cited on page 156).
180. Yu.G. Kleiman, On the basis of products of varieties of groups. *Izv. AN SSSR, Ser. Mat.* **37**, 95–97 (1973) (Cited on page 243).
181. B. Kleiner, A new proof of Gromov’s theorem on groups of polynomial growth. *J. Am. Math. Soc.* **23**(3), 815–829 (2010) (Cited on page 282).
182. D. Knuth, P. Bendix, Simple word problems in universal algebras, in *Computational Problems in Abstract Algebra*, ed. by J. Leech (Pergamon, New York, 1970), pp. 263–297 (Cited on page 50).
183. G. Köthe, Die Struktur der Ringe, deren Restklassenring nach dem Radikal vollständig irreduzibel ist. *Math. Z.* **32**, 161–186 (1930) (Cited on page 195).
184. A.T. Kolotov, Algebras and semigroups with quadratic growth functions. *Algebra i Logika* **19**(6), 659–668 (1980) (Cited on page 157).

185. A.I. Kostrikin, *Around Burnside* (trans. from the Russian and with a preface by James Wiegold). *Ergebnisse der Mathematik und ihrer Grenzgebiete (3)* (Results in Mathematics and Related Areas (3)), vol. 20 (Springer, Berlin, 1990) (Cited on pages 152 and 153).
186. A.N. Krasil'nikov, On the finiteness of the basis of identities of groups with a nilpotent commutator group. *Izv. Akad. Nauk SSSR Ser. Mat.* **54**, 1181–1195 (1990); trans. in *Math. USSR Izv.* **37**, 539–553 (1991) (Cited on page 326).
187. G.R. Krause, T.H. Lenagan, *Growth of Algebras and Gelfand–Kirillov Dimension* (Pitman, London, 1985) (Cited on page 194).
188. R.L. Kruse, Identities satisfied by a finite ring. *J. Algebra* **26**, 298–318 (1973) (Cited on page 29).
189. C. Kuratowski, Une méthode d'élimination des nombres transfinis des raisonnements mathématiques. *Fundam. Math.* **3**, 76–108 (1922) (Cited on page 3).
190. E.N. Kuzmin, On the Nagata–Higman theorem, in *Mathematical Structures–Computational Mathematics–Mathematical Modeling, Proceedings Dedicated to the 16th Birthday of Academician L. Iliev*, Sofia, 1975, pp. 101–107 (Cited on page 176).
191. G. Lallement, *Semigroups and Combinatorial Applications* (Wiley, New York/Chichester/Brisbane, 1979) (Cited on page 8).
192. V.N. Latyshev, Finite basis property of identities of certain rings. *Usp. Mat. Nauk* **32**(4), 259–260 (1977) (Cited on page 186).
193. A.A. Lavrik–Männlin, On some semigroups of intermediate growth. *Int. J. Algebra Comput.* **11**(5), 565–580 (2001) (Cited on page 131).
194. M.V. Lawson, *Finite Automata* (Chapman & Hall/CRC, Boca Raton, 2004) (Cited on pages 12 and 69).
195. P. Le Chenadec, *Canonical Forms in Finitely Presented Algebras*. Research Notes in Theoretical Computer Science (Pitman/Wiley, London/New York, 1986) (Cited on page 60).
196. E.W.H. Lee, Finite basis problem for semigroups of order five or less: generalization and revisitation. *Studia Logica* **101**(1), 95–115 (2013) (Cited on page 155).
197. E.W.H. Lee, J.R. Li, W.T. Zhang, Minimal non-finitely based semigroups. *Semigroup Forum* **85**(3), 577–580 (2012) (Cited on page 155).
198. T.H. Lenagan, A. Smoktunowicz, An infinite dimensional affine nil algebra with finite Gelfand–Kirillov dimension. *J. Am. Math. Soc.* **20**(4), 989–1001 (2007) (Cited on page 180).
199. J.M. Lever, *The Elizabethan Love Sonnet* (Barnes & Noble, London, 1968) (Cited on page 225).
200. F.W. Levi, On semigroups. *Bull. Calcutta Math. Soc.* **36**, 141–146 (1944) (Cited on page 56).
201. J. Levitzki, Prime ideals and the lower radical. *Am. J. Math.* **73**(1), 25–29 (1951) (Cited on pages 77 and 181).
202. J. Lewin, Subrings of finite index in finitely-generated rings. *J. Algebra*, **5**, 84–88 (1967) (Cited on page 190).
203. D. Lind, B. Marcus, *An Introduction to Symbolic Dynamics and Coding* (Cambridge University Press, Cambridge/New York, 1995) (Cited on pages 42, 148, 151, and 159).
204. Y. Lodha, J. Moore, A geometric solution to the von Neumann–Day problem for finitely presented groups (2013), arXiv:1308.4250 (Cited on pages 325 and 329).
205. A.A. Lopatin, On the nilpotency degree of the algebra with identity $x^n = 0$. *J. Algebra* **371**, 350–366 (2012) (Cited on page 176).
206. M. Lothaire, *Combinatorics on Words*. Volume 17 of *Encyclopedia of Mathematics and Its Applications* (Addison-Wesley, Reading, 1983) (Cited on page 83).
207. M. Lothaire. *Algebraic Combinatorics on Words*. *Encyclopedia of Mathematics and Its Applications*, vol. 90 (Cambridge University Press, Cambridge, 2002) (Cited on pages 41, 42, and 83).

208. I.V. L'vov, Varieties of associative rings. I. *Algebra i Logika* **12**(3), 269–297 (1973) (Cited on pages 29 and 116).
209. R.C. Lyndon, Identities in two-valued calculi. *Trans. Am. Math. Soc.* **71**, 457–465 (1951) (Cited on page 32).
210. R.C. Lyndon, P.E. Schupp, *Combinatorial Group Theory* (Springer, Berlin/New York, 1977) (Cited on pages 200, 209, and 211).
211. R.C. Lyndon, M.P. Schützenberger, The equation $a^M = b^N c^P$ in a free group. *Mich. Math. J.* **9**, 289–298 (1962) (Cited on page 10).
212. I.G. Lysenok, A system of defining relations for the Grigorchuk group. *Mat. Zametki* **38**, 503–511 (1985) (Cited on pages 300 and 311).
213. I.G. Lysenok, Infinite Burnside groups of even exponent. *Izvestiya: Math.* **60**(3), 453–654 (1996) (Cited on page 242).
214. J.H. MacLagan-Wedderburn. A theorem on finite algebras. *Trans. Am. Math. Soc.* **6**, 349–352 (1905) (Cited on page 183).
215. W. Magnus, Beziehungen zwischen Gruppen und Idealen in einem speziellen Ring. *Math. Ann.* **111**, 259–280 (1935) (Cited on page 64).
216. W. Magnus, A connection between the Baker-Hausdorff formula and a problem of Burnside. *Ann. Math.* **52**, 11–26 (1950); Errata *Ann. Math.* **57**, 606 (1953) (Cited on page 152).
217. A.I. Mal'cev, Nilpotent semigroups. *Uch. Zap. Ivanovsk. Pedagog. Inst.* **4**, 107–111 (1953) (Cited on page 94).
218. A.I. Mal'cev, *Algebraic Systems* (Springer, Berlin/New York, 1973) (Cited on pages 24 and 25).
219. A. Mann, *How Groups Grow*. London Mathematical Society Lecture Note Series, vol. 395 (Cambridge University Press, Cambridge, 2012) (Cited on page 282).
220. S. Margolis, J. Meakin, E-unitary inverse monoids and the Cayley graph of a group presentation. *J. Pure Appl. Algebra* **58**, 45–76 (1989) (Cited on page 136).
221. S. Margolis, J. Meakin, M. Sapir, Algorithmic problems in groups, semigroups and inverse semigroups, in *Semigroups, Formal Languages and Groups*, York, 1993, pp. 147–214 (Cited on pages 137 and 261).
222. G.I. Mashevitsky. On bases of completely simple semigroup identities. *Semigroup Forum* **30**(1), 67–76 (1984) (Cited on page 155).
223. A Mathoverflow.net discussion # 60897 of invariant means on the group of integers, <http://mathoverflow.net/questions/60897/invariant-means-on-the-integers> (Cited on page 307).
224. N.H. McCoy, Prime ideals in general rings. *Am. J. Math.* **71**(4), 823–833 (1949) (Cited on page 181).
225. R. McKenzie, Tarski's finite basis problem is undecidable. *Int. J. Algebra Comput.* **6**, 49–104 (1996) (Cited on pages 30 and 31).
226. R. McNaughton, S. Papert, *Counter-Free Automata*. With an appendix by William Henneman. M.I.T. Research Monograph, vol. 65 (M.I.T., Cambridge/Mass.-London, 1971) (Cited on page 69).
227. G.F. McNulty, *Talks at the Twenty First Victorian Algebra Conference with Workshop on Universal Algebraic Techniques in Semigroup Theory and Algebraic Logic*, Melbourne, Oct 2003 (Cited on page 83).
228. G.F. McNulty, C.R. Shallon, Inherently non-finitely based finite algebras, in *Universal Algebra and Lattice Theory* Puebla, 1982. Volume 1004 of Lecture Notes in Mathematics (Springer, Berlin/New York, 1983), pp. 206–231 (Cited on page 31).
229. I.L. Mel'nichuk, Existence of infinite finitely generated free semigroups in certain varieties of semigroups, in *Algebraic Systems with One Action and Relation* (Leningrad. Gos. Ped. Inst., Leningrad, 1985), pp. 74–83 (Cited on page 84).
230. Yu.I. Merzlyakov, Infinite finitely generated periodic groups. *Dokl. Akad. Nauk SSSR* **268**(4), 803–805 (1983) (Cited on pages 220 and 294).

231. F. Mignosi, P. Séébold, If a DOL language is k -power free then it is circular, in *Proceedings of 20th International Conference on Automata, Languages, and Programming (ICALP)*, Lund. Lecture Notes in Computer Science, vol. 700 (Springer, Berlin/New York, 1993), pp. 507–518 (Cited on page 83).
232. K.V. Mikhajlovskii, A.Yu. Olshanskii, Some constructions relating to hyperbolic groups, in *Geometry and Cohomology in Group Theory*, Durham, 1994. London Mathematical Society Lecture Note Series, vol. 252 (Cambridge University Press, Cambridge, 1998), pp. 263–290 (Cited on page 319).
233. J. Milnor, Problem 5603. *Amer. Math. Mon.* **75**, 685–686 (1968) (Cited on page 282).
234. I. Mineyev, submultiplicativity and the Hanna Neumann conjecture. *Ann. Math.* (2) **175**(1), 393–414 (2012) (Cited on page 324).
235. N. Monod, Groups of piecewise projective homeomorphisms. *Proc. Natl. Acad. Sci. U.S.A.* **110**(12), 4524–4527 (2013) (Cited on page 329).
236. E.F. Moore, Gedanken experiments on sequential machines, in *Automata Studies*, ed. by C.E. Shannon, J. McCarthy (Princeton University Press, Princeton, 1956), pp. 129–153 (Cited on page 138).
237. J. Moore, Fast growth in the Følner function for Thompson’s group F . *Groups Geom. Dyn.* **7**(3), 633–651 (2013) (Cited on page 325).
238. M. Morse, G.A. Hedlund, Symbolic dynamics. *Am. J. Math.* **60**, 815–866 (1938) (Cited on pages 39 and 72).
239. M. Morse, G.A. Hedlund, Symbolic dynamics II. Sturmian trajectories. *Am. J. Math.* **62**, 1–42 (1940) (Cited on page 41).
240. M. Morse, G.A. Hedlund, Unending chess, symbolic dynamics and a problem in semigroups. *Duke Math. J.* **11**, 1–7 (1944) (Cited on page 89).
241. W.D. Munn, Free inverse semigroups. *Proc. Lond. Math. Soc.* **30**, 385–404 (1974) (Cited on page 137).
242. V.L. Murskiĭ, The existence in the three-valued logic of a closed class with a finite basis having no finite complete system of identities. *Dokl. Akad. Nauk SSSR* **163**, 815–818 (1965) (Cited on page 32).
243. V.L. Murskiĭ, The number of k -element algebras with a binary operation which do not have a finite basis of identities. *Probl. Kibernet.* **35**(5–27), 208 (1979) (Cited on page 31).
244. M.B. Nathanson, Number theory and semigroups of intermediate growth. *Am. Math. Mon.* **106**, 666–669 (1999) (Cited on page 129).
245. B.H. Neumann, T. Taylor, Subsemigroups of nilpotent groups. *Proc. R. Soc. Lond. Ser. A* **274**, **1**, 1–4 (1963) (Cited on page 158).
246. H. Neumann, On the intersection of finitely generated free groups. *Publ. Math. Debr.* **4**, 186–189 (1956) (Cited on pages 262 and 323).
247. H. Neumann, On the intersection of finitely generated free groups. *Addendum. Publ. Math. Debr.* **5**, 128 (1957) (Cited on page 262).
248. H. Neumann, *Varieties of Groups* (Springer, New York, 1967) (Cited on pages 29, 243, and 326).
249. W.D. Neumann, On intersections of finitely generated subgroups of free groups, in *Groups-Canberra 1989*. Lecture Notes in Mathematics, vol. 1456 (Springer, Berlin/New York, 1990), pp. 161–170 (Cited on pages 262 and 323).
250. M.H.A. Newman, On theories with a combinatorial definition of “equivalence”. *Ann. Math.* **43**(2), 223–243 (1942) (Cited on page 48).
251. P.S. Novikov, S.I. Adian, On infinite periodic groups. I, II, III. *Izv. Akad. Nauk SSSR. Ser. Mat.* **32**, 212–244; 251–524; 709–731 (1968) (Cited on pages 222, 223, 224, and 319).
252. S. Oates, M.B. Powell, Identical relations in finite groups. *J. Algebra* **1**, 11–39 (1964) (Cited on page 29).

253. J. Okniński, Linear semigroups with identities. in *Semigroups: Algebraic Theory and Applications to Formal Languages and Codes*, Luino 1992 (World Scientific, Singapore, 1993), pp. 201–211 (Cited on page 131).
254. J. Okniński, *Semigroups of Matrices* (World Scientific, Singapore, 1998) (Cited on page 131).
255. J. Okniński, A. Salwa, Generalised tits alternative for linear semigroups. *J. Pure Appl. Algebra* **103**(2), 211–220 (1995) (Cited on page 131).
256. A.Yu. Olshanskii, On the problem of a finite basis of identities in groups. *Izv. Akad. Nauk SSSR, Ser. Mat.* **34**, 376–384 (1970) (Cited on pages 197 and 243).
257. A.Yu. Olshanskii, On the question of the existence of an invariant mean on a group. *Uspekhi Mat. Nauk* **35** no. 4(214), 199–200 (1980) (Cited on page 314).
258. A.Yu. Olshanskii, The Novikov-Adyan theorem. *Mat. Sb. (N.S.)* **118**(160)(2), 203–235 (1982) (Cited on pages 222, 223, 224, 225, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 240, and 242).
259. A.Yu. Olshanskii, Varieties in which all finite groups are abelian. *Mat. Sb. (N.S.)* **126**(168)(1), 59–82 (1985) (Cited on page 319).
260. A.Yu. Olshanskii, *The Geometry of Defining Relations in Groups*. Nauka, Moscow, 1989 (trans. from Russian by Yu. A. Bahturin). *Mathematics and Its Applications (Soviet Series)*, vol. 70 (Kluwer, Dordrecht, 1991) (Cited on pages 200, 211, 217, 221, 223, 225, 229, 240, 319, and 322).
261. A.Yu. Olshanskii, Hyperbolicity of groups with subquadratic isoperimetric inequalities. *Int. J. Algebra Comput.* **1**, 282–290 (1991) (Cited on page 321).
262. A.Yu. Olshanskii, D.V. Osin, Large groups and their periodic quotients. *Proc. Am. Math. Soc.* **136**(3), 753–759 (2008) (Cited on page 221).
263. A. Olshanskii, D. Osin, M. Sapir, Lacunary hyperbolic groups (with appendix by M. Kapovich and B. Kleiner). *Geom. Topol.* **13**, 2051–2140 (2009) (Cited on page 221).
264. A. Olshanskii, M. Sapir, Non-amenable finitely presented torsion-by-cyclic groups. *Publ. Math. Inst. Hautes Études Sci.* **96**(2002), 43–169 (2003) (Cited on pages 325 and 329).
265. D. Osin, Small cancellations over relatively hyperbolic groups and embedding theorems. *Ann. Math. (2)* **172**(1), 1–39 (2010) (Cited on page 319).
266. P. Perkins, Bases for equational theories of semigroups. *J. Algebra* **11**, 298–314 (1969) (Cited on page 155).
267. P. Perkins, Basic questions for general algebras. *Algebra Universalis* **19**(1), 16–23 (1984) (Cited on page 31).
268. K. Petersen, *Ergodic Theory* (corrected reprint of the 1983 original). Cambridge Studies in Advanced Mathematics, vol. 2 (Cambridge University Press, Cambridge, 1989) (Cited on page 149).
269. M. Petrich, *Inverse Semigroups*. Pure and Applied Mathematics (New York). Wiley-Interscience Publication (Wiley, New York, 1984) (Cited on pages 133 and 156).
270. A.N. Plyushchenko, On the word problem in free Burnside semigroups with the identity $x^2 = x^3$. *Izv. Vyssh. Uchebn. Zaved. Mat.* **11**, 89–93 (2011); trans. in *Russian Math. (Iz. VUZ)* **55**(11), 76–79 (2011) (Cited on page 154).
271. M.E. Prouhet, Mémoire sur quelques relations entre les puissances des nombres. *C. R. Acad. Sci. Paris. Serie A* **33**, 31 (1851) (Cited on page 71).
272. Yu.P. Razmyslov, *Identities of Algebras and their Representations* (trans. from the 1989 Russian original by A.M. Shtern). Translations of Mathematical Monographs, vol. 138 (American Mathematical Society, Providence, 1994) (Cited on page 176).
273. P.F. Reichmeider, *The Equivalence of Some Combinatorial Matching Theorems* (Polygonal Publishing House, Washington, 1984) (Cited on page 308).
274. L.H. Rowen, *Polynomial Identities in Ring Theory*. Pure and Applied Mathematics, vol. 84 (Academic, [Harcourt Brace Jovanovich, Publishers], New York/London, 1980) (Cited on pages 194 and 195).

275. J. Sakarovitch, *Elements of Automata Theory* (trans. from the 2003 French original by Reuben Thomas) (Cambridge University Press, Cambridge, 2009) (Cited on pages 12, 13, and 65).
276. I.N. Sanov, Solution of Burnside's problem for exponent 4. Leningr. State Univ. Ann. [Uchenye Zapiski] Math. Ser. **10**, 166–170 (1940) (Cited on page 222).
277. M. Sapir, Problems of Burnside type and the finite basis property in varieties of semigroups. Izv. Akad. Nauk. SSSR. Ser. Mat. **51**(2), 319–340 (1987); trans. in Math USSR–Izv **30**(2), 295–314 (1988) (Cited on pages 79, 93, 108, and 116).
278. M. Sapir, Inherently non-finitely based finite semigroups. Mat. Sb. **133**(2), 154–166 (1987) (Cited on pages 118 and 125).
279. M. Sapir, The restricted Burnside problem for varieties of semigroups. Izv. Akad. Nauk SSSR Ser. Mat. **55**(3), 670–679 (1991); trans. in Math. USSR–Izv. **38**(3), 659–667 (1992) (Cited on page 153).
280. M. Sapir, Identities of finite inverse semigroups. Int. J. Algebra Comput. **3**(1), 115–124 (1993) (Cited on page 133).
281. M. Sapir, Asymptotic invariants, complexity of groups and related problems. Bull. Math. Sci. **1**(2), 277–364 (1993) (Cited on pages 319 and 321).
282. M. Sapir, Some group theory problems. Int. J. Algebra Comput. **17**(5–6), 1189–1214 (2007) (Cited on pages 282 and 323).
283. O. Sapir, Finitely based words. Int. J. Algebra Comput. **10**(4), 457–480 (2000) (Cited on page 155).
284. O. Sapir, Finitely based words with at most two nonlinear letters (2012, preprint) (Cited on page 155).
285. O.Yu. Schmidt, *Abstract Theory of Groups* (trans. from the Russian by Fred Holling and J.B. Roberts), trans. ed. by J.B. Roberts (W.H. Freeman, San Francisco/London, 1966) (Cited on page 107).
286. O. Schreier, Die Untergruppen der freien Gruppen. Abh. Math. Sem. Univ. Hambg. **5**, 161–188 (1926) (Cited on page 67).
287. A. Schrijver, *Combinatorial Optimization: Polyhedra and Efficiency. Vol. A. Paths, Flows, Matchings. Chapters 1–38*. Algorithms and Combinatorics, vol. 24A (Springer, Berlin, 2003) (Cited on page 308).
288. P. Schupp, On Dehn's algorithm and the conjugacy problem. Math. Ann. **178**, 119–130 (1968) (Cited on page 214).
289. J.-P. Serre, *Trees* (Springer, Berlin/New York, 1980) (Cited on page 209).
290. C. Shallon, Nonfinitely based binary algebra derived from lattices, Ph.D. thesis, University of California, Los Angeles, 1979 (Cited on page 32).
291. V.V. Shchigolev, Examples of infinitely based T -ideals. Fundam. Prikl. Mat. **5**(1), 307–312 (1999) (Cited on page 191).
292. V.V. Shchigolev, Examples of infinitely based T -spaces. Mat. Sb. **191**(3), 143–160 (2000); trans. in Sb. Math. **191**(3–4), 459–476 (2000) (Cited on page 191).
293. L.N. Shevrin, On locally finite semigroups. Dokl. Akad. Nauk SSSR **162**, 770–773 (1965); trans. in Sov. Math., Dokl. **6**, 769–772 (1965) (Cited on page 107).
294. L.N. Shevrin, On the theory of epigroups. I. Mat. Sb., **185**(8), 129–160 (1994); trans. in Russ. Acad. Sci. Sb. Math. **82**(1), 485–512 (1995) (Cited on page 113).
295. L.N. Shevrin, On the theory of epigroups. II. Mat. Sb. **185**(9), 153–176 (1994); trans. in Russ. Acad. Sci. Sb. Math. **83**(2), 133–154 (1995) (Cited on page 113).
296. L.N. Shevrin, M.V. Volkov, Identities of semigroups. Izv. Vyssh. Uchebn. Zaved. Mat. **11**, 3–47 (1985) (Cited on page 154).
297. A.I. Shirshov, On some nonassociative nil-rings and algebraic algebras. Mat. Sb. **41**(3), 381–394 (1957) (Cited on pages 167 and 170).
298. A.I. Shirshov, On rings with identity relations. Mat. Sb. **43**(2), 277–283 (1957) (Cited on page 170).
299. A.I. Shirshov, in *Selected Works of A.I. Shirshov* (trans. from the Russian by Murray Bremner and Mikhail V. Kotchetov), ed. by L.A. Bokut, V. Latyshev, I. Shestakov, E. Zel'manov. Contemporary Mathematicians (Birkhäuser, Basel, 2009) (Cited on page 167).

300. L.M. Shneerson, Relatively free semigroups of intermediate growth. *J. Algebra* **235**, 484–546 (2001) (Cited on page 158).
301. L.M. Shneerson, Growth, unavoidable words, and M. Sapir’s conjecture for semigroup varieties. *J. Algebra* **271**(2), 482–517 (2004) (Cited on page 158).
302. L.M. Shneerson, On semigroups of intermediate growth. *Commun. Algebra* **32**(5), 1793–1803 (2004) (Cited on page 157).
303. L.M. Shneerson, Polynomial growth in semigroup varieties. *J. Algebra* **320**(6), 2218–2279 (2008) (Cited on page 158).
304. A.M. Shur, Growth properties of power-free languages, in *Developments in Language Theory*. Lecture Notes in Computer Science, vol. 6795 (Springer, Heidelberg, 2011), pp. 28–43 (Cited on page 83).
305. A. Smoktunowicz, Some results in noncommutative ring theory, in *International Congress of Mathematicians*, vol. II (European Mathematical Society, Zürich, 2006), pp. 259–269 (Cited on page 195).
306. W. Specht, Gesetze in Ringen. *I. Math. Z.* **52**, 557–589 (1950) (Cited on page 191).
307. C.C. Squier, Word problems and a homological finiteness conditions for monoids. *J. Pure Appl. Algebra* **49**, 201–217 (1987) (Cited on page 262).
308. R.P. Stanley, *Enumerative Combinatorics* (Vol. 2. With a foreword by Gian-Carlo Rota and appendix 1 by Sergey Fomin). Cambridge Studies in Advanced Mathematics, vol. 62 (Cambridge University Press, Cambridge, 1999) (Cited on pages 128 and 297).
309. V.I. Sushchansky, Periodic p-groups of permutations and the unrestricted Burnside problem. *Dokl. Akad. Nauk SSSR* **247**(3), 557–561 (1979) (Cited on page 221).
310. A.S. Švarč, A volume invariant of coverings. *Dokl. Akad. Nauk SSSR* **105**, 32–34 (1955) (Cited on page 37).
311. S. Świerczkowski, On a free group of rotations of the Euclidean space. *Indag. Math.* **20**, 376–378 (1958) (Cited on page 301).
312. R. Szwarc, A short proof of the Grigorchuk-Cohen cogrowth theorem. *Proc. Am. Math. Soc.* **106**(3), 663–665 (1989) (Cited on page 313).
313. J. Tits, Free subgroups in linear groups. *J. Algebra* **20**, 250–270 (1972) (Cited on page 326).
314. A. Thue, Über unendliche Zeichenreihen. *Norske Vid. Selsk. Skr., I. Mat. Nat. Kl. Christiania*, **7**, 1–22 (1906) (Cited on pages 72 and 74).
315. W.P. Thurston, Conway’s tiling groups. *Am. Math. Mon.* **97**(8), 757–773 (1990) (Cited on page 202).
316. A.N. Trahtman, Finiteness of a basis of identities of five-element semigroups, in *Semigroups and Their Homomorphisms* (Ross. Gos. Ped. Univ., Leningrad, 1991), pp. 76–97 (Cited on page 155).
317. A.N. Trahtman, The road coloring problem. *Isr. J. Math.* **172**(1), 51–60 (2009) (Cited on page 141).
318. V.I. Trofimov, The growth functions of finitely generated semigroups. *Semigroup Forum* **21**(4), 351–360 (1980) (Cited on page 157).
319. V.I. Trofimov, Growth functions of algebraic systems. Candidate’s Thesis, Physicomathematical Sciences, Sverdlovsk, 1982 (Cited on page 157).
320. V.A. Ufnarovskii, On the use of graphs for calculating the basis, growth, and Hilbert series of associative algebras. *Mat. Sb.* **180**(11), 1548–1560 (1989) (Cited on pages 157 and 194).
321. V.A. Ufnarovskij, Combinatorial and asymptotic methods in algebra, in *Algebra, VI. Volume 57 of Encyclopaedia Mathematical Sciences* (Springer, Berlin, 1995), pp. 1–196 (Cited on pages 157 and 194).
322. L. van den Dries, A.J. Wilkie, Gromov’s theorem on groups of polynomial growth and elementary logic. *J. Algebra* **89**(2), 349–374 (1984) (Cited on page 282).
323. M.R. Vaughan-Lee, Uncountably many varieties of groups. *Bull. Lond. Math. Soc.* **2**, 280–286 (1970) (Cited on page 243).

324. M.R. Vaughan-Lee, *The Restricted Burnside Problem*, 2nd edn. Volume 8 of London Mathematical Society Monographs. New Series. (The Clarendon Press/Oxford University Press, Oxford/New York, 1993) (Cited on page 221).
325. M.V. Volkov, The finite basis problem for finite semigroups: a survey, in *Semigroups*, Braga, 1999 (World Scientific, River Edge, 2000), pp. 244–279 (Cited on page 154).
326. M.V. Volkov, The finite basis problem for finite semigroups. *Sci. Math. Jpn.* **53**(1), 171–199 (2001) (Cited on page 154).
327. M.V. Volkov, Synchronizing automata and the Černý conjecture, in *Language and Automata Theory and Applications*, ed. by C. Martín-Vide, F. Otto, H. Fernau. Volume 5196 of Lecture Notes in Computer Science (Springer, Berlin/Heidelberg, 2008), pp. 11–27 (Cited on pages 139 and 159).
328. J. von Neumann, Zur allgemeinen Theorie des Masses. *Fund. Math.* **13**, 73–116 (1929); *Collected Works*, vol. I (Pergamon Press, New York/Oxford/London/Paris, 1961), pp. 599–643 (Cited on pages 304 and 314).
329. S. Wagon, *The Banach–Tarski Paradox*. Corrected reprint of the 1985 original (Cambridge University Press, Cambridge, 1993) (Cited on pages 300, 304, 306, 312, and 314).
330. D.T. Wise, Cubulating small cancellation groups. *Geom. Funct. Anal.* **14**(1), 150–214 (2004) (Cited on page 322).
331. W. Woess, Cogrowth of groups and simple random walks. *Arch. Math. (Basel)* **41**(4), 363–370 (1983) (Cited on page 313).
332. J.A. Wolf, Growth of finitely generated solvable groups and curvature of riemannian manifolds. *J. Differ. Geom.* **2**, 421–446 (1968) (Cited on pages 282, 285, and 311).
333. E.I. Zel'manov, The solution of the restricted Burnside problem for groups of odd exponent. *Izv. Akad. Nauk. SSSR. Ser. Mat.* **54**(1), 42–59 (1990); trans. in *Math. USSR-Izv.* **36**(1), 41–60 (1991) (Cited on pages 153 and 299).
334. E.I. Zel'manov, The solution of the restricted Burnside problem for 2-groups. *Mat. Sb. (N.S.)*, **182**(4), 568–592 (1991) (Cited on pages 153 and 299).
335. E.I. Zel'manov, On additional laws in the Burnside problem for periodic groups. *Int. J. Algebra Comput.* **3**(4), 583–600 (1993) (Cited on pages 326 and 327).
336. E.I. Zel'manov, Some open problems in the theory of infinite dimensional algebras. *J. Korean Math. Soc.* **44**(5), 1185–1195 (2007) (Cited on page 194).
337. A.I. Zimin, Blocking sets of terms, in *Fifteenth All-Union Algebra Conference, Krasnoyarsk, Abstract of Reports, Part 1*, 1979, p. 63 (Cited on pages 77 and 84).
338. A.I. Zimin, Blocking sets of terms. *Mat. Sb.* **119**(3), 363–375 (1982) (Cited on page 77).

Name Index

- Abel, 84
Abért, xvi, 158, 198, 255
Adian, xiv–xvi, 28, 197, 198, 213, 217,
222, 223, 243, 314, 315, 319, 322,
329
Adler, 86, 139, 141
Agol, 322
Aleshin, 220
Amitsur, 169
Arshon, 71, 72
- Baer, xv, xvi, 161, 180–183, 188, 189, 195
Baker, 1, 32, 84
Banach, 198, 300–302, 304
Bartholdi, xvi, 86, 131, 282, 295, 299, 300
Bass, xiv, 197, 198, 282, 285, 292
Baumslag, 207, 289
Bean, 71, 76, 77, 79, 103
Belov-Kanel, xiv, xvi, 157, 161, 172, 174,
176, 191, 194, 195
Belyaev, 131
Bendix, 49, 50, 53, 60
Bergman, xvi, 54, 161, 164
Bernoulli, 148
Berstel, 83
Bestvina, 323
Garrett Birkhoff, xv, 25
George Birkhoff, xv, 1, 22, 39, 149
Book, 54
Borisenko, 157, 194
Brandt, 19, 56, 60, 109, 112, 113, 115,
133–136, 156, 185
Braun, 195
Bridson, 153
Brin, 278
Brown, 85, 106
Bryant, 191, 197, 198, 242, 243
- Brzozowski, 154
Burillo, 325
Burnside, xiii–xv, 1, 28, 30, 31, 77, 152,
154, 166, 194, 197, 198, 220, 221,
223, 242, 299, 314, 318, 328
- Cannon, 321
Capri, 83
Cayley, 23, 66, 67, 69, 95, 136–138, 140,
143, 294, 320
Ceccherini-Silberstein, 329
Chebyshev, 85, 127
Černý, 159
Chomsky, 1, 65
Church, xv, 45, 46, 48–50, 54, 59–61, 63,
65, 130–132, 154, 209, 213, 244, 259,
264, 276, 279–282, 284, 324, 325
Clark, 84
Cohn, 54, 164
Coornaert, 322
Coudrain, 77
Crochemore, 75
Cross, 29, 30, 186, 190, 191
Culik, 141
Currie, 83, 84
- Darboux, 317
Day, xiv, 197, 313, 314, 325, 327
de Bruijn, 44
Dehn, xiv, 209, 213, 242, 314, 315, 318,
320, 321, 324
Dekker, 198, 312
de la Harpe, 298, 329
de Luca, 174
Dershowitz, 6
Descartes, 2
Dicks, 324

- Diekert, 59
 Dilworth, 89, 100, 108, 155
 do Lago, 154
 Druţu, 320
 Dubnov, xiv, 161, 167, 175, 176
 Dyck, 69
- Ehrenfeucht, 71, 76, 77, 79, 103
 Eilenberg, 12
 Elder, 325
 Endimioni, 327
 Erdős, 127
 Ershov, xvi, 328
- Farley, 324
 Fine, 1, 8, 231, 237
 Fogg, 83
 Følner, 198, 307, 309, 310, 325
 Fraenkel, 304
 Friedman, 262, 323
 Furstenberg, 95
 Fusy, 325
- Galois, 176
 D. Galvin, xvi
 F. Galvin, 324
 Gelfand, xiv, 125, 126, 180
 Geoghegan, 325
 Ginsburg, 138
 Golan, 330
 Golod, 161, 166, 176, 178–180, 197, 198,
 220, 327, 328, 330
 Goodwyn, 86, 139, 141
 Green, 107, 154
 Greendlinger, xiv, 198, 209, 211, 212, 215,
 237
 Grigorchuk, xiv–xvi, 158, 197, 198, 220,
 282, 294, 295, 299, 300, 311, 313,
 315, 319, 329
 Grishin, 191
 Gromov, 213, 282, 299, 320, 321, 323
 Guba, xvi, 7, 10, 154, 223, 266, 324
 Guivarc’h, xiv, xvi, 197, 198, 282, 285,
 292
 Gupta, 191, 242, 326
- Hadamard, 38
 M.Hall, 221
 Ph. Hall, 18, 197, 198, 261, 308, 309
 Hardy, 127, 128
 Harju, 10
 Hausdorff, 198, 300–302, 304
 Heawood, 210
 Hedlund, 1, 41, 42, 71, 72, 85, 89
- Hermiller, xvi, 213
 Higman, xiv, 161, 167, 175, 176, 204, 207,
 324
 Hilbert, 178
 Howson, 197, 262
 Huynh, xvi
- Imrich, 262
 S. Ivanov, 242, 319
 V. Ivanov, xiv, 161, 167, 175, 176
- Jackson, 125
 Jacobi, 22
 Jacobson, 180, 194, 195
 Jónsson, 1, 26, 198, 312, 324
- Kaczynski, 183
 Kadourek, 155, 156
 Kaplansky, 161, 167, 176
 Kapovich, 320, 323
 Karhumäki, 83, 141
 Kari, 141, 142, 159
 Kemer, 191
 Kesten, 313
 Kharitonov, 174, 176
 Kharlampovich, xv
 Kirillov, xiv, 125, 126, 180
 E. Kleiman, 156
 Yu. Kleiman, 191, 197, 198, 242, 243
 Klein, 1, 62
 Knuth, 49, 50, 53, 60
 Kolchin, 326
 Kostrikin, 152
 Köthe, 180, 195
 Krasilnikov, xvi, 191, 242, 326
 Krause, 194
 Kruse, xiv, xvi, 29, 30, 116, 161, 186, 190
 Kuffeitner, 59
 Kurosh, 166, 167, 176, 180, 195
 Kuzmin, 176
- Latyshev, 157, 186, 194
 Lawson, 12
 Lee, 155
 Lenagan, 180, 194
 Levi, 1, 56
 Levitzki, 77, 169, 180, 181
 Lie, 22, 29, 191, 250, 326
 Lind, 42
 Linek, 84
 Lodha, 329
 Lopatin, 176
 Lothaire, 83
 Lubotzky, 328

- L'vov, xiv, xvi, 29, 30, 116, 161, 186, 190
 Lyndon, 10, 32, 211
 Lysenok, 242, 299, 300
- Magnus, 1, 64, 152, 327
 Mal'cev, 24, 326
 Marcus, 42
 Margolis, 136, 137, 261
 Mashevitsky, 155
 McCoy, 181
 McKenzie, xvi, 30
 McNulty, xvi, 1, 32, 71, 76, 77, 79, 83, 84, 103
 Meakin, 136, 137, 261
 Mealy, 13, 14, 131, 293, 294
 Mel'nichuk, 84
 Merzlyakov, 294
 Mignosi, 83
 Milnor, xiv, 197, 282
 Mineyev, 262, 324
 Möbius, 63, 328, 329
 Monod, 329
 E.F. Moore, 138
 J. Moore, 325, 329
 Morse, 41, 71, 72, 83, 85, 89
 Munn, 137
 Myerson, xvi
- Nagata, xiv, 161, 167, 175, 176
 Nathanson, 86, 129
 B.H. Neumann, 158, 204, 207, 326
 H. Neumann, 204, 207, 220, 243, 262, 323
 W. Neumann, 262, 323
 Newman, 1, 48
 Newton, 20, 127, 288
 Nikolov, xvi
 Novikov, xiv–xvi, 28, 197, 222, 223, 322
 Nowotka, 10
- Oates, 29, 30, 326
 Okniński, xvi, 129, 131
 Olshanskii, xiv–xvi, 197, 217, 221–223, 243, 314, 319, 320, 322
 Osin, 221
 Otto, 54
 Ozawa, 330
- Papadopoulos, 322
 Pascal, 2, 291
 Perkins, 155
 Plyushchenko, 154
 Poincaré, 22
 Powell, 29, 30, 326
- Preston, 19, 23
 Prouhet, 71, 72, 83, 223, 224
- Rado, 308
 Ramanujan, 127, 128
 Razmyslov, 176
 Rechnitzer, 325
 Rees, 33, 58, 85, 88, 90, 91, 95, 107, 109–111, 113, 118, 122, 154, 156
 Reinhardt, 59
 Reznikov, 86, 131
 Riemann, 37
 Rosser, xv, 45, 46, 48–50, 54, 59–61, 63, 65, 130–132, 154, 209, 213, 244, 259, 264, 276, 279–282, 284, 324, 325
 Rowen, 174, 194
- Sakarovitch, 12
 Salwa, 131
 Sanov, 198, 222
 O. Sapir, xvi
 Schmidt, 107
 Schreier, 67, 197, 261
 Schupp, 211, 214
 Schützenberger, 1, 10, 65, 77
 Schwartz, 37
 Seébold, 83
 Serre, 14, 15, 44, 49, 66, 199, 256, 257, 259, 266
 Sesekin, 131
 Shafarevich, 176, 179, 327, 328, 330
 Shallon, 32
 Shchigolev, 191
 Shevrin, xvi, 85, 107, 113
 Shirshov, xiv, 161, 167, 170, 173, 174
 Shmelkin, 326
 Shneerson, xvi, 157, 158
 Shur, xvi, 83
 Simon, 154
 Smoktunowicz, 180, 195
 Solitar, 207, 289
 Specht, xiv, 191
 Squier, 262, 265, 272, 273, 278, 280
 Storozhev, 319
 Straubing, 12
 Sushchansky, 86, 131, 221
 Sushkevich, 85, 109–111, 113, 122, 156
 Świerczkowski, 301
- Tarski, 1, 26, 30, 198, 300–302, 304–307, 312, 314, 319, 324, 329, 330
 Taylor, 84, 158
 Thompson, xv, 197, 272, 273, 279, 282, 324, 325, 329

- Thue, 51, 71, 72, 74, 83
Thurston, 202
Tits, 326
Trahtman, xiv, 85, 86, 141, 142, 144, 155
Trofimov, xvi, 131, 157

Ufnarovskii, 157, 194

van Kampen, xiv, 197–204, 206–211, 214,
216, 217, 221, 224, 225, 228, 230,
240, 241, 256, 321
Varricchio, 174
Vaughan-Lee, 191, 221, 243
Volkov, xvi, 139, 159
von Neumann, xiv, 197, 300, 304, 313,
314, 325, 327

Wagner, 19, 23

Wagoner, 304
Walter, 59
Wedderburn, 183
Weil, 12
Weiss, xvi, 86, 139, 141
Werner, 1, 32
Wilf, 1, 8, 231, 237
Wilton, 153
Wise, 322
Witt, 18, 22
Wolf, 282, 311

Zel'manov, xv, 153, 174, 194, 299, 326–328
Zermelo, 304
Zimin, xv, 71, 77, 79, 84, 96, 103, 133,
158, 180, 181, 225, 227, 232, 326
Zorn, 3, 182, 304

Subject Index

- 0-cell, 217
- 0-direct sum, 133
- 0-edge, 217
- 0-relation, 217
- 2-complex, 256
 - cells of, 256
 - connected, 256
 - fundamental group of, 256
 - spanning tree of, 256
- absolutely negligible subset of a subshift, 148
- action of a semigroup, 67
 - free, 304
- adjacency matrix, 65
- algebra, 15
 - inherently non-finitely based, 30
 - absolutely free, 24
 - critical, 29
 - finitely based, 28
 - free in a class, 24
 - locally finite, 27
 - relatively free, 24
 - rank of, 24
- amalgam of two groups, 207
- associative algebra, 22
 - absolutely free, 163
 - n -dimensional, 168
 - finite dimensional, 166
- associativity, 18
- automaton, 11
 - bi-rooted, 137
 - complete, 12
 - deterministic, 12
 - equalizer, 12
 - finite, 11
 - inverse, 15
 - Mealy, 13
 - rooted, 12
 - strongly deterministic, 13
 - synchronizing, 138
 - underlying graph of, 11
- automorphism, 18
- Baer radical, 181
- ball in a metric space, 39
- band of bonds, 227
- band of cells, 204
 - end edge of, 204
 - sides of, 204
 - start edge of, 204
- band of semigroups, 87
- basis, 21
- binary relation, 2
 - anti-symmetric, 2
 - equivalence, 2
 - generated by a set of pairs, 3
 - trivial, 2
 - partial order, 2
 - reflexive, 2
 - symmetric, 2
 - total order, 2
 - transitive, 2
- binomial coefficient, 2
- block, 81
- bond, 218
- boundary of a van Kampen diagram, 199
- canonical representative, 48
- Cartesian product, 2, 16
- Catalan number, 297
- Cayley graph of a semigroup, 66
 - labeled, 66

- Cayley graph of an act, 67
 - labeled, 67
- cell, 51, 199, 263
 - attached essentially, 230
 - compatible with a boundary arc, 228
 - concealed, 230
 - ordinary, 230
 - principal, 226
 - rank of, 224
 - special, 229
 - θ -, 233
 - weight of, 230
- center of a group, 118
- centralizer, 164
- Černý conjecture, 159
- children vertices in a tree, 17
- cogrowth in the sense of Grigorchuk, 313
- cogrowth in the sense of Kesten, 313
- collection of contiguity subdiagrams
 - full, 229
 - good, 229
- commutator
 - in groups, 18
 - in rings, 22
 - Jacobi identity, 22
 - iterated, 286
- commuting elements, 7
- completion of a diamond, 45
- complexity function of a subshift, 40
- concatenation of words, 4
- confluence relation, 141
- confluent pair of vertices, 141
- congruence, 16
 - Rees, 58
 - verbal, 91
- congruence class, 16
- conjugate elements, 198
- conjugate subshifts, 43
- conjugation, 18
- contiguity arc
 - external, 232
 - internal, 232
- contiguity degree, 225
- contiguity subdiagram, 218, 226
 - contiguity arcs of, 219
 - sides of, 218, 225
- correct labeling of a graph, 15
- coset, 22
 - right, 67
- cycle, 11
 - simple, 11
- cyclic shift
 - nontrivial, 7
- degree of a polynomial, 36
- derivation, 44
 - negative, 45
 - positive, 45
- derived subgroup, 243
- descending chain condition, 6
- diagram
 - (u, v) -, 51
 - bottom path of, 51, 263
 - components of, 268
 - elementary, 51
 - linear, 5
 - nice, 267
 - normal, 230
 - rank of, 224
 - reduced, 225, 264
 - semigroup, 263, 264
 - negative, 52
 - positive, 52
 - spherical, 52
 - simple, 267
 - top path of, 51, 263
 - trivial, 263
 - type of, 224
 - (u, v) -, 263
 - van Kampen, 199
 - minimal, 199
- diagram group, 265
- diagram monoid, 264
- Dilworth construction, 89
- dimension, 21
- dipole, 264
- distortion function of an element, 288
- division ring, 183
- divisor (of an algebra), 29
- dynamical system, 38
- E-unitary cover of a group, 137
- edge, 10
 - consecutive, 10
 - head of, 10
 - negative, 14
 - parallel, 10
 - positive, 14
 - tail of, 10
- elements
 - conjugate, 18
 - equal modulo a normal subgroup (ideal), 22
 - linearly independent, 21
 - linearly independent modulo a subspace, 23
- endomorphism, 23
- equal diagrams, 264

- equal words, 4
- equivalence class, 2
- equivalence relation generated by a
 - rewriting system, 45
- equivalent diagrams, 264
- equivalent functions, 37
- even and odd permutations, 168
- exponent of a group, 120
- exponent of an element, 18, 57
- exponential growth rate, 125
- extension of a ring or a group, 22

- factor-algebra, 16
- field, 20
 - characteristic of, 20
- Følner set, 307
- free deletion, 78
- free generators, 24
- free product of groups, 209
 - with amalgamation, 209
- free rank of a commutative group, 284
- free set, 78
- full shift, 40
- function
 - linear, 288
- fusion, 78
 - components of, 78

- Gelfand–Kirillov dimension, 125
- Golod–Shafarevich function, 179, 328
- graph, 10
 - connected components of, 11
 - de Bruijn, 44
 - in the sense of Serre, 14
 - labeled, 11
 - planar, 11
 - primitive, 141
 - strongly connected, 11
 - undirected, 10
- graph algebra, 32
- Green's relations $\mathcal{L}, \mathcal{R}, \mathcal{J}, \mathcal{H}$, 87
- group, 18
 - amenable, 305
 - Baumslag–Solitar, 207
 - cyclic, 7
 - dihedral, 60
 - equidecomposable with its subset, 302
 - free, 61
 - free Burnside, 223
 - given by a presentation, 59, 198
 - Golod, 327
 - Golod–Shafarevich, 327
 - Grigorchuk, 294
 - Gromov hyperbolic, 213
 - nilpotent of class n , 118
 - of automatic permutations defined by a
 - Mealy automaton, 14
 - quaternion, 60
 - separating a set, 255
 - solvable, 156
 - symmetric, 60
 - R. Thompson, 272
- group algebra, 249
- growth function, 36, 125
 - exponential, 125
 - intermediate, 125
 - polynomial, 125
- growth series, 37

- Hilbert series, 178
- HNN extension, 206
- homomorphism
 - natural, 16
- homomorphism of algebras, 16

- ideal
 - generated by a set, 162
 - left, 162
 - of a ring, 22
 - verbal, 164
 - of a semigroup, 40
 - principal, 108
 - verbal, 91
 - prime, 180
 - right, 162
 - two-sided, 162
- idempotent, 19
 - partial order, 86
- identity, 17
- indecomposable element, 56
- index of a subgroup (ideal), 22
- index of an element, 57
- induced subgraph, 10
- inductive limit of groups, 223
- isomorphism, 16
- isotopic diagrams, 264

- j-pair of cells, 224

- k-bond, 226
- kernel of a homomorphism, 22
- kernel of a map, 2

- labeled path, 5
- language, 5
 - Dyck, 69
 - rational (regular), 12
- length of an element, 4

- linear algebra, 21
- linear combination, 36
- linear letter, 79
- linear operator of a vector space, 23
- lower central series of a group, 286

- matrix unit, 56, 163
- Möbius transformation, 63
- monoid, 5
 - Brandt, 56
 - free, 5
 - free commutative, 60
- monomial, 163
- multiplicative group of a field, 183
- multiplicative semigroup of a ring, 20

- nil-algebra, 176
- non-commutative polynomial, 163
 - degree of, 163
 - homogeneous, 164
 - homogeneous components of, 166
 - multilinear, 169
 - normal components of, 170
- nontrivial ring identity, 167
- normal forms, 48
- normal subgroup, 22

- occurrence of a subword, 5
- operation
 - arity of, 15
 - basic, 15
 - derived, 16
- orbit of a map, 3
- orbit of a semigroup action, 153
- order
 - compatible with an operation, 6
- order of an algebra, 27
- order on words
 - Lex, 6
 - lexicographic, 5
 - recursive path ordering, 6
 - ShortLex, 6
- orientable surface groups, 213
- overlap, 53
 - resolution of, 53
- overlapping words, 5

- parent vertex in a tree, 17
- partial map, 2
- partial order on functions, 126
- partition, 2
- path in a graph, 10
 - bi-infinite, 11
 - geodesic, 95
 - head of, 10
 - infinite, 11
 - length of, 11
 - positive, 14
 - simple, 11
 - tail of, 10
- period of an element, 57
- period of rank i , 224
- prefix of a word, 5
- presentation, 59
 - Dehn, 213
 - relative speed of, 315
 - speed of, 315
 - triangular, 205
- presentation 2-complex, 257
- principal factor, 109
- product of ring ideals, 162

- quotient algebra, 16

- rational function, 65
- rectangular band of semigroups, 87
- recursive function, 84
- recursive set, 30
- Rees quotient semigroup, 58
- reset word, 138
- restricted Burnside problem, 152
- rewriting system, 44
 - Church–Rosser, 45
 - confluent, 45
 - deterministic, 45
 - locally confluent, 48
 - moves of, 44
 - terminating, 45
- ring, 19
 - associative, 19
 - commutative, 19
 - Lie, 22
 - nilpotent, 163
 - simple, 163

- Schreier graph of a subgroup, 67
- semigroup, 4
 - band, 86
 - left zero, 86
 - rectangular, 86
 - right zero, 86
 - bicyclic, 132
 - Brandt, 19, 56, 112
 - Brandt over a group, 133
 - cancellative, 56
 - completely 0-simple, 109
 - completely semisimple, 133
 - completely simple, 109

- cyclic, 57
- free, 5
- free commutative, 60
- free inverse, 137
- given by a presentation, 59
 - Church–Rosser, 59
- inverse, 19
 - height of, 133
- nil, 88
- nilpotent of class k , 58
- of automatic maps defined by a Mealy automaton, 14
- periodic, 87
- regular, 132
- semilattice, 86
 - with zero product, 88
- semigroup act, 67
- semigroup algebra, 244
- semilattice of semigroups, 87
- signature of an algebra, 15
- small cancellation condition $C'(\lambda)$, 210
- smooth boundary arc, 229
- spherical growth function, 37
- string rewriting system, 51
 - rules of, 51
- subalgebra, 15
 - generated by a set, 15
- subgroup (ideal) of finite index, 22
- subshift, 40
 - m -step, 40
 - edge, 44
 - entropy of, 43
 - generated by a bi-infinite word, 96
 - golden mean, 40
 - of finite type, 40
 - Sturmian, 41
- subspace, 21
 - spanned by a set, 21
- substitution, 24
 - k -power free, 76
 - square free, 74
- subword, 5
- suffix of a word, 5
- sum of ring ideals, 162
 - direct, 162
- symmetric generating set, 66
- syntactic monoid of a language, 68

- Tarski number, 305
- term, 16
 - value of, 16
 - variables of, 16
- terminal object, 45
- transition monoid of an automaton, 68

- transposition, 60
- tree, 14
 - full binary, 17
 - leaf of, 14
- trunk of an element, 249
- type of an algebra, 15

- uniformly recurrent point, 38
- upper central series of a group, 118
- upper hypercenter of a group, 118

- van Kampen
 - lemma, 200
- variety, 17
 - Cross, 29
 - finitely based, 28
 - inherently non-finitely based, 30
- vector space, 21
- vertex, 10
 - in-degree of, 10
 - initial vertex of a diagram, 51
 - out-degree of, 10
 - terminal vertex of a diagram, 51

- word, 3
 - k -avoidable, 76
 - avoiding another word, 76
 - bi-infinite, 3
 - canonical, 59
 - content of, 5
 - cube-free, 72
 - cyclic shift of, 7
 - cyclically reduced, 62
 - v -free, 76
 - freely reduced, 61
 - geodesic, 95
 - infinite, 3
 - integral, 81
 - labeling a path, 12
 - length of, 5
 - over an alphabet, 4
 - periodic, 8
 - quasi-integral, 81
 - simple, 236
 - square-free, 74
 - unavoidable, 77
 - uniformly recurrent, 95
 - Zel'manov, 326
 - Zimin, 77
- word problem, 59
- wreath product, 61

- Z-sequence, 181