

# Index

## A

- Alternant hydrocarbons, 5, 88, 89, 102, 103, 108, 110
- Alternant pairing theorem, 88
- Anthracene, 80, 89, 105, 109
- Antiaromaticity, 5
- Anti-bonding orbital, 19, 83
- Antidot, 71
- Antiferro-magnetic interaction, 51, 55, 56
- Approximate spin projection scheme, 17
- Armchair edges, 71, 72
- Aromaticity, 5, 113
- as*-indaceno[1,2,3-*cd*;6,7,8-*c'd'*]diphenalene (*as*-IDPL), 56
- Asymmetric diradical model, 32
- Asymmetric electron distribution, 29, 59–61, 63
- Asymmetry, 27, 29, 32, 34, 39, 61, 63
- Asymmetric two-site diradical model, 27, 28, 57
- Azulene, 89

## B

- Benannulated Chichibabin's hydrocarbons, 75
- Benzenoid and quinoid resonance structures, 69
- BHLYP functional, 106
- Bis(acridine) dimers, 75
- Bisanthene, 101, 114
- 1,4-bis-(4,5-diphenylimidazole-2-ylidene)-cyclohexa-2,5-diene (BDPI-2Y), 75
- Bonding orbital, 83
- Broken-symmetry (BS), 2, 9, 10, 17

## C

- Centrosymmetric systems, 45, 46
- Charge transfer, 5

- Clar's sextet rule, 71
- Closed-shell, 2–4, 10, 28, 35, 51, 53, 56, 59, 64, 65, 69, 72, 88, 97, 102, 113
- Coordinate independence, 37
- Corresponding orbital, 17, 19, 21
- Coulomb integral, 29
- Coulomb repulsion, 11, 16, 29, 37, 115
- Coulson-Rushbrooke pairing theorem, 88
- Covalency/Iconicity, 113

## D

- Damping factor, 52–54
- d–d orbital interaction, 73
- Density functional theory (DFT), 73, 102, 104, 106
- Dichromium(II) model, 73
- Diffusion length, 4, 80
- Dimensionless physical quantities, 22
- Dimolybdenum(II), 73
- Diphenalenyl diradical, 69
- Diphenylisobenzofuran, 100
- Dipole, 3, 23, 37, 38, 45, 57, 75
- Dipole moment differences, 3, 37, 44, 45, 60
- Diradical character, 3, 37, 63, 68, 73–75, 91, 92, 102, 104, 114
- Diradical character based design principle, 5, 103, 110, 113, 115
- Diradical character view of (non)linear optical properties, 43–69
- Diradical character view of singlet fission, 91, 93
- Diradicaloid, 2, 5, 69, 75, 102
- Direct exchange integral, 29
- Dissociation limit, 2, 10, 28
- Donor-acceptor substitution, 60
- Double resonance, 55
- Doubly excited configurations, 20, 86, 90, 100
- $d\sigma$ ,  $d\pi$ , and  $d\delta$  orbitals, 73

**E**

Effective bond order (EBO), 3, 54, 73, 113  
 Effective distance between the two radicals, 23, 37  
 Effective exchange integral, 32, 50  
 Electron affinity, 61  
 Electron and hole, 79, 82  
 Electron-correlated system, 6  
 Electron correlation, 1, 3, 5, 41, 92, 114  
 Electron dynamics, 114  
 Electronegativity, 5, 69  
 Electron-vibration coupling, 5  
 Emissions, 79  
 Endoergic condition, 87  
 Energy level matching conditions, 4, 79, 87, 88, 91, 98, 102, 103, 110, 115  
 Energy loss, 80, 87, 90, 102  
 Environment effect, 115  
 Equatorial and axial ligands, 74  
 Exchange integral, 5, 11, 88, 103, 105  
 Excitation energies, 3, 9, 22, 37, 40, 46, 64, 87, 91, 93, 113, 116  
 Excitation properties, 37, 39, 40, 57, 75  
 Exciton, 79, 80, 90, 115  
 Exoergic condition, 87, 90  
 Extended metal atom chains, 69

**F**

First hyperpolarizability, 44  
 Ferro-magnetic interaction, 57  
 Fluorescence (Fl), 81, 82  
 Fock operator, 11  
 Four-electron system, 92  
 Four-site model, 86  
 Frequency modulation, 4  
 Frontier orbital gap, 110  
 Full configuration interaction (CI) method, 64

**G**

GAMESS, 64, 92, 107  
 Graphene, 5, 63  
 Graphene nanoflakes (GNFs), 71, 72  
*g-u* single excitation energies, 105–107  
*g* symmetry, 13, 15, 22

**H**

Half-metallicity, 75  
 Harmonic generation, 44  
 Hartree-Fock (HF), 17, 67, 104

Heisenberg model, 50  
 Hepta-/Octa-zethrenes, 75  
 Highest occupied molecular orbital (HOMO), 2, 67, 68, 71, 84, 86, 89, 96, 102, 105  
 Homodinuclear system, 1  
 H<sub>2</sub> model, 64  
 H<sub>4</sub> model, 64, 65  
 HOMO-LUMO gap, 2, 104, 109  
 Hückel theory, 88, 89, 103  
 Hybridization, 74, 114  
 Hyperpolarizability, 57

**I**

Imidazole and triazole rings, 69  
 Instability of chemical bond, 113  
 Intensity-dependent refractive index, 44  
 Interatomic distance, 63, 64  
 Intermediate/Strong electron correlation regime, 5  
 Intermediate diradical character, 1, 48, 49, 56, 65, 68, 69, 72, 73, 102, 113, 115, 116  
 Intermolecular interaction, 5, 87, 114  
 Internal conversion (IC), 81, 82  
 Ionic character, 41, 97  
 Ionic configuration, 32, 35, 37, 39, 41, 56  
 Ionic contribution, 13, 34, 98  
 Ionic determinant, 10, 12–14  
 Isoergic process, 87

**L**

Large asymmetry ( $r_h$ ) region, 59  
 Lifetime, 4, 52, 54, 79, 80  
 Ligand effects, 74  
 Linear H<sub>4</sub> model, 64, 69, 92  
 Local field factor, 53  
 Localized natural orbital (LNO), 10, 11, 23, 28, 29, 35, 104, 108, 109  
 Low-lying singlet doubly excited state, 90  
 Lowest singlet excited state, 91, 92, 100, 101, 107  
 Lowest unoccupied molecular orbital (LUMO), 2, 67, 71, 89, 90, 92, 96, 102, 104, 106, 109

**M**

Magnetic interaction, 31, 50, 51, 55  
 Magnetism, 79  
 Main group compound, 114  
 Main group elements, 74

- Metal–metal bond, 5  
Macroscopic polarization, 43  
Merocyanine chromophores, 59  
Microscopic polarization, 44  
Molecular crystal, 87  
Molecular design, 3, 4, 43, 63, 79, 91, 114, 115  
Multi-configuration (MC)-SCF theory, 17  
Multiphoton absorption, 3  
Multiphoton emission, 3  
Multiple diradical characters  $y_i$ , 63, 64, 73  
Multiple excitons generation, 80  
Multiple metal–metal bonded systems, 5  
Multiplicity, 86  
Multi-radical effects, 73  
Multiradical systems, 21, 63, 64, 91  
Multiradical organic aggregates, 69  
Multiradicaloids, 75  
Multi-reference coupled cluster (MRCC), 102  
Multi-reference perturbation (MRMP), 102
- N**  
[n]acene, 103, 106–110  
Natural orbital (NO), 9, 18  
Negative  $\gamma$ , 45, 61, 63  
Neutral configuration, 37, 39, 41  
Neutral determinant, 11, 12, 14, 29  
Non-adiabatic coupling, 115  
Nonalternant hydrocarbons, 88, 89  
Nondimensional  $\beta$ , 57, 58  
Nondimensional energy gap, 31  
Nondimensional excitation energies, 25, 38  
Nondimensional OPA cross section, 52  
Nondimensional transition moments, 25  
Nondimensional static  $\gamma$  ( $\gamma_{\text{ND}}$ ), 56  
Nondimensional TPA cross section, 54  
Nonlinear optical (NLO) spectroscopy, 4  
Nonlinear optical susceptibilities, 43  
Nonlinear optics (NLO), 3, 43, 45, 63, 73, 75, 113, 114  
[n]phenacene, 103, 106–110
- O**  
Occupied molecular orbital, 67, 71  
Occupation number, 2, 21, 64, 91  
Off-resonant  $\beta$ , 57  
Oligorylene, 102  
One-dimensional (1D) molecular aggregate, 68  
One-dimensional symmetric singlet multiradical systems, 66, 69  
One-electron integral, 29  
One-photon absorption (OPA), 52  
One-photon absorption cross section, 52  
Open-shell, 1, 3, 5, 9, 50, 59, 63, 69, 73, 75, 88, 90, 100, 102, 113–116  
Open-shell character, 5, 90, 108, 114  
Optical absorption depth, 81  
Optical switching, 4  
Optically-allowed excitation, 26  
Optoelectronic and photonic devices, 4  
Organic photovoltaic cell (OPV), 80  
Organic solar cell, 4  
Overlap integral, 18, 21
- P**  
Pairing orbital distribution, 89  
Perfect-pairing type, 21  
Permutation operator, 45  
Perturbation approach, 44  
Pentacene, 56, 57, 71, 72, 81, 90, 101  
Pentacene/C<sub>60</sub> photovoltaic cell, 81  
Phosphorescence (Ph), 81, 82  
Photoelectric conversion, 79, 81  
Photon upconversion (UC), 116  
Photovoltaics, 80  
 $\pi$ -conjugation, 5, 26, 53, 72  
 $\pi$ -electron conjugated organic molecular system, 4  
Polarizability, 44, 45  
Polycyclic aromatic hydrocarbons (PAHs), 5, 9, 113  
Polyene, 90, 92  
*p*-quinodimethane model, 69, 70  
Pseudo diradical character, 29, 35, 37, 39  
PUHF, 70, 74, 102  
Pure diradical, 2, 16, 35, 56, 64, 92, 93, 113
- Q**  
Q-CHEM, 107  
Quadrupolar systems, 56  
Quasi-particle, 79  
Quinoidal origothiophenes (QTs), 71
- R**  
Reflections, 79  
Refractive index, 3, 53  
Reservoir engineering (environment tuning), 116  
Resonance structures, 70, 71, 90, 110, 113

$r_h$ -dependences, 32  
 $r_k$ -dependences, 56  
Rubrene, 80

## S

$S_1-T_1$  gap, 110  
Schematic diagrams of the spatial distributions of the wavefunctions, 40  
Second harmonic generation (SHG), 4  
Second hyperpolarizability, 44, 46, 47, 59, 63  
Semi-localized orbitals (SLOs), 84, 86  
 $\sigma$ -dominant, 73  
Shockley/Queisser efficiency limit, 80  
*s*-indaceno[1,2,3-*cd*;6,7,8-*c'd'*]diphenalene (IDPL), 56, 57  
Single determinant scheme, 17  
Singlet diradical  $\pi$ -conjugated systems, 69  
Singlet exciton, 4, 79, 80, 87  
Singlet fission (SF), 4, 79, 113, 114  
Singlet ground state, 5, 16, 17, 20, 32, 72, 106  
Singlet multiradical linear conjugated molecules, 63  
Singlet fission sensitizer (SFS), 81  
SFS/Amorphous-silicon, 81  
SFS/Organic(donor)/organic(acceptor), 81  
SFS/Quantum dot, 81  
Singly excited configuration, 20, 88, 90–92, 96, 100, 106  
Solvent effect, 5  
Spin contamination, 17, 20, 108  
Spin-flip (SF) time-dependent density functional theory (TDDFT), 106  
Spin-less one-electron reduced density matrix, 18  
Spin multiplicity, 75, 81, 86, 106  
Spin-orbit coupling, 82  
Spin-projected UHF (PUHF), 17, 20, 21, 74, 100, 101  
Spin-projection, 17  
Spin-restricted solution, 1, 17  
Spin-restricted Hartree-Fock (RHF), 17, 67  
Spin-unrestricted solution, 9, 17  
Spin-unrestricted Hartree-Fock (UHF), 9  
Static electric field, 27, 59, 61  
Stretched  $H_2$  model, 65  
Structure–property relationship, 44  
Supra-/Super-molecular open-shell systems, 75  
Summation-over-states (SOS) approach, 44

Symmetric diradical model, 9, 27, 43  
Symmetry-adapted molecular orbitals, 2, 9, 104  
Systems with intermediate diradical character, 69, 113

## T

Tamm-Dancoff approximation (TDA), 106  
TD-tuned-LC-BLYP, 102  
Tetradical character, 66, 91, 92, 97, 102  
Tetradical systems, 63, 91  
Tetracene, 81, 87, 89–101, 103  
Terrylene, 101, 102, 114  
Thiophene ring, 71  
Third harmonic generation (THG), 75  
Three-dimensional (3D) microfabrication, 4  
Three-dimensional (3D) optical data storage, 4  
Three-state approximation, 59  
TPA resonance enhancement, 56  
Transfer integral, 11, 16, 29, 34, 109, 115  
Transition metal complex, 73  
Transition metal involving system, 73  
Transition moments, 3, 22, 24, 37, 45, 48, 67  
Triplet exciton, 4, 80, 82, 86, 87, 92, 115  
Triplet–triplet annihilation, 4, 87, 116  
Triplet–triplet coupled state, 86, 98  
Triplet–triplet re-fusion, 87  
Twisted ethylene model, 69  
Two-electron integral, 29  
Two-electron two-orbital model, 3  
Two-photon absorption (TPA), 53, 75  
Two-photon absorption cross section, 53  
Two-site diradical molecular model, 9

## U

UBHandHLYP, 72  
UNOCASCI, 56, 57  
Unoccupied molecular orbital, 67, 71  
Unpaired electrons, 63, 105, 110  
U-symmetry, 12, 15

## V

Valence bond (VB), 10  
Valence configuration interaction (VCI), 11, 14, 27, 30, 65, 104, 114  
Vibrational effect, 114  
Virtual excitation processes, 45, 46, 57, 64, 65

**W**

Weak/Intermediate diradical molecule, [102](#),  
[114](#), [115](#)

**Y**

$y_0$ - $y_1$  plane, [99](#), [100](#)

**Z**

Zethrenes, [69](#)

Zeaxanthin, [90](#), [100](#), [101](#)

Zigzag edges, [72](#), [110](#)

Zwitterionic resonance structure, [90](#)