

# Index

## A

- Aas, R.W., 90  
Access to Work programme, 76  
Activity ability assessment (AFU), 126–127  
Aiachini, B., 213–219  
Akabas, S.H., 56, 57, 59  
Algurén, B., 210, 212  
American Community Survey (ACS), 296  
American Medical Association Guides for the Assessment of Permanent Impairment, 145  
Anderson, V., 276  
Andrew, J.D., 87  
Anema, J.R., 84  
Ankylosing spondylitis (AS)  
    CROMs in, 462  
    interactive decision-making process, 428–429  
Anner, J., 134, 549  
Arends, I., 90  
Arendt, H., 55  
AS. *See* Ankylosing spondylitis (AS)  
Assertive Community Treatment (ACT) model, 92  
Assessment of Work Characteristics (AWC), 458–459  
Assistive technology (AT), 181

## B

- Baldwin, C., 224  
Baremas method  
    AMA Guides, 149–150  
    percentage rating calculation, 148  
    workers' compensation, 148

- Baron, R.C., 338  
Baron, S., 400–401, 406–407  
Bath Ankylosing Spondylitis Metrology Index (BASMI), 462  
Beaton, D.E., 506  
Beveridge, W.H., 397  
Bickenbach, J., 141–158  
Bio-psycho-social model, 63, 69  
Bismarckian model, 399  
*The Blue Book*, 145  
Bond, G.R., 171, 178  
Boston Model of Psychiatric Rehabilitation, 303  
Brage, S., 3–9, 107–136, 545–555  
Brain cancer, 229  
Brain injury, 175–176  
Brusco, N.K., 224  
Burdorf, A., 43–53  
Burton, K., 187

## C

- Campbell, K., 172, 179  
Canadian Occupational Performance Measure (COPM), 483  
Capella, M.E., 87  
Carroll, C., 89  
Carroll, L.J., 267  
Carter, G., 335–351  
Case coordination model, 278  
Case management, 74  
    disability management, 64–65  
    Strengths Model-based approach, 92–93  
Catalano, D., 288  
Cease-Cook, J., 170

- Chan, C.C.H., 355–366
- Chan, F., 173
- Cheng, A., 355–366
- Chen, S.-P., 335–351
- Chronic disease
- social participation, 43
  - work participation, 43
    - cost-effectiveness evaluations, 47
    - health management, 50
    - illness flexibility model, 50, 53
    - legislation and support schemes, implementation of, 51
    - RA patients, 47–48
    - remunerative employment, inclusion of, 51
    - sickness presenteeism, 47
    - treatment and rehabilitation programmes, 51
    - work-related factors, RERI, 48–50, 53
- Chronic musculoskeletal pain conditions (CMPC)
- disability evaluation
    - capacity evaluation, 194–195
    - clinician-based assessment, 194
    - self-report-based assessment, 193
  - multidisciplinary vocational rehabilitation, 189
  - stepped-care approach, 188–189
  - vocational rehabilitation, 189–191
- Chronic widespread pain (CWP), 416, 427–428
- Cieza, A., 307
- Civilian noninstitutionalized population (CNIP), 296
- Clinician-reported outcome measures (CROMs), 455
- activity and participation, 457–458
  - participative methods, 458
  - PILE test, 457
  - six-minute walk test, 457
- environmental factors
- AWC, 459
  - QEC, 458
- FCE, 456
- grip strength, 456
  - in medical conditions
    - AS, 462
    - LBP, 463–464
    - OA, 463
    - RA, 461–462
  - personal factors
    - age, 459
    - coping strategies, locus of control, motivation, and self-efficacy, 461
    - education and profession, 460
    - gender, 460
    - health literacy, 460
    - lifestyle, 460
- CMPC. *See* Chronic musculoskeletal pain conditions (CMPC)
- Cognitive behavioural therapy (CBT), 90
- Collie, J., 11
- Comprehensive Core Set for TBI, 270–273
- Conclave, M., 228
- CROMs. *See* Clinician-reported outcome measures (CROMs)
- Cronbach's alpha, 509
- D**
- Dahlgren, L., 91
- Danermark, B., 80
- Darensbourg, B.L., 172
- DE. *See* Disability evaluation (DE)
- De Bie, R., 495–517
- De Boer, A.G., 89
- Dekkers-Sánchez, P.M., 87
- DeLambo, D., 161–182, 539
- Depression
- activities and participation, 308, 310–311
  - body functions, 307, 309–310
  - environmental factors, 308, 312
  - historical context, 306–307
  - rank order, 308, 313
  - two-level classification, mental functions, 307–308
- Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)
- diagnostic criteria, 320
  - DSM-IV-TR, 320–321
  - externalizing factors, 322
  - internalizing factors, 322
  - personality disorders, 322
  - WHODAS 2.0 (*see* World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0))
- Dikmen, S.S., 267, 275
- Disability evaluation (DE), 546–547
- challenges, 414
  - definition of, 4, 7
  - disability pension, 398
  - eligibility determination for benefits, 4
  - functional capacity, 398
  - functioning assessments in, 5–6
    - disability benefits, eligibility determination for, 418
    - interactive decision-making process, 418–419
- ICF
- functioning assessment, standards for, 7
  - Minimal Generic Set, 22, 40

- insurance benefits, 397–398
- legal perspectives
  - Americans with Disabilities Act, 153
  - Article 1, 156
  - Article 2, 156
  - Article 9, 156
  - Article 27, 156
  - Baremas method, 146
  - CRPD human rights obligations, 157
  - economic loss method, 146
  - functional capacity method, 146
  - ICF (*see* ICF)
  - medical approach, 142
  - social program, 142
  - Universal Declaration of Human Rights, 155
- legal system, 398
- Mini-ICF-APP (*see* Mini-ICF-Rating for Mental Disorders (Mini-ICF-APP))
- requirements, 5
- RTW (*see* Return to work (RTW))
- in social security (*see* Social security, disability evaluation)
- Switzerland's social security system, 399
- TBI, neuropsychological assessment, 270, 273–274
- therapist and medical expert, 398
- UN CRPD, 220
- Disability management (DM), workplace
  - integration
    - accident insurance, 60
    - bio-psycho-social model, 60, 63, 69
    - case management, 64–65
    - challenges, 66–67, 69
    - company workers, 61
    - competency model, 56
    - comprehensive approach, 64, 65, 68–69
    - core elements and distinct tasks, 64
    - definition, 59–60
    - employee-driven disability management, 63
    - external disability management, 62
    - IFDM, 60
    - illness/injury, concept of, 59
    - internal disability management, 62
    - labour
      - individual and social well-being, 56–57
      - in modern societies, 55–56
      - in premodern times, 55
      - and work, 56
    - medical model, 55–56
    - multi-professional and multidisciplinary, 61
    - NIDMAR, 60
    - organisational perspective, 61
    - professional functions, 65, 66, 70
    - professional knowledge, 61
    - professional tasks, 63
    - return-to-work activities, 58–59
    - social and private insurance schemes, 60–61
    - social organisations, 62, 64
    - social relations, 57–58
    - techniques and procedures, 64–65, 69
    - unemployed workers, 61
    - WHO, 60
  - Disability Rating Scale, 203
  - Disabled Persons Act of 1944, 74
  - Disease-work participation model, 46
  - Donovan, N.J., 282
- E**
- Edlund, C., 91
- Educational Needs Assessment Tool (ENAT), 460
- Egan, M., 87
- Ekberg, K., 79
- Employment and Support Allowance (ESA), 76
- Escorpizo, R., 3–9, 11–40, 239–259, 413–433, 437–449, 471–490, 495–517, 521–541, 545–555
- European Union of Medicine in Assurance and Social Security (EUMASS), 416, 419–421, 550
  - aim of, 118
  - definition of, 118
  - eligibility determination, 422–423
  - formal decision-making process, 118–119
  - functional disability, 124
  - German study, 123
  - health-related restrictions, 119
  - no environmental factors, 121–122
  - personality factors, 119
  - second-level categories, 119, 120
  - specific work restrictions, 119
  - Swedish instrument testing, 123–124
  - temporal dimensions, 119
  - validation study, 122–124
- EuroQOL five dimensions questionnaire (EQ-5D), 465
- Expanded Disability Status Scale (EDSS), 201

**F**

- Fadyl, J.K., 278, 279  
 Federal Security Agency (FSA), 143  
 Finger, M.E., 82, 83, 87, 437–449, 495–517, 521–541  
 Fit note, 110, 135  
 Fleming, A.R., 170, 173  
 Franceschini, M., 171, 177  
 Franche, R., 89  
 Franchignoni, F., 372  
 Functional Ability List, 115  
 Functional capacity evaluations (FCEs), 194, 456  
 Functional Independence Measure (FIM), 202  
 Functioning assessments (FA), 5–6

**G**

- Galowka, E., 338  
 Geisen, T., 55–70  
 General Insurance Act, 74  
 German National Health Interview and Examination Survey 1998 (GHS), 415  
 Germundsson, P., 80  
 Gilbert, E., 171, 178  
 Giovannetti, A.M., 199–231  
 Glasgow Coma Scale, 266  
 Glasgow Outcome Scale, 203, 267  
 Glässer, A., 83, 471–490  
 Global Assessment of Functioning (GAF), 303, 326  
 Global Burden of Disease Study, 296  
 Gobelet, C., 372  
 Goljar, N., 209  
 Grahn, B., 453–467  
 Grauwmeijer, E., 171  
 GRIPPIT, 456, 462

**H**

- Harder, H.G., 56, 59  
 Health
  - labour force participation, ill health consequences
    - chronic disease (*see* Chronic disease)
    - disability and unemployment, 52
    - disease-work participation model, 46
    - loss of paid employment, 44
    - prevention, 46

SHARE study, 44–45

WLE measure, 45, 46, 51

WHO definition of, 43

- Healthcare, 188  
 Hees, H.L., 84  
 Henriksson, C.M., 86  
 Hillborg, H., 84  
 Holper, L., 208  
 Homa, D., 3–9, 161–182, 539, 545–555

**I**

- IBF. *See* Institute of Vocational Counseling (IBF)  
 Icelandic Special Assessment, 114  
 ICF. *See* International Classification of Functioning, Disability and Health (ICF)  
 ICF Core Sets (ICF-CS), 400, 433, 472–473, 489, 497–499
  - AS, 428–429
  - Brief ICF-CS for VR, 419–421, 423, 440–441, 444, 498
  - CWP, 416, 427–428
  - development of, 498
  - disability benefits, eligibility determination for, 422–423, 427–428
  - Disability Set, 415, 416, 419–423
  - EUMASS Set, 419–421, 429
  - interactive decision-making process, 423–425, 428–429
  - LBP, 416
  - limitations, 448
  - Minimal Generic Set, 415, 416, 420–421
  - practical implication, 431–432
  - PRQ (*see* Patient-reported questionnaires (PRQ))
  - RTW program, 422, 425–426
  - SCI, 425–426
 Illness flexibility model, 50, 53  
 Individual placement and support (IPS) model, 178, 340  
 Inflammatory arthritis (IA), 47–48  
 Institute of Vocational Counseling (IBF), 374
  - assessment phase, 386, 388–389, 394
  - discharge phase, 387, 392–393, 395
  - evaluation and decision phase, 386, 389, 395
  - goal evaluation, 387, 391–392, 395
  - initial phase, 386–388, 394

- interdisciplinary coordination, 386–387, 390, 395
- intervention phase, 387, 390–391, 395
- patient management cockpit, 384, 385, 395
- work-related competencies, 388
- International Classification of Diseases (ICD)
  - etiological classification, 323
  - ICD-11, 324–325
  - ICD-10-CM, 324
- International Classification of Diseases, 11th Revision (ICD-11) classification system, 297
- International Classification of Functioning, Disability and Health (ICF), 7, 472–473, 540–541
  - acquiring skills, 440
  - biopsychosocial model, 398–399, 415, 551
  - categories, 439, 442, 445–447
  - challenges, 416–417, 547–552
  - complex interpersonal interactions, 440
  - components of, 17, 438
    - hierarchical structure, 14–16
    - mental functions, 16, 18
    - mobility, 16, 19
  - comprehensive version, 448
  - as conceptual model, 12–13, 39
  - CROMs (*see* Clinician-reported outcome measures (CROMs))
  - definition, 546, 548
  - disability management
    - bio-psycho-social model, 60, 63, 69
    - professional knowledge, 61
  - energy and drive functions, 441
  - environmental factors, 548–549
  - evidence-based practice, 555
  - exercise tolerance functions, 441
  - functional capacity method, 151
  - functioning and disability, 13, 14
  - functioning assessment, research report, 465–466
  - goal-setting and intervention
    - planning, 536
  - handling stress and psychological demands, 440
  - health services, systems and policies, 441
  - higher-level cognitive functions, 441
  - human functioning, 227
  - ICF-based documentation tools
    - assessment sheet, 474–476, 490
    - categorical profile, 475, 477, 490
    - comprehensive assessment and intervention planning, 485–486
    - evaluation display, 475, 480–481, 490, 536–539
    - intervention table, 475, 478–479, 490
    - multidisciplinary and inter-professional communication, 486–487
    - real-life experience, 489
    - Rehab-Cycle model, 474, 475, 490
    - training rehabilitation professionals, 487–488
  - ICF person-environment model, 150
  - job placement, 554, 555
  - labour and employment services, systems and policies, 441
  - labour policies, in Italy, 228
  - limitations, 453
  - mental health management
    - biopsychosocial framework, 301–302
    - depression (*see* Depression)
    - environmental factors, 298–299
    - functioning and disability, 297–298
    - integrating functional data, 302–303
    - personal factors, 299
    - psychiatric disability, 328
    - and psychiatric rehabilitation process, 303–304
    - qualifiers, 299–300
    - stigma, 304–305
    - WHODAS 2.0 (*see* World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0))
  - Mini-ICF-APP (*see* Mini-ICF-Rating for Mental Disorders (Mini-ICF-APP))
  - multiple sclerosis
    - activities and participation, 207
    - body functions and structures, 206
    - clinical manifestation, 209
    - conservative approach, 205
    - emotional functions, 208
    - environmental factors, 208
    - symptoms, 209
  - national rehabilitation program, 464–466
  - non-remunerative employment, 440
  - objectives, 417
  - opportunities, 552–555
  - personal factors, 549, 553
  - pneumoconiosis (*see* Pneumoconiosis)
  - PRQ (*see* Patient-reported questionnaires (PRQ))
  - qualifiers, 16–20
  - questionnaires, 38–39
  - Rasch analysis, 500
  - rehabilitation professionals, 150

## International Classification of Functioning

*(cont.)*

- relevance of, 454–455
- remunerative employment, 440
- return to work (*see* Return to work (RTW))
- serious mental illness
  - employment support, 346, 348–350
  - vocational rehabilitation, 346–348
- social security, 548, 553, 554
- social security, work disability evaluation
  - biopsychosocial model, 133
  - disease-specific core set, 134, 136
  - EUMASS core set for (*see* European Union of Medicine in Assurance and Social Security (EUMASS))
  - ICF categories, title and description of, 23, 34–38
  - limitations, 134–136
  - questionnaires, 38
  - situation-specific core sets, 134, 136
  - Sweden, job capacity assessment (*see* Job capacity assessment, Sweden)
  - work ability assessment (*see* Work ability assessment)
- stroke
  - activities and participation, 209, 211
  - body functions and structures, 210
  - Brief ICF Core Set, 209
  - cerebral infarction, prevalence of, 212
  - environmental factors, 213
  - mental and sensory functions, 211
  - patient's age, 212
  - returning to work, 213
- taxonomy, 415
- TBI
  - clinical profile, 269
  - Comprehensive Core Set, 270–273
  - recovery course, 268–269
- traumatic brain injury
  - activities and participation, 214, 217–218
  - body functions and structure, 214–216
  - environmental factors, 214, 219
  - ICF Core Set, 213
  - inclusion criterion, 214
  - RTW, 216
  - vocational assessment, 554
  - vocational rehabilitation (*see* Vocational rehabilitation (VR))
  - work disability evaluation, 454–455
  - WORQ (*see* Work Rehabilitation Questionnaire (WORQ))
- International Forum on Disability Management (IFDM), 60

**J**

- Jarvikoski, 59
- Jeger, J., 397–409
- Jennett, B., 267
- Job accommodation network (JAN), 165
- Job capacity assessment, Sweden, 133
  - AFU assessment, 126–127
  - sickness certification, 124, 128, 135–136
  - SLU assessment, 124–126
  - TMU assessment, 125–126
- Job-match model, 86
- Job placement
  - definition, 167–168
  - employer attitudes, 168
  - environmental context, 168
  - evidence-based practices
    - career awareness skills, 175
    - consumer populations, 173
    - counseling and guidance, 174, 175
    - ICF, 169–172
    - on-the-job training, 174
    - orthopedic disabilities, 173
    - randomized clinical trial, 173
    - sensory and physical disabilities, 174
    - social skills, 175
  - job modifications, 168
- Jones, B., 428–429

**K**

- Kaiser Permanente model, 356
- Kendall, E., 277
- Kendall, N.A.S., 187
- Khan, F., 205, 208
- Kirsh, B., 340, 341, 345
- Klonoff, P.S., 278
- Knee injury and Osteoarthritis Outcomes Score (KOOS), 463
- Kohler, S., 437–449
- Konráðsdóttir, Á.D., 107–136
- Koskinen, S., 213, 215–216, 218–219, 270
- Kowalske, K., 285
- Kozma, C., 339
- Krause, J.S., 171, 177
- Krupa, T., 335–351
- Kurzman, P.A., 56, 57
- Küttner, T., 382
- Kwok, H., 355–368

**L**

- Labour
  - individual and social wellbeing, workplace for, 56–57
  - in modern societies, 55–56

- in premodern times, 55
  - and work, 56
- Lahelma, 59
- Laisne, F., 84
- Lambeck, L.C., 89
- Langman, C., 79, 372
- Laxe, S., 214–219
- Leonardi, M., 199–231, 521
- Leyshon, R., 84
- Lezak, M.D., 273
- Lindenger, G., 107–136
- Linden, M., 400–401, 406–407
- Lin, Y.-J., 169
- Li-Tsang, C.W., 170, 173
- Long-term goal (LTG), 483–485
- Low back pain (LBP), 416, 463–464
- Lückenkemper, M., 437–449
  
- M**
- Macaden, A.S., 288
- Malec, J.F., 279
- Managed care model, 86
- Marnetoft, S.-U., 73–99
- Marrone, J., 338
- Martin, 482–485
- Martin, M.H.T., 86
- Marwaha, S., 171
- Marx, K., 55, 58
- Mcfadden, S., 86
- McPherson, K.M., 278, 279
- McRae, P., 263–290
- MEDAS Zentralschweiz, 399, 401–404, 407, 408
- Medical model, 55–56, 86
- Melvin, A.M., 172, 179
- Mental health management
  - growing need for, 296–297
  - ICF conceptual framework
    - biopsychosocial model, 297, 301–302
    - depression (*see* Depression)
    - environmental factors, 298–299
    - functioning and disability, 298
    - integrating functional data, 302–303
    - personal factors, 299
    - and psychiatric rehabilitation process, 303–304
    - qualifiers, 299–300
    - stigma, 304–305
  - vocational rehabilitation
    - DSM-5 (*see* Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5))
    - ICD (*see* International Classification of Diseases (ICD))
    - WHODAS 2.0 (*see* World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0))
- Mental illness, 178
- Meyer, J., 425–426
- Michon, H.W., 171, 178
- Miller, W. C., 239–259
- Mini-ICF-Rating for Mental Disorders (Mini-ICF-APP), 115
  - adapted job/former job, 403
  - benefits of, 402
  - functioning profile, 402, 403, 405–407
  - limitations and activities, 400–401
  - at MEDAS Zentralschweiz, 401–404
  - medical expert, 403
  - postsurgical hormonal substitution therapy, 402
  - psychiatric assessment, 401–404
  - psychosomatic rehabilitation program, 406
  - research study, results of, 404–406
  - sample of claimants, 404
  - work capacity, 406, 408
- Minis, M., 170
- Moessner, A.M., 279
- Morgell, R., 128
- MS Functional Composite scale (MSFC), 201, 202
- Multiple sclerosis
  - disability evaluation, 200–201
  - employment status, 221–222
  - ICF-based approaches
    - activities and participation, 207
    - body functions and structures, 206
    - clinical manifestation, 209
    - conservative approach, 205
    - emotional functions, 208
    - environmental factors, 208
    - symptoms, 209
  - vocational rehabilitation, 222–224
  
- N**
- National Comorbidity Survey Replication (NCS-R), 296
- National Institute of Disability Management and Research (NIDMAR), 60
- Nieuwenhuijsen, K., 89
- Nightingale, E.J., 171, 177, 276, 277
- Nilsing, E., 128
- Nongovernmental organizations (NGOs), 357
- Non-remunerative employment, 440, 448
- Norwegian Functional Assessment Scale (NFAS), 132, 133

- Nowak, D., 495–517
- Numerical Rating Scale (NRS), 255
- O**
- O'Brien, L., 287
- Occupational information network (O\*NET), 126–127, 165, 393
- Örebro Musculoskeletal Pain Screening Questionnaire (ÖMPSQ), 463
- Organisation for Economic Co-operation and Development (OECD), 437
- disability beneficiary rates, 108–109
- vocational rehabilitation, 77
- Osteoarthritis (OA), 463
- P**
- Pack, T.G., 170, 173, 174
- Pallant, J.F., 205, 208
- Patient-reported outcome measures (PROMs), 455
- ENAT, 460
- QEC, 458
- Patient-reported questionnaires (PRQ)
- goal, 447
- methods
- database of questionnaire items, 442
- survey of questionnaires, 442
- systematic literature review, 441
- QOL, 448
- reliability properties, 448
- results, 442–447
- Patient-Specific Functional Scale, 458
- Personal Capability Assessment, 115
- Peterson, D.B., 295–314, 317–331
- Pettersson, I.F., 453–467
- Physical rehabilitation model, 86
- Place and train model, 287
- Playford, E.D., 86
- Pneumoconiosis
- level of impairment, 359, 360
- occupational disease, 355
- participants, 358
- patients assessment
- cardiovascular function, 358–362, 367
- community life, 358–362, 367
- emotional functions, 358–362, 367
- exercise tolerance, 358–362, 367
- health services, systems, and policies, 358–362, 368
- housework, 358–362, 367
- labor and employment services, systems, and policies, 358–362, 368
- non-remunerative employment, 358–362, 368
- recreation and leisure, 358–362, 367
- relationship with friends, 358–362, 367
- remunerative employment, 358–362, 368
- respiratory function, 358–362, 366–367
- support and relationship with family, 358–362, 367
- walking function, 358–362, 367
- rehabilitation services, 356–357
- research design, 357–358
- restoring/maintaining, 360, 361
- Pneumoconiosis Compensation Fund Board (PCFB), 356, 357
- Power, P.W., 163
- Pransky, G., 86, 87
- Problem-solving therapy (PST), 90
- Programme-based model, 278–279
- Progressive Isoinertial Lifting Evaluation (PILE), 457
- PRQ. *See* Patient-reported questionnaires (PRQ)
- Psychiatric disability, mental health management
- clinical significance, 326
- DSM, 327–328
- ICF conceptualization, 328
- severity, 326–327
- Ptyushkin, P., 82
- Q**
- Quality of life (QOL), 448
- Quick Exposure Check (QEC), 458
- Quintas, R., 199–231
- R**
- Raggi, A., 199–232
- Randomized controlled trial (RCT), 176
- Rasch model, 500, 501, 511, 515
- Rauch, A., 536
- Reed, G., 297
- Rehab-Cycle model, 474, 475, 490
- Relative excess risk due to interaction (RERI), 49–50
- Remunerative employment, 440, 448
- Reneman, M.F., 187–196
- Resource facilitation (RF), 176
- Return to work (RTW), 4, 418, 455
- disability management, workplace integration, 58–59
- functioning assessment, 418
- ICF, 21–22



- ICF-CS, 422  
 SCI, 425–426  
 setting, 524–525  
 TBI  
   prognostic factors, 276–277  
   rates of, 275–276  
   vocational rehabilitation, 277–279  
 vocational rehabilitation, 6–7  
   chronic occupational back pain, 84  
   communication, 86, 88, 98  
   competences, 87–88  
   conferences and congresses, 99  
   coordination and monitoring, 87–88, 99  
   disease/injury, individual's progress, 81  
   evaluation, 87  
   goal setting, 86  
   implementation of, 86–87  
   initial interview, 85  
   interventions, 88–90, 96  
   needs assessment, 85–86, 96  
   psychosocial variables, 84, 88  
   self-direction, 86, 98–99  
   stakeholder's perspective, 84, 88  
 Rheumatoid arthritis (RA)  
   CROMs in, 461–462  
   work participation, 47–48  
 Roeder, N., 382  
 Roessler, R.T., 221  
 Rogers, J.B., 172  
 RTW. *See* Return to work (RTW)  
 Rumrill, P.D., 221
- S**  
 Sale, P., 288  
 Saltychev, M., 82  
 Salzer, M.S., 338  
 Sandqvist, J.L., 86  
 Sattin, D., 199–232  
 Schandelmaier, S., 87  
 Schmitt, K., 371–395  
 Schwegler, U., 115, 371–395, 397–409, 413–433  
 Scott, L.R., 56, 59  
 Selander, J., 471–472  
 Selb, M., 413–433, 471–490, 521–541  
 Serious mental illness  
   complementary interventions, 344  
   definition, 336  
   employment  
     diagnosis, 336  
     marginalization, 338–339  
     negative employment outcomes, 337–338  
   vocational rehabilitation approaches  
     employment support, 341–342  
     health and social systems, 344  
     ICF categories, 345–350  
     principles, 339–341  
     social entrepreneurship, 342–343  
 Severe mental illness (SMI), 178, 179  
 Shames, J., 522  
 Shaw, L., 84  
 Shaw, W., 87  
 Sheltered employment, 74  
 Short-term goals (STGs), 483–485  
 Signals of Functional Impairment (SOFI) test, 461  
 Simpson, G.K., 263–290  
 Siu, A., 355–368  
 Smith, K., 427–428  
 Social insurance, 397  
 Social Security Act of 1935, 144  
 Social security, disability evaluation  
   common language, need for, 116–117  
   criticism, 112  
   disability beneficiary rates, OECD  
     countries, 108–109  
 EUMASS core set for  
   aim of, 118  
   definition of, 118  
   formal decision-making process, 118–119  
   functional disability, 124  
   German study, 123  
   health-related restrictions, 119  
   no environmental factors, 121–122  
   in other studies, 123–124  
   personality factors, 119  
   second-level categories, 119, 120  
   specific work restrictions, 119  
   Swedish instrument testing, 123–124  
   temporal dimensions, 119  
   validation study, 122–124  
 functioning assessment, 112  
 ICF  
   biopsychosocial model, 133  
   disease-specific core set, 134, 136  
   in Iceland, 128–131  
   limitations, 134–136  
   in Norway, 132  
   situation-specific core sets, 134, 136  
   Sweden, job capacity assessment (*see* Job capacity assessment, Sweden)  
   long-term benefits, 111–112  
   reforms, 112  
   rehabilitation phase, 110–111  
   sick leave schemes, 110  
   Social Insurance Institution, 110  
   statistics, 117

- Social security (*cont.*)  
 work ability assessment (*see* Work ability assessment)
- Social Security Disability Insurance (SSDI), 144
- Spinal Cord Independence Measure (SCIM) score, 482
- Spinal cord injury (SCI), 177–178, 471, 472  
 assessment, 482–483  
 assignment and intervention, 483–484  
 complications, 239, 240  
 contextual factors, 256  
 definition, 240  
 environmental factors, 257–258  
 evaluation, 484–485  
 financial burden, 240  
 IBF (*see* Institute of Vocational Counseling (IBF))
- ICF Core Sets, 240  
 activities and participation, 255  
 body functions, 255  
 early post-acute SCI, 242–254  
 environmental factors, 255  
 long-term setting, 242–254  
 vocational rehabilitation and social security, 242–254  
 incidence, 240  
 patient history, 482  
 personal factors, 256–257  
 prevalence, 240  
 RTW program, 425–426  
 SII, 374–375  
 SPZ (*see* Swiss Paraplegic Centre (SPZ))  
 vocational rehabilitation, 258–259  
 work disability, 241–242
- Spinal Cord Injury Rehabilitation Evidence project, 256
- SPZ. *See* Swiss Paraplegic Centre (SPZ)
- Staubli, S., 371–395
- Stergiou-Kita, M., 280
- Stigmar, K., 453–467
- Streibelt, M., 513
- Strengths Model case management, 92–93, 99
- Stroke  
 clinical and demographic features, 213  
 disability evaluation, 202  
 employment status, 221  
 ICF-based approaches  
 activities and participation, 209, 211  
 body functions and structures, 210  
 Brief ICF Core Set, 209  
 cerebral infarction, prevalence of, 212  
 environmental factors, 212  
 mental and sensory functions, 211  
 patient's age, 212  
 returning to work, 213  
 vocational rehabilitation, 224
- Stucki, G., 3–9, 413–433, 545–555
- Stulemeijer, M., 277
- Substance abuse, 179
- Supplemental Security Income (SSI), 144
- Supported employment models, 278, 279
- Surgeon General's Report on Mental Health, 296
- Survey on Health and Ageing in Europe (SHARE) study, 44–45
- Svestkova, O., 205, 208, 214–219
- Swedish Social Insurance Agency, 76
- Swiss Accident Insurance Fund (SUVA), 399
- Swiss Federal Office of Social Security, 399
- Swiss Invalidity Insurance (SII), 374–375
- Swiss Paraplegic Centre (SPZ)  
 IBF, 384–387  
 ICF-based rehabilitation management  
 goal categories and criteria, 377–381  
 goal setting, 376  
 patient pathways, 381–384, 394  
 rehabilitation, 373
- Szirony, G.M., 170
- T**
- Tagliaferri, F., 265
- Tate, R.L., 263–290
- TBI. *See* Traumatic brain injury (TBI)
- Team-based job capacity assessment (TMU), 125–126
- Teasdale, G., 267
- Temkin, N.R., 277
- Test, D.W., 170, 175
- Tjulin, A., 85
- Tom, 524, 532, 533, 536, 539, 541
- Toronto Behavioural/Cognitive Checklist, 283
- Traumatic brain injury (TBI), 174  
 conventional classifications, 266–267  
 definition, 265  
 disability evaluation, 203  
 employment status, 221  
 epidemiology, 265–266  
 ICF and disability evaluation  
 clinical profile, 269  
 Comprehensive Core Set, 270–273  
 neuropsychological assessment, 270, 273–274  
 recovery course, 268–269  
 ICF-based approaches

- activities and participation, 214, 217–219
- body functions and structure, 214–216
- environmental factors, 214, 219
- ICF Core Set, 213
- inclusion criterion, 214
- RTW, 216
- impact of, 521–522
- patient history, 263–264, 523–524
- return to work
  - prognostic factors, 276–277
  - rates of, 275–276
  - vocational rehabilitation (*see* Vocational rehabilitation (VR))
- WORQ-SR and Brief ICF-CS
  - electronic version of WORQ, 527, 532
  - functioning profile, 528–535
  - gathering information, 525–527
- Treatment as usual (TAU), 258
- Trenaman, L. M., 239–259
- Trexler, L.E., 171, 176
- Trezzini, B., 371–395, 397–409
- Tsang, E.W., 355–368
- Tsang, H.W.H., 171, 178
- Tyerman, A., 171
  
- U**
- United Nations Convention on the Rights of Persons with Disabilities (UNCRPD), 220, 545, 546
- United States Psychiatric Rehabilitation Association (USPRA), 303
  
- V**
- Van Beurden, K.M., 86
- van der Naalt, J., 275
- van Oostrom, S.H., 89
- Van Velzen, J.M., 277
- Vision impairment, 180
- Visual-analogue scale (VAS), 255, 502, 508, 509
- Vocational assessment
  - clinical vocational assessment, 164
  - comprehensive vocational evaluation, 164
  - definition, 163–164
  - ICF
    - clinical judgment, 166
    - comprehensive case conceptualization, 165
    - ecological assessment, 167
    - environmental factors, 166
    - patient data, 166
    - rehabilitation planning, 166
    - level of need, 164
    - VEWAA, 164
  - Vocational evaluation and work adjustment
    - association (VEWAA), 164
  - Vocational rehabilitation (VR), 225–226, 546–547
    - assessments, 81–82, 113–114, 136
    - definition of, 6, 8, 20, 78–80, 199, 200, 438
    - in Denmark, 75
    - disability pension, 81
    - employment vs. unemployment and health, 77–78
    - environmental factors, 513
    - in Finland
      - individual level, 75
      - occupation health care, 77
      - organisational level, 76
    - in Germany
      - individual level, 75
      - organisational level, 76
    - goal for, 454
    - ICF
      - benefits and limitations, 82, 93–95
      - biopsychosocial approach, 82, 97
      - classification system, 93
      - clinical settings, 83
      - components, 83
      - comprehensive and brief Core Set, 23–33, 40, 82, 95
      - functioning assessment, standards for, 7
      - ICF categories, title and description of, 23, 34–38
      - Minimal Generic Set, 22, 40
      - personal factors, 83
      - questionnaires, 38, 39
      - Strengths Model case management, 92–93, 99
      - theoretical model, 93
      - VR-Pain Core Set, 95–97
      - working capacity, assessment of, 91–92, 99
  - ICF-based documentation tools
    - challenges, 488
    - comprehensive assessment and intervention planning, 485–486
    - multidisciplinary and inter-professional communication, 486–487
    - real-life experience, 489
    - training rehabilitation professionals, 487–488
  - ICF-CS, 419–421

Vocational rehabilitation (VR) (*cont.*)

- interventions, 227, 229
- vs. medical rehabilitation, 79–80, 98
- mental health management
  - DSM-5 (*see* Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5))
  - ICD (*see* International Classification of Diseases (ICD))
  - psychiatric disability (*see* Psychiatric disability, mental health management)
  - WHODAS 2.0 (*see* World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0))
- multiple sclerosis, 200–201
- in Netherlands, 76, 77
- personal factors, 514
- person X environment (P X E) fit approach, 162–163
- return to work, 6–7, 21, 199
  - chronic occupational back pain, 44
  - communication, 86, 88, 98
  - competences, 87–88
  - conferences and congresses, 99
  - coordination and monitoring, 87–88, 99
  - disease/injury, individual's progress, 81
  - evaluation, 87
  - goal setting, 86
  - implementation of, 86–87
  - initial interview, 85
  - interventions, 88–90, 96
  - needs assessment, 85–86, 96
  - psychosocial variables, 84, 88
  - self-direction, 86, 98–99
  - stakeholder's perspective, 84, 88
- serious mental illness
  - employment support, 341–342
  - health and social systems, 344
  - ICF categories, 345–350
  - principles, 339–341
  - social entrepreneurship, 342–343
- sheltered employment, 74
- social services intervention, 80
- spinal cord injury (*see* Spinal cord injury (SCI))
- stroke, 202
- in Sweden
  - individual level, 75
  - organisational level, 76
  - social insurance offices, 74
  - work care, 74
- traumatic brain injury, 203

- case coordination, 278–279
- centre-based work preparation, 284
- clients requirements, 286–287
- community-based work preparation, 284
- disability segregated employment, 289
- functional capacity evaluation, 280–282
- post-placement support, 288–289
- pre-injury employment, 284–286
- programme-based models, 278
- supported employment models, 279
- vocational profiling, 282–283
- volunteer work, 289
- in United Kingdom
  - individual level, 75
  - organisational level, 76
  - private agencies, 74
- in United States, 74
- work disability evaluation
  - absenteeism, 455
  - general work ability, 455
  - presenteeism, 455
  - specific work ability, 455
  - work productivity, 455
- worker-centred rehabilitation, 80
- WORQ (*see* Work Rehabilitation Questionnaire (WORQ))
- Vocational Rehabilitation Act, 143
- Vocational Rehabilitation Fund (VR Fund), 128–129, 489
- von Bismarck, O., 399
- VR. *See* Vocational rehabilitation (VR)

## W

- Waddell, G., 79, 187
- Wang, Y.-T., 169, 170
- Warner, R., 338
- Wehman, P.H., 279, 288
- Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), 463
- WHO Disability Assessment Schedule 2.0 (WHODAS 2.0), 501, 502, 515–516
- Work ability assessment, 109
  - characteristics, 116
  - disability benefits, 114–115
  - Functional Ability List, 115
  - in Iceland
    - basic assessment, 129
    - early intervention, 130
    - individual's work ability, 129
    - reassessment, 130–131

- special assessment, 129–131
    - VR Fund, 128–129
  - Mini-ICF-APP, 115
  - in Norway, 132
  - Personal Capability Assessment, 115
  - rehabilitation, 113–114, 116
  - sick leave, 110, 113
  - WCA, 115
- Work Capability Assessment (WCA), 115
- Work disability
  - chronic disease, outcome measures
    - (*see* Chronic disease)
  - diminished productivity, 20
  - disability evaluation (*see* Disability evaluation (DE))
  - functioning assessment, 5–6
  - health conditions/comorbidities, 19–20
  - negative consequences, 3–4
  - RTW program, 4
  - social security
    - common language, need for, 116–117
    - criticism, 112
    - disability beneficiary rates, OECD
      - countries, 108–109
    - EUMASS core set for (*see* European Union of Medicine in Assurance and Social Security (EUMASS))
    - functioning assessment, 112
    - ICF in (*see* International Classification of Functioning, Disability and Health (ICF))
    - long-term benefits, 111–112
    - reforms, 112
    - rehabilitation phase, 110–111
    - sick leave schemes, 110
    - Social Insurance Institution, 110
    - statistics, 117
    - work ability assessment (*see* Work ability assessment)
    - societal costs, increase in, 20
    - vocational rehabilitation, 6–7, 20–21
  - Work integration social enterprises (WISES ), 342
  - Work life expectancy (WLE), 45, 46
  - Work Rehabilitation Questionnaire (WORQ), 39, 474, 516–517, 522–523, 528–531
    - characteristics of respondents, 507, 508
    - cross-cultural translation, 506
    - development of, 510–511
    - environmental factors, 513
    - formulation of
      - cognitive testing, 505
      - scaling of, 502
      - systematic review, 503–505
      - wording of, 501–505
    - generic vs. condition-/symptom-specific
      - instruments, 512
    - information gathering, 539
    - interprofessional communication, 539
    - measurement, 499
    - personal factors, 514
    - psychometrics, 507–510
    - reliability, 509
    - selection of domains, 500–501
    - TBI (*see* Traumatic brain injury (TBI))
    - usability, 508–509
    - validity, 509–510
    - WHOQoL and EuroQoL, 510
  - World Health Organization (WHO), 438, 449
    - disability management, 60
    - health, definition of, 43
  - World Health Organization Disability Assessment Schedule 2.0 (WHODAS 2.0)
    - administration and scoring, 330
    - development, 329
    - domains, 329–330
    - DSM-5, 323
    - limitations, 330–331
  - World Health Survey (WHS), 502, 515–516
  - World Report on Disability, 199, 546
  - WORQ. *See* Work Rehabilitation Questionnaire (WORQ)
  - WORQ interviewer-administered version 1 (WORQ-IA1), 511
  - WORQ self-reported version (WORQ-SR), 511, 528–531
    - electronic version of WORQ, 527, 532
    - functioning profile, 528–535
    - gathering information, 525–527

## Y

Young, A.E, 169, 170