

# Index

## A

- Abdominal stretch, 48–49
- Activities of daily living (ADL), 19, 36, 114
- Acute Care of the Elderly (ACE), 117
- Administration on Aging (AOA), 132–133
- Aerobic, 22, 42, 68
  - exercise prescriptions, 70
  - FITT exercise variables, 74
  - heart rate, 70
  - institutionalized older adult, 108
  - physical frailty, 9
- Aging
  - biology of, 2
  - body's physiological systems, 9
  - cardiovascular system, 6–8
  - vs. disuse, 9
  - internal homeostasis, 8
  - musculoskeletal system, 4–5
  - nervous system, 5
  - respiratory system, 8
  - theories of, 2–3
- American College of Sports Medicine (ACSM), 10
- American Heart Association (AHA), 10

## B

- Balance exercises, 22, 42, 80
  - ACSM recommendation, 55
  - balance discs/BOSU® options, 57
  - incorporation and coordination, 57
  - knee raises, 56
  - with movement, 57
  - single-leg balance, 55
  - spinal balance, 56

- stability ball sit, 56
- tandem standing, 56
- Body composition, 6
- Borg Rating of Perceived Exertion (RPE)
  - scale, 49, 53, 100

## C

- Cardiovascular disease
  - benefits of exercise
    - atrial fibrillation, 17
    - chronic heart failure, 16
    - risk factor, 16
    - stroke, 17
    - systolic and diastolic blood pressure, 16
  - frailty, 3
  - physical activity interventions, 93
- Cardiovascular system, 34
  - blood flow, 7–8
  - cardiac hypertrophy, 7
  - cardiac output, 7
  - cardiac valves, 7
  - rate of filling, 7
  - stroke volume, 7
  - structural and functional changes, 6
- CDSMP. *See* Chronic Disease Self-Management Program (CDSMP)
- Chair hamstrings stretch, 45
- Chair hip rotator stretch, 46
- Chest and biceps stretch, 47
- Chronic Disease Self-Management Program (CDSMP), 146
- Chronic obstructive pulmonary disease (COPD), 18–19

- Chronic respiratory disease, 15, 18–19
- Community-based exercise programs
- benefits, 132
  - evidence-based community programs
    - AOA, 132–133
    - components, 134
    - Enhance Fitness program, 137
    - Fit and Strong! program, 137
    - implementation, 135
    - interventions, 134
    - MOB program, 137
    - risk factor, 134
    - sources, 134
    - Stepping On program, 137–138
    - sustainability, 135
    - Tai Chi, 138
  - planning steps, 135–136
  - “Sisters in Motion” program, 132
  - traditional healthcare setting, 132
- Culture
- fitness deserts, 94–95
  - health care professionals, 86, 94
  - perceptions and attitudes
    - African Americans, 87
    - American Indians and Alaska Natives, 88, 89
    - Chinese and Korean, 89
    - Filipinos, 89
    - Hispanics/Latinos, 88
    - self-described ethnicity, 87
    - South Asian, 90
    - Vietnamese and Cambodian, 90
  - physical activity interventions
    - American Indians and Alaska Natives, 93–94
    - older African Americans, 91
    - older Asian Americans, 93
    - older Hispanics/Latinos, 92
- D**
- Dementia
- benefits of exercise, 19
  - IADL and ADL, 114
- Depression
- benefits of exercise, 20–21
  - and social isolation, 125
  - strength training, 49
- E**
- Elderly Mobility Scale, 115–116
- Embodied conversational agent (ECA), 92
- Endurance training, 42, 54–55
- Enhance Fitness program, 137
- Evidence-based community programs, 141, 142
- AOA, 132–133
  - components, 134
  - Enhance Fitness program, 137
  - Fit and Strong! program, 137
  - implementation, 135
  - interventions, 134
  - MOB program, 137
  - risk factor, 134
  - sources, 134
  - Stepping On program, 137–138
  - sustainability, 135
  - Tai Chi, 138
- Exercise, 137–138
- balance exercises (*see* Balance exercises)
    - benefits, 99
    - cancer, 17–18
    - cardiovascular disease, 15–17
    - chronic respiratory disease, 18–19
    - dementia, 19
    - depression, 20–21
    - diabetes type 2, 20
    - functional capacity and falls, 21–22
    - maintenance of, 23–25
    - osteoarthritis, 21
    - sarcopenia, 21
  - cardiovascular risks
    - abnormal heart arrhythmias, 34
    - antihypertensive medication, 34
    - high blood pressure, 33
    - pharmaceutical and surgical interventions, 34
    - pre-hypertension, 33
    - snow shovelling, 32
    - vigorous exercise, 32
  - chronic diseases and risk factor
    - environmental factors, 36–37
    - hearing loss, 38
    - obesity rates, 36–37
    - PAD, 36
    - physiologic changes, 38
  - cultural considerations (*see* Culture)
  - definition, 97
  - effects of, 10
  - factors, 86
  - flexibility training (*see* Flexibility training)
  - guidelines, 15
  - hospitalized older adults (*see* Hospitalized older adults)
  - institutional older adults (*see* Institutional older adults)
  - musculoskeletal risks
    - bone-building exercises, 36
    - bone mass and prevent fractures, 36

- “boomeritis,” 35
  - fall risk, 35–36
  - osteoarthritis, 35
  - osteoporosis, 36
  - starting, 42–43
- Exercise and Screening for You (EASY) tool, 31, 146
- Exercise prescription
  - aerobic endurance training, 71–74
  - balance and agility training, 78–80
  - designing exercise programs
    - challenge and adaptation, 69
    - functional relevance, 69
    - multi components, 70–71
    - tailoring/adaptation, 70
  - flexibility training, 77–78
  - lifestyle changes, 80–81
  - resistance training
    - concentric, eccentric and isometric muscle actions, 76
    - designing and tailoring, 74
    - lifting light-to-moderate loads, 75
    - multiple joint actions, 76
    - prevent injury/overtraining issues, 74
    - safety considerations, 77
    - sedentary lifestyle, 74
    - tailoring, 74
    - training frequency, 76
    - training intensity, 75
  - science and art of, 68–69
  - sensory/cognitive loss, older adults with, 81
- F**
- Flexibility training, 41
  - instructions for, 44
  - lower back/abdominal stretches
    - abdominal stretch, 49
    - seated lower back stretch, 48
    - supine lower back stretch, 48
  - lower body stretches
    - chair hamstrings stretch, 45
    - chair hip rotator stretch, 46
    - seated butterfly groin stretch, 46
    - seated gluteal stretch, 46
    - seated hamstrings stretch, 45
    - standing calf stretch, 45
    - standing groin stretch, 47
    - standing quadriceps stretch, 45
    - supine hamstrings stretch, 44
    - supine hip rotator stretch, 46
  - upper body stretches
    - chest and biceps stretch, 47
    - neck stretch, 48
    - shoulder stretch, 47
    - triceps stretch, 47
    - upper back stretch, 48
- Frailty
  - aerobic power, 125
  - causes, 125–126
  - definitions, 124–125
  - disability, 124
  - endurance, 125
  - exercise, 124
  - exhaustion, 124
  - multi-morbidity, 124
  - older adults (*see* Older adults)
  - phenotype, 124
  - resistance, 124
- Functional fitness training, 68
- Function-focused care approach, 103
- H**
- Hierarchical Assessment of Balance and Mobility (HABAM) scale, 116
- Hospitalized older adults
  - approaches, 120
  - Elderly Mobility Scale, 115–116
  - exercise interventions, 119
    - bed rest, 119
    - geriatric teams and units, 117
    - hospital environments, 118
    - NICHE strategy, 118
    - Project Move, 118
    - Walking for Wellness, 118
  - HABAM scale, 116
  - ICU setting, 116
  - immobility, 113–114
- I**
- Implementation and dissemination exercise programs
  - community stakeholders, 146–147
  - EASY tool, 146
  - evidence-based programs, 141, 142
  - stakeholder questions, 140, 141
  - Texas Case studies
    - broad-based partnerships, 143
    - CDSMP, 146
    - Fit and Strong! program, 145
    - health issue, 143
    - interventions, 143
    - intervention selection, 144
    - program dissemination, 144
    - program evaluations, 144
    - program sustainability, 144
    - Texercise* program, 145

- Institutional older adults  
 chair sit-to-stand, 99, 105  
 cognitive and behavioral problems, 106–107  
 environmental safety consideration,  
 101–103  
 group activities, 105–106  
 individual approaches  
 function-focused care approach,  
 103–104  
 goal attainment scale guide, 104, 105  
 physical capability assessment, 104  
 long-term care facility, 98  
 moderate intensity aerobic exercise, 98  
 motivation, 107–108  
 risks and benefits, exercise, 99–101  
 Instrumental of activities of daily living  
 (IADL), 114
- K**  
 Knee raises, 56
- L**  
 Lower back/abdominal stretches  
 abdominal stretch, 49  
 seated lower back stretch, 48  
 supine lower back stretch, 48  
 Lower body stretches  
 chair hamstrings stretch, 45  
 chair hip rotator stretch, 46  
 seated butterfly groin stretch, 46  
 seated gluteal stretch, 46  
 seated hamstrings stretch, 45  
 standing calf stretch, 45  
 standing groin stretch, 47  
 standing quadriceps stretch, 45  
 supine hamstrings stretch, 44  
 supine hip rotator stretch, 46  
 Lower leg length (LLL), 103
- M**  
 Matter of Balance (MOB) program, 137, 143  
 MOB program. *See* Matter of Balance (MOB)  
 program  
 Motivational interviewing  
 definition, 60  
 following style, 61  
 guiding, 61  
 internal personality trait, 61  
 patient directing, 61  
 process of change  
 change talk, 61, 62  
 confidence scale, 63  
 DARN (Desire, Ability, Reasons,  
 Need), 62  
 OARS techniques, 62  
 summarizations, 64  
 Musculoskeletal system, 4–5
- N**  
 National Council on Aging Center for Healthy  
 Aging, 133–134  
 Neck stretch, 48  
 Nervous system, 5  
 Nurses Improving Care of Health system  
 Elders (NICHE) strategy, 118  
 Nursing home. *See* Institutional older adults
- O**  
 Older adults  
 community-based exercise programs  
 (*see* Community-based exercise  
 programs)  
 exercise benefits and risk factor  
 (*see* Exercise)  
 exercise, cultural considerations  
 (*see* Culture)  
 exercise prescription (*see* Exercise  
 prescription)  
 frailty identification, 126–127  
 frailty prevalence, 125  
 hospitalized older adults (*see* Hospitalized  
 older adults)  
 institutional older adults (*see* Institutional  
 older adults)  
 interventions, 127–128  
 motivational interviewing  
 (*see* Motivational interviewing)  
 Osteoarthritis, 21
- P**  
 Person-environment fit (P-E fit), 103  
 Pet therapy exercise, 57  
 Physical Activity Readiness Questionnaire  
 for Everyone (PAR-Q+), 31  
 Physical capability assessment, 104  
 Physical inactivity, 15

**R**

- Reach, effectiveness, adoption, implementation, and maintenance (RE-AIM), 136
- RE-AIM. *See* Reach, effectiveness, adoption, implementation, and maintenance (RE-AIM)
- Resistance training, 30, 42, 71, 99
  - concentric, eccentric and isometric muscle actions, 76
  - designing and tailoring, 74
  - lifting light-to-moderate loads, 75
  - multiple joint actions, 76
  - prevent injury/overtraining issues, 74
  - safety considerations, 77
  - sedentary lifestyle, 74
  - tailoring, 74
  - training frequency, 76
  - training intensity, 75

**S**

- Sarcopenia, 4, 21, 125
- Seated butterfly groin stretch, 46
- Seated gluteal stretch, 46
- Seated hamstrings stretch, 45
- Seated lower back stretch, 48
- Shoulder stretch, 47
- Single-leg balance, 55
- “Sisters in Motion” program, 132
- Spinal balance, 56
- Stability ball sit, 56
- Standing calf stretch, 45
- Standing groin stretch, 47
- Standing quadriceps stretch, 45
- Stepping On program, 137–138
- Strength training, 41
  - Borg rating of, 53
  - instructions for, 50
  - lower back/abdominal exercises
    - abdominal crunch, 52
    - back extensions, 53

- lower body strength training exercises
  - chair squats, 52
  - seated leg extensions, 51
  - standing calf raises, 52
  - standing hamstrings curl, 51
  - supine hip lifts, 52
- RPE scales, 49
- upper body strength training exercises
  - biceps curl, 51
  - chest press, 50
  - front shoulder raises, 50
  - standing triceps extension, 51
  - upright row, 50
- Supine hamstrings stretch, 44
- Supine hip rotator stretch, 46
- Supine lower back stretch, 48

**T**

- Tai Chi exercises, 16, 21, 57, 138
  - osteoarthritis, 21
  - systolic and diastolic blood pressure, 16
- Tandem standing, 56
- Texercise* program, 145
- Triceps stretch, 47
- Type 2 diabetes, 13, 20

**U**

- United States Preventive Services Task Force (USPSTF), 59
- Upper body stretches
  - chest and biceps stretch, 47
  - neck stretch, 48
  - shoulder stretch, 47
  - triceps stretch, 47
  - upper back stretch, 48

**W**

- Water aerobics, 57