

---

# Index

## A

- Achalasia, 129, 159–161, 317–318
- Acute abdominal pain
  - diagnostic imaging, 62–63
  - gynecological causes, 114–118
  - hepatobiliary causes, 110, 111
  - intra-abdominal/extra-abdominal disorders, 62
  - renal causes, 111–113
- Acute pancreatitis, 111–113, 308–309
- Adenocarcinoma, 201, 306
- Amebiasis, 299
- American Society of Anaesthesiologists (ASA), 314, 315
- Annular pancreas, 16, 17, 300–302
- Anorectal anomalies
  - abdominal radiography, 260–262
  - congenital abnormalities, 259
  - embryological development, 258
  - micturating cystogram, 260, 262–263
  - MRI, 263
  - PSARP, 260
- Antegrade colonic enema, 322–324
- Antegrade gastrostomy technique, 319–320
- Appendicitis
  - abdominal radiography, 238, 239
  - CT, 93–95, 238–239, 241–243
  - epidemiology, 82
  - graded compression
    - acute appendicitis, 240
    - features, 241
    - hypoechoic fluid, 240
    - linear transducer, 239
    - principle, 239
    - ultrasound, 240, 241
  - incidence rate, 238
  - management, 95–97
  - MRI, 95, 97, 239
  - pathogenesis, 82
  - US
    - accuracy rate, 82, 238
    - advantages, 238
    - axial scan, 83, 84, 86
    - color Doppler, 90, 91
    - compression, 83

- disadvantages, 238
  - in vitro pattern, 85, 86
  - normal appendix, 83, 84, 94
  - obstructive appendicitis, 83, 86
  - pelvic appendicitis, 91, 92
  - perforation, 89, 90
  - peritonitis, 89, 90
  - tip ending pattern, 88
- ASA. *See* American Society of Anaesthesiologists (ASA)
- Autoimmune pancreatitis, 309
- Azygoesophageal recess, 127

## B

- Bezoar, 195–197
- Biliary atresia (BA)
  - common bile duct, 278, 279
  - Kasai procedure, 278
  - macroscopic classification, 278
  - percutaneous liver biopsy, 278
  - ultrasound technique, 278
- Bilious vomiting, 14, 21–23, 252
- Biopsy techniques, 333–334
- Blunt hepatic injury (BHI), 334
- Bronchus, 147–149
- Burkitt lymphoma, 73, 75, 226, 227

## C

- Caecostomy
  - ACE, 322, 323
  - colon, 322, 323
  - encopresis, 321
  - faecal incontinency, 321–322
  - soiling, 321
  - trapdoor, 322, 324
- Caustic injury, 162–164
- CD. *See* Crohn disease (CD)
- CES. *See* Congenital esophageal stenosis (CES)
- CF. *See* Cystic fibrosis (CF)
- CGDC. *See* Chronic granulomatous disease of childhood (CGDC)
- Chlamydia trachomatis*, 117

- Choledochal cyst, 110–111, 281–283  
 Chronic granulomatous disease of childhood (CGDC), 193, 194  
 Chronic intestinal pseudo-obstruction (CIPO), 252, 254  
 Colon  
   anorectal anomalies  
     abdominal radiography, 260–262  
     congenital abnormalities, 259–260  
     embryological development, 258  
     micturating cystogram, 260, 262–263  
     MRI, 263  
     PSARP, 260  
   atresia, 256, 257  
   constipation  
     abdominal radiography, 252–253  
     causes, 250  
     CIPO, 252, 254  
     definition, 250  
     functional, 250–251, 254–255  
     Hirschsprung's disease, 251–252  
     hypoganglionosis, 254  
     NID, 254  
     total colonic aganglionosis, 254  
   duplication cyst, 256–258  
   functional immaturity, 255–256  
 IBD  
   abdominal radiography, 266  
   Crohn disease, 266  
   CT, 268  
   imaging in inflammatory bowel disease of the colon, 266–268  
   MRE, 268–270  
   ulcerative colitis, 266  
   intussusception (*see* Intussusception)  
   lymphoid hyperplasia, 265  
   NEC, 265–266  
   stenosis, 256, 257  
   typhlitis, 263–264  
   volvulus, 264–265  
 Colonic atresia, 29, 36, 38, 41, 256, 257  
 Colonic obstruction  
   classification criteria, 38  
   colon atresia, 36, 38  
   functional immaturity, 42, 44  
   Hirschsprung disease, 38–40, 42–44  
   meconium plug syndrome, 46–47  
   small left colon syndrome, 46, 48  
   “windsock” appearance, 38  
 Common bile duct, 278, 279  
 Computed tomography (CT)  
   appendicitis, 93–95, 238–239, 241–243  
   CD, 228, 229  
   CF, 231  
   diagnostic accuracy, 7  
   esophagus, 135  
   IBD, 16, 268  
   intussusception, 69  
   MDCT, 135, 151, 153–155  
   vs. MRI, 95, 111  
   PET-CT, 212, 227, 291  
   radiation dose, 4, 7  
   small bowel, 211  
   Congenital chloride diarrhoea, 218  
   Congenital esophageal stenosis (CES), 145–147  
 Contrast examinations  
   barium compounds, 4  
   use of contrast studies, 5–6  
   water-soluble contrast agents, 4–5  
 Conventional radiography  
   contrast agents  
     air, 6  
     barium compounds, 4  
     duodenojejunal junction, 5  
     enemas, 5–6  
     GER, 5  
     water-soluble, 4–5  
   nasogastric tube, 2, 3  
   orogastric tube, 2, 3  
   radiation dose, 3–4  
   rule of 6's, 2  
   soft tissue density, 2  
   supine position, 1  
   umbilical catheters, 2–3  
 Core needle biopsy, 333–334  
 Crohn disease (CD)  
   colon, 267, 269  
   CT, 228, 229  
   eosinophilic colitis, 229  
   esophagus, 169–170  
   etiology, 195, 228  
   GI study, 196  
   IBD, 106  
   MRE, 229, 230  
   US, 228  
 CT. *See* Computed tomography (CT)  
 Cystic fibrosis (CF), 303  
   CFTR gene, 231  
   CT image, 231  
   DIOS, 231–233  
   meconium ileus, 231–233
- D**  
 Diffusion-weighted imaging (DWI), 227, 290, 297  
 Distal intestinal obstruction syndrome (DIOS), 231–233  
 Drainage of abscesses, 324–326  
 Duodenal atresia, 15–17, 27, 211  
 Duodenal obstruction  
   neonatal intestinal obstruction  
     annular pancreas, 16, 17  
     bilious vomiting, 14  
     “double bubble” image, 15  
     duodenal atresia, 15, 16  
     midgut volvulus, 16, 18  
     partial obstruction, 17–18  
   small bowel  
     atresia, 213  
     clinical manifestation, 213  
     definition, 212  
     intestinal malrotation, 213

UGI, 213–214  
 windsock, 214, 215  
 Duplication cyst, 147–149, 182, 220–221

## E

EA. *See* Esophageal atresia (EA)  
*Echinococcus granulosus*, 297, 299  
 Ectopic pancreas, 14, 15, 187, 188, 301  
 EG. *See* Eosinophilic gastritis (EG)  
 Embryonal rhabdomyosarcoma of the biliary tree, 293–294  
 Endoscopic antegrade cholangiography (ERC), 328–329  
 Endoscopic retrograde cholangiopancreatography (ERCP), 301, 303  
 Enteritides, 222  
 Enteritis, 103–104, 222  
 Enterocolitis, 42  
 Eosinophilic colitis, 230  
 Eosinophilic esophagitis, 169  
 Eosinophilic gastritis (EG), 194–195  
 Epidermolysis bullosa, 167–168  
 Epiploic appendagitis, 108–109  
 Esophageal atresia (EA)  
   antenatal diagnosis, 139–141  
   autosomal disorders, 144  
   classification, 139, 140  
   H-type fistula, 142–144  
   postnatal diagnosis, 140  
   postoperative appearance, 144–145  
   “pouch-o-gram,” 142  
   TEF classification, 139, 140  
   VACTERL association, 143, 144  
 Esophageal balloon dilatation  
   achalasia, 317–318  
   strictures, 316–317  
 Esophageal bronchus, 147–149  
 Esophageal neoplasms, 172  
 Esophagus  
   acquired abnormalities  
     achalasia, 159–161  
     caustic injury, 162–164  
     Crohn disease, 169–170  
     eosinophilic esophagitis, 169  
     epidermolysis bullosa, 167–168  
     foreign body ingestion, 159, 161–162  
     GER (*see* Gastroesophageal reflux (GER))  
     GVHD, 169–170  
     iatrogenic perforation, 166–167  
     infectious esophagitis, 168  
     leiomyomas, 171–172  
     strictures, 164–166  
     varices, 170–171  
   congenital anomalies  
     bronchus, 147–149  
     CES, 145–147  
     duplication cyst, 147–149  
     EA (*see* Esophageal atresia (EA))  
     hiatus hernia (*see* Hiatus hernia)

    pulmonary artery sling, 154–155  
     vascular rings, 151, 153–154  
 CT, 135  
 embryology, 126–127  
 fluoroscopy  
   barium esophagram, 130–132  
   indications, 130, 132  
   pulmonary aspiration, 131, 133  
 imaging anatomy  
   A-and B-rings, 127  
   AER, 127  
   diaphragm, 127  
   LES, 128  
   UES, 128  
 MRI, 135  
 perforation, 166–167  
 radiography  
   air-filling assessment, 129  
   esophageal malposition, 129  
   iatrogenic perforation, 129, 130  
   NG tube terminations, 129, 130  
 scintigraphy, 135, 136  
 swallowing disorders  
   esophageal dysmotility, 136, 137  
   laryngeal penetration, 138  
   nasal regurgitation, 137  
   normal swallowing, 135–136  
   pediatric dysphagia, 137  
   pulmonary aspiration, 138  
   VFSS, 138–139  
 ultrasound, 135  
 Extranodal marginal zone B-cell lymphoma (ENMZL), 199

## F

Familial adenomatous polyposis (FAPS), 197–198  
 FDG-positron emission tomography (FDG-PET), 290–291  
 Fine needle aspiration (FNA), 333–334  
 Focal nodular hyperplasia (FNH), 288  
 Focused Assessment with Sonography for Trauma (FAST), 334  
 Foreign body ingestion, 159, 161–162, 191, 192  
 Frantz tumor, 307  
 Functional immaturity, 42, 44, 255–256  
 Fungal infections, 297, 298

## G

Gastric adenocarcinoma, 201–202  
 Gastric diverticula, 183  
 Gastric duplication cyst, 182–183  
 Gastric inflammatory pseudotumor, 203  
 Gastric lymphoma, 199–201  
 Gastric outlet obstruction  
   ectopic pancreas, 14, 15  
   incomplete antral web, 14  
   prostaglandin-induced, 13, 14  
   pyloric atresia, 12–13  
   “single bubble” appearance, 13

Gastric perforation, 195  
 Gastric polyps  
   FAPS, 197–198  
   hamartomatous polyposis syndrome, 198–199  
 Gastric teratoma, 202  
 Gastric volvulus, 184–186  
 Gastroenteritis, 103–106  
 Gastroesophageal reflux (GER)  
   definition, 155  
   fundoplication, 156, 157  
   incidence, 155  
   pH studies, 5, 155–156  
   scintigraphy, 157–158  
   strictures, 156, 157  
   symptoms, 155  
   treatment, 156  
   US, 181  
 Gastrointestinal stromal tumors (GIST), 199–201  
 Gastrojejunostomy, 321  
 Gastrostomy, 8–9, 203  
 GDC. *See* Gastric duplication cyst (GDC)  
 GER. *See* Gastroesophageal reflux (GER)  
 GIST. *See* Gastrointestinal stromal tumors (GIST)  
 Graded compression sonography  
   acute appendicitis, 240  
   features, 241  
   hypoechoic fluid, 240  
   linear transducer, 239  
   principle, 239  
 Graft *versus* host disease (GVHD), 169–170

**H**

HCC. *See* Hepatocellular carcinoma (HCC)  
*Helicobacter pylori*, 189, 190  
 Hemangioendothelioma, 285–286  
 Hamartomatous polyposis syndrome, 198–199  
 Henoch-Schönlein purpura (HSP), 106, 234, 235  
 Hepatitis  
   amebiasis, 299  
   bacterial infection, 296–297  
   definition, 294  
   fungal infection, 297, 298  
   hydatid cyst, 297, 299  
   viral infection, 294–295  
 Hepatoblastoma  
   definition, 288–289  
   DWI, 290  
   FDG-PET, 290–291  
   imaging features, 289–291  
   SPIO, 290  
 Hepatocellular carcinoma (HCC), 291–293  
 Hereditary pancreatitis, 309  
 Hiatus hernia, 149–152  
 Hirschsprung disease, 38–40, 42–44, 251–254  
 HPS. *See* Hypertrophic pyloric stenosis (HPS)  
 Hydatid cysts, 297, 299  
 Hyperganglioneosis, 251, 252  
 Hyperosmolar contrast agents, 4, 7, 34  
 Hypertrophic pyloric stenosis (HPS), 181, 187–189

**I**

Iatrogenic perforation, 166–167  
 IBD. *See* Inflammatory bowel disease (IBD)  
 Idiopathic intussusception, 243  
 Idiopathic neonatal hepatitis, 280, 282  
 Ileal atresia, 30, 31  
 Ileal obstruction, 214–215  
 Ileocaecal syndrome. *See* Typhlitis  
 Ileocolic intussusception, 243, 244  
 Infantile hemangioendothelioma/infantile hemangioma,  
   285–286  
 Infantile hypertrophic pyloric stenosis (Infantile HPS)  
   abdominal X-ray, 188  
   causes, 187  
   etiology, 187  
   pyloric stenosis, 188  
   pyloromyotomy, 189  
   upper GI contrast study, 188–189  
   US, 188  
 Infectious esophagitis, 168  
 Infectious gastritis, 191  
 Inflammatory bowel disease (IBD)  
   abdominal radiography, 266  
   Crohn disease, 266  
   CT, 107, 268  
   imaging in inflammatory bowel disease of the colon,  
     266–268  
   MRE (*see* MR enterography (MRE))  
   ulcerative colitis, 266  
   US, 106  
 Insulinomas, 308  
 Intestinal obstruction. *See* Neonatal intestinal  
   obstruction  
 Intraperitoneal cysts, 221–223  
 Intussusception (IT)  
   AXR, 243–244  
   Burkitt lymphoma, 73, 75  
   CT, 69  
   delayed repeat enema, 249–250  
   diagnosis, 63–64  
   enema therapy  
     air enema, 77, 78  
     barium enema, 77  
     perforations, 76  
     pressure, 76  
     US guidance, 77–79, 82  
   hyperplasia, 63  
   idiopathic, 63, 243  
   ileocolic, 243  
   ileo-ileocolic, 243  
   incidence, 63  
   Meckel diverticulum, 73–75  
   nonoperative reduction  
     fluoroscopic air enema, 247–248, 250  
     ultrasound hydrostatics, 248–249  
     ultrasound pneumatics, 249  
   plain radiography  
     contrast enema, 69, 70  
     meniscus sign, 68, 69  
     “target sign,” 68

- reducibility assessment
  - blood flow, 72
  - dissection sign, 69
  - trapped fluid, 69–72
- small bowel, 72–73
- US
  - crescent-in-donut sign, 64, 65, 244–246
  - air appearance, 66, 67
  - hyperechoic mesentery, 66, 68
  - longitudinal view, 66
  - reducibility assessment, 246–247
  - structural analysis, 64
- Isotonic contrast agents, 5, 146, 149
- IT. *See* Intussusception (IT)
  
- J**
- Jejunal atresias, 26–29
- Jejunal obstruction, 214–215
- Juvenile polyposis, 198
  
- L**
- Ladd's bands, 15, 17, 19, 23
- Leiomyomas, 171–172
- LES. *See* Lower esophageal sphincter (LES)
- Liver
  - biliary atresia (BA)
    - common bile ducts, 278, 279
    - Kasai procedure, 278
    - macroscopic classification, 277
    - percutaneous liver biopsy, 278
    - ultrasound, 278
  - choledochal cyst, 281–283
  - hepatitis
    - amebiasis, 299
    - bacterial infection, 296–297
    - definition, 294
    - fungal infections, 297, 298
    - hydatid cysts, 297, 299
    - viral infection, 294–295
  - idiopathic neonatal hepatitis, 280, 282
  - liver measurements, 275–276
  - MRCP, 275
  - neonatal jaundice, 276–277
  - neoplasms (*see* Neoplasm)
  - PLD, 283–285
  - US, 275–277
- Loopogram technique, 262–263
- Lower esophageal sphincter (LES), 128
- Low-osmolar contrast agents, 4, 7
- Lymphoid hyperplasia, 63, 84, 265
  
- M**
- Magnetic resonance cholangiopancreatography (MRCP), 110–111, 275, 301, 303
- Magnetic resonance enterography (MRE)
  - CD, 266, 269
  - MRC, 268
  - perianal region, 269–270
  - ulcerative colitis, 269
- Magnetic resonance imaging (MRI)
  - advantages, 7
  - angiography, 289
  - appendicitis, 95, 97
  - claustrophobia, 7
  - colonography, 268
  - vs.* CT, 95, 111
  - esophagus, 135
  - intravenous agents, 8
  - oral agents, 8
  - protocols, 7–8
  - small bowel, 212
  - spatial resolution, 8
- Malrotation and/or midgut volvulus
  - anteroposterior supine view, 20
  - “beaked” appearance, 23
  - bilious vomiting, 21–23
  - contrast medium, 22
  - counterclockwise barber-pole, 25
  - incomplete rotation, 19
  - Ladd's bands, 19
  - non-rotation, 19
  - normal air pattern, 20, 21
  - obstructed distended air pattern, 20, 21
  - SMA and SMV, 24–25
  - “whirlpool” sign, 24, 25
  - Z-configuration, 23, 24
- MDCT. *See* Multidetector computed tomography (MDCT)
- Meckel diverticulum, 102–103
- Meconium ileus, 32–35, 46, 218, 231–232
- Meconium ileus-like syndrome, 218, 220
- Meconium peritonitis, 35–39, 215–216
- Meconium plug syndrome, 46–47, 255–257
- Megacystis-microcolon-malrotation-intestinal-hypperistalsis syndrome (MMMIHS), 216–217
- Ménétrier disease (MD), 192
- Mesenchymal hamartoma, 286–288
- Mesenteric lymphadenitis, 108
- Metastatic lesions of the liver
- Micturating cystogram (MCU) 262–263
- Midgut volvulus, 16, 18–23, 100–102
- MRCP. *See* Magnetic resonance cholangiopancreatography (MRCP)
- MRE. *See* Magnetic resonance enterography (MRE)
- MRI. *See* Magnetic resonance imaging (MRI)
- Mucosa-associated lymphoid tissue (MALT), 189, 199
- Multidetector computed tomography (MDCT), 135, 151, 153–155
- Mycobacterium tuberculosis*, 110
  
- N**
- Necrotising enterocolitis (NEC)
  - color Doppler sonogram, 52, 53, 55
  - contrast enema, 55
  - pneumatosis intestinalis, 49, 50

- Necrotising enterocolitis (NEC) (*cont.*)  
 pneumoperitoneum, 49, 52  
 portal vein air, 49, 51, 54  
 radiological findings, 265  
 risk factors, 265  
 strictures, 265, 266
- Neff-set®, 324–326
- Neisseria gonorrhoeae*, 117
- Neonatal intestinal obstruction  
 colonic obstruction  
 classification criteria, 38  
 colon atresia, 36, 38  
 functional immaturity, 42, 44  
 Hirschsprung disease, 38–40, 42–44  
 meconium plug syndrome, 46–47  
 small left colon syndrome, 46, 48  
 “windsock” appearance, 38
- distal small bowel obstruction  
 contrast enema, 32, 33  
 cystic fibrosis, 32, 35  
 gastrografin, 34  
 ileal atresia, 30, 31, 33, 34  
 meconium ileus, 32  
 meconium peritonitis, 35–38
- duodenal obstruction  
 annular pancreas, 16, 17  
 bilious vomiting, 14  
 “double bubble” image, 15  
 duodenal atresia, 15, 16  
 midgut volvulus, 16, 18  
 partial obstruction, 17–18
- gastric outlet obstruction  
 ectopic pancreas, 14, 15  
 incomplete antral web, 14  
 prostaglandin-induced, 13, 14  
 pyloric atresia, 12–13  
 “single bubble” appearance, 13
- high small bowel obstruction, 25–28
- malrotation and midgut volvulus  
 anteroposterior supine view, 20  
 “beaked” appearance, 23  
 bilious vomiting, 21–23  
 contrast medium, 22  
 counterclockwise barber-pole, 25  
 incomplete rotation, 19  
 Ladd’s bands, 19  
 non-rotation, 19  
 normal air pattern, 20, 21  
 obstructed distended air pattern, 20, 21  
 SMA and SMV, 24–25  
 “whirlpool” sign, 24, 25  
 Z-configuration, 23, 24
- Neoplasm  
 FNH, 288HAE, 285–286  
 malignant  
 embryonal rhabdomyosarcoma, 293–294  
 HCC, 291–293  
 hepatoblastoma (*see* Hepatoblastoma)  
 metastatic lesions, 294–296  
 UES, 294  
 MHL, 286–288  
 Nesidioblastosis, 308  
 Neuronal intestinal dysplasia (NID), 252, 254
- O**  
 Omental infarction, 108–109
- P**  
 Pancreas  
 anatomy and embryology, 299–300  
 congenital anomalies  
 agenesis, 303  
 annular pancreas, 300–302  
 cystic fibrosis, 303  
 dysplasia, 303  
 ectopic pancreas, 301  
 hypoplasia, 303  
 pancreatic cyst, 305–306  
 pancreatic divisum, 301–303  
 Shwachman–Diamond syndrome, 303, 304  
 VHL, 303–305  
 endocrine neoplasia, 307–308  
 exocrine neoplasia  
 adenocarcinoma, 306  
 Frantz tumor, 307  
 pancreatoblastoma, 306–307  
 pancreatitis  
 acute, 308–309  
 autoimmune, 309  
 chronic, 309  
 definition, 308  
 hereditary, 309  
 Pancreatic cysts, 305–306  
 Pancreatoblastoma, 306–307  
 Peptic ulcer disease (PUD), 189–190  
 Percutaneous gastrostomy (PEG)  
 antegrade technique, 319–320  
 complications, 318  
 retrograde technique, 319, 320  
 Percutaneous transhepatic cholangiography (PTC),  
 282–283, 294, 326  
 Perforated appendicitis, 89, 90, 95  
 Peritonitis, 89, 90, 109  
 PET-CT. *See* Positron emission tomography (PET-CT)  
 Peutz–Jeghers syndrome, 198, 199, 306  
 Pneumatosis intestinalis, 48–51  
 Pneumoperitoneum, 52, 55–56  
 Polycystic liver disease (PLD), 283–285  
 Positron emission tomography (PET-CT), 212, 227, 291  
 Posterior sagittal anorectoplasty (PSARP), 260  
 Post-laparoscopic appendectomy complication (PLAC),  
 109  
 Postoperative appearances of the stomach, 203–204  
 Protein-losing enteropathy, 192, 227–228

PTA balloon, 320  
 PTC. *See* Percutaneous transhepatic cholangiography (PTC)  
 PUD. *See* Peptic ulcer disease (PUD)  
 Pulmonary artery sling, 154–155  
 Pulmonary aspiration, 131, 133, 138, 158  
 Pulse-fluoroscopy, 4  
 Pyloric atresia, 13, 184

## R

### Radiological gastrointestinal intervention

abdominal trauma  
 angiography, 334  
 BHI, 334  
 complications, 337  
 FAST, 334, 335  
 renal injury, 335–337  
 TAE, 334–336  
 biliary drainage  
 Caroli disease, 326, 329  
 ERC, 328–329  
 hepatoblastoma, 326–327  
 Neff set®, 325, 326  
 obstructive ureters, 328, 330  
 PTC, 326, 328  
 urethral valve, 328, 330  
 biopsy, 333–334  
 caecostomy  
 ACE, 322, 323  
 colon, 322, 323  
 encopresis, 321  
 faecal incontinency, 321–322  
 soiling, 321  
 trapdoor, 322, 324  
 esophageal balloon dilatation  
 achalasia, 317–318  
 strictures, 316–317  
 gastrojejunostomy, 321  
 PEG  
 antegrade technique, 319–320  
 complications, 318  
 retrograde technique, 319, 320  
 percutaneous abscess drainage  
 catheters, 324, 325  
 complications, 324  
 definition, 324  
 perirectal abscess, 325  
 ultrasound, 324  
 sedation  
 ASA classification, 314, 315  
 definition, 314  
 drugs, 315  
 TIPS  
 clinical indication, 330–331  
 complications, 331, 333  
 contraindications, 331  
 esophageal varices, 329–330

portal hypertension, 329  
 split liver transplant, 331, 332  
 Radionuclide studies, 8, 9  
 Renal lithiasis, 112  
 Retrograde gastrostomy technique, 319  
 Rhabdomyosarcoma (RMS), 293–294  
 Rotavirus vaccination, 63

## S

Secretin administration during MRCP (S-MRCP), 303  
 Sedation, 314–316  
 Shwachman-Diamond syndrome, 303, 304  
 Small bowel  
 aneurysmal dilatation, 226  
 Burkitt lymphoma, 226, 227  
 congenital chloride diarrhoea, 218  
 contrast examination, 211–212  
 conventional radiography, 210–211  
 Crohn disease, 228–230  
 CT scan, 212  
 cystic fibrosis  
 CFTR gene, 231  
 CT image, 231  
 DIOS, 232–233  
 meconium ileus, 231–233  
 duodenal obstruction  
 atresia, 213  
 clinical manifestation, 213  
 definition, 212  
 intestinal malrotation, 213  
 UGI, 213–214  
 windsock, 214, 215  
 duplication cyst, 220–221  
 enteritides, 222  
 functional intestinal obstruction, 218, 220  
 Henoch-Schönlein purpura, 234, 235  
 ileus, 224–226  
 intussusception, 72–73, 222–224, 226  
 jejunal/ileal obstruction, 214–215  
 lymphangiomas, 221–223  
 Meckel diverticulum, 219–221  
 meconium peritonitis, 215–217  
 mesenterial cyst, 221–222  
 MMMIHS, 216–217  
 MRI, 212  
 obstruction, 97–101  
 omental cyst, 221–222  
 perforation, 218, 219  
 PET-CT, 212  
 protein-losing enteropathy, 227–228  
 SMA syndrome, 231  
 tuberculosis, 233, 235  
 US, 212  
 volvulus, 219  
 Small left colon syndrome, 46, 48, 255–256  
 Solid pseudopapillary tumor (SPT), 307

## Stomach

- bezoar, 195–197
- congenital anomalies
  - fetal study, 181–182
  - gastric diverticula, 183
  - gastric duplication cyst, 182–183
  - gastric mucosa, 186
  - gastric volvulus, 184–186
  - microgastria, 183–184
  - pancreatic tissue, 187, 188
  - pyloric atresia, 184
  - stenosis and webs, 184
- embryology and anatomy, 177–179
- foreign body ingestion, 197
- gastric adenocarcinoma, 201
- gastric inflammatory pseudotumor, 203
- gastric lymphoma, 199–201
- gastric perforation, 195
- gastric polyps
  - FAPS, 197–198
  - hamartomatous polyposis syndrome, 198–199
- gastritis
  - caustic ingestion, 191–192
  - CD, 193, 195
  - CGDC, 193, 194
  - EG, 192–193
  - infectious, 191
  - MD, 192–193
- gastrostomy, 203
- GIST, 200–201
- infantile HPS
  - abdominal X-ray, 188
  - causes, 187
  - etiology, 187–188
  - pyloric stenosis, 188, 189
  - pyloromyotomy, 189
  - upper GI contrast study, 189
  - US, 188
- postoperative appearance, 203–204
- PUD, 189–190
- UGI
  - abdominal X-ray, 178–180
  - fluoroscopy, 180–181
  - imaging, 181
  - scintigraphy, 181
  - US, 181
- varices, 203
- Strictures, 156, 157, 164–166, 316–317
- Superior mesenteric artery (SMA) syndrome, 231
- Superparamagnetic iron oxide (SPIO), 290

## T

- TIPS. *See* Transjugular intrahepatic portosystemic shunt (TIPS)
- Tracheoesophageal fistula (TEF), 129, 139, 140.
  - See also* Esophageal atresia (EA)
- Transcatheter arterial embolization (TAE), 334–337
- Transjugular intrahepatic portosystemic shunt (TIPS)
  - clinical indications, 330–331
  - complications, 331, 333

- contraindications, 331
- esophageal varices, 329–330
- portal hypertension, 329
- split liver transplant, 331, 332
- Trauma, 334–337
- Tuberculosis, 233, 235
- Typhlitis, 263–264

## U

- UES. *See* Upper esophageal sphincter (UES)
- UGI tract. *See* Upper gastrointestinal (UGI) tract
- Ulcerative colitis, 266, 269
- Ultrasonography (US)
  - appendicitis (*see* Appendicitis)
  - CD, 228
  - esophagus, 134
  - hydrostatic reduction, 248–249
  - infantile HPS, 188
  - IT (*see* Intussusception (IT))
  - liver, 275–277
  - pneumatic reduction, 249
  - small bowel, 212
  - stomach, 181
  - UGI tract, 181
- Umbilical catheters, 2–3
- Undifferentiated embryonal sarcoma, 294
- United States National Digestive Diseases Advisory Board, 330
- Upper esophageal sphincter (UES), 128, 136
- Upper gastrointestinal (UGI) tract
  - abdominal X-ray, 178–180
  - duodenal obstruction, 213–214
  - fluoroscopy, 180–181
  - HPS, 188–189
  - scintigraphy, 181
  - US technique, 181
- US. *See* Ultrasonography (US)

## V

- Varices, 170–171, 203, 329–330
- Vascular rings, 151, 153–154, 161
- VCUG, 260, 262–263
- VHL disease. *See* Von Hippel-Lindau (VHL) disease
- Videofluoroscopic swallow study (VFSS), 138–139
- Volvulus
  - colon, 264–265
  - gastric, 184–186
  - midgut (*see* Midgut volvulus)
  - small bowel, 219
- Von Hippel-Lindau (VHL) disease, 303–305

## W

- Water-soluble contrast agents, 4–5, 7, 156, 203

## Z

- Zollinger-Ellison syndrome, 308