

Index

A

- Adaptive strategies
 - antagonistic behaviors, 140
 - beneficial environmental information, 114
 - cultural transmission mechanisms, 115
 - environmental selective forces, 115
 - fitness, 113
 - human dietary preferences, 116
 - local medical systems, 115
 - medical system and environment, 116
 - phenotypic plasticity, 114
 - TEK, 114

C

- Cultural change, 122
- Cultural evolution, 4, 10, 11, 73, 80, 181–182
 - and biology, 4
 - cattle domestication, 80
 - classification, 95
 - Darwinian reasoning, 73
 - evolutionary ethnobiology, 73
 - food–medicine continuum, 181
 - human nature, 102
 - knowledge transmission (Knowledge transmission)
 - lactase persistence allele, 80
 - theoretical approach, 101
 - universal law, 10
- Cultural transmission
 - animal acquired knowledge, 98
 - behavioral variability, 4
 - medicinal knowledge, 180

D

- Domestication. Evolutionary ethnobotany;
 - Landscape domestication
 - agriculture, 28
 - biological diversity, 31
 - ecosystems and biotic resources, 27
 - evolution of organisms
 - adaptation, 38
 - artificial selection, 38–39, 41
 - artificial selection mechanisms, 42, 43
 - consumption and preference, species, 39, 41
 - differential fitness, 38
 - documenting management, 42
 - ecological and human cultural contexts, 41
 - ethnobiology, 39
 - ethnobotanical approaches, 39
 - gene flow mechanisms, 42, 44
 - management, 41
 - phenotypic and genetic divergence, 44, 46
 - phenotypics (Phenotypic variation)
 - research tools, 39
 - seed selection, 42
 - species and varieties, 39, 40
 - typology, 44, 45
 - fire, 27
 - and genetic variation, 30, 51–52
 - guiding research, 3
 - and human culture, 52–53
 - processes of evolution, 22
 - reproductive systems, 49–51
 - syndrome, 32

E

EAH. Ecological apparency hypothesis (EAH)

Ecological anthropology

culture, 10–12

determinism and environmental
possibilism, 8–9

evolutionary thought insertion, 9–10

systems and neofunctionalism

allopathic remedies, 14

analytical unit, 15

Community X and Y, 13

homeostatic systems, 12

hypothetical situation, 12–13

maladaptive behaviors, 14–15

negative feedback, 13

neofunctionalists, 14

positive feedback, 13

substantial contributions, 14

Ecological apparency hypothesis (EAH)

“construction”, 134

dominance, 134

dynamics and diverse factors, 134

environmental availability, 133–134

environmental productivity and foraging
behavior, 133, 138–139

ethnobotanical perspective, 134, 135

evolutionarily stable strategy, 140

game theory, 140

generalist and specialist patterns, 139

human population, 132, 133

medicinal category, 134

“nutritional value”/“palatability”, 139

OFT (Optimal foraging theory (OFT))

plant communities, 132

plant resources, 132

quality and quantity, 138

resource management, 134

selection process, plants, 133

timber products, 139

use value (UV), 133

Ecological ethnobotany

medicinal plants, 15

primary data analysis techniques, 16

Ecological redundancy (ER) model

benefits, 123

biodiversity management and
conservation, 123

hypothetical state, 122

organisms, 123

people and natural resources, 123

plant species, 123

and species richness, 122

system performance, 123

ER model. Ecological redundancy (ER) model

Ethnobiology

concept of system, 106–108

emergent properties, 106

evolutionary approaches (Evolutionary
approaches)

feedback loops, 107

functional dynamics, 107

hypothesis, 128

knowledge transmission (Knowledge
transmission)

management strategies, 108

medical systems, 108

social-ecological systems, 131

Ethnobotany

and ethnopharmacology, 62

evolutionary approaches (Evolutionary
approaches)

human culture, 39

hypothesis, 168

medicinal plants, 15

primary data analysis techniques, 16

processual approach, 16

therapeutic indications, 168

Evolutionary approaches

biodiversity utilisation, 68

cross-cultural ethnobiology, 64–66

ethnobiology

ethnopharmacology, 60, 66

interdisciplinary approaches, 67

medicinal plant diversity, 61–64

phylogenetic tools, 59–60

Evolutionary ethnobiology. Medicinal plants;

Medicinal plant selection

ecology and evolution, 3, 4

evolutionary assumptions, 73

humans and biotic components, 4

humans–nature interactions, 37

interdisciplinary research approaches, 5

landscapes, 53–54

malaria, 82–83

natural resources and ecosystems, 3–4

NCT (Niche construction theory (NCT))

organisms (Domestication)

people and biological resources, 2

pharmacogenetic studies, 83

plants and animals, 22

social-ecological science, 2, 37, 54

Evolutionary ethnobotany. Humans

ecosystems and natural resources

agriculture, 28, 30

artificial selection, 29–30

domestication, 28

ex situ management, 30

fabricating tools and domestication, 27

- gradient of complexity, 29
 - Homo sapiens*, 27
 - human-made environments, 30
 - in situ promotion, 29
 - plant management, 28, 29
 - “silvicultural management”, 28
 - by humans, 31–33
- F**
- Food-medicine continuum
 - biological and cultural bases, 178
 - categories, 176
 - chemosensory perception and bitter taste
 - perception, 179–180
 - cholesterol and fats, 176
 - classification, 176
 - cultural evolution, 181–182
 - detoxifying enzymes, 179
 - “folk functional foods”, 176
 - food habits, 177
 - food plants, 177–178
 - gastrointestinal tract, 176
 - human evolution, 176
 - hunter-gatherer populations, 176
 - “medicinal cuisine”, 178
 - toxins, 177
- Functional redundancy, 122, 126, 127
- H**
- Hallucinogens
 - adaptive significance, 191–193
 - characteristics, 185
 - entheogen, 185
 - human communities, 185
 - hypothesis, 186
 - and medicinal uses (Medicinal plants)
 - rural community, 186
- Homo sapiens*. Humans (*Homo sapiens*)
- Human ecology. Utilitarian redundancy model (URM)
 - anthropology, 7
 - environmental psychology, 17
 - ethnobiological investigations, 8
 - evolutionary ecology, 17
 - processual anthropology, 16
 - theory/discipline, 17–18
 - traditional bonfires, 17
- Human evolution, 22, 24, 25, 52, 84, 114, 175, 176, 186, 192
 - Australopithecus grahi*, 23–24
 - biochemical and molecular markers, 25
 - CYP2D6 enzyme, 84
 - dispersal routes, 26
 - fossils and dating techniques, 24
 - genotypes, 52
 - Homo erectus*, 24
 - Homo habilis*, 23
 - Homo neanderthalensis*, 23
 - Homo sapiens* and *Homo neanderthalensis*, 25
 - material evidence, 22
 - migration, 27
 - molecular clocks, 24
 - mtDNA and archaeological remains, 26
 - occupation and diversification, 26
 - origin and diversification, 22
 - palaeoanthropology, 24
 - Panorama, 24, 25
 - Pithecanthropus erectus*, 23
 - Zynjanthropus pekinensis*, 23
- Humans (*Homo sapiens*). Evolutionary ethnobotany
 - domestication, 22
 - evolution (Human evolution)
 - interactions, 21
 - scientific research, 21
- I**
- Individual knowledge production, 90–91
- K**
- Knowledge transmission
 - classical learning concept, 89
 - cognition, 89
 - cultural evolution (Social learning)
 - in ethnobiology studies, 101–102
 - genetic basis information, 90
 - individual knowledge production, 90–91
 - information transmission (Social learning)
 - socialization and information, 102
- L**
- Landscape domestication, 51, 54
- Local ecological knowledge, 132
- Local medical system
 - characteristics, 127
 - exotic species, 115
 - functionalist interpretation, resilience, 111
 - respiratory and skin diseases, 168
 - species richness, 128
 - structuralist interpretation, resilience, 111
 - URM, 124–125
 - western medicine, 112

M**Medicinal plants**

- caatinga, 143
 - chemical efficiency, 164
 - communities, 164
 - cultural expectations, 188–189
 - defensive chemicals, 142
 - diffusion and convergence, 164
 - empirical data, 142
 - environmental contexts, 164
 - environment role
 - hypothesis, 171
 - pharmacopoeias, 170
 - qualitative compounds, 171
 - therapeutic indications, 171
 - urbanization, 170–171
 - experimentation, 186
 - fast-growing and slow-growing plants,
 - chemical defenses, 144–145
 - hallucinogenic substances, 186
 - healer and patient, 189
 - investigator witnesses, 187
 - Maroon communities, 188
 - natural resource, 163
 - non-industrialized cultures, 187
 - patient's healing, 187
 - perennial resources, 143
 - pharmacological studies, 190–191
 - pharmacopoeia characteristics, 140, 163
 - plant use, 164
 - qualitative and quantitative
 - strategy, 141
 - qualitative defenses, 143–144
 - RAH, 141
 - richness, 141–142
 - social-ecological system, 164
 - symbolic battles, 188
 - taxonomic patterns
 - behaviors, botanical families, 165
 - Fabaceae, 166
 - North American species, 165
 - Poaceae and Cyperaceae, 166
 - robust statistical methods, 166
 - scientific community, 166
 - treatment, 188
 - Western psychotherapy, 189
 - whistling/magical songs, 189
- Medicinal plant selection**
- bitter food and beverages, 152
 - chemical efficiency, 153–154
 - chemoreceptor system, 152
 - cultural aspects, 154–155
 - “culturgene”, 152

- determinant, cue and mnemonic
 - resource, 150
- factors, 153
- gene-culture transmission, 152
- health care systems, 151
- learning and natural hypothesis, 151
- local medical systems, 149–150
- organolectic properties
 - attributes and use, 158
 - chemical efficiency cues, 156
 - chemosensory markers, 156
 - chemosensory properties, 156
 - exotic plants, 158
 - flavor, smell and texture, 156
 - hot/cold* system, 158
 - implicitly/explicitly, 156
 - literature, 157
 - local pharmacopoeia, 157
 - mnemonic resources, 156–157
 - properties, 158
- pharmacopoeia, 150

N

- Natural products, 64, 83
- Natural resource use
 - ecological and evolutionary framework,
 - 131–132
 - ethnobiological studies worldwide, 131
 - social-ecological systems, 131
 - theoretical reflection, 132
- Neo-Darwinism, 15–16
- Nervous system stimulants, 169
- Niche construction theory (NCT)
 - adaptation, 77
 - biodiversity and ecosystems, 74
 - counteractive and inceptive, 76
 - Darwinian reasoning, 73
 - developmental and cultural processes, 79
 - ecological inheritance, 75
 - ecosystems, properties and dynamics, 77
 - effects, 75
 - and ethnobiological implications
 - amylase levels, 79–80
 - lactase levels, 80–82
 - malaria, 82–83
 - plant domestication, 79–80
 - and ethnobiology
 - evolutionary and ecological hypothesis, 74
 - evolutionary ethnobiology, 73
 - medical regimens and local adaptations,
 - 83–85
 - natural selective pressures, 75

- organismal activity on the environment, 74
 - vs. standard evolution, 77, 78
 - and TEK, 76
 - types, 76
- O**
- OFT. Optimal foraging theory (OFT)
 - Optimal foraging theory (OFT)
 - collection/extraction phenomenon, 135
 - construction category, 136, 137
 - cost-benefit ratio, 137
 - environmental availability, 135
 - human behaviors, 135
 - knowledge-building process, 136
 - knowledge construction, 136
 - medicinal uses, 137
 - optimal structure, 136
 - plant collection behavior, 135
 - security, 136
 - supply, resource, 136
- P**
- Phenotypic variation
 - differential fitness, 48
 - evolutionary forces, 48
 - and genetic divergence, 44, 46
 - heritability, 45–47
 - inherited changes, 44
 - MANOVA, 48
 - morphological and genetic diversity, 49
 - morphological variation, 48
 - offspring population, 45
 - transplanting experiments, 46
 - Phylogeny
 - comparative phylogenetic methods, 61
 - medicinal plant diversity, 60
 - Panorama of human evolution, 25
 - Plant management, 3, 29
 - Plant resource use
 - plant habit, 166–167
 - species' origin and biogeographical distribution, 167–168
 - therapeutic indications, 168–169
 - Psychoactive drugs, 185, 186, 189
 - Psychotropic drugs, 185, 187, 192, 193
- R**
- RAH. Resource availability hypothesis (RAH)
 - Resilience. Utilitarian redundancy model (URM)
 - agricultural activity, 109
 - commercial varieties, 110
 - definitions, 109
 - disturbance conditions, 110
 - ethnobiological studies
 - functionalist interpretation, 111
 - processual interpretation, 111–112
 - structuralist interpretation, 111
 - symbolic and cultural aspects, 113
 - utilitarian redundancy, 112
 - Resource availability hypothesis (RAH)
 - fast-growing plants, 144
 - medicinal plant, 141
 - pharmacopoeia characteristics, 140
- S**
- Social-ecological sciences, 2, 37
 - Social-ecological systems
 - adaptive processes (Adaptive strategies)
 - behavioral characteristics, 105
 - cultural knowledge, genetic variability, 105
 - ethnobiology, 106–108
 - functional diversity, 117
 - resilience (Resilience)
 - system characteristics, 117
 - Social learning
 - adaptive advantage, 100
 - adaptive changes, 93
 - “biased transmission”, 93
 - comparative psychology, 91
 - cosmopolitan plants, 100
 - and cultural evolution, 92–101
 - description, 91
 - elemental functions, 94
 - evolutionary implications, 95, 96
 - hierarchical control, 98, 99
 - horizontal transmission levels, 98
 - human cultural systems, 92
 - hypothetical social groups and cladistics
 - knowledge analysis, 97
 - information transmission types, 95, 96
 - knowledge production vs. produced
 - knowledge adaptability, 92
 - phylogenetic tools, 98
 - Sustainability, 14, 41, 53, 55, 67
- T**
- TEK. Traditional ecological knowledge (TEK)
 - Traditional ecological knowledge (TEK), 18, 76, 114, 124
 - Traditional knowledge, 61, 66, 67, 115, 167, 192

Traditional medical systems, 83, 106, 113
 Transmission of local knowledge, 102, 123,
 126, 128, 132, 135, 143

U

URM. Utilitarian redundancy model (URM)

Utilitarian redundancy model (URM)

applications

characteristics, 127
 cultural implications, 126
 distribution, intracultural knowledge, 126
 forest fragment, 127
 headache treatment, 127
 identify species, 126
 local communities, 126
 local medical system, 125
 medicinal plants, 125
 null model, 127

public markets, 127–128
 resource collection frequency, 126
 rural communities, 127
 system's functions, 126
 uterine inflammation, 125–126
 assumptions, 124, 125
 ecosystem regulation (Ecological
 redundancy (ER) model)
 human populations, 121
 knowledge systems and local
 management, 124
 medical knowledge system, 124
 medicinal plants, 121–122
 natural medicines, 122
 operational concept, 124
 social dynamics, 125
 social-ecological systems, 121, 124,
 128–129
 therapeutic target, 124