

# References

- Akritis MG, VanKeilegom I (2001) Non-parametric estimation of the residual distribution. *Scand J Stat* 28(3):549–567
- Allen DM (1971) Mean square error of prediction as a criterion for selecting variables. *Technometrics* 13:469–475
- Allen DM (1974) The relationship between variable selection and data augmentation and a method for prediction. *Technometrics* 16:1307–1325
- Alonso AM, Peña D, Romo J (2002) Forecasting time series with sieve bootstrap. *J Stat Plan Infer* 100(1):1–11
- Altman NS (1992) An introduction to kernel and nearest-neighbor nonparametric regression. *Am Stat* 46(3):175–185
- Andersen TG, Bollerslev T (1998) Answering the sceptics: yes, standard volatility models do provide accurate forecasts. *Int Econ Rev* 39(4):885–905
- Andersen TG, Bollerslev T, Christoffersen PF, Diebold FX (2006) Volatility and correlation forecasting. In: Elliott G, Granger CWJ, Timmermann A (eds) *Handbook of economic forecasting*. North-Holland, Amsterdam, pp 778–878
- Andersen TG, Bollerslev T, Meddahi N (2004) Analytic evaluation of volatility forecasts. *Int Econ Rev* 45:1079–1110
- Atkinson AC (1985) *Plots, transformations and regression*. Clarendon Press, Oxford
- Antoniadis A, Paparoditis E, Sapatinas T (2006) A functional wavelet-kernel approach for time series prediction. *J R Stat Soc Ser B* 68(5):837–857
- Bachelier L (1900) Theory of speculation. Reprinted in Cootner PH (ed) *The random character of stock market prices*. MIT Press, Cambridge, MA, pp 17–78, 1964
- Barndorff-Nielsen OE, Nielsen B, Shephard N, Ysusi C (1996) Measuring and forecasting financial variability using realized variance with and without a model. In: Harvey AC, Koopman SJ, Shephard N (eds) *State space and unobserved components models: theory and applications*. Cambridge University Press, Cambridge, pp 205–235
- Bartlett MS (1946) On the theoretical specification of sampling properties of auto-correlated time series. *J R Stat Soc Suppl* 8:27–41

- Beran R (1990) Calibrating prediction regions. *J Am Stat Assoc* 85:715–723
- Berkes I, Gombay E, Horvath L, Kokoszka P (2004) Sequential change-point detection in GARCH (p, q) models. *Econ Theory* 20(6):1140–1167
- Bertail P, Cléménçon S (2006) Regenerative block bootstrap for Markov chains. *Bernoulli* 12(4):689–712
- Bickel P, Gel YR (2011) Banded regularization of autocovariance matrices in application to parameter estimation and forecasting of time series. *J R Stat Soc Ser B* 73(5):711–728
- Bickel P, Levina E (2008a) Regularized estimation of large covariance matrices. *Ann Stat* 36:199–227
- Bickel P, Levina E (2008b) Covariance regularization via thresholding. *Ann Stat* 36:2577–2604
- Bickel P, Li B (2006) Regularization in statistics. *Test* 15(2):271–344
- Bollerslev T (1986) Generalized autoregressive conditional heteroscedasticity. *J Econ* 31:307–327
- Bollerslev T, Chou R, Kroner K (1992) ARCH modelling in finance: a review of theory and empirical evidence. *J Econ* 52:5–60
- Bose A (1988) Edgeworth correction by bootstrap in autoregressions. *Ann Stat* 16:1345–1741
- Bose A, Chatterjee S (2002) Comparison of bootstrap and jackknife variance estimators in linear regression: second order results. *Stat Sin* 12:575–598
- Box GEP (1976) Science and statistics. *J Am Stat Assoc* 71(356):791–799
- Box GEP, Cox DR (1964) An analysis of transformations. *J R Stat Soc Ser B* 26:211–252
- Box GEP, Draper NR (1987) Empirical model-building and response surfaces. Wiley, New York
- Box GEP, Jenkins GM (1976) Time series analysis, control, and forecasting. Holden Day, San Francisco
- Breidt FJ, Davis RA, Dunsmuir W (1995) Improved bootstrap prediction intervals for autoregressions. *J Time Ser Anal* 16(2):177–200
- Breiman L (1996) Bagging predictors. *Mach Learn* 24:123–140
- Breiman L, Friedman J (1985) Estimating optimal transformations for multiple regression and correlation. *J Am Stat Assoc* 80:580–597
- Brent RP, Gustavson FG, Yun DYY (1980) Fast solution of Toeplitz systems of equations and computation of Padé approximants. *J Algorithm* 1(3):259–295
- Brockwell PJ, Davis RA (1991) Time series: theory and methods, 2nd edn. Springer, New York
- Brockwell PJ, Davis RA (1988) Simple consistent estimation of the coefficients of a linear filter. *Stoch Process Appl* 22:47–59
- Bühlmann P, van de Geer S (2011) Statistics for high-dimensional data. Springer, New York
- Cai TT, Ren Z, Zhou HH (2013) Optimal rates of convergence for estimating Toeplitz covariance matrices. *Probab Theory Relat Fields* 156(1–2):101–143

- Cao R, Febrero-Bande M, Gonzalez-Manteiga W, Prada-Sanchez JM, Garcia-Jurado I (1997) Saving computer time in constructing consistent bootstrap prediction intervals for autoregressive processes. *Commun Stat Simul Comput* 26(3):961–978
- Carmack PS, Schucany WR, Spence JS, Gunst RF, Lin Q, Haley RW (2009) Far casting cross-validation. *J Comput Graph Stat* 18(4):879–893
- Carroll RJ, Ruppert D (1988) Transformations and weighting in regression. Chapman and Hall, New York
- Carroll RJ, Ruppert D (1991) Prediction and tolerance intervals with transformation and/or weighting. *Technometrics* 33(2):197–210
- Chatterjee S, Bose A (2005) Generalized bootstrap for estimating equations. *Ann Stat* 33:414–436
- Chen X, Xu M, Wu W-B (2013) Covariance and precision matrix estimation for high-dimensional time series. *Ann Stat* 41(6):2994–3021
- Cheng T-ZF, Ing C-K, Yu S-H (2015) Inverse moment bounds for sample autocovariance matrices based on detrended time series and their applications. *Linear Algebra Appl* (to appear)
- Choi B-S (1992) ARMA model identification. Springer, New York
- Cox DR (1975) Prediction intervals and empirical Bayes confidence intervals. In: Gani J (eds) Perspectives in probability and statistics. Academic, London, pp 47–55
- Dahlhaus R (1997) Fitting time series models to nonstationary processes. *Ann Stat* 25(1):1–37
- Dahlhaus R (2012) Locally stationary processes. In: Handbook of statistics, vol 30. Elsevier, Amsterdam, pp 351–412
- Dahlhaus R, Subba Rao S (2006) Statistical inference for time-varying ARCH processes. *Ann Stat* 34(3):1075–1114
- Dai J, Sperlich S (2010) Simple and effective boundary correction for kernel densities and regression with an application to the world income and Engel curve estimation. *Comput Stat Data Anal* 54(11):2487–2497
- DasGupta A (2008) Asymptotic theory of statistics and probability. Springer, New York
- Davison AC, Hinkley DV (1997) Bootstrap methods and their applications. Cambridge University Press, Cambridge
- Dawid AP (2004) Probability, causality, and the empirical world: a Bayes-de Finetti-Popper-Borel synthesis. *Stat Sci* 19(1):44–57
- Devroye L (1981) Laws of the iterated logarithm for order statistics of uniform spacings. *Ann Probab* 9(6):860–867
- Dowla A, Paparoditis E, Politis DN (2003) Locally stationary processes and the local block bootstrap. In: Akritas MG, Politis DN (eds) Recent advances and trends in nonparametric statistics. Elsevier, Amsterdam, pp 437–444
- Dowla A, Paparoditis E, Politis DN (2013) Local block bootstrap inference for trending time series. *Metrika* 76(6):733–764
- Draper NR, Smith H (1998) Applied regression analysis, 3rd edn. Wiley, New York
- Efron B (1979) Bootstrap methods: another look at the jackknife. *Ann Stat* 7:1–26

- Efron B (1983) Estimating the error rate of a prediction rule: improvement on cross-validation. *J Am Stat Assoc* 78:316–331
- Efron B (2014) Estimation and accuracy after model selection. *J Am Stat Assoc* 109:991–1007
- Efron B, Tibshirani RJ (1993) *An introduction to the bootstrap*. Chapman and Hall, New York
- Engle R (1982) Autoregressive conditional heteroscedasticity with estimates of the variance of UK inflation. *Econometrica* 50:987–1008
- Fama EF (1965) The behaviour of stock market prices. *J Bus* 38:34–105
- Fan J (1993) Local linear regression smoothers and their minimax efficiencies. *Ann Stat* 21(1):196–216
- Fan J, Gijbels I (1996) *Local polynomial modelling and its applications*. Chapman and Hall, New York
- Fan J, Yao Q (2003) *Nonlinear time series: nonparametric and parametric methods*. Springer, New York
- Ferraty F, Vieu P (2006) *Nonparametric functional data analysis*. Springer, New York
- Franco C, Zakoian JM (2011) *GARCH models: structure, statistical inference and financial applications*. Wiley, New York
- Franke J, Härdle W (1992) On bootstrapping kernel spectral estimates. *Ann Stat* 20:121–145
- Franke J, Kreiss J-P, Mammen E (2002) Bootstrap of kernel smoothing in nonlinear time series. *Bernoulli* 8(1):1–37
- Freedman DA (1981) Bootstrapping regression models. *Ann Stat* 9:1218–1228
- Freedman D (1984) On bootstrapping two-stage least-squares estimates in stationary linear models. *Ann Stat* 12:827–842
- Fryzlewicz P, Van Belleghem S, Von Sachs R (2003) Forecasting non-stationary time series by wavelet process modelling. *Ann Inst Stat Math* 55(4):737–764
- Gangopadhyay AK, Sen PK (1990) Bootstrap confidence intervals for conditional quantile functions. *Sankhya Ser A* 52(3):346–363
- Geisser S (1971) The inferential use of predictive distributions. In: Godambe BP, Sprott DS (eds) *Foundations of Statistical Inference*. Holt, Rinehart and Winston, Toronto, pp 456–469
- Geisser S (1975) The predictive sample re-use method with applications. *J Am Stat Assoc* 70:320–328
- Geisser S (1993) *Predictive inference: an introduction*. Chapman and Hall, New York
- Gijbels I, Pope A, Wand MP (1999) Understanding exponential smoothing via kernel regression. *J R Stat Soc Ser B* 61:39–50
- Ghysels E, Santa-Clara P, Valkanov R (2006) Predicting volatility: getting the most out of return data sampled at different frequencies. *J Econ* 131(1–2):59–95
- Gouriéroux C (1997) *ARCH models and financial applications*. Springer, New York
- Gray RM (2005) Toeplitz and circulant matrices: a review. *Commun Inf Theory* 2(3):155–239

- Grenander U, Szegö G (1958) Toeplitz forms and their applications, vol 321. University of California Press, Berkeley
- Hahn J (1995) Bootstrapping quantile regression estimators. *Econ Theory* 11(1):105–121
- Hall P (1992) The bootstrap and edgeworth expansion. Springer, New York
- Hall P (1993) On Edgeworth expansion and bootstrap confidence bands in nonparametric curve estimation. *J R Stat Soc Ser B* 55:291–304
- Hall P, Wehrly TE (1991) A geometrical method for removing edge effects from kernel type nonparametric regression estimators. *J Am Stat Assoc* 86:665–672
- Hall P, Wolff RCL, Yao Q (1999) Methods for estimating a conditional distribution function. *J Am Stat Assoc* 94(445):154–163
- Hamilton JD (1994) Time series analysis. Princeton University Press, Princeton, NJ
- Hampel FR (1973) Robust estimation, a condensed partial survey. *Z Wahrscheinlichkeitstheorie verwandte Gebiete* 27:87–104
- Hansen BE (2004) Nonparametric estimation of smooth conditional distributions. Working paper, Department of Economics, University of Wisconsin
- Hansen PR, Lunde A (2005) A forecast comparison of volatility models: does anything beat a GARCH (1,1)? *J Appl Econ* 20:873–889
- Hansen PR, Lunde A (2006) Consistent ranking of volatility models. *J Econ* 131:97–121
- Hansen PR, Lunde A, Nason JM (2003) Choosing the best volatility models: the model confidence set approach. *Oxf Bull Econ Stat* 65:839–861
- Härdle W (1990) Applied nonparametric regression. Cambridge University Press, Cambridge
- Härdle W, Bowman AW (1988) Bootstrapping in nonparametric regression: local adaptive smoothing and confidence bands. *J Am Stat Assoc* 83:102–110
- Härdle W, Marron JS (1991) Bootstrap simultaneous error bars for nonparametric regression. *Ann Stat* 19:778–796
- Härdle W, Vieu P (1992) Kernel regression smoothing of time series. *J Time Ser Anal* 13:209–232
- Härdle W, Hall P, Marron JS (1988) How far are automatically chosen regression smoothing parameters from their optimum? (with discussion). *J Am Stat Assoc* 83:86–95
- Hart JD (1997) Nonparametric smoothing and lack-of-fit tests. Springer, New York
- Hart JD, Yi S (1998) One-sided cross-validation. *J Am Stat Assoc* 93(442):620–631
- Hastie T, Loader C (1993) Local regression: automatic kernel carpentry. *Stat Sci* 8(2):120–143
- Hastie T, Tibshirani R, Friedman JH (2009) The elements of statistical learning: data mining, inference, and predictions, 2nd edn. Springer, New York
- Hocking RR (1976) The analysis and selection of variables in linear regression. *Biometrics* 31(1):1–49
- Hong Y (1999) Hypothesis testing in time series via the empirical characteristic function: a generalized spectral density approach. *J Am Stat Assoc* 94:1201–1220
- Hong Y, White H (2005) Asymptotic distribution theory for nonparametric entropy measures of serial dependence. *Econometrica* 73(3):837–901

- Horowitz J (1998) Bootstrap methods for median regression models. *Econometrica* 66(6):1327–1351
- Huber PJ (1973) Robust regression: asymptotics, conjectures and Monte Carlo. *Ann Stat* 1:799–821
- Hurvich CM, Zeger S (1987) Frequency domain bootstrap methods for time series. Technical Report, New York University, Graduate School of Business Administration
- Jentsch C, Politis DN (2015) Covariance matrix estimation and linear process bootstrap for multivariate time series of possibly increasing dimension. *Ann Stat* 43(3):1117–1140
- Kim TY, Cox DD (1996) Bandwidth selection in kernel smoothing of time series. *J Time Ser Anal* 17:49–63
- Kirch C, Politis DN (2011) TFT-Bootstrap: resampling time series in the frequency domain to obtain replicates in the time domain. *Ann Stat* 39(3):1427–1470
- Koenker R (2005) Quantile regression. Cambridge University Press, Cambridge
- Kokoszka P, Leipus R (2000) Change-point estimation in ARCH models. *Bernoulli* 6(3):513–539
- Kokoszka P, Politis DN (2011) Nonlinearity of ARCH and stochastic volatility models and Bartlett's formula. *Probab Math Stat* 31:47–59
- Koopman SJ, Jungbacker B, Hol E (2005) Forecasting daily variability of the S&P 100 stock index using historical, realised and implied volatility measurements. *J Empir Finance* 12:445–475
- Kreiss J-P, Paparoditis E (2011) Bootstrap methods for dependent data: a review. *J Korean Stat Soc* 40(4):357–378
- Kreiss J-P, Paparoditis E (2012) The hybrid wild bootstrap for time series. *J Am Stat Assoc* 107:1073–1084
- Kreiss J-P, Paparoditis E, Politis DN (2011) On the range of validity of the autoregressive sieve bootstrap. *Ann Stat* 39(4):2103–2130
- Kuhn M, Johnson K (2013) Applied predictive modeling. Springer, New York
- Künsch H (1989) The jackknife and the bootstrap for general stationary observations. *Ann Stat* 17:1217–1241
- Lahiri SN (2003) A necessary and sufficient condition for asymptotic independence of discrete Fourier transforms under short-and long-range dependence. *Ann Stat* 31(2):613–641
- Ledoit O, Wolf M (2003) Improved estimation of the covariance matrix of stock returns with an application to portfolio selection. *J Empir Financ* 10(5):603–621
- Ledoit O, Wolf M (2004) Honey, I shrunk the sample covariance matrix. UPF economics and business working paper 691
- Lei J, Robins J, Wasserman L (2013) Distribution free prediction sets. *J Am Stat Assoc* 108:278–287
- Li Q, Racine JS (2007) Nonparametric econometrics. Princeton University Press, Princeton
- Linton OB, Chen R, Wang N, Härdle W (1997) An analysis of transformations for additive nonparametric regression. *J Am Stat Assoc* 92:1512–1521

- Linton OB, Sperlich S, van Keilegom I (2008) Estimation of a semiparametric transformation model. *Ann Stat* 36(2):686–718
- Loader C (1999) *Local regression and likelihood*. Springer, New York
- Mandelbrot B (1963) The variation of certain speculative prices. *J Bus* 36:394–419
- Maronna RA, Martin RD, Yohai VJ (2006) *Robust statistics: theory and methods*. Wiley, New York
- Masarotto G (1990) Bootstrap prediction intervals for autoregressions. *Int J Forecast* 6(2):229–239
- Masry E, Tjøstheim D (1995) Nonparametric estimation and identification of nonlinear ARCH time series. *Econ Theory* 11:258–289
- McCullagh P, Nelder J (1983) *Generalized linear models*. Chapman and Hall, London
- McMurry T, Politis DN (2008) Bootstrap confidence intervals in nonparametric regression with built-in bias correction. *Stat Probab Lett* 78:2463–2469
- McMurry T, Politis DN (2010) Banded and tapered estimates of autocovariance matrices and the linear process bootstrap. *J Time Ser Anal* 31:471–482 [Corrigendum: *J Time Ser Anal* 33, 2012]
- McMurry T, Politis DN (2015) High-dimensional autocovariance matrices and optimal linear prediction (with discussion). *Electr J Stat* 9:753–822
- Meddahi N (2001) An eigenfunction approach for volatility modeling. Technical report, CIRANO Working paper 2001s–70, University of Montreal
- Mikosch T, Starica C (2004) Changes of structure in financial time series and the GARCH model. *Revstat Stat J* 2(1):41–73
- Nadaraya EA (1964) On estimating regression. *Theory Probab Appl* 9:141–142
- Nelson D (1991) Conditional heteroscedasticity in asset returns: a new approach. *Econometrica* 59:347–370
- Neumann M, Polzehl J (1998) Simultaneous bootstrap confidence bands in nonparametric regression. *J Nonparametr Stat* 9:307–333
- Olive DJ (2007) Prediction intervals for regression models. *Comput Stat Data Anal* 51:3115–3122
- Pagan A, Ullah A (1999) *Nonparametric econometrics*. Cambridge University Press, Cambridge
- Pan L, Politis DN (2014) Bootstrap prediction intervals for Markov processes. Discussion paper, Department of Economics, University of California, San Diego. Retrievable from <http://escholarship.org/uc/item/7555757g>. Accepted for publication in *CSDA Annals of Computational and Financial Econometrics*
- Pan L, Politis DN (2015) Bootstrap prediction intervals for linear, nonlinear and nonparametric autoregressions (with discussion). *J Stat Plan Infer* (to appear)
- Paparoditis E, Politis DN (1998) The backward local bootstrap for conditional predictive inference in nonlinear time series. In: Lipitakis EA (ed) *Proceedings of the 4th Hellenic-European conference on computer mathematics and its applications (HERCMA'98)*. Lea Publishing, Athens, pp 467–470
- Paparoditis E, Politis DN (2001) A Markovian local resampling scheme for nonparametric estimators in time series analysis. *Econ Theory* 17(3):540–566

- Paparoditis E, Politis DN (2002a) The local bootstrap for Markov processes. *J Stat Plan Infer* 108(1):301–328
- Paparoditis E, Politis DN (2002b) Local block bootstrap. *C R Acad Sci Paris Ser I* 335:959–962
- Pascual L, Romo J, Ruiz E (2004) Bootstrap predictive inference for ARIMA processes. *J Time Ser Anal* 25(4):449–465
- Patel JK (1989) Prediction intervals: a review. *Commun Stat Theory Methods* 18:2393–2465
- Patton AJ (2011) Volatility forecast evaluation and comparison using imperfect volatility proxies. *J Econ* 160(1):246–256
- Politis DN (1998) Computer-intensive methods in statistical analysis. *IEEE Signal Process Mag* 15(1):39–55
- Politis DN (2001) On nonparametric function estimation with infinite-order flat-top kernels. In: Charalambides Ch et al (eds) *Probability and statistical models with applications*. Chapman and Hall/CRC, Boca Raton, pp 469–483
- Politis DN (2003a) A normalizing and variance-stabilizing transformation for financial time series. In: Akritas MG, Politis DN (eds) *Recent advances and trends in nonparametric statistics*. Elsevier, Amsterdam, pp 335–347
- Politis DN (2003b) Adaptive bandwidth choice. *J Nonparametr Stat* 15(4–5):517–533
- Politis DN (2004) A heavy-tailed distribution for ARCH residuals with application to volatility prediction. *Ann Econ Finance* 5:283–298
- Politis DN (2007a) Model-free vs. model-based volatility prediction. *J Financ Econ* 5(3):358–389
- Politis DN (2007b) Model-free prediction, vol LXII. *Bulletin of the International Statistical Institute*, Lisbon, pp 1391–1397
- Politis DN (2010) Model-free model-fitting and predictive distributions. Discussion paper, Department of Economics, University of California, San Diego. Retrieval from: <http://escholarship.org/uc/item/67j6s174>
- Politis DN (2011) Higher-order accurate, positive semi-definite estimation of large-sample covariance and spectral density matrices. *Econ Theory* 27(4):703–744
- Politis DN (2013) Model-free model-fitting and predictive distributions (with discussion). *Test* 22(2):183–250
- Politis DN (2014) Bootstrap confidence intervals in nonparametric regression without an additive model. In: Akritas MG, Lahiri SN, Politis DN (eds) *Proceedings of the first conference of the international society for nonParametric statistics*. Springer, New York, pp 271–282
- Politis DN, Romano JP (1992) A general resampling scheme for triangular arrays of alpha-mixing random variables with application to the problem of spectral density estimation. *Ann Stat* 20:1985–2007
- Politis DN, Romano JP (1994) The stationary bootstrap. *J Am Stat Assoc* 89(428):1303–1313
- Politis DN, Romano JP (1995) Bias-corrected nonparametric spectral estimation. *J Time Ser Anal* 16(1):67–104
- Politis DN, Romano JP, Wolf M (1999) *Subsampling*. Springer, New York



- Politis DN, Thomakos D (2008) Financial time series and volatility prediction using NoVaS transformations. In: Rapach DE, Wohar ME (eds) *Forecasting in the presence of structural breaks and model uncertainty*. Emerald Group Publishing, Bingley, pp 417–447
- Politis DN, Thomakos DD (2012) NoVaS transformations: flexible inference for volatility forecasting. In: Chen X, Swanson N (eds) *Recent advances and future directions in causality, prediction, and specification analysis: essays in honor of Halbert L. White Jr.* Springer, New York, pp 489–528
- Pourahmadi M (1999) Joint mean-covariance models with applications to longitudinal data: unconstrained parameterisation. *Biometrika* 86(3):677–690
- Pourahmadi M (2011) Modeling covariance matrices: the GLM and regularization perspectives. *Stat Sci* 26(3):369–387
- Poon S, Granger C (2003) Forecasting volatility in financial markets: a review. *J Econ Lit* 41:478–539
- Priestley MB (1965) Evolutionary spectra and non-stationary processes. *J R Stat Soc Ser B* 27:204–237
- Priestley MB (1988) *Nonlinear and nonstationary time series analysis*. Academic, London
- Raïs N (1994) *Méthodes de rééchantillonnage et de sous-échantillonnage pour des variables aléatoires dépendantes et spatiales*. Ph.D. thesis, University of Montreal
- Rajarshi MB (1990) Bootstrap in Markov sequences based on estimates of transition density. *Ann Inst Stat Math* 42:253–268
- Resnick S, Samorodnitsky G, Xue F (1999) How misleading can sample ACF's of stable MA's be? (Very!) *Ann Appl Probab* 9(3):797–817
- Rissanen J, Barbosa L (1969) Properties of infinite covariance matrices and stability of optimum predictors. *Inf Sci* 1:221–236
- Rosenblatt M (1952) Remarks on a multivariate transformation. *Ann Math Stat* 23:470–472
- Ruppert D, Cline DH (1994) Bias reduction in kernel density estimation by smoothed empirical transformations. *Ann Stat* 22:185–210
- Schmoyer RL (1992) Asymptotically valid prediction intervals for linear models. *Technometrics* 34:399–408
- Schucany WR (2004) Kernel smoothers: an overview of curve estimators for the first graduate course in nonparametric statistics. *Stat Sci* 19:663–675
- Seber GAF, Lee AJ (2003) *Linear regression analysis*, 2nd edn. Wiley, New York
- Shao J, Tu D (1995) *The Jackknife and bootstrap*. Springer, New York
- Shapiro SS, Wilk M (1965) An analysis of variance test for normality (complete samples). *Biometrika* 52:591–611
- Shephard N (1996) Statistical aspects of ARCH and stochastic volatility. In: Cox DR, Hinkley DV, Barndorff-Nielsen OE (eds) *Time series models in econometrics, finance and other fields*. Chapman and Hall, London, pp 1–67
- Shi SG (1991) Local bootstrap. *Ann Inst Stat Math* 43:667–676
- Shmueli G (2010) To explain or to predict? *Stat Sci* 25:289–310
- Starica C, Granger C (2005) Nonstationarities in stock returns. *Rev Econ Stat* 87(3):503–522

- Stine RA (1985) Bootstrap prediction intervals for regression. *J Am Stat Assoc* 80:1026–1031
- Stine RA (1987) Estimating properties of autoregressive forecasts. *J Am Stat Assoc* 82:1072–1078
- Stone M (1974) Cross-validatory choice and assessment of statistical predictions. *J R Stat Soc Ser B* 39:144–147
- Thombs LA, Schucany WR (1990) Bootstrap prediction intervals for autoregression. *J Am Stat Assoc* 85:486–492
- Tibshirani R (1988) Estimating transformations for regression via additivity and variance stabilization. *J Am Stat Assoc* 83:394–405
- Tibshirani R (1996) Regression shrinkage and selection via the Lasso. *J R Stat Soc Ser B* 58(1):267–288
- Thomakos DD, Klepsch J, Politis DN (2015) Multivariate NoVaS and inference on conditional correlations. Working paper, Department of Economics, University of California, San Diego
- Wang L, Brown LD, Cai TT, Levine M (2008) Effect of mean on variance function estimation in nonparametric regression. *Ann Stat* 36:646–664
- Wang L, Politis DN (2015) Asymptotic validity of bootstrap confidence intervals in nonparametric regression without an additive model. Working paper, Department of Mathematics, University of California, San Diego
- Watson GS (1964) Smooth regression analysis. *Sankhya Ser A* 26:359–372
- Wolf M, Wunderli D (2015) Bootstrap joint prediction regions. *J Time Ser Anal* 36(3):352–376
- Wolfowitz J (1957) The minimum distance method. *Ann Math Stat* 28:75–88
- Wu S, Harris TJ, McAuley KB (2007) The use of simplified or misspecified models: linear case. *Can J Chem Eng* 75:386–398
- Wu W-B, Pourahmadi M (2009) Banding sample autocovariance matrices of stationary processes. *Stat Sin* 19(4):1755–1768
- Xiao H, Wu W-B (2012) Covariance matrix estimation for stationary time series. *Ann Stat* 40(1):466–493
- Zhang T, Wu W-B (2011) Testing parametric assumptions of trends of nonstationary time series. *Biometrika* 98(3):599–614
- Zhou Z, Wu W-B (2009) Local linear quantile estimation for non-stationary time series. *Ann Stat* 37:2696–2729
- Zhou Z, Wu W-B (2010) Simultaneous inference of linear models with time-varying coefficients. *J R Stat Soc Ser B* 72:513–531