
Index

A

- ABO system, 98
- Acanthamoeba keratitis, 79, 86
- Air-visco bubble technique, 60
- ALK. *See* Anterior lamellar keratoplasty (ALK)
- Allograft rejection, 3, 48, 102–103, 106, 122
- ALTK. *See* Automated lamellar therapeutic keratoplasty (ALTK)
- Amniotic membrane transplantation (AMT), 32, 57, 69, 84, 87, 122, 211
- Anterior chamber-associated immune deviation (ACAID), 20, 93, 94, 102
- Anterior chamber iris-claw lens, 157–158
- Anterior lamellar keratoplasty (ALK), 4
 - classification of, 54
 - DALK (*see* Deep anterior lamellar keratoplasty (DALK))
 - femtosecond laser, 184, 186–187
 - indications, 207–208
 - superficial (*see* Superficial anterior lamellar keratoplasty)
 - tectonic keratoplasty, 207
- Anterior mushroom keratoplasty, 3, 62, 81
- Antigen-presenting cells (APCs), 14, 20, 93–95, 103
- Artificial anterior chamber, 29, 38, 43, 55–56, 72, 76, 79, 154, 174–175
- Astigmatic keratotomy (AK), 155–156, 160, 162
- Astigmatism
 - causes of, 70
 - classification of, 70
 - definition of, 69–70
 - intraoperative determinants of, 70, 71
 - intraoperative prophylaxis of, 68–69
- Australian Corneal Graft Registry (ACGR), 102, 119–120, 122, 131
- Autologous vs. allogeneic limbal grafts, 195–196
- Automated lamellar therapeutic keratoplasty (ALTK)
 - complications, 55
 - postoperative management, 55
 - preoperative examination, 55
 - purpose and indication, 54, 207

- Automated microkeratome system, 29
- Avellino dystrophy, 118

B

- Ballooning phenomenon, 72
- Big-bubble technique, 31, 60–61, 81, 145, 174, 179, 184, 186, 208
- Blood group antigens, 98
- Bowman's layer, 13–14, 19, 57, 71, 75–76, 86, 88, 174
- Bubble test, 60

C

- Catquest 9-SF visual disability instrument, 134–135
- Central SALK, 55–56
- Confocal microscopy, 10, 19, 197–198
- Corneal antiangiogenic privilege, 19
- Corneal banking
 - donor eye decontamination, 26
 - donor screening
 - age criteria, 25
 - contraindications, 24
 - donor reconstruction, 26
 - enucleation, 25
 - nucleic acid testing, 24
 - ocular tissue removal, 25
 - in situ corneoscleral rim excision, 26
 - hypothermic corneal storage, 27–28
 - organ culture storage method, 28–29
 - tissue evaluation
 - endothelium, morphological and functional status of, 26
 - light microscopy, 27
 - slit lamp examination, 26
 - specular microscopy, 26–27
- Corneal dystrophies, 114–115
 - Avellino dystrophy, 118
 - BIGH 3-derived corneal dystrophies, 116
 - Bowman layer corneal dystrophies, 116
 - classic lattice dystrophy, 116

Corneal dystrophies (*cont.*)

- Fuchs' dystrophy, 17, 73, 82, 84, 88, 114, 118–119
 - gene location and mutation analysis, 115
 - Herpes simplex keratitis, 121–123
 - keratoconus, 4, 10, 25, 55, 58, 62–64, 72, 88, 120
 - macular dystrophy, 117
 - molecular genetics, 115
 - posterior polymorphous cornea dystrophy, 119–120
 - repeat grafts, 118
 - Salzmann's nodular degeneration, 120–121
 - Schnyder dystrophy, 117–118
- Corneal emergencies, 212
- Corneal endothelium, 18–19, 26–27, 29–30, 118, 145
- Corneal epithelium, 10–13, 194–196, 211
- Corneal immune privilege, 19–20
- Corneal innervation, 19, 164
- Corneal stroma, 14–15, 17–18, 26, 54–55
- Corneal transplantation, economic evaluation
- deep anterior lamellar keratoplasty, 144–145
 - endothelial keratoplasty, 143–144
 - techniques, 145–149
- Corneal transplant rejection, 3, 109
- allosensitisation, 103
 - clinical features of, 103–104
 - corneal vascularisation, 102, 103
 - endothelial keratoplasty following failed penetrating keratoplasty, 108
 - endothelial rejection, 104, 106
 - epithelial rejection, 104
 - high rejection risk, patients with
 - cyclosporin A, 107
 - mycophenolate mofetil, 107–108
 - sirolimus, 107–108
 - systemic immunosuppression, 106
 - tacrolimus, 107
 - immune privilege, cornea and anterior chamber, 101–102
 - inflammation, 103
 - intensive topical corticosteroid, 104
 - intravenous methylprednisolone, 104–105
 - low rejection risk, patients with, 105
 - non-ocular atopic disorders, 103
 - risk factors, 102–103
 - stromal rejection, 104
 - treatment of, 104–105

D

DALK. *See* Deep anterior lamellar keratoplasty (DALK)

Decision-making

- basic considerations, 204–205
- corneal emergencies, 212
- dry eye disease, 212
- endothelial failure, 210
- herpetic scars, 211
- high-risk grafts, 212–213
- immunological reactions, 203
- keratoconus, 210
- limbal stem-cell insufficiency, 211–212
- stromal dystrophies, 210
- stromal non-herpetic scars, 210–211

surgical approaches

- anterior lamellar keratoplasty, 206–208
 - endothelial keratoplasty, 208–209
 - penetrating keratoplasty, 205–206
 - surgical modalities, 204
- Deep anterior lamellar keratoplasty (DALK)
- astigmatism, 154–155
 - big bubble technique, 60, 61
 - clinical outcome results, 62–63
 - economic evaluation, 144–145
 - eye banking, 24
 - decision making, 210–212
 - femtosecond laser application, 62, 184, 186–187
 - instrument position, 62
 - intraoperative complications, 63
 - layer-by-layer dissection method, 61
 - limbal approach, 61–62
 - long-term graft survival, 63, 135
 - postoperative complications, 63–64
 - postoperative management, 64
 - preoperative evaluation, 58–59
 - purpose and indication, 57–58
 - recurrence of disease, 115–117
 - stromal thickness, identification of, 62
 - therapeutic success rate, 63
- Deep lamellar endothelial keratoplasty (DLEK), 5, 36
- Descemet DALK, 58, 59
- Descemet membrane endothelial keratoplasty (DMEK), 6
- decision making, 208–209
 - donor preparation, 24, 41–42
 - immunereactions, 94
 - economic evaluation, 144
 - graft insertion, unfolding, and positioning, 42
 - Intraocular lens calculation, 166–167
 - pre-bubbling tissues, 31–32
 - pre-stripping tissues, 32
 - technical challenges, 36
- Descemet's membrane, 15–18
- Descemet's stripping automated endothelial keratoplasty (DSAEK). *see* Descemet's membrane endothelial keratoplasty (DSEK)
- Descemet's stripping endothelial keratoplasty (DSEK), 5, 37, 120, 144, 208
- decision making, 207–208
 - donor preparation, 24, 30, 38–39
 - economic evaluation, 144–149
 - femtosecond laser application, 187–188
 - graft insertion and positioning
 - busin glide, 39–40
 - forceps, 39
 - injectors/inserters, 41
 - sheets glide, 39
 - suture pull-through method, 40–41
 - host Descemet's membrane stripping, 39
 - limitations, 36
 - microkeratome preparation, 174–175, 179–180
- Direct vs. indirect allorecognition, 94

DMEK. *See* Descemet membrane endothelial keratoplasty (DMEK)
 DMEK with stromal rim (DMEK-S), 37
 Donor trephination, 71–72
 3D printing technology, for surgical glides, 30
 Dry eye disease, 212
 DSEK. *See* Descemet's stripping endothelial keratoplasty (DSEK)

E

Economic evaluation, keratoplasty
 comparator, 142
 corneal transplantation
 deep anterior lamellar keratoplasty, 144–145
 endothelial keratoplasty, 143–144
 techniques, 145–149
 cost-benefit analysis, 141–142
 cost-consequence analysis, 140
 cost-effectiveness analysis, 141
 cost-minimization analysis, 140–141
 cost-utility analysis, 141
 generalizability, 142
 interpretation of results, 142–143
 methods, 140
 perspective, 142
 time horizon, 142
 Ectopic SALK, 57
 Endothelial failure, 3–4, 37, 108, 119–120, 209–210
 Endothelial keratoplasty (EK), 4–6.
 see also DMEK and DSEK
 aphakic eyes with complete/partial aniridia, 43
 complications
 early postoperative intraocular pressure
 elevation, 46
 epithelial downgrowth, 48–49
 glaucoma, 48
 graft detachment rates, 47–48
 immunologic rejection, 48
 infections, 49
 interface abnormalities, 49
 primary graft failure, 48
 DLEK, 36, 37
 DMEK, 41–42, 208–209
 DSAEK, 208
 DSEK, 37
 donor preparation, 38–39
 graft insertion and positioning, 39–41
 host Descemet's membrane stripping, 39
 limitations, 36
 economic evaluation, 143–144
 graft failure, 44, 45
 history, 36–37
 hybrid techniques, 42–43
 indications and contraindications, 37
 iridocorneal endothelial syndrome, 45
 pediatric, 45
 vs. penetrating keratoplasty, 35
 phakic eyes, 44
 prior glaucoma-filtering/tube surgery, 44

research on endothelial diseases, 49
 surgical outcomes
 endothelial cell loss, 46
 graft survival rates, 46
 refractive results, 45–46
 visual acuity, 45
 terminology and innovations, 36–37
 ultrathin DSAEK approach, 37, 43
 vitrectomized eyes, 44
 Excimer laser, 69, 77–83, 156–157, 207
 Excimer laser-assisted deep lamellar keratoplasty, 80–81
 Eye banks. *See also* Corneal banking
 automated microkeratome system, 29
 corneal lenticules storage, 29
 corneal tissue preparation, 29
 donor sclera preparation, 29–30
 precut and preloaded tissues, for DSAEK, 30
 preloaded lenticule preparation, 31
 resection of cornea, 29
 role of, 24
 surgical glides, device prototyping for, 30–31
 synthetic medium, for corneal
 preservation, 30
 EyeNet Sweden, 131

F

Femtosecond-assisted ALTK, 4, 15, 54–55, 63
 Femtosecond laser, 154
 applications
 anterior lamellar keratoplasty, 184, 186–187
 endothelial lamellar keratoplasty, 187–189
 penetrating keratoplasty, 81–83, 183–185
 astigmatism, 154
 developments, 190
 economic evaluation, 147–148
 limitations and costs, 189
 platforms, 182–183
 principles, 182
 trephination, 81–82
 Fuchs' dystrophy, 17, 73, 82, 84, 88, 114, 118–119

G

Guided donor trephine systems, 71

H

Herpes simplex keratitis (HSK), 69, 121–123
 Herpetic scars, 4, 58, 84, 87, 211
 High-risk grafts, 106–107, 136, 212–213
 Histocompatibility antigens
 blood group antigens, 98
 class I and II molecules, 95
 HA-3 epitope, 98
 H-Y antigens, 97–98
 matching
 collaborative corneal transplantation studies, 96
 description, 95
 evidence, 96–97

Histocompatibility antigens (*cont.*)
 usefulness, 96
 waiting time, prediction of, 97
 minor histocompatibility antigens, 97
 typing and nomenclature, 95

HLAMatchmaker, 96–98

Hooking technique, 60

Human cornea, 9–10
 anatomical corneal layers, 10, 11
 anatomy and physiology, 10
 Bowman's layer, 13–14
 corneal endothelium, 18–19
 corneal epithelium, 10–13
 corneal immune privilege, 19–20
 corneal innervation, 19
 corneal stroma, 14–15
 Descemet's membrane, 15–18
 in vivo confocal microscopy of corneal layers, 10, 12

Hypothermic corneal storage, 27–28

I

Immunology, of keratoplasty
 anti-HLA antibodies, 97
 direct vs. indirect allorecognition, 94
 graft rejection, 93–94
 histocompatibility antigens
 blood group antigens, 98
 class I and II molecules, 95
 HA-3 epitope, 98
 H-Y antigens, 97–98
 matching, 95–97
 minor histocompatibility antigens, 97
 typing and nomenclature, 95
 recommended clinical practice, 98

Impression cytology, 197

Intracorneal ring segments (ICRSs), 156

Intraocular lens (IOL) calculation
 cataract surgery with penetrating keratoplasty, 167
 new triple procedure
 absolute prediction error, 166
 accuracy, 166
 advantages, 164
 methods, 164, 166
 postoperative hyperopic shift, 164
 refractive error, 166
 Scheimpflug imaging, 167
 phakic, 170–171
 piggyback, 170
 power calculation, 163–164
 previous corneal graft, 167–170
 prior corneal graft, 167

Intraocular surgery, 157–158

Intrastromal air injection, 61

IOL calculation. *See* Intraocular lens (IOL) calculation

Iridocorneal endothelial (ICE) syndrome, 45

K

Keratoconus, 4, 10, 25, 55, 58, 62–64, 72, 88, 85, 120, 179, 210

Keratoplasty

anterior lamellar keratoplasty, 4, 53–66
 anterior mushroom keratoplasty, 3, 62, 81
 astigmatism (*see* Astigmatism)
 deep lamellar endothelial keratoplasty, 5
 Descemet's membrane endothelial keratoplasty, 6, 35–52
 Descemet's stripping automated endothelial keratoplasty, 5, 35–52
 donor trephination, 71–72
 endothelial keratoplasty, 4–6, 35–52
 history of, 1–3
 penetrating keratoplasty, 3–4, 67–92
 posterior lamellar keratoplasty, 5, 35–52
 recipient trephination, 72, 73
 top-hat keratoplasty, 3, 81, 185–186
 trephination technique, 71

L

Lamellar keratoplasty. *See* DALK, DMEK, DSEK
 Laser-assisted in-situ keratomileusis (LASIK), 58, 118, 156–157, 160

Layer-by-layer dissection method, 61

Limbal stem-cell deficiency (LSCD)

autologous vs. allogeneic limbal grafts, 195–196
 biopsy, 199
 clinical features
 signs, 197
 symptoms, 196–197
 confocal microscopy, 197–198
 conjunctival epithelial cells and goblet cells, 198
 conjunctival migration/conjunctivalization, 194
 in culture, 199
 future perspectives, 201
 grafting, 199–200
 impression cytology, 197
 indications and contraindications, 196
 need, 194–195
 postoperative management, 200
 proliferative potential and cloning characteristics, 197
 residual corneal opacity, 200

Limbal stem-cell transplantation (LSCT), 194

LSCD. *See* Limbal stem-cell deficiency (LSCD)

M

Macular dystrophy, 117

Major histocompatibility antigens, 95

McCarey-Kaufman medium, 27

Mechanical microkeratomes

artificial anterior chamber, 174–175
 automated corneal shaper, 175
 “big bubble” technique, 174
 description

- basic components, 175–176
 - complications, 178
 - drive unit, 176
 - flap thickness considerations, 178
 - head propulsion, 177
 - microkeratome cutting head, 176
 - suction ring, 176
 - technical considerations, 177–178
- donor preparation, 179–180
- femtosecond laser-assisted dissection, 175
- lamellar keratoplasty, 174, 179
- non-freeze keratomileusis technique, 175
- physiologic corneal thickness, 174
- in situ keratomileusis technique, 175
- Melles technique, 61, 62
- Microkeratome-assisted approach, 5
- Microkeratome-assisted double-pass method, 43
- Mini-lamellar graft, 55–56
- Minor histocompatibility antigens, 97

- N**
- National corneal transplant registries
 - decision making, 136–137
 - eye banking, 135–136
 - graft survival, 132–133
 - new surgical techniques, 135
 - numbers of patients, multiple transplant centres, 129–130
 - patient-reported outcome measures, 133–135
 - registry set-up, 130–132
 - single-centre registry data, 130–131
 - visual outcome, 132–134
- Nonmechanical excimer laser trephination, 78–80
- Nucleic acid testing (NAT), 24

- O**
- Optical coherence tomography (OCT), 55–56, 59, 62, 84, 159, 187, 190
- Optimal trephination, 71
- Organ culture corneal storage method, 28–29

- P**
- Pachymetry, 39, 56, 59, 87, 104, 176, 177–178
- Patient-reported outcome measures (PROM), 133–135
- Penetrating keratoplasty (PK), 3–4
 - astigmatism clinical results, 69
 - conventional mechanical trephines, 76, 78
 - decision making, 205
 - early postoperative complication prophylaxis, 86–88
 - economic evaluation, 145–147
 - eye banking, 29–33
 - femtosecond laser, 81–82, 183–185
 - graft oversize, 74
 - graft registries, 132
 - graft size, 73–74
- history, 3
- immunology, 97–98
- intraoperative prophylaxis, 68–69, 85–86
- late postoperative complications, 88
- nonmechanical excimer laser trephination, 78–80
- postoperative examination, 69
- preoperative prevention, of complications
 - acute phase of keratoconus, 85
 - individually optimized graft size, 84
 - intraocular pressure, 84
 - phototherapeutic keratectomy, 83
 - preoperative patient information, 85
 - quality-assured donor corneas, from organ culture, 84
 - system diseases and eyelid abnormalities, 83–84
 - vascularized corneas, 84
- preoperative prophylaxis, 68
- pupil/limbal centration
 - excimer laser keratoplasty, 76
 - keratoconus, 74–75
 - radial keratotomy marker, 74, 75
 - suture technique, 75–76
- technical details of, 73
- Peripheral SALK, 56–57
- Phakic IOLs, 170–171
- Photorefractive keratectomy (PRK), 156
- Piggyback IOL, 170
- Posterior chamber in-the-bag lenses, 159
- Posterior chamber sulcus lenses, 158–159
- Posterior lamellar keratoplasty (PLK). *See* Endothelial keratoplasty
- Posterior polymorphous cornea dystrophy, 119–120
- Post-keratoplasty astigmatism
 - management
 - anterior chamber iris-claw lens, 158
 - excimer laser, 156–157
 - intracorneal ring segments, 156
 - intraocular surgery, 157–158
 - posterior chamber in-the-bag lenses, 159, 168
 - posterior chamber sulcus lenses, 158–159
 - spectacle and contact lenses, 155
 - treatment planning, 159–160
 - wedge resection, 156
 - reasons, 154–155
- Post-PKP astigmatism, 70
- Pre-Descemet DALK, 58, 59
- Prophylaxis, 68, 122–123, 212
- Pump-leak hypothesis, 18

- Q**
- Quality adjusted life years (QALY), 141

- R**
- Recipient trephination, 72, 73
- Repeat grafts, 108, 118
- Residual corneal opacity, 200

S

- SALK. *See* Superficial anterior lamellar keratoplasty (SALK)
- Salzmann's nodular degeneration, 120–121
- Schnyder dystrophy, 117–118
- Schwalbe's line, 16
- Selective lamellar keratoplasty, 58
- Sickle DMEK, 37
- Small-bubble technique, 60
- Spectacle and contact lenses, 155
- Stromal dystrophies, 115–118, 210
- Stromal non-herpetic scars, 210–211
- Submerged cornea using backgrounds away (SCUBA), 41
- Submerged hydro-separation method, 31, 32
- Sulcoflex, 159, 170
- Superficial anterior lamellar keratoplasty (SALK), 206–207
 - automated lamellar therapeutic keratoplasty
 - complications, 55
 - decision making
 - postoperative management, 55
 - preoperative examination, 55
 - purpose and indication, 54
 - central, 55–56
 - ectopic, 57
 - peripheral, 56–57
- Surgical glides, device prototyping for, 30–31
- Swedish Cataract Registry, 131
- Swedish Cornea Registry, 131

T

- Tectonic keratoplasty, 54–58, 71, 108, 189, 207
- Top-hat keratoplasty, 3, 81, 185–186
- Toric intraocular lenses (tIOLs), 157
- Traditional penetrating keratoplasty, 3
- Trephination technique, 71
- Trypan blue exclusion assay, 27
- Type 1 bubble, 60
- Type 2 bubble, 60

U

- UK Transplant Registry, 132
- Ulcerative keratitis, amniotic membrane transplantation, 84
- Ultrathin Descemet's stripping endothelial keratoplasty (UT-DSEK), 188
- Ultrathin DSAEK, 37, 43, 179–180
- Urrets-Zavalía syndrome, 86

W

- Wedge resection, 156

Z

- Zeiss VisuMax, 183