

# Index

## A

Accessibility, 93  
*Acetobacter xylinum*, 209, 211  
Acetobutyrate, 29  
Acetolysis, 68  
Acetophthalates, 29  
Acetopropionates, 29  
Acetoxypopyl cellulose (APC), 252  
Acetyl ethyl cellulose (AEC), 253  
Acid hydrolysis, 69  
Actuators, 299  
    chiral, responsive, 300  
Acylation, 30, 148, 253  
Alkaline phosphatase (AP), 219  
Alkenyl succinic acid anhydride (ASA), 172  
Alkoxysilanes, 174, 267, 308  
Alkyldimethylchlorosilanes, 187, 274  
Alkyl ketene dimer (AKD), 172  
Amino cellulose, 1, 19, 33  
6-Aminoquinoline (6-AQ), 78  
Amylose alkylcarbamates, 260  
Amylose triphenylcarbamate (ATPC), 260  
Anhydroglucose units (AGU), 4, 39  
Anion exchange chromatography, 85  
Antimicrobial peptides (AMPs), 233

## B

Bacterial cellulose (BC), 4, 11, 169, 179, 207, 211, 270, 319  
Bagasse, 4  
Bamboo, 4  
Barrett–Joyner–Halenda (BJH) average pore size, 292  
Bifunctional reagents, 190

Bioactive agents, 225  
Biocompatibility, 207, 217, 220  
Biodegradability, 2, 26, 172, 177, 207  
Bioethanol, 54, 210, 211  
Biofunctionalization, 227  
Biorefinery, 53, 54, 88  
Biosensors, 33, 212, 220, 295, 315  
Butyryl ethyl cellulose (BEC), 254

## C

Carbonyldiimidazole (CDI), 31  
(2-Carboxyethyl-*N*-Boc-2-aminoethyl)  
    cellulose carbamate, 43  
Carboxymethyl 6-deoxy-(1-*N*-(1,2,3-triazolo)-  
    4-PAMAM) cellulose, 37  
Carboxymethyl cellulose (CMC), 30, 189  
Cation exchange resins, 53, 84, 88, 305  
Cationization, 169, 182, 230, 232  
Cellobiose, 4, 6, 60, 65, 70, 71, 76  
Cellodextrin-phosphorylase, 67  
Cellooligosaccharides, 53, 69  
Cellulases, 55, 63, 68, 76, 77, 209–212  
Cellulose, 1  
    fibers, 1, 11, 70, 133, 140, 210, 225  
    hydrolysis, 53  
    in-depth modification, 169  
    nanocrystals (CNCs), 169, 177, 207  
    nanofibrils/nanofibrillated (CNFs), 169,  
    177, 207  
    nano-/microfibrillated, 169  
    plants, 9  
    solubility, 21  
    type I (native cellulose), 5, 12  
    type II, 5–9

- Cellulose (*cont.*)  
 type III, 7, 8, 104, 116  
 IV, 7–9, 116  
 Cellulose carbonate, 42  
 Cellulose nitrate, 29  
 Cellulose phenylcarbamate (CPC), 246  
 Cellulose phenylcarbonates, 42  
 Cellulose sulfate (CS), 31  
 Cellulose tosylate, 33  
 Cellulose tri(4-chlorophenyl)carbamate  
 (4Cl-CTC), 257  
 Cellulose 3-(trifluoromethyl)phenylcarbamate  
 (3-CF<sub>3</sub>-CTC), 263  
 Cellulose xanthogenate, 21  
 Cellulosic fibers, 1, 11, 70, 133, 140, 210, 225  
*Chaetamorpha melagonicum*, 4  
 Chiral nematic mesoporous cellulose (CNMC)  
 materials, 295  
 Chiral nematic mesoporous silica (CNMS),  
 310  
 Chiral nematic structure, 263  
 Chirality, 241, 271, 287, 313, 322  
 Chitin, 148, 183, 197, 263, 266, 282, 307, 308  
 phenylcarbamation, 257  
 Chitosan, 148, 181, 197, 229–232, 235, 257  
 phenylcarbamation, 257  
 Chlorophenylcarbamate, 267  
 Circular dichroism (CD), 248  
*Clostridium thermocellum*, 67  
 Composites, 241  
 Conglycinin, 213  
 Cotton, 3, 4, 225, 273, 277  
 linter, 4, 14, 23, 25, 28, 94, 96, 118, 126,  
 141, 146  
 Cox–Merz rule, 155  
 Cross model, 155  
 Crossover point (COP), 139  
 Crystal modifications, 6  
 Crystallinity, 5, 68, 93, 115, 243, 260, 291  
 index, 12, 115, 118  
 1-Cyano-4-dimethylaminopyridinium  
 (CDAP), 214
- D**  
 6-Deoxy-6-amino cellulose, 34  
 6-Deoxy-6-azido cellulose, 37  
 6-Deoxy-6-(2-(bis(2-aminoethyl)aminoethyl)  
 amino) cellulose, 34  
 6-Deoxy-6-( $\omega$ -aminoethyl)aminocellulose  
 (AEA cellulose), 36  
 6-Deoxy-6-( $\omega$ -aminoalkyl)  
 aminocellulosecarbamates, 19  
 Derivatives, 241  
 Deuteration, 93  
 1,5-Diazabicyclo[4.3.0]non-5-enium acetate  
 [DBNH]OAc, 133, 151  
 Dicyclohexylcarbodiimide (DCC), 31  
 Dimethylacetamide (DMAc), 151  
 1,3-Dimethyl-2-imidazolidinone, 140  
 Dodecyl 3,4,5-trihydroxybenzoate (HB-C12),  
 221  
 Drug delivery, 211, 229, 290, 295  
 Dry-jet wet fiber spinning, 133
- E**  
 Electrolytes, 22, 78, 269, 271, 322  
 poly-, 18, 31, 181, 228–235, 269  
 solution, 137  
 Electrospinning, 18  
 Elementary fibrils, 9  
 Encapsulation, 32, 214, 229, 323  
 Endoxylanase, 77  
 Enzymes, 9, 33, 62–67, 75, 208, 212, 220  
 oxidative, 220  
 Epichlorohydrin, 183  
 Esterification, 24, 26, 31, 37, 88, 169, 184,  
 253, 273  
 Etherification, 8, 28, 37, 253, 273  
 Ethyl cellulose (EC), 246, 253, 307  
 Ethylhydroxyethyl cellulose, 29  
 1-Ethyl-3-methylimidazolium acetate  
 (EMIMAc), 26, 138  
 1-Ethyl-3-methylimidazolium dicyanamide, 257  
 Evaporation-induced self-assembly (EISA), 299
- F**  
 Fiber spinning, 141, 156  
 Flax, 4  
 Fourier-transform infrared (FT-IR)  
 spectroscopy, 120  
 Functional materials, 241
- G**  
 Glancing angle deposition (GLAD), 312  
*Glaucocystis*, 4  
*Gluconacetobacter medellinensis*, 217  
*Gluconacetobacter xylinum*, 3, 214  
 Glucose, 4, 64, 67, 71, 116, 270, 309  
 Glucose oxidases (GOx), 33, 212  
 Glucose-1-phosphate, 67  
 Glycosidation, 58  
 Glycoside, 53, 61  
 hydrolases, 63  
 synthases, 65  
 Glycosyltransferases, 65  
 Grafting, 183

**H**

Hemicelluloses, 3, 4, 9, 11, 54, 57, 77, 108, 116, 123, 148, 288  
Hemp, 4  
Hexanoyl ethyl cellulose, 254  
High-performance materials, 277  
HPAEC-PAD, 78  
HPLC, 81  
Hybridization, inorganic, 241, 266  
Hybrids, 241  
Hydrochloric acid, 69  
Hydrogels, 214, 227, 280, 302  
    photonic, responsive, 302  
Hydrogen bonding, 5, 9, 17, 21, 82, 116, 212, 260, 273, 305, 310  
Hydrolysis, 5, 12, 24, 31, 53, 245, 267, 288, 305, 308  
Hydrophobization, 171  
Hydroxypropyl cellulose (HPC), 29, 246, 301

**I**

Immobilization, 207, 212  
Infrared spectroscopy (IR), 93, 96  
Inherently conducting polymer (ICP), 317  
Ion exchange columns, 84  
Ionic liquids, 1, 18, 21, 26, 74, 133, 137, 247  
Isocyanates, 173, 185  
(3-Isocyanatopropyl)triethoxysilane, 173

**J**

Jute, 4

**K**

Kapok, 4  
Koenigs–Knorr method, 58

**L**

Laccase, 220, 221  
Lactate oxidase, 33  
Layer-by-layer technique/assembly, 225, 228  
Leloir-glycosyltransferases (glycoside synthases), 65  
Level off degree of polymerization (LODP), 13, 70, 94  
Lignin, 4, 11, 108, 116, 147, 148, 197  
Lignocellulosic fibers, 148, 169, 181, 184, 186, 192, 211, 270, 299  
Lipophobicization, 173  
Liquid crystals, 241, 247, 267, 276, 307

Lyocell fibers, 136  
Lyotropic liquid crystals (LLCs), 307  
Lyotropics, 248

**M**

Magnetic field-assisted control, 263  
Melamine-urea-formaldehyde (MUF)–CNC, 297  
Mercerization, 28  
Mesoporosity, 295  
Mesoporous photonic cellulose (MPC) film, 289  
3-(Methacryloyloxy)propyltrimethoxysilane (MPTOS), 307  
*N*-Methylmorpholine-*N*-oxide monohydrate, 21, 136,  
Microcrystalline cellulose (MCC), 12, 138, 207  
Microfibril angle, 11  
Microfibrillar cellulose (MFC), 17, 169, 181, 208  
Microfibrils, 9, 17, 107, 124, 245, 257, 267  
3-Mono-*O*-propargyl cellulose, 39  
Multifunctional materials, 279  
Multiwall carbon nanotubes (MWCNTs), 146

**N**

Nanocasting (hard templating), 313  
Nanocellulose, 207, 212  
Nanocrystals, 17, 241, 287  
Nanofibers, 1, 18, 179, 184, 208, 217, 219  
Nanofibrillated cellulose, 169  
Nanohybrids, 280  
Nanospheres, 19  
Nanostructuring, 1  
Noble metal nanoparticles (NPs), 315  
Non-Leloir glycosyltransferases (phosphorylases), 66  
Nuclear magnetic resonance (NMR), 6, 115, 119

**O**

*N*-Octadecyl isocyanate, 17  
Oleophobicization, 171  
Oligosaccharides, 57  
Optical rotatory dispersion (ORD) spectrophotometry, 248  
Optoelectronics, 287  
Organosilica, 308

**P**

PAMAM-triazolo cellulose, 37  
Pancreatic serine protease trypsin (TRY), 219

- Pectin, 4  
 Pentafluoropropionyl ethyl cellulose (5FPEC), 254  
 Perfluorooctyl trimethoxysilane (PFOS), 174  
 Periodic mesoporous organosilicas (PMOs), 309  
 Peroxidase, 33  
 Persistence length, 246  
 Phase behavior, 241  
 PHEMA-CNC, 277  
 Phenylcarbamate, lyotropics, 257  
 Phosphorylases, 65–67  
 Photonics, 287  
 Polyaniline (PANI), 317, 321  
 Poly( $\beta$ -hydroxyalkanoate), 17  
 Poly( $\epsilon$ -caprolactone), 17, 177  
 Polyelectrolytes, 18, 31, 181, 228–235, 269  
 Polyphenols, 220  
 Poly(phenylene vinylene) (PPV), 316  
 Polysaccharide aryl carbonates, 42  
 Polysaccharides, 241  
 Prehydrolysis kraft (PHK) pulp, 140  
 Propionyl ethyl cellulose (PEC), 254  
 Protein/enzyme immobilization, techniques, 219  
 Proteins, 207, 212
- R**  
 Raman spectroscopy, 109, 115, 126, 267  
 Ramie, 4  
 Reactivity, 1  
 Refractive index, 248, 280, 292, 311, 317  
   sensing/detector, 80, 311  
 Resistance, antibacterial, 226, 233  
 Rheology, 133, 138, 152  
 Rosin, 172
- S**  
 Self-assembly, 14, 28, 31, 35, 289, 295, 308, 322  
 Sensors, 287, 299  
   biosensors, 33, 212, 220, 295, 315  
 Silanes, 176, 187  
 Siloxanes, 174, 186–188, 282  
 Sisal, 4  
 Size exclusion chromatography (SEC), 5, 56, 79  
 Small angle neutron scattering (SANS), 16, 100  
 Small angle X-ray scattering (SAXS), 100, 144, 260, 282
- Solubility, 1, 55, 83, 137, 182, 247, 256  
 Spinning, trials, 152  
 Spruce cellulose, 9  
 Stimuli responsive materials, 265  
 Straw, 4  
 Sugar boronate affinity chromatography, 88  
 Sulfation, 31, 270, 287  
 Sulfuric acid, 71  
 Sum frequency generation (SFG) spectroscopy, 115, 120  
 Supramolecular architecture, 1, 287  
 Surface modification, 169, 171, 181, 228
- T**  
 Tetraethyl orthosilicate (TEOS), 308  
 Tetramethylpiperidine-1-oxyl (TEMPO), 181, 188, 217, 270  
 Textiles, bioactive/antimicrobial, 225  
   LbL coating, 230  
 Thermotropics, 252  
 Thiourea, 28  
 Transient electric birefringence (TEB), 288  
*Trichoderma reesei*, 77, 209–211  
*Trichoderma viride*, 64, 76  
 Trifluoroacetylation, 173  
 Trifluoropropyl trimethoxysilane (TFPS), 174  
 Trimethylsilyl cellulose (TMSC), 20  
 Triphenylcarbamate (CTC), lyotropics, 256  
 Tunable photonic properties, 295  
 Tunicates, cellulose, 15, 116, 125, 269, 270, 273, 319
- U**  
 Urea, 28, 258, 297  
   hydrates, 28  
 UV protection, 232
- V**  
*Valonia ventricosa*, 4  
 Vogel–Fulcher–Tamman (VFT) equation, 138
- W**  
 Whiskers, 1, 12, 15, 17, 173, 310  
 Wide angle X-ray diffractometry (WAXD), 28, 243, 248, 252  
 Wide angle X-ray scattering (WAXS), 133, 152, 156  
 Williams–Landel–Ferry theory, 138

Wood pulp, 17, 115, 118, 126, 181, 209, 245  
Wound dressings, antibiotics, 233

**X**

X-ray diffraction, 6, 106, 115, 119  
X-ray photoelectron microscopy (XPS), 177

Xylan, 53, 64, 75, 81, 147  
    hydrolysis, 53  
Xylooligosaccharides, 53, 77–88

**Y**

Yarn spinning, 133, 158