

Index

A

Agarose droplet-based method, 87
Alkaline phosphatase (ALP), 223
 α -Amylase enzyme, 200
Angiotensin-converting enzyme 1 (ACE-1), 228
Anodic stripping voltammetry, 207
Antibiograms, 40
Antibiotic resistance, 37
Antibiotic susceptibility testing (AST) chip, 40
Anti-EpCAM antibodies, 43
Axon GenePix, microarray scanner, 153

B

BCE. *See* Bovine capillary endothelial (BCE)
Bioanalyzer chip, 102
Bioassays, microfluidic cell culture
 antibody-based detection, 338
 biomolecules, 337
 chemiluminescent signal detection, 338
 COC-based chip, 337, 339
 electrochemical cell lysis, 338
 ELISA, 337, 338
 EMSAs, 337
 FISH, 337
 imaging-based assays, 338
 immunofluorescence, 338
 immunostaining, 337
 PCR, 337
 PDMS and coverslip glass, 337
Biomicrofluidics, 324
Biophotonics
 cytosolic L-lysine concentration, 194, 195
 L-tyrosine production, 194

 melanin, 194

 photonic biosensors, 193
 transcription factors, 194
 whole-cell biosensors, 194

Biosensor, 206

 analytical performance, 215, 216
 μ PADs (*see* Microfluidic paper-based analytical devices (μ PADs))
 whole-cell biosensors, 194

Blockage ratio, 265–266

Bovine capillary endothelial (BCE), 33

Bovine viral diarrhea virus (BVDV), 239

C

Caenorhabditis elegans
 advantages, 6
 behavioral responses, 9
 calcium imaging, 11
 fluorescence imaging, 11
 genetic manipulation, 10
 neuronal activity, 9
Catalyzed reporter deposition (CARD), 99
Cell-adhesion molecules (CAMs), 325
Cell–cell interaction model development, 154
Cell culture
 biological models
 2D coculture models, 330–331
 2D monoculture models, 328–329
 3D culture models, 332–335
 biomicrofluidics, 324
 cell type, 325
 clinical applications, 341–342
 confluence, 325–326
 live-cell microscopy, 336

- Cell culture (*cont.*)
 media volume, 326
 microenvironment *in vitro*, 335–337
 microfluidic applications, 324
 microscale
 device material, 327
 geometries, 327
 volumes and times, 327, 328
- Cell function
 immunofluorescence images, 340
 mechanosensitive, 329
- Cell-loaded droplets, 199
- Cell-surface proteins
 biotinylated antibody, 223
 cells emitting, 223
 cell sorting and phenotypic classification, 223
 detection, low copy number, 223, 224
 enzyme amplification, 223
 enzyme-labeled cells, 223
 EpCAM, 225
 FC principle, 223
 fluorescence detection, 223
 Her2 in breast cancer, 223
 mesenchymal and hematopoietic cell types, 223
 periosteal cells, 223
 RCA, 224, 225
 single molecule detection, 225
 utilization, 223
- CheapStat, 207
- Christmas tree gradient generator, 35–36
- Chromatin immunoprecipitation (ChIP)
 cell types, 352
 epigenetic/epigenomic, 352
 genome scale, 351
 histone, 351
- Chromatography paper, 209
- Chronoamperometry, 211, 213, 214
- Circulating fetal cells (CFCs), 296
- Circulating tumor cells (CTCs), 20, 225, 254
 chemotherapy drug screening efficacy, 296
 clusters, 303, 305
 EpCAM, 301
 eukaryotic cells, 42
 isolation and analysis, single cells, 42
 isolation and secretome analysis workstation, 45
 microfluidic isolation platforms, 43–46
 microporous filters, 305
 rare cell isolation, 296, 297
 single cell biology, 20
- Cluster-chip, 305
- Coaxial injection, 197
- CODIS. *See* Combined DNA Index System (CODIS)
- Combinatorial labeling and spectral imaging FISH (CLASI-FISH), 105
- Combined DNA Index System (CODIS), 72
- Contact angle, 236, 237, 239
- CotA laccase gene, 228
- Counter electrode (CE), 209
- CTCs. *See* Circulating tumor cells (CTCs)
- CTLs. *See* Cytotoxic tumor-infiltrating lymphocytes (CTLs)
- Custom algorithms, 154
- Cyclic voltammetry (CV), 207, 212, 213
- Cyclo-olefin copolymer (COC), 337
- Cytogenetic technique, 104
- Cytotoxic tumor-infiltrating lymphocytes (CTLs), 20
- D**
- Danio rerio, 5, 7
- 2D coculture models, 330–331
- 3D culture models
 circular optical fibers, 334
 EC culture, 334
 ECM stress forces, 335
 ECs, 333
 endothelialized vessels, 333
 hydrogel layer, 335
 MCTS, 332
 metastasis, 333
 microchannel, 333
 PDMS-based microfluidic device, 335
 PDMS-glass microfluidic device, 334
 tubular morphology, vessels, 334
 VFP, 334
- Dean number, 266
- Detection modalities in FISH
 bulk profiling methods, 109
 flow cytometry, 104
 fluorescence imaging, 105
 LIF point detector, 106
 microfluidic drifting, 107
 PDMS, 105
 single-cell RNA-seq, 107, 108
 single-cell RT-PCR, 107, 108
- Dial-a-wave microfluidic chip, 23
- Dielectrophoresis (DEP), 222, 281, 282
 blood cells, 284
 cell permissivity, 284–285
 Clausius-Mossotti factor, 286–288
 cDEP, 289
 dielectrophoretic chip, 285
 electric field, 285

- intrinsic polarizability, 285
 - multi-shell model, 285
 - nDEP, 283
 - pDEP, 284
 - 2D monoculture models, 328–329
 - Double-stranded DNA (dsDNA), 242
 - Droplet-based ELISA platform, 228
 - Droplet-based microfluidic techniques, 73
 - Droplet microfluidics
 - advantages, 220
 - biochemical applications, 220
 - biomarker characterization, 220
 - biomolecule and biomarker detection, 220
 - cell-surface proteins, 223–225
 - cellular and molecular diversity, 220
 - device and experimental design
 - critical capillary number, 222
 - DEP, 222
 - droplet docking arrays, 222
 - dynamic properties, 222
 - emulsification system, 222
 - EWOD, 222
 - fluid phases, 222
 - fluid shearing in T-junction and flow-focusing methods, 221
 - mineral oils, 222
 - on-chip docking, 222
 - on-chip droplet incubation systems, 222
 - PDMS, 221
 - diagnostics, 219, 220, 225, 227, 229
 - efficiency and cost-effectiveness, 197
 - FC, 196
 - femtoliter to nanoliter volume droplets, 220
 - formation, 197, 198
 - in IME, 197–200
 - immiscible liquid phases, 220
 - immunoassay techniques, 221
 - LOC, 219
 - micro-to picoliter droplets, 197
 - population-averaged studies, 221
 - secreted proteins (*see* Secreted proteins)
 - ultra-sensitive detection, 220
 - μ TAS, 219
 - Droplet-on-thermocouple silhouette real-time PCR (DOTS qPCR), 248
 - Droplets, 222
 - Drosophila melanogaster*, 5, 7
 - Drug screening
 - antibiotic susceptibility testing chip, 38, 40
 - microfluidic living cell array, 38
 - organ-on-a-chip devices, 40, 42
 - Dye-labeled oligonucleotide probes, 99
 - Dynamic scaling, 258–259
- E**
- EBs. *See* Embryoid bodies (EBs)
 - ECFCs. *See* Endothelial colony-forming cells (ECFCs)
 - Electrical methods, rare cell separations
 - DEP theory, 282–288
 - design of cell separation devices, 288–289
 - electrochemical properties, 282
 - Electrochemical currents, measurement ranges, 210
 - Electrochemical detection
 - biomarkers in human fluids, 215
 - light-resistant incubator, 211
 - on μ PADs, 209
 - paper-based biosensor array, 216
 - quantitative biomarker measurements, 206
 - Electron beam lithography (EBL), 239, 241
 - Electrophoretic mobility shift assays (EMSAs), 337
 - Electrospun fiber mats, 236
 - Electrowetting, 238–239
 - Electrowetting-on-dielectric (EWOD), 222, 236
 - ELISA. *See* Enzyme-linked immunosorbent assay (ELISA)
 - ELISpot method, 145–146
 - Embryoid bodies (EBs), 8
 - Endothelial cell (EC), 329
 - Endothelial colony-forming cells (ECFCs), 313
 - Endpoint detection strategy, 246
 - Enzyme-catalyzed redox reactions, 209
 - Enzyme-linked immunosorbent assay (ELISA), 175, 337
 - Epidermal growth factor receptor (EGFR), 300
 - Epigenetic changes
 - DNA methylation, 350
 - dysregulated transcription, 350
 - eukaryotic cell nuclei, 351
 - gene activity, 350
 - tumor cells, 350
 - Epithelial cell adhesion molecule (EpcAM), 225
 - Epithelial-mesenchymal transition (EMT), 314
 - Eppendorf tubes/syringes, 199
 - Exosomal IGF-1R
 - pretreatment stage II NSCLC patients, 131
 - quantitative analysis, 133
 - quantitative detection, 131, 132
 - Exosomes. *See also* Exosomal IGF-1R
 - in clinical care, 134
 - flow conditions, 120, 121
 - HARVARD Pump11 Elite, 119

Exosomes (*cont.*)

- IGF-1, IGF-2 and IGFBP-3, 116 (*see also* Immunomagnetic beads and antibody conjugation)
 - microfluidic chemifluorescence detection (*see* Intravesicular markers; Microfluidic device fabrication)
 - microfluidic (*see* Microfluidic exosome analysis)
 - noninvasive blood-based tests, 115
 - NSCLC, 116
 - NTA, 118
 - PDMS microfluidic device, 119
 - profiling platform, 119, 120
 - size characterization, 134
 - streamlined chemical lysis, 123–124, (*see also* Subpopulations profiling)
 - TEM images, 118, 122
 - ultracentrifugation, 118
 - western blotting, 118
- Extracellular matrix (ECM), 329

F

FACS. *See* Fluorescence-activated cell sorting (FACS)

Faradaic current, 214

FISH methods and translation

- fix and permeabilization step, 98
- flow-FISH analysis, 98
- LNA, 98
- methanol treatment, 98
- RNA flow-FISH protocol, 98
- saponin, 98
- Triton X-100 treatment step, 98

Fluid dynamics

- channel walls, 263
- cylindrical tube, 261
- electrokinetic flow, 261
- electroosmosis, 263
- electrophoresis, 263
- flow rate, 263
- Hagen-Poiseuille equation, 261
- Navier-Stokes equations, 260, 263
- photolithography and etching techniques, 261
- pressure drop, 261, 263
- Stokes flow, 264–265
- velocity profile, 261
- volumetric flow rate, 261

Flow cytometry (FC)

- cell suspension, 144, 145
- chip-based flow cytometry detectors, 106

- cylindrical sheath flow geometry, 106
- cytogenetic technique, 104
- 1D hydrodynamics, 107
- 2D hydrodynamics, 107
- and enzyme production quantification, 194
- FFC and Cytof, 144
- flow-cell, 194
- fluorescent/light scattering properties, 195
- high-content and high-throughput analysis, single cells, 196
- logarithmic signal amplifiers, 104
- mass cytometry, 144
- multiparametrics, 196

Flow cytometry-based RNA-FISH sample preparation, 97, 98

Flow-focusing geometry, 197

Fluorescence-activated cell sorting (FACS), 20, 300

enzyme evolution, 195

FC, 194–196

FWS, 195

genomic variants, 195

membrane-bound and intracellular enzymes, 195

properties, 195

SSC, 195

solvents, acids and high substrate concentrations, 196

whole-cell biosensor approach, 195

Fluorescence imaging, 104

Fluorescence in situ hybridization (FISH)

diagnostics, 110

DNA and RNA targets detection, 96

eukaryotic/prokaryotic cells, 97

microbial RNA

bioanalyzer chip, 101

CARD-FISH, 100, 101

dual-mode labeling, 102

hybridization chamber, 102

in situ PCR/in situ LAMP, 101

16S rRNA, 99

stellaris FISH, 101

TSA, 99

TSA-FISH, 100

μFlowFISH device, 102, 103

microfluidic flow control, 97

nucleic acid analogs, 96

signal amplification, 109

single-cell detection, 102, 104

Fluorescent in situ hybridization (FISH), 337

Forward scattering (FWS), 195

Fruit fly, 7

G

- Gene expression, 96, 108–110
 - dial-a-wave microfluidic chip, 23, 24
 - microfluidic chemostat, 24, 25
 - microfluidic lab-on-a-chip, 23
 - microfluidic worm trap, 30–31
 - olfactory chip, 31
 - Pin-Ball traps, single cells, 25–26
 - SCM, 28, 29
 - stochastic fluctuations, 20
 - yeast jails, 27
- Geometrically enhanced differential immunocapture (GEDI), 301
- Geometric scaling, 257
- Global transcription machinery engineering (gTME), 191
- Glucose meters, 207

H

- Heater controlled surface tension
 - gradients, 236
- Hematopoietic stem cells (HSCs), 296
- Herringbone chip, 303
- High-throughput cellular isolation and analysis, biomedicine
 - CTCs, 296, 297
 - hydrodynamic signatures, 305–308
 - immune cells, 310–311
 - immunochemical signature, 300–305
 - metastasis, 297
 - microfluidic devices, 296
 - pathogens, 311–313
 - rare cells, 296
 - stem cells, 313–314
- Honeycomb-shaped microfluidic chip, 37
- Hydrodynamic signatures, isolation
 - archimedean spiral patterns, 305
 - bifurcating pillar, 306
 - biological fluids, 305
 - cancer cells, 306, 307
 - cell separation techniques, 305
 - cluster-chip, 305
 - CTC clusters, 305
 - FC, 305
 - hematological cells, 306
 - high sorting throughput, 305
 - inertial forces, 305
 - microporous filters, 305
 - RBC lysed blood, 308

I

- IGF-1. *See* Insulin-like growth factor-1 (IGF-1)
- IGF-2. *See* Insulin-like growth factor-2 (IGF-2)

IGFBP-3. *See* Insulin-like growth factor-binding protein-3 (IGFBP-3)

Immune cell

- CD66b-specific antibody, 310
- erythrocytes, 310
- leukocyte transcript profiling, 310
- microfluidics, 311
- neutrophils, 310
- trafficking and phenotype
 - cell migration, 316
 - chemoattractant gradients, neutrophil migration, 316
 - chemotaxis assays, 315
 - effective immune responses, 315
 - FCCs, 317
 - leukocyte migration patterns, 317
 - microfluidic postdiapedesis inflammation model, 317
 - neutrophils, 316, 317

Immunochemical signature

- adhesion force, 300
- anti-EGFR aptamer-grafted glass, 304
- antigen–antibody complex, 300
- CTCs, 300
- EpCAM, 300
- EpCAM-dependent immunomagnetic enrichment method, 304
- herringbone chip, 302, 303
- MACS, 300
- microfluidic isolation methods, 300
- microposts, 301
- semiautomated imaging system, 301
- target cell receptors, 303

Immunomagnetic beads and antibody conjugation, 117**Immunostaining, 337****Inertial forces**

- curved microchannels
 - bulk sample, 280
 - Dean flow, 279
 - drag force, 279
 - polystyrene beads, 280
 - Reynolds number, 279
 - spiral microchannels, 280
- hydrodynamic signatures, 305
- rare cell isolation
 - blockage ratio, 274
 - equilibrium positions, 274
 - inner wall, 277
 - laminar flow, 274
 - microscale vortices, 276, 279
 - Reynolds number, 274, 275
 - Stokes drag, 274
 - straight microchannels, 275–276
 - tubular pinch, 274

- Insulin-like growth factor-1 (IGF-1), 116
 Insulin-like growth factor-2 (IGF-2), 116
 Insulin-like growth factor-binding protein-3 (IGFBP-3), 116
 Interfacial effects, 236, 248–250
 Intravesicular markers
 incubation time, 130
 integrated microfluidic platform analysis, 130
 Michaelis-Menten equation, 130
 sample-in-answer-out exosome analysis capability, 129
 Inverse metabolic engineering (IME)
 chromosome, 190
 droplet microfluidics, 191, 197–200
 FACS, 191
 gTME, 191
 implementation steps, 190, 191
 penicillin production, 190
 strain construction, 190
 tylosin production, 190
- J**
 Jurkat T cells, 227
- L**
 Laminar flow, 23, 32, 41, 51
 Light-induced dielectrophoresis, 236
 LNA. *See* Locked nucleic acid (LNA)
 Locked nucleic acid (LNA), 98
- M**
 MACS. *See* Magnetic activated cell sorting (MACS)
 Magnetic activated cell sorting (MACS), 300
 Magnetofluidics, 236
 Mammalian systems, 8
 Matrix metalloproteinases (MMPs), 228
 μ CCA. *See* Microfluidic cell culture analog (μ CCA)
 Mechanical methods, rare cell separations
 inertial forces, 274–281
 Mesenchymal stem cells, 223
 Metabolic engineering
 IME, 190–191
 rational/constructive, 190
 Metabolic markers
 glucose, 208, 213–215
 lactate, 208, 213–215
 uric acid, 209, 213–216
- μ FlowFISH device, 103
 custom-built detector, 102
 Pseudomonas species detection, 102
 Microbead-based assays
 clinical samples, 168
 FC, 168
 magnetic beads, 168
 monoclonal antibodies, 168
 multiplex assays
 barcoded microparticles, 164
 barcoding technique, 164
 dyes, types, 163
 multiple analytes, 163
 quantum dots, 163
 oligonucleotide probes, 168
 surface functionalization
 chitosan beads, 165
 DNA ligase, 166
 liquid flow, 166
 streptavidin-coated agarose beads, 165
 UV/ozone treatment, 165
 virus genotyping, 166
 Microbial antibiotic resistance, 40
 Microchip platforms, 151–153
 Microcontroller unit (MCU), 209
 Microengraved single-cell proteomics chips, 146
 Microfluidic cell culture
 2D coculture models, 330–332
 3D culture models, 332–335
 device material, 327
 2D monoculture models, 328–330
 effective culture volumes and times, 327–328
 geometries, 327
 integrating bioassays, 337–339
 single-cell analysis, 340–341
 Microfluidic cell culture analog (μ CCA), 41
 Microfluidic chemostat, 24, 25
 Microfluidic ChIP assays
 AutoChIP, 352
 barcoded ES cells, 360
 6C2 cells, 354
 ChIP-qPCR, 353
 chromatin state maps, 358
 dielectrophoresis, 359
 embryonic cells, 353
 epigenetic/epigenomic, 361
 histone, 356
 HSPCs, 358
 immunoglobulin heavy-chain locus, 358
 immunoprecipitation, 352, 354
 MNase, 353

- MOW, 356
- MOWChIP-seq, 356
- oligonucleotides, 359
- PDMS, 352
- Microfluidic chromatin immunoprecipitation
 - epigenetics, 349
 - gene activation, 349
 - genomic map, 349
 - histone, 349
- Microfluidic device fabrication, 116, 117
- Microfluidic exosome analysis
 - conventional filtration, 115
 - membrane-derived vesicles, 114
 - molecular biology, medicine and bioanalytical chemistry, 114
 - multistage functional integration, 114
 - nanoscale and molecularly diverse vesicles, 115
 - nano-sized extracellular vesicles, 114
 - nPLEX assay, 114
 - NTA, 115
 - TEM and AFM, 115
 - μ NMR sensor, 114
- Microfluidic fabrication techniques, 21–22
- Microfluidic hybridoma screening chip, 47
- Microfluidic living cell array, 39
- Microfluidic olfactory chip, 32
- Microfluidic paper-based analytical devices (μ PADs)
 - biomarkers, 207
 - biosensing techniques, 206
 - characteristics, 206
 - CheapStat, 207
 - commercial products and custom-made solutions, 206
 - device design and fabrication, 208–209
 - device preparation, 211
 - diagnostic tests, 207
 - disease diagnosis, 206
 - electrochemical
 - characterization, 212, 213
 - detection, 206
 - mechanisms, 207
 - fabrication, 206
 - glucose meters, 207
 - low-cost, 206
 - marker detection principles, 211, 213
 - materials, 207–208
 - multiplexed detection, 213–216
 - POC, 206
 - potentiostat design, 209, 210
 - potentiostats, 206
- Microfluidic PARTCELL, 32–34
- Microfluidic SlipChip, 50, 51
- Microfluidics
 - Agilent and Fluidigm, 162
 - BEAM, 169
 - bioanalysis, 181
 - biomolecules, 179
 - blood samples, 172
 - cell separation techniques, 254
 - clinical diagnoses, 163
 - continuum hypothesis, 255
 - cytometric methods, 162
 - dimensionless parameters
 - blockage ratio, 265–266
 - Dean number, 266
 - particle Reynolds number, 265
 - Péclet number, 266–267
 - DNA analysis, 178, 179
 - flow conditions, 181
 - fluid dynamics, 260, 261, 263–265
 - fluorescent dyes, 164
 - hydrodynamic analysis, 171
 - immunoassays
 - abrupt serpentine feature, 178
 - beads and detection antibody streams, 178
 - breast cancer tissues, 176
 - cancer biomarkers, 176
 - heterobifunctional poly, 176
 - microliter-volume wells, 175
 - serum, 176
 - labor-intensive procedure, 162
 - laser beam, 172
 - mammalian cells, 254
 - microbead analysis, 173
 - microbeads integration, 170
 - μ TAS, 162
 - multi-functionalities, 170
 - multiplexed protein and DNA analysis, 163
 - optofluidic chip, 172
 - particle dynamics
 - gravity, 271–272
 - Magnus effect, 272–273
 - moving fluid, 269–271
 - stokes drag, 268–269
 - thermal effects, 273
 - viscous flow, 269
 - pathogenic viruses and bacteria, 163
 - point-of-care testing, 163
 - recirculation flows, 174
 - scaling laws
 - dynamic scaling, 258–259
 - geometric scaling, 257
 - superparamagnetic bead array, 171

- Microfluidics (*cont.*)
 target gene, 167
- Microscopy
 live-cell, 336
 microfluidic cell culture, 336
 PDMS and coverslip glass, 337
- Micro total analysis systems (μ TAS), 219
- Mineral oils, 222
- μ NMR. *See* Nuclear magnetic resonance (μ NMR) sensor
- Model organisms
 applications
 calcium imaging, 11
 embryo array, 11
 fluorescence imaging, 10, 11
 interfacing, 13
 optogenetics experiments, 10
 phenotyping and sorting, 12, 13
 spatial and temporal stimuli, 10
 spatial gradients, 9
 fish (*see* Zebrafish)
 flies (*see* Fruit fly)
 genetic manipulation, 10
 high-content, 4
 high-throughput, 4
 lab-on-chip tools, 2
 laminar flow and surface effects, 2, 3
 mammalian systems, 8
 multicellular organisms, 4
 PDMS, 3, 4
 quantitative biology, 14
 surface-to-volume ratio, 2
 worms (*see* *Caenorhabditis elegans*)
- Multicellular tumor spheroid (MCTS), 332
- Multiparametric flow cytometry, 196
- Multiple myeloma (MM), 341
- Multiplexed detection
 glucose, 213–215
 lactate, 213–215
 uric acid, 213–216
- Multiplexed single-cell detection, 151
- Multiplexing biosensor array, 209
- Multiplexing paper-based biosensor array, 215
- Musculoskeletal tissue repair, 223
- N**
- Nanoparticle tracking analysis (NTA), 115
- Nano-plasmonic exosome (nPLEX) assay, 114
- Next-generation sequencing (NGS), 107
- Non-small-cell lung cancer (NSCLC), 116
- nPLEX. *See* Nano-plasmonic exosome (nPLEX) assay
- NSCLC. *See* Non-small-cell lung cancer (NSCLC)
- NTA. *See* Nanoparticle tracking analysis (NTA)
- Nuclear magnetic resonance (μ NMR) sensor, 114
- Nucleic acid hybridization, 104
- O**
- On-chip/off-chip chambers, 199
- Optical trapping, 236
- Organ-on-a-chip, 339
- P**
- Paper-based microfluidics. *See* Microfluidic paper-based analytical devices (μ PADs)
- Particle immunoassay, 239, 240
- Particle Reynolds number, 265
- Péclet number, 266–267
- Pathogens
 Dean flow fractionation, 311
 hybridization-based RNA detection, 311
 immunodetection, 312
 label-free separation method, 311
 magnetic capture microfluidic device, 312
 magnetic isolation and optical detection, 311
 microfluidic cell separation techniques, 312
 rapid sepsis diagnosis, 311
 ribosomal RNA detection, 311
- PCR inhibitors
 agarose droplet method, 86
 bulk PCR reactions, 87
 humic acid, 87, 89, 90
 microgels, 86
 tannic acid, 87, 88
 urea, 87, 88
- PCR thermocycling
 flow states, 58
 lead fluid elements, 58
 microliter-scale Rayleigh-Bénard convection, 59
 Rayleigh number (Ra_c), 58
 reaction kinetics, 58
 thermal and viscous diffusion, 58
 thermal convection-driven approaches, 56, 57
 time evolution of DNA replication, 58
- PDMS. *See* Polydimethyl siloxane (PDMS)
- Pendant droplets, 238, 244, 246

- Penicillin production in *Penicillium chrysogenum*, 190
- Pharmacokinetic and pharmacodynamics (PK/PD) modeling, 40
- Pneumatic actuation, 236
- Point-of-care (POC) diagnostics, 206, 216, 217
- Poisson distribution, 78, 198
- Polydimethyl siloxane (PDMS), 21, 221
 - lab-on-chip studies, 3
 - silicon/photoresist molds, 3
- Poly-D-lysine (PDL), 329
- Polymerase chain reaction (PCR), 337
 - applications, 241
 - continuous flow, 56, 66
 - convective, 63–66
 - cost and performance barriers, 63, 66
 - cyclical reaction, 242
 - 3D computational fluid dynamics-based
 - convective, 58
 - DNA
 - analysis platform, 56
 - polymerase-assisted replication, 55
 - replication, 58
 - dsDNA, 242
 - inhibition relief, 244–246
 - portability assessment, 64, 65
 - primers, 242
 - qPCR, 246–250
 - sample preparation, 244, 245
 - single reactor geometry, 58
 - ssDNA, 242
 - temperature zones, 56
 - thermal convection-driven approaches, 56
 - thermal gradients, 56
 - thermocycler, 60–62
 - thermocycling, 56, 242–244
- Polymethyl methacrylate (PMMA)-coated surface, 239
- Population-level characterizations, 192
- Portable convective PCR thermocycler
 - ambient temperature conditions, 61
 - electrical consumption, 60
 - MOSFET-based feedback loop
 - programmed, 61
 - spectrum-relevant tilt angles, 62
 - USB interface, 61
- Portable diagnostics, 66
- Potentiostats
 - biosensor array, 208
 - circuit board, 209
 - design, 209–210
 - open-source, 207
 - signal measurement, 206
- Precision, uniqueness and biotechnology (PUB), 192, 193
- Primers, 242
- Printed circuit boards (PCBs), 208
- Prostate-specific antigen (PSA), 228
- Protein nanoarray, 239, 241
- proteins adsorb, 239
- Q**
- Qdots (Quantum dots), 223
- Quantitative polymerase chain reaction (qPCR), 200
- R**
- Rapid thermocycling, 242–244
- Rare cell isolation
 - cells and elicit, 289
 - CellSearch, 309
 - Clausiuss-Mossotti factor, 282, 283
 - CTC-iChip, 308, 309
 - CTCs, 308
 - Dean flow, 273
 - DEP (*see* Dielectrophoresis (DEP))
 - electric dipole, 282
 - electrochemical properties, 282
 - EpCAM expression, 308, 309
 - EpCAM-negative CTCs, 308
 - fluid flow, 273
 - inertial forces (*see* Inertial forces)
 - magnetophoresis and depletion
 - antibodies, 308
 - microfluidic and bioelectrical
 - methodologies, 290
 - microfluidic channels, 288
 - microfluidic chips, 281, 283
 - microfluidic techniques, 297–299
 - Reynolds number, 281
 - surface marker-based/size-based
 - selection method, 308
- Rare cell phenotype analysis, 314
- Rare cell separations
 - blood sample, 254
 - electrical (*see* Electrical methods)
 - mammalian cells, 254
 - mechanical (*see* Mechanical methods)
 - metastatic tumors, 254
 - microfluidics (*see* Microfluidics)
- Rational/constructive metabolic engineering, 190
- Real-time quantitative PCR (qPCR)
 - bacterial genomic DNA, 248

- Real-time quantitative PCR (qPCR) (*cont.*)
 description, 246
 DOTS, 248–250
 dsDNA, 246
 endpoint detection strategy, 246
 exponential amplification, 246
 hydrolysis probe, 246
 SYBR Green I (SG), 246, 248
 TaqMan probes, 246
 thermocycled, 246, 247
 threshold cycle, 247, 248
 water-in-oil emulsion droplets, 248
- Reference electrode (RE), 209
- Rolling circle amplification technique (RCA), 224, 225
- rRNA-directed microbial FISH, 99, 101
- S**
- Scaling laws
 dynamic scaling, 258–259
 geometric scaling, 257
- SCBC. *See* Single-cell barcode chip (SCBC)
- SCM. *See* Single cell microbio reactor (SCM)
- Secreted proteins
 biological samples, 228, 229
 cellular encapsulation and protein detection
 active and non-active cells, 228
 agarose hydrogel droplets, 227
 antibodies, 227, 228
 AP, 226
 cytokines, 226, 227
 Gelled microdroplets, 226
 monoclonal antibodies, 227
 single cell secretome analysis, 226, 227
 static droplet microarray platform, 226
 surface marker CD86, 226
 secretomes, 225
- Sessile droplets, 236–238
- Short tandem repeat (STR) typing
 CODIS, 72
 forensic samples, 72
 human identity testing, 72
 PCR-based DNA amplification, 72
- Side scattering (SSC), 195
- Silver strips, 209
- Single-cell analysis, 73, 107, 190, 196–200, 219, 340–341
 advantages, 192
 biomedical applications, 189
 biophotonics, 193–195
 biotechnology, 192
 DNA technology, 189
 droplet microfluidics (*see* Droplet microfluidics)
 FACS, 194–196
 metabolic engineering (*see* Metabolic engineering)
 physiological characterizations, 192
 precision, 192, 193
 uniqueness, 192
- Single-cell barcode chip (SCBC), 147
 high-throughput multiplexing, 149
 microchambers, 149
 Monte Carlo simulations, 150
 multiplexed single-cell detection, 151
 valveless microchip design, 150–151
- Single cell biology
 biological noise, 20
 CTCs, 20
 CTLs, 20
 FACS, 20
 microfluidic approaches, 20–22
 microfluidic worm traps, 30
 PDMS, 21
 TLFM, 20
- Single-cell functional proteomics
 cancer biology, 144
 cell–cell interactions, 151–153
 cell populations, 143
 cell suspensions, 153 (*see also* Cell–cell interaction model development)
 cellular heterogeneity, 142
 custom algorithms, 154
 1D and 2D barcode arrays, 148
 DNA-antibody conjugation, 146–148
 ELISpot method, 145–146 (*see also* Flow cytometry (FC))
 flow-based fluorescence assays, 146
 fluorophore-conjugated streptavidin, 149
 immune system studies, 143–144
 microarray scanner, Axon GenePix, 153
 microfluidics tools, 146
 multiplexing, 148
 one gene-one protein, 142
 SCBC, 147, 148
 secreted proteins, 143
 signaling networks, 155 (*see also* Single-cell barcode chip (SCBC))
 statistical analysis, 154
 surface chemistries, 149
 surface-confined immunoassays, 146
 technical and biological problems, 142
- Single cell genome amplification chip, 48–50
- Single cell isolation and analysis
 eukaryotic cells

- microfluidic CTC isolation platforms, 43–46
 - monoclonal antibody production, 46
 - uncultivated microbes
 - digital PCR chip, 48
 - single cell genome amplification chip, 48–50
 - SlipChip microfluidic platform, 50, 51
 - Single-cell measurement technique, 96
 - Single cell microbioreactor (SCM), 28, 29
 - Single-cell RNA-FISH, 108
 - Single-cell RNA-seq, 108
 - Single-cell STR typing method
 - agarose droplets, 76
 - amplicons, 77
 - AmpliTaq*[®] Gold DNA polymerase, 77
 - benefits, 78
 - cell mixtures, 81, 82
 - cell/DNA mixtures
 - cell-free DNA, 82
 - cell-free 9948 male DNA, 84, 85
 - forensic sample, 82
 - GM09947 female lymphoid cells, 84, 85
 - STR profiles comparison, 82
 - droplet generator design, 75
 - droplet size, 76
 - forensic analysis, 78
 - gelled droplets, 76
 - monodisperse aqueous agarose, 75
 - PCR-based STR typing, 74
 - PCR inhibitors, 76, 86, 87, 89
 - PCR reagents, 77
 - PDMS-glass microfluidic droplet, 75
 - stages, analytical process, 74
 - thermo-sensitive agarose droplets, 74
 - validation
 - 9-plex STR system, 78
 - Amelogenin, 78
 - DNA molecule-encapsulated droplets, 80
 - GM09947 female cells, 78
 - GM09948 male cells, 78
 - Poisson statistics, 78
 - workflow, 74
 - Single-channel CheapStat, 210
 - Single-molecule droplet PCR, 80
 - Single-nucleotide polymorphisms (SNPs), 165, 179
 - Single-sided adhesive stencil films (*Grafix Frisket*[®] film), 209
 - Single-stranded DNA (ssDNA), 44, 242
 - Smartphone-based detection and analysis
 - CMOS sensor, 63
 - LED light source, 63
 - portability and connectivity, 62
 - SYBR Green-based fluorescence detection, 63
 - Smartphone-based fluorescence microscope, 246
 - SNPs. *See* Single-nucleotide polymorphisms (SNPs)
 - Square-wave voltammetry, 207
 - ssDNA. *See* Single-stranded DNA (ssDNA)
 - Stem cells, 313–314
 - Streptavidin-coupled β -galactosidase, 223
 - Stro-1, 223
 - Subpopulations profiling
 - surface markers, 124–127
 - surface protein expressions, 127–129
 - Superhydrophobic membrane, 236
 - surfaces, 237, 239
 - Surface-confined immunoassays, 146
- T**
- Tate's Law, 238
 - TetR proteins, 29, 30
 - Thermal convection-driven approaches, 56
 - Time-current mechanism (chronoamperometry), 211
 - Time-lapse fluorescence microscopy (TLFM), 20
 - T-junction, 197
 - TLFM. *See* Time-lapse fluorescence microscopy (TLFM)
 - TSA. *See* Tyramide signal amplification (TSA)
 - Tylosin production, *Streptomyces fradiae*, 190
 - Tyramide signal amplification (TSA), 99
- U**
- Unculturable microbes, 42, 47
- V**
- Valveless microchip design, 150–151
 - VersaLASER VLS2.30, Universal Laser Systems, 209
 - VFP. *See* Viscous finger patterning (VFP)
 - Viscous finger patterning (VFP), 334
- W**
- Water-in-oil emulsion, 248
 - Water-oil interfaces, 239

- Wire-guided droplet manipulation (WDM),
241–250
advantageous, 238
contact angle, 236, 237
electrospun PCL fibers, 237
electrowetting, 238, 239
liquid droplet to surface and metal, 237
in molecular biology, 236
particle immunoassay, 239, 240
PCR (*see* Polymerase chain reaction
(PCR))
pendant droplet, 238
principles, interfacial tension, 236
protein nanoarray, 239, 241
sessile droplet, 236, 237
surface tensions, 236
work of adhesion, 236, 237
Young-Dupré equation, 236
Young-Laplace equation, 238
Work of adhesion, 236–239
Working electrode (WE), 209
- Y**
Young-Dupré equation, 236
Young-Laplace equation, 238
Y-shaped microfluidic gradient generator,
32–35
- Z**
Zebra-fish, 5, 7