

Index des notations, par ordre alphabétique

- $A_G \mathcal{A}_G A_{\tilde{G}} \mathcal{A}_{\tilde{G}} \text{ad}_\gamma$ I.1.1 ;
 $\mathbf{a} \text{Aut}(\mathbf{G}')$ I.1.5 ;
 $\alpha_{\text{res}} \hat{\alpha}$ I.1.6 ;
 $\mathbf{a}_M \text{Aut}(\tilde{M}, \mathbf{M}')$ I.3.2 ;
 $A_{\tilde{G}}(F)^c$ I.4.17 ; $\tilde{\mathcal{A}}_{\tilde{G}, F}$ II.1.6 ;
 $\text{Ann}_{\tilde{M}}^{\tilde{G}}$ II.3.1 ;
 $\text{Ann}_{\tilde{\mathcal{O}}}^{\tilde{G}}$ II.3.2 ;
 $\text{Ann}_{\tilde{\mathcal{O}}}^{\tilde{G}, \text{st}}$ II.3.5 ;
 $\mathfrak{A}_G \mathfrak{A}_{\tilde{G}}$ IV.1.1 ;
 \mathbb{A}_F^V VI.1.1 ;
 $\mathfrak{A}_G \mathfrak{A}_{\tilde{G}}$ VI.1.3 ;
 $\mathcal{A}_{L^V}^{\tilde{G}}$ VI.1.4 ; $\tilde{\mathcal{A}}_{G_v}^*$ VI.1.5 ;
 $A_{\text{unip}}^G(V, \omega)$ VI.2.2 ;
 $A^{\tilde{G}}(V, \mathcal{O}, \omega)$ VI.2.3 ;
 $A_{\lambda_1}^{\tilde{G}_1}(V, \mathcal{O})$ VI.2.5 ; $A^{\tilde{G}}(\mathcal{O}_V, \omega)$ VI.2.7 ;
 $A^{K\tilde{M}}(\mathcal{O}_V, \omega)$ VI.2.9 ;
 $A^{\tilde{G}, \mathcal{E}}(V, \mathcal{O}, \omega)$ VI.5.4 ;
 $A^{\tilde{G}}(V, \mathcal{X}, \omega)$ VII.1.9 ;
 $A^{\tilde{G}, \mathcal{E}}(V, \mathcal{X}, \omega)$ VII.1.10 ;
 $A_{\lambda_1}^{\tilde{G}_1}(V, \mathcal{X})$ VII.1.11 ;
 $A_{\text{unip}}^{G, \mathcal{E}}(V)$ VII.3.1 ;
 $A_{\text{unip}}^{G_*, G, \omega, S}(V)$ VII.4.3 ;
 $\underline{A}^{\tilde{G}, \mathcal{E}}(V, \mathcal{X}, \omega)$ $\underline{A}^{\tilde{G}, \mathcal{E}}(V, \mu, \omega_{\tilde{G}}, \omega)$
 VII.5.1 ;
 $\underline{A}^{\tilde{G}, \mathcal{E}}(V, \mathbf{H}, \omega)$ VII.5.3 ;
 $\mathcal{A}_P^+ \mathcal{A}_P^{*,+}$ VIII.1.1 ;
 $\mathcal{A}_{M, F}^V \mathcal{A}_{M, F}^* \tilde{\mathcal{A}}_M^* \tilde{\mathcal{A}}_{M, F}^V$ VIII.1.2 ;
 $a_{\tilde{M}, \tilde{G}}$ X.2 ;

 B_η II.1.9 ;

 $B^{\tilde{G}} B_\epsilon^{\tilde{G}}$ II.1.11 ;
 $B^b \bar{B}'$ III.5.1 ;
 $B^{\tilde{G}}$ VI.4.4 ; \bar{B} VII.1.1 ;
 $B(\tilde{L}) B(\tilde{L}, \mu) B^{\text{st}}(\tilde{L}) B^{\text{inst}}(\tilde{L})$
 $B^{\text{st}}(\tilde{L}, \mu) B^{\text{inst}}(\tilde{L}, \mu)$ IX.8.5 ;
 $\mathcal{B}_{\text{st}}^{G'}$ X.8.7 ;

 C_1 I.2.1 ;
 $C_{c, \lambda_1}^\infty(\tilde{G}'_1(F))$ I.2.4 ;
 $C_c^\infty(\mathbf{G}')$ I.2.5 ; $c(\tilde{G}, \mathbf{G}')$ I.4.17 ;
 $C_{\text{ac}}(\tilde{G}(F))$ II.1.6 ;
 c_T III.3.1 ;
 $c[y]$ III.5.2 ;
 $c_{M_1, M_2}^{G_1, G_2}$ III.6.4 ;
 χ_σ IV.1.2 ;
 $C_{\text{cusp}}^\infty(\tilde{G}(\mathbb{R}), K)$ IV.2.2 ;
 $\mathbb{C}[[t(\mathbb{R})]]$ V.3.5 ;
 $C_c^\infty(\tilde{G}(F_V), K)$ VI.1.1 ;
 $C_{\text{ac, glob}}^\infty(\tilde{G}(F_V))$ VI.1.7 ;
 $C_{c, \lambda_1}^\infty(\tilde{G}_1(F_V))$ VI.1.15 ;
 $C_c^\infty(\mathbf{G}'_V)$ VI.3.3 ; $\chi^{\tilde{G}}$ VII.1.2 ;
 $\text{covol}(\mathfrak{A}_{G, \mathbb{Z}})$ VII.4.1 ; $C(\tilde{G})$ VII.5.8 ;
 $c[d_V]$ VII.5.9 ;
 $C_c^\infty(\tilde{T}(\mathbb{R}))^{\omega\text{-inv}}$ IX.1.1 ;
 $C_M^{\tilde{G}}(\gamma)$ IX.1.7 ;
 $C_{KM}^{K\tilde{G}}(\gamma_I)$ IX.2.4 ;
 $c(\eta)$ IX.4.1 ;
 c^V X.4.1 ;

 $\mathcal{D}(\mathbf{G}')$ I.1.8 ;
 $\mathcal{D}_1 \Delta_1 \Delta_1$ I.2.1 ;
 $\Delta_{\text{imp}} \Delta_{II} \Delta_{II, \alpha_{\text{res}}}$ I.2.2 ;
 $D^{\tilde{G}}$ I.2.4 ;

- $d(\theta^*)$ I.2.4;
 $\text{desc}_{\eta}^{\tilde{G}}$ I.4.1;
 $\text{desc}_{\epsilon}^{\text{st}}$ I.4.8;
 Δ_{η} I.4.13;
 $D_{\text{g\u00e9om}}(\tilde{G}(F), \omega)$ $D_{\text{g\u00e9om}}(\mathcal{O}, \omega)$ I.5.1;
 $D_{\text{g\u00e9om}}^{\text{st}}(\tilde{G}(F))$ $D_{\text{g\u00e9om}}^{\text{st}}(\mathcal{O})$ I.5.4;
 $D_{\text{g\u00e9om}}(\mathbf{G}')$ $D_{\text{g\u00e9om}}^{\text{st}}(\mathbf{G}')$ $D_{\text{g\u00e9om}}^{\text{st}}(\mathbf{G}', \mathcal{O}')$
 I.5.6;
 $D_{\text{unip}}(G_{\eta}(F), \omega)$ $\text{desc}_{\eta}^{\tilde{G}, *}$ $\text{desc}_{\eta}^{\text{st}, \tilde{G}, *}$
 I.5.10;
 Δ_{imp} I.6.3;
 $d_{\tilde{M}}^{\tilde{G}}(\tilde{L}, \tilde{L}')$ II.1.7;
 $D_{\text{g\u00e9om}, \tilde{G}, \text{-\u00e9qui}}(\tilde{M}(F), \omega)$ II.2.3;
 $D_{\text{g\u00e9om}, \tilde{G}, \text{-\u00e9qui}}^{\text{st}}(\tilde{M}(F))$ II.2.4;
 $D_{\text{g\u00e9om}, \tilde{G}, \text{-\u00e9qui}}^{\text{st}}(\mathbf{M}')$ II.2.6;
 $D_{\text{spec}}(\tilde{G}(F))$ $D_{\text{temp}}(\tilde{G}(F))$ $D_{\text{ell}}(\tilde{G}(F))$
 III.2.4;
 $\Delta(y)$ $d(y)$ III.5.1;
 δ_{SC} $\delta(Z)$ $\delta(Z)^{\tilde{G}_1}$ $\bar{\delta}_{SC}$ $\bar{\delta}(Z_2)$ $\delta[y, Z_2]$
 $\delta[y, Z]$ $\delta[y, Z]^{\tilde{G}}$ III.5.2;
 $\Delta(\bar{s}, y)$ $d(\bar{s}, y)$ III.5.4;
 $d(\bar{s})$ III.5.5;
 $D_{\text{spec}}(\tilde{G}(\mathbb{R}), \omega)$ $D_{\text{temp}}(\tilde{G}(\mathbb{R}), \omega)$
 $D_{\text{spec}, \mu}(\tilde{G}(\mathbb{R}), \omega)$ $D_{\text{ell}}(\tilde{G}(\mathbb{R}), \omega)$
 $D_{\text{ell}, 0}(\tilde{G}(\mathbb{R}), \omega)$ $D_{\text{ell}, 0, \mu}(\tilde{G}(\mathbb{R}), \omega)$
 $D_{\text{ell}, \mathbb{C}}(\tilde{G}(\mathbb{R}), \omega)$ IV.1.2;
 $d(\tau)$ IV.1.4;
 $D_{\text{spec}, \lambda_1}(\tilde{G}'_1(\mathbb{R}))$ IV.2.1;
 $D_{\text{ell}, 0}^{\text{st}}(\tilde{G})$ $D_{\text{ell}, 0, \mu}^{\text{st}}(\tilde{G})$ $D_{\text{ell}, 0}^{\text{inst}}(\tilde{G})$
 $D_{\text{ell}, 0, \mu}^{\text{inst}}(\tilde{G})$ IV.2.2;
 $D_{\text{spec}}^{\text{st}}(\tilde{G}(\mathbb{R}))$ IV.2.8;
 $D_{\text{orb}}(\tilde{M}(\mathbb{R}), \omega)$ $D_{\text{orb}, \text{unip}}(G(\mathbb{R}))$ V.1.3;
 $D_{\text{g\u00e9om}, \tilde{G}, \text{-\u00e9qui}}^{\text{st}}(\tilde{M}(\mathbb{R}))$ V.1.4;
 $D_{\text{tr-orb}}(\tilde{G}(\mathbb{R}))$ $D_{\text{tr-orb}}^{\text{st}}(\tilde{G}(\mathbb{R}))$
 $D_{\text{tr-orb}, \lambda_{\mathfrak{h}}}(\tilde{G}_{\mathfrak{h}}(\mathbb{R}))$ $D_{\text{tr-orb}, \lambda_{\mathfrak{h}}}^{\text{st}}(\tilde{G}_{\mathfrak{h}}(\mathbb{R}))$
 V.2.1;
 $D_{\text{tr-orb}}(\mathcal{O}, \omega)$ $D_{\text{tr-orb}}^{\text{st}}(\mathcal{O})$ V.2.2;
- $D_{\text{tr-orb}}^{\text{st}}(\tilde{G}(\mathbb{R}), \mathcal{O})$ $D_{\text{tr-orb}}(\tilde{G}(\mathbb{R}), \mathcal{O})$
 V.6.3;
 $d_{\tilde{R}^V}^{\tilde{G}}(\tilde{M}, \tilde{L}^V)$ VI.1.4;
 $\Delta(\delta_1, \gamma)$ VI.3.6;
 $D_{\diamond}^{\text{st}}(\tilde{M}(F_V))$ VI.4.1;
 D_v D_v^{rel} VII.5.4;
 D_v^{nr} $D_v^{nr, 0}$ VII.5.5;
 D_V VII.5.6;
 $\delta_j[d_v]$ VII.5.7;
 $\delta[d_V]$ VII.5.9;
 $D_{\mathbb{A}_F}$ $D_{\mathbb{A}_F^V}$ VII.6.7;
 D_F VII.6.8;
 $D_F[d_V]$ VII.6.9;
 $\delta_j[d_V, h]$ VII.6.10;
 $\dot{D}_F[d_V]$ VII.7.1;
 d_{\star} VII.7.3;
 $d(I_{\star}, G)$ VII.7.12;
 $\text{Diff}^{cst}(\tilde{T}(\mathbb{R}))^{\omega\text{-inv}}$
 $\text{Diff}^{\infty}(\tilde{T}_{\tilde{G}\text{-reg}}(\mathbb{R}))^{\omega\text{-inv}}$
 $\text{Diff}^{\text{reg}}(\tilde{T}_{\tilde{G}\text{-reg}}(\mathbb{R}))^{\omega\text{-inv}}$ IX.1.1;
- $\delta_{\tilde{M}}^{\tilde{G}}(z)$ IX.1.2;
 $D_{\star}^{\tilde{G}}(\gamma)$ IX.1.4;
 $\delta_{\mathbf{M}'}^{\mathbf{G}'}$ (δ, z') IX.1.8;
 $\delta_{KM}^{K\tilde{G}, \mathcal{E}}(z)$ IX.2.3;
 $\delta(\varphi)$ IX.8.4; $d^{\tilde{G}}(\alpha)$ X.4.1;
- Epingl_e I.1.3;
 $\eta[y]$ I.4.6;
 e_F I.6.1;
 $e_R^{\tilde{G}}(\tilde{M}, \tilde{L})$ II.1.14;
 $e_M^{\tilde{G}}(\eta)$ III.4.3;
 $\mathcal{E}_{\text{ell}}(\tilde{G}, \omega)$ IV.1.2;
 $\underline{\mathcal{E}}_{\text{ell}, 0}(\tilde{G}, \omega)$ IV.1.4;
 $\epsilon(w)$ V.3.5;
 $\epsilon_P^{\tilde{G}}(\Lambda)$ VI.1.4;
 $e_{\tilde{M}^V}^{\tilde{G}}(\tilde{M}, \tilde{L}^V)$ VI.4.2;
 $\mathcal{E}(\tilde{G}, \mathbf{a}, V)$ VI.5.1;
 $\mathcal{E}_G(G_{\star}, V)$ VII.4.5;

$E_{\tilde{T}}(\tilde{G}, \mathbf{a}, V)$ $\mathcal{E}_{\tilde{T}}(\tilde{G}, \mathbf{a}, V)$ VII.5.1 ;

$E_{\tilde{T}_{\text{ad}, \bullet}}(\tilde{G}_{SC}, V)$ VII.5.3 ;

η_{\star} VII.7.3 ;

$\mathfrak{E}(I_{\star}, G; \cdot)$ VII.7.11 ;

$\epsilon_{\tilde{M}}$ VIII.4.4 ;

$E((\alpha), \gamma, \zeta)$ IX.1.4 ;

$\epsilon(\alpha)$ IX.5.1 ;

$\epsilon_{KM}(\mathbf{f})$ IX.8.3 ;

$\underline{\mathcal{E}}_{\text{ell},0}(\tilde{L}, \omega)$ $\underline{\mathcal{E}}_{\text{disc},0}(\tilde{L}, \omega)$ IX.8.4 ;

$\epsilon_{\tilde{M}}^{\mathbf{M}'}(f)$ $\epsilon(\mathbf{M}', \delta)$ X.3.5 ;

$\mathcal{E}_F(\tilde{M}, \omega, V)$ X.7.5 ;

$\phi_{p,q}$ $\tilde{\phi}_{p,q}$ I.1.11 ;

$f_{\tilde{M},\omega}$ I.3.1 ;

$\mathcal{F}^n I(\tilde{G}(F), \omega)$ I.4.2 ;

$\mathcal{F}^n SI(\tilde{G}(F))$ I.4.15 ;

$\mathcal{F}^n D_{\text{g\u00e9om}}(\tilde{G}(F), \omega)$ $\mathcal{F}^n D_{\text{g\u00e9om}}(\mathcal{O}, \omega)$
I.5.3 ;

\mathbb{F}_q I.6.1 ;

F^{nr} I.6.2 ;

$\phi_{\tilde{M}}$ III.2.6 ;

$f'_{\epsilon_1} f'(Z)_{sc}$ $f[y]$ $f[y, Z_1]_{sc}$ $\tilde{f}[y, Z_1]$
 $f[y, Z_1]_{sc}$ III.5.2 ;

$f[r]$ III.6.7 ;

$f[\tilde{\pi}]$ IV.2.2 ;

F_V VI.1.1 ; $\phi_{\tilde{M}}$ VI.1.6 ;

$\text{Fix}^{G'}(\mu', \omega_{G'})$ $\text{Fib}(\mathcal{Y})$ VII.5.1 ;

φ_v VII.6.4 ;

$\bar{\varphi}[V', d_V]$ VII.7.1 ;

${}^c \phi_{\tilde{M}}$ VIII.1.3 ;

$\phi_{\tilde{M}}^{\text{rat}, \tilde{G}}$ IX.5.3 ;

${}^c \phi_{\tilde{M}}^{\tilde{G}}$ IX.5.8 ;

$\phi_{\tilde{M},V}^{\tilde{G}}$ X.4.6 ;

f^{ξ} X.6.1 ;

Γ_F G_{AD} G_{SC} G_{γ} I.1.1 ;

\tilde{G}_{ss} \tilde{G}_{reg} I.1.3 ;

$\tilde{G}^L G^L \tilde{G}$ I.1.4 ;

$\mathbf{G}' = (G', \mathcal{G}', \tilde{s})$ g_w I.1.5 ;

G_{ab} $\tilde{G}_{0,ab}$ I.1.12 ;

$G_{\#}$ I.2.7 ;

$\hat{G}'(\tilde{s})$ $\mathcal{G}'(\tilde{s})$ $G'(\tilde{s})$ $\mathbf{G}'(\tilde{s})$ I.3.3 ;

$\mathfrak{g}(F)_{\text{ell}}$ I.4.1 ;

$\text{Gr}^n I(\tilde{G}(F), \omega)$ I.4.2 ;

$\tilde{G}_{\text{ss}}(F)_{\text{ell}} / \text{st-conj}$ $\tilde{G}_{\text{ss}}(F)_{\text{ell}}$ I.4.9 ;

$\gamma(\mathfrak{g})$ I.4.10 ; $\tilde{G}_{\text{reg}}(F) / \text{conj}$ I.4.17 ;

$\gamma^{\tilde{G}}$ I.5.1 ; Γ_F^{nr} I.6.1 ;

\mathbf{G}'_{∇} I.7.4 ; G_{β} II.1.4 ;

$g_{\mathcal{O}}(\gamma)$ II.2.1 ;

$g_{\tilde{M},\mathcal{O}}^{\tilde{G}}$ $g_{\tilde{M},\mathcal{O}}^{\tilde{G}}(\gamma, B)$ $g_{\tilde{M},\text{unip}}^L(\gamma, B)$ II.2.3 ;

$g_{\tilde{M},\mathcal{O}}^{\tilde{G},\mathcal{E}}$ $g_{\tilde{M},\mathcal{O}}^{\tilde{G},\mathcal{E}}(\gamma, B)$ II.2.6 ;

G_J \tilde{G}_J II.3.1 ;

G_{\star} III.3.1 ;

γ_z III.3.1 ;

\mathbf{G}' \tilde{G}' $\tilde{\mathcal{G}}'$ III.5.1 ;

$\tilde{\mathbf{G}}'(\tilde{s})$ III.5.3 ;

$\gamma[r]$ III.6.7 ;

$\tilde{G}(\mathbb{A}_F)^1$ $G(\mathbb{A}_F)^1$ VI.2.1 ;

\bar{G} VII.1.1 ;

$\tilde{G}_{\text{ss}}(F) / \text{st-conj}$ VII.1.2 ;

$\underline{G}_{\#}(F_v)$ VII.5.5 ;

\bar{G}_{\star} VII.7.3 ;

Γ_{γ} IX.1.5 ;

$\Gamma_0(s)$ IX.5.1 ;

$\Gamma_1(s)$ IX.5.4 ;

$\hat{g}[\alpha]$ X.4.1 ;

$H^{1,0}(\Gamma_F; A \circ B)$ $H^{1,0}(\Gamma_F; A \circ B)$

$H^{1,0}(\Gamma_F; A \rightarrow B)$ I.1.12 ;

H_G $H_{\tilde{G}}$ $\tilde{H}_{\tilde{G}}$ II.1.6 ;

$H_{\tilde{G}}$ \mathfrak{h} $\mathfrak{h}_{\mathbb{R}}$ IV.1.1 ;

\mathfrak{h}_Z IV.1.2 ;

$\mathfrak{h}^{\mathbf{G}',*}$ IV.2.1 ;

$\tilde{H}_{\tilde{G}}$ VI.1.1 ;

$\tilde{H}_{\tilde{G}_V}$ VI.1.1 ;

$H_{ab}^i(\mathfrak{o}_v; G)$ VII.6.2 ;

$\mathcal{H}_{\tilde{R}}^{\tilde{G}}(\tilde{\sigma})$ IX.8.4 ;

$\mathcal{H}_{K\tilde{R}}^{K\tilde{G},\mathcal{E}}(\tilde{\sigma})$ IX.8.6;

h^f X.7.1;

h_V^f X.7.2;

$I^{\tilde{G}}(\gamma, \omega, f)$ $I(\tilde{G}(F), \omega)$ I.2.4;

$I(\mathbf{G}')$ I.2.5;

$I_{\text{cusp}}(\tilde{G}(F), \omega)$ I.3.1;

I_η I.4.4;

$I_+^{\mathcal{E}}(\tilde{G}(F), \omega)$ $I^{\mathcal{E}}(\tilde{G}(F), \omega)$ I.4.11;

$I_{\text{cusp}}^{\text{st}}(\tilde{G}(\mathbb{R}))$ I.4.14;

$I^{\text{inst}}(\tilde{G}(F))$ I.4.15;

$i(\gamma)$ I.4.17;

$I(\tilde{G}(F), \omega)_{\mathcal{O}, \text{loc}}$ I.5.1;

$I_{\text{cusp}}(\tilde{G}(F), \omega)_{\mathcal{O}, \text{loc}}$ I.5.2;

I_F I.6.2;

$I_{\text{ac}}(\tilde{G}(F), \omega)$ $I_M^{\tilde{G}}(\gamma, \omega, f)$ II.1.6;

$I_M^{\tilde{G}}(\gamma, B, f)$ II.1.9;

$i_{\tilde{M}}(\tilde{G}, \tilde{G}'(s))$ II.1.10;

$I_M^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$ $i_{\tilde{M}'}(\tilde{G}, \tilde{G}'(\tilde{s}))$

$I_M^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, B, \mathbf{f})$ II.1.12;

$I_M^{\tilde{G}, \mathcal{E}}(\gamma, \mathbf{f})$ II.1.15;

$i_J^{\tilde{G}}$ III.1.2;

$\iota_{G_*, G}$ ι_{G, G_*} $\iota_{G_*, G}^*$ ι_{G, G_*}^* III.3.1;

$I^{\tilde{G}}(\tilde{\pi}, \mathbf{f})$ IV.1.2;

$I_{\text{cusp}}(\tilde{G}(\mathbb{R}), \omega, K)$ $\iota I_{\text{cusp}}^{\text{inst}}(\tilde{G}(\mathbb{R}))$ IV.2.2;

$I_{\text{ac}}(\tilde{G}(\mathbb{R}), \omega)$ V.1.2;

$I_{KM}^{K\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$ V.1.7;

$I(\tilde{G}(F_V), K, \omega)$ VI.1.1;

$I_{\text{ac, glob}}(\tilde{G}(F_V), \omega)$ VI.1.7;

$I_M^{\tilde{G}}(\gamma, \omega, f)$ $I_M^{\tilde{G}}(\gamma, \mathbf{f})$ VI.1.11;

$I_M^{\tilde{G}}(\gamma, B, f)$ VI.1.14;

$I_{M_1, \lambda_1}^{\tilde{G}_1}(\gamma, \mathbf{f})$ VI.1.15;

$I_{\text{geom}}^{K\tilde{G}}(\mathbf{f}, \omega)$ VI.2.9;

I_v VI.3.1;

$I_{M'}^{\mathbf{G}'}(\gamma_V, \mathbf{f}_V)$ VI.3.5;

$i_{\tilde{M}}(\tilde{G}, \tilde{G}'(s))$ VI.4.1;

$I_{KM}^{K\tilde{G}, \mathcal{E}}(\gamma, \mathbf{f})$ $I_{KM}^{K\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$

$i_{\tilde{M}'}(\tilde{G}, \tilde{G}'(\tilde{s}))$ VI.4.5;

$i(\tilde{G}, \tilde{G}')$ $\tau(G)$ VI.5.1;

$I_*^{K\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$ VI.6.6;

$i(\tilde{G}, \tilde{G}', \mu', \omega_{\tilde{G}'})$ VII.5.1;

I_* VII.7.3;

$I^{\tilde{G}}(\tilde{\pi}, X, \varphi)$ $I^{\tilde{G}}(\tilde{\pi}, \nu, X, \varphi)$ $I^{\tilde{G}}(\tilde{\pi}, \tilde{\lambda}, \varphi)$
VIII.1.7;

${}^c I_M^{\tilde{G}}(\gamma, \mathbf{f})$ VIII.1.9;

${}^c I_M^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$ ${}^c I_M^{\tilde{G}, \mathcal{E}}(\gamma, \mathbf{f})$ VIII.3.9;

$I_{\text{ac, cusp}}(\tilde{M}(F), \omega)$ $I(\tilde{G}(F), \omega)^{00}$
VIII.4.4;

$I_{\theta, \omega}$ $\text{Sym}(\mathfrak{t})_{\theta, \omega}$ IX.1.1;

$I_M^{\tilde{G}, \text{mod}}(\exp(X)\eta, \omega, f)$ IX.4.1;

$i_M^{\tilde{G}}(\eta)$ IX.4.2;

${}^c I_M^{\tilde{G}}(\gamma, \mathbf{f})$ IX.5.13;

${}^c I_M^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$ ${}^c I_{KM}^{K\tilde{G}, \mathcal{E}}(\mathbf{M}', \boldsymbol{\delta}, \mathbf{f})$

${}^c I_{KM}^{K\tilde{G}, \mathcal{E}}(\gamma, \mathbf{f})$ IX.6.10;

$I_{\text{geo}}^{\tilde{G}}(\omega, f_1, f_2)$ $I_M^{\tilde{G}}(\gamma, \omega, f_1, f_2)$ $i'(\gamma)$

$I_{\mathbf{M}', \text{geo}}^{\tilde{G}, \mathcal{E}}(f_1, f_2)$ $i'_{\tilde{M}}(\tilde{G}, \mathbf{G}')$ X.3.1;

$I_{\text{spec}}^{\tilde{G}}(\omega, f_1, f_2)$ X.3.3;

${}^c I_M^{\tilde{G}}(\pi, \lambda, f)$ ${}^c I_M^{\tilde{G}}(\pi, \lambda, X, f)$ X.4.2;

$I_{\mathbf{M}'}^{\tilde{G}, \mathcal{E}}(\pi'_{\mathbf{M}'}, \lambda, X, f)$ ${}^c I_{\mathbf{M}'}^{\tilde{G}, \mathcal{E}}(\pi'_{\mathbf{M}'}, \lambda, X, f)$
X.4.4;

$I_M^{\tilde{G}}(\pi_V, \lambda, X, f)$ X.4.6;

$I_{\mathbf{M}'}^{\tilde{G}, \mathcal{E}}(\pi'_V, \lambda, X, f_V)$ X.4.7;

$I_M^{\tilde{G}}(\pi_V \otimes c^V, f)$ X.4.9;

$I_{\mathbf{M}'}^{\tilde{G}, \mathcal{E}}(\pi'_V \otimes c'^V, f_V)$ X.4.9;

$I_{\text{disc}}^{\tilde{G}}(\omega, f_V 1_{\tilde{K}^V})$ X.5.4;

$I^{\tilde{M}}(\lambda, h^f(v_0))$ X.7.1;

$I^{\tilde{G}}(\tilde{M}, \omega, f_1, f_2)$ X.8.7;

$J_{\tilde{G}}(\omega, f_1, f_2)$ I.4.17;

$J_M^{\tilde{G}}(\gamma, \omega, f)$ $J_M^{\tilde{G}, \text{Art}}(\gamma, \omega, f)$ II.1.2;

- $\mathcal{J}_M^{\tilde{G}}$ II.3.1 ;
 $\mathcal{J}_M^{\tilde{G}}(B)$ II.3.3 ;
 $\mathcal{J}_M^{\tilde{G}}(B_{\mathcal{O}})$ II.3.4 ;
 \hat{j}_n III.6.4 ;
 $J_M^{\tilde{G}}(\tilde{\pi}, f)$ $J_M^{\tilde{G}}(\tilde{\pi}, f)$ VI.1.5 ;
 $J_M^{\tilde{G}}(\gamma, \omega, f)$ $J_M^{\tilde{G}}(\gamma, \mathbf{f})$ VI.1.9 ;
 $J_M^{\tilde{G}}(\gamma, B, f)$ VI.1.10 ;
 $J_{M_1, \lambda_1}^{\tilde{G}_1}(\gamma, \mathbf{f})$ VI.1.15 ;
 $J_{\text{g\u00e9om}}^{\tilde{G}}(\mathbf{f}, \omega)$ $J_{\mathcal{O}}^T(f, \omega)$ $J_{\mathcal{O}}(\mathbf{f}, \omega)$ VI.2.1 ;
 $J_{\text{g\u00e9om}, \lambda_1}^{\tilde{G}_1}(f \otimes dg)$ $J_{\mathcal{O}, \lambda_1}^{\tilde{G}_1}(f \otimes dg)$ VI.2.5 ;
 $j(\tilde{G})$ VI.6.2 ;
 $J(\mathfrak{R}_V, \delta, \mathbf{f})$ VI.6.7 ;
 $\mathcal{J}(\mathbf{H})$ VII.5.3 ;
 $\mathcal{J}_{\bullet}(\mathbf{H})$ VII.5.4 ;
 ${}^c J_M^{\tilde{G}}(\text{Ind}_R^{\tilde{M}}(\tilde{\pi}), \mathbf{f})$ VIII.1.3 ;
 $J_M^{\text{rat}, \tilde{G}}(\tilde{\pi}_{\lambda}, f)$ $J_M^{\text{rat}, \tilde{G}}(\tilde{\pi}, X, f)$ IX.5.2 ;
 ${}^c J_M^{\text{rat}, \tilde{G}}(\text{Ind}_R^{\tilde{M}}(\tilde{\pi}), \mathbf{f})$ IX.5.8 ;

 KG $K\tilde{G}$ I.1.11 ;
 $K\tilde{M}$ I.3.5 ;
 $k(\delta)$ I.4.17 ;
 \mathcal{K} I.6.2 ;
 $K_v^{\tilde{M}}$ VI.1.1 ;
 $K_{\tilde{P}}(f)$ $k_{\text{g\u00e9om}}^T(f, g)$ $k_{\mathcal{O}}^T(f, g)$ VI.2.1 ;
 $K_{sc, v}$ $K_{\text{ad}, v}$ $K_{\sharp, v}$ VII.1.5 ;
 K_{η} VII.1.6 ;
 ${}^u K_*^V$ VII.4.3 ;
 $\underline{K}_{\sharp, v}$ VII.5.5 ;
 $k^{\tilde{G}}(\beta)$ IX.2.2 ;

 λ_{12} I.2.5 ;
 $\mathcal{L}(\tilde{M})$ I.3.1 ;
 λ_z $\tilde{\lambda}_z$ I.6.3 ;
 $L^V(\rho_G, s)$ ℓ_G^V VII.4.1 ;
 $L_v(\alpha, c_v, s)$ $L_G^V(\alpha, c^V, s)$ X.4.1 ;

 $\text{Mes}(G(F))$ I.2.4 ;

 $\tilde{\mu}(\omega)$ $\mu(\tilde{\pi})$ IV.1.2 ;
 \tilde{M}_V VI.1.4 ;
 $\mu_{Q|P}(\pi)$ $\mathcal{M}(\pi; \Lambda, \tilde{Q})$ $\mathcal{M}_M^{\tilde{G}}(\pi)$ VI.1.5 ;
 μ_{η} VII.1.2 ;
 $\mu(\tilde{K}_v)$ VII.1.5 ;
 Mat_I IX.2.3 ;
 $\underline{\tilde{M}}$ IX.4.1 ;
 $\mathcal{M}(\pi_{\lambda}; \Lambda, \tilde{P}')$ $\mathcal{M}^{\text{rat}}(\pi_{\lambda}; \Lambda, \tilde{P}')$ $\mathcal{M}_M^{\tilde{G}}(\pi_{\lambda})$
 $\mathcal{M}_M^{\text{rat}, \tilde{G}}(\pi_{\lambda})$ IX.5.2 ;

 $N\alpha$ I.1.6 ;
 $\nabla_{p, q}$ I.1.11 ;
 $N^{\tilde{G}', \tilde{G}}$ $N^{\tilde{G}}$ I.1.12 ;
 $n_{\mathcal{E}}$ I.2.2 ;
 $\text{Norm}_{G(F)}(\tilde{M})$ I.3.1 ;
 $N(G)$ I.6.1 ;
 ∇^H I.7.4 ;
 $N(G_1, G_2, j_*)$ III.6.1 ;
 $\underline{\mathcal{N}}_N(\mathbf{f})$ IV.1.3 ;
 $\nu_{(\alpha)}(\gamma)$ IX.1.4 ;

 ω $\text{Out}(\mathbf{G}')$ I.1.5 ;
 ω_T $\omega_{T, G'}$ I.2.2 ;
 ω_{\sharp} I.2.7 ;
 \mathfrak{o}^{nr} I.6.2 ;
 $\mathcal{O}^{\tilde{G}}$ II.2.3 ;
 $\mathcal{O}^{K\tilde{G}}$ V.2.4 ;
 \mathfrak{o}^V VI.1.1 ;
 $\omega_{\tilde{G}}$ VII.1.1 ;
 ω_{η} VII.1.2 ;
 $\omega_{G'}$ VII.1.7 ;
 $\omega_{\mathbf{H}}$ VII.7.4 ;
 ω_{∞} VII.7.8 ;
 $\omega_{\tilde{P}}$ VIII.1.1 ;
 Ω IX.1.7 ;
 $\omega_{\sharp}^{\mathbf{G}'}$ X.6.1 ;

 $\pi : G_{SC} \rightarrow G$ I.1.1 ;
 $\tilde{\pi}_{\lambda}$ IV.1.2 ;
 $\text{Pol}(\tilde{\mu}(\omega) + \mathfrak{h}^{\theta, *})$ IV.1.2 ;

- $PW^r \mathcal{N}_N^r(\mathbf{f}) \underline{PW}^r PW \underline{PW}$ IV.1.3;
 $PW_{\text{ell}}^\infty(\tilde{G}, \omega) PW^\infty(\tilde{G}, \omega)$ IV.1.4;
 $PW_{\text{ell}, \mu}^\infty(\tilde{G}, \omega)$ IV.1.5;
 $PW_{\text{ell}}^{\infty, \text{st}}(\tilde{G}) PW_{\text{ell}}^{\infty, \text{inst}}(\tilde{G})$ pw IV.2.2;
 pw^{st} IV.2.3;
 $P \mathbf{p} \mathbf{p}_1 \mathbf{p}_2 \mathbf{p}'_2 P(\mathbf{H})$ VII.6.4;
 $P_v \mathbf{p}_{2,v}$ VII.6.5;
 P^0 VII.6.6;
 $\pi_{\nu, \text{disc}}(c^V) \pi_{\nu, \text{disc}, \lambda}(c^V)$ X.5.1;
 $\pi_{\nu, \text{st}}(c^V)$ X.5.8;
 $\pi_{\nu}^{\tilde{G}, \mathcal{E}}(c^V)$ X.5.9;
 $\pi_{\text{disc}, \nu}^{\tilde{G}, \xi}(c^V)$ X.8.2;
 $\tilde{\pi}_{\sigma, \tilde{r}}$ XI.2.2;
 $\pi_{L,u} \tilde{\pi}_{L,u}$ XI.2.3;
 $\tilde{\pi}_{M,u}$ XI.2.7;
 $Q Q_v \mathbf{q}_1$ VII.6.5;
 $Q_1 Q_2 Q_3 Q_0$ VII.6.6;
 $Q \times Q_\infty Q_{j,j'} \mathbf{q}_{j,j'} \mathbf{q}_\infty$ VII.7.6;
 \mathbf{q}_0 VII.7.7;
 $r_T \hat{r}_T$ I.2.2;
 $\text{res}_{\tilde{M}} \text{res}$ I.4.3;
 $\hat{R}^+ \hat{R}_u$ I.7.1;
 $\rho^{\text{Art}}(\beta, u) r_{\tilde{P}}^{\text{Art}}(\gamma, a; \lambda)$ II.1.2;
 $\rho(\beta, u) r_{\tilde{P}}(\gamma, a; \lambda)$ II.1.4;
 $\rho^G(\beta, u, B)$ II.1.8;
 $r_{\tilde{P}}(\gamma, a, B; \lambda)$ II.1.9;
 R_J II.3.1;
 $\rho_J^{\tilde{G}}$ II.3.2;
 ρ_J^G II.3.3;
 $\rho_J^{\tilde{G}}$ II.3.4;
 $\rho_J^{\tilde{G}, \mathcal{E}}(\mathbf{M}')$ II.3.8;
 $r_{\tilde{M}}^{\tilde{G}}(\gamma, \tilde{K})$ II.4.1;
 $r_{\tilde{M}}^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \delta', \tilde{K})$ II.4.3;
 $\rho_J^{K\tilde{G}}$ V.2.4;
 $r_{\tilde{M}}^{\tilde{G}}(\gamma, \tilde{K}_V)$ VI.1.13;
 $r_{\tilde{M}_1, \lambda_1}^{\tilde{G}_1}(\cdot, \tilde{K}_{1,V})$ VI.1.15;
 Res_{I_v} VII.1.5;
 $r_{\tilde{M}}^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \delta, \tilde{K}_U)$ VII.2.2;
 res_{I_v} VII.6.4;
 r_\star VII.7.3;
 $r_{(\alpha)}(\pi_\lambda) r_\alpha(\pi_\lambda)$ IX.5.1;
 $\rho_\alpha(\pi_\lambda) r_{P'|P}^{\text{rat}}(\pi_\lambda) \rho_{P'|P}(\pi_\lambda) R_{P'|P}^{\text{rat}}(\pi_\lambda)$
IX.5.1;
 $\rho_{\tilde{M}}^{\tilde{G}}(\tilde{\pi}; \lambda)$ IX.5.7;
 $\text{Rat}(G(F))$ X.3.3;
 $r(\alpha, c^V, \lambda) r(\alpha, c^V, \Lambda, \lambda) \tilde{r}^V(\alpha, c_\lambda^V, s)$
 $r_{\tilde{M}}^{\tilde{G}}(c^V, \lambda) r_{\tilde{M}}^{\tilde{G}}(\alpha, c_\lambda^V)$ X.4.1;
 $r_{\tilde{M}}^{\tilde{G}}(c^V, \lambda)$ X.4.1;
 $\rho_{\text{disc}}^{\tilde{G}}(\gamma, \omega) \rho_{t\text{-disc}}(\gamma) \rho_{t\text{-disc}, \omega}$ X.5.1;
 $\Sigma(T^*) \check{\Sigma}(T^*) \Sigma(\hat{T}) \check{\Sigma}(\hat{T}) \Sigma(T^*)_{\text{res}}$
 $\Sigma(\hat{T})_{\text{res}}$ I.1.6;
 $S^{\tilde{G}'}(\delta_1, f_1) SI_{\lambda_1}(\tilde{G}'_1(F))$ I.2.4;
 $SI(\mathbf{G}')$ I.2.5;
 $SI_{\text{cusp}}(\tilde{G}(F))$ I.3.1;
 $SI(\tilde{G}(F))_{\mathcal{O}, \text{loc}}$ I.5.4;
 $SI(\mathbf{G}')_{\mathcal{O}', \text{loc}}$ I.5.6;
 Σ_{ind} II.1.2;
 $\Sigma(A_M, B)$ II.1.8;
 $S_{\tilde{M}}^{\tilde{G}}(\delta, B, f)$ II.1.10;
 $Sg_{\tilde{M}, \mathcal{O}}^{\tilde{G}}(\delta, B)$ II.2.4;
 $\sigma_J^{\tilde{G}}$ II.3.5;
 $s_{\tilde{M}}^{\tilde{G}}(\delta, \tilde{K})$ II.4.2;
 \bar{s} III.5.1;
 \mathcal{S} III.5.3;
 sym^W IV.2.4;
 $SI(\tilde{G}(\mathbb{R}), K)$ IV.2.9;
 $S(\mathcal{O})$ VI.2.3;
 $S_{\tilde{M}}^{\tilde{G}}(\delta, \mathbf{f})$ VI.4.1;
 $S_{\tilde{M}}^{\tilde{G}}(\delta, B, \mathbf{f})$ VI.4.2;
 $SA^{\tilde{G}}(V, \mathcal{O})$ VI.5.2;
 $SA_{\text{unip}}^G(V)$ VI.5.6;
 $S_{\text{g\u00e9om}}^{\tilde{G}}(\mathbf{f})$ VI.5.9;

- $\Sigma(\mu)$ $\Sigma_+(\mu)$ $\text{Stab}(\tilde{G}(F))$ $\text{Stab}(\tilde{G}(F))$ \bar{T} VII.1.1;
 $\text{Stab}(G(F))$ $\text{Stab}_{\text{ell}}(\tilde{G}(F))$ $\tau'(G)$ VII.4.1;
 $\text{Stab}_{\text{ell}}(\tilde{G}(F))$ VII.1.1; ${}^c\theta_{\tilde{M}}^{\tilde{G}}$ VIII.1.5;
 $S(\mathcal{X})$ $S(\mathcal{X}, \tilde{K})$ VII.1.9; ${}^c\theta_{\tilde{M}}^{\tilde{G}, \mathcal{E}}(\mathbf{M}', \mathbf{f})$ VIII.3.1;
 $SA^{\tilde{G}}(V, \mathcal{X})$ VII.1.10; ${}^c\theta_{\tilde{M}}^{\tilde{G}, \mathcal{E}}(\mathbf{f})$ VIII.3.4;
 $SA_{\lambda_1}^{\tilde{G}_1}(V, \mathcal{X})$ VII.1.11; $\tilde{T}_{\tilde{G}\text{-reg}}$ IX.1.1;
 $s_{\tilde{M}}^{\tilde{G}}(\delta, \tilde{K}_V)$ $s_{\mathbf{M}}^{\mathbf{G}'}(\delta, \tilde{K}_V)$ VII.2.2; T_c T_d \underline{T} IX.4.1;
 $SA_{\text{unip}}^G(V)$ VII.3.1; $\theta_{\tilde{M}}^{\text{rat}, \tilde{G}}$ IX.5.5;
 $\underline{SA}^{\tilde{G}}(V, \mathcal{X})$ VII.3.2; ${}^c\theta_{\tilde{M}}^{\text{rat}, \tilde{G}}$ IX.5.9;
 $\text{Stab}_{\text{except}}(\tilde{G}(F))$ VII.3.3; ${}^c\theta_{\tilde{M}}^{\tilde{G}}$ IX.5.11;
 $\Sigma^{\tilde{P}}(A_{\tilde{M}})$ VIII.1.1; ${}^c\theta_{\tilde{M}}^{\tilde{G}, \mathcal{E}}$ $\theta_{\tilde{M}}^{\text{rat}, \tilde{G}, \mathcal{E}}$ ${}^c\theta_{\tilde{M}}^{\text{rat}, \tilde{G}, \mathcal{E}}$ ${}^c\theta_{KM}^{K\tilde{G}, \mathcal{E}}$ $\theta_{KM}^{\text{rat}, K\tilde{G}, \mathcal{E}}$
 ${}^cS\theta_{\tilde{M}}^{\tilde{G}}$ ${}^cS\theta_{\mathbf{M}}^{\mathbf{G}'(s)}$ VIII.2.2; ${}^c\theta_{KM}^{\text{rat}, K\tilde{G}, \mathcal{E}}$ IX.6.6;
 ${}^cS_{\tilde{M}}^{\tilde{G}}(\delta, \mathbf{f})$ VIII.2.6; $\theta_{\pi, P}$ $\theta_{\tilde{\pi}, P}$ XI.2.7;
 $S\delta_{\tilde{M}}^{\tilde{G}}(z)$ IX.2.1;
 $SC_{\tilde{M}}^{\tilde{G}}(\delta)$ IX.2.2; $u_{\mathcal{E}}(\sigma)$ I.1.2;
 $S_{\tilde{M}}^{\tilde{G}, \text{mod}}(\exp(X)\eta, f)$ IX.4.2; \mathbb{U} I.7.1;
 $\Sigma_{P' \setminus P}(T)$ IX.5.1; U_J II.3.1;
 ${}^cS\theta_{\tilde{M}}^{\tilde{G}}$ $S\theta_{\tilde{M}}^{\text{rat}, \tilde{G}}$ ${}^cS\theta_{\tilde{M}}^{\text{rat}, \tilde{G}}$ IX.6.1; $U_{\tilde{M}}^{\tilde{G}}$ II.4.6;
 $\sigma_{\tilde{M}}^{\tilde{G}}$ IX.6.3; \mathbb{U} IV.1.2;
 $S\mathcal{H}_{\tilde{R}}^{\tilde{G}}(\tilde{\sigma})$ IX.8.5; u_{η} VII.1.2;
 $SI_{\mathbf{M}', \text{geo}}^{\mathbf{G}'}(f'_1, f'_2)$ X.3.1; \mathcal{U}_V VII.4.3;
 $SI_{\text{spec}}^{\mathbf{G}'}(f'_1, f'_2)$ X.3.3; \mathbb{U} VII.7.5;
 $s_{\tilde{M}}^{\tilde{G}}(\alpha, c_{\lambda}^V)$ $s_{\tilde{M}}^{\tilde{G}}(c^V, \lambda)$ X.4.1; $U_{\tilde{M}}^{\tilde{G}}$ IX.5.4;
 $s_{\tilde{M}}^{\tilde{G}}(c^V, \lambda)$ X.4.1;
 $SI_{\tilde{M}}^{\tilde{G}}(\pi, \lambda, X, f)$ ${}^c(SI)_{\tilde{M}}^{\tilde{G}}(\pi, \lambda, X, f)$
 \tilde{X} .4.3; V_T \hat{V}_1 I.2.2;
 $SI_{\tilde{M}}^{\tilde{G}}(\pi_V, \lambda, X, f_V)$ X.4.7; $\underline{\mathcal{V}}_{\tilde{M}}^{\tilde{G}}$ $\underline{\mathcal{V}}_{0, \tilde{M}}^{\tilde{G}}$ $\mathcal{V}_{\tilde{M}}^{\tilde{G}}$ V.6.1;
 $(SI)_{\tilde{M}}^{\tilde{G}}(\pi_V \otimes c^V, f)$ X.4.9.2; $\text{Val}(F)$ $\text{Val}_{\infty}(F)$ $\text{Val}_f(F)$ \bar{v} V_{ram}
 $SI_{\text{disc}}^{\tilde{G}}(f_V 1_{\tilde{K}_V})$ X.5.8; VI.1.1;
 Θ I.1.3; v_{η} VII.1.2;
 $\hat{\theta}$ I.1.4; $\bar{V}_{M, u}$ $V_{N, u}$ XI.2.7;
 T^b \bar{T}' III.5.1;
 Θ_F III.6.2;
 τ_{λ} IV.1.2; W_F I.1.4;
 $W(\tilde{M})$ I.3.1;
 $W(\tilde{M}, \mathbf{M}')$ I.3.2;
 $W(\mu)$ VII.1.1;
 W_v^{nr} VII.1.5;
 w_d w_c IX.4.1;
 $W(\tilde{M})$ \tilde{W}_G $w(\tilde{M})$ X.2;

$W_{0,\sigma}$ XI.2.2;

ξ I.1.5;

$\hat{\xi}_1$ I.2.1;

Ξ_ϵ I.4.8;

$\mathcal{X}^\mathcal{E}(\eta)$ $\mathcal{X}(\eta)$ I.4.9;

$x(\bar{s}, y)$ $\xi[y]$ III.8.2;

$\xi^{\tilde{G}}(B)$ V.6.2;

$x(I_*)$ VII.7.13;

$x(\gamma)$ X.3.2;

$\mathcal{Y}(\eta)$ I.4.4;

$\dot{\mathcal{Y}}(\eta)$ I.4.6;

\mathcal{Y}_η VII.1.2;

$\mathcal{Y}_* \mathcal{Y}_*[d_V] \dot{\mathcal{Y}}_*[d_V]$ VII.7.3;

$Z(G)$ $Z_G(\gamma)$ I.1.1;

$Z(\tilde{G}, \mathcal{E})$ $\mathcal{Z}(\tilde{G}, \mathcal{E})$ $\mathcal{Z}(\tilde{G})$ I.1.2;

$\mathfrak{Z}(G)$ I.2.8;

$Z(\hat{R})_*$ II.1.14;

$\mathcal{Z}(\mathbf{G}')$ IV.2.1;

$\mathbb{Z}(\hat{\Delta}_{\hat{P}})$ VI.1.4;

$\mathcal{Z}(\hat{L}_V)$ VI.6.10;

ζ_v $\zeta_{\sharp, v}$ VII.6.5;

$\mathcal{Z}(G)_{\theta, \omega}$ IX.1.2;

$Z(\hat{M})^{\hat{\alpha}}$ IX.4.2;

$?_{\text{ad}}$ $?_{sc}$ I.1.1;

$\mathbf{1}_{\hat{K}}$ $\mathbf{1}_{\hat{K}'_1, \lambda_1}$ I.6.4;

∂_H V.3.3;

$(\eta[d_v], r[d_v])$ $(\eta[d_V], r[d_V])$ VII.5.6;

$\partial_{H, \star}(\alpha)$ IX.1.4;

$1_{G_{\sharp}}$ X.6.1.

Bibliographie

- [1] J. ADAMS, M. VAN LEEUWEN, P. TRAPA, D. VOGAN : *Unitary representations of real reductive groups*, prépublication 2012, 200 pages
- [2] J. ARTHUR : *The trace formula in invariant form*, Annals of Math. 114 (1981), pp. 1–74
- [3] J. ARTHUR : *On a family of distributions obtained from Eisenstein series II : Explicit formulas*, Amer. J. Math. 104 (1982), pp. 1289–1336.
- [4] J. ARTHUR : *A Paley–Wiener theorem for real reductive groups*, Acta Mathematica, 150, 1983, pp. 1–89
- [5] J. ARTHUR : *A measure on the unipotent variety*, Can. J. Math. 37 (1985), pp. 1237–1274
- [6] J. ARTHUR : *On a family of distributions obtained from orbits*, Can. J. Math. 38 (1986), pp. 179–214
- [7] J. ARTHUR : *The invariant trace formula I. Local theory*, J. AMS 1 (1988), pp. 323–383
- [8] J. ARTHUR : *The invariant trace formula, II. Global theory*, JAMS, vol 1, 1988, pp. 501–554
- [9] J. ARTHUR : *The local behaviour of weighted orbital integrals*, Duke Math. J. 56 (1988), pp. 223–293
- [10] J. ARTHUR : *Intertwining operators and residues I. Weighted characters*, J. of Funct. Analysis 84 (1989), pp. 19–84
- [11] J. ARTHUR : *On elliptic tempered characters*, Acta Math. **171** (1993) pp.73–138
- [12] J. ARTHUR : *On the Fourier transforms of weighted orbital integrals*, J. reine angew. Math. **452** (1994), pp. 163–217
- [13] J. ARTHUR : *On local character relations*, Selecta Math. 2, 1996, pp. 501–579
- [14] J. ARTHUR : *Canonical normalization of weighted characters and a transfer conjecture*, C. R. Math. Acad. Sci. Canada 20 (1998), pp. 35–52
- [15] J. ARTHUR : *Endoscopic L-functions and a combinatorial identity*, Canad. J. Math. 51 (1999), pp. 1135–1148.

- [16] J. ARTHUR, *On the transfer of distributions : weighted orbital integrals*, Duke Math. J. 99, 1999, pp. 209–283.
- [17] J. ARTHUR : *Stabilization of a family of differential equations*, Proc. of Symp. in pure Math. 68 (2000)
- [18] J. ARTHUR : *A stable trace formula I. General expansions*, Journal of the Inst. of Math. Jussieu 1 (2002), pp. 175–277
- [19] J. ARTHUR : *A stable trace formula II. Global descent*, Invent. Math. 143 (2001), pp. 157–220
- [20] J. ARTHUR : *A stable trace formula III. Proof of the main theorems*, Annals of Math. 158 (2003), pp. 769–873
- [21] J. ARTHUR : *Germ expansions for real groups*, prépublication
- [22] J. ARTHUR : *Parabolic transfer for real groups*, J. AMS 21 (2008), pp. 171–234
- [23] J. ARTHUR : *The endoscopic classification of representations : orthogonal and symplectic Groups*, AMS Colloquium Publ. vol 61 (2013)
- [24] J. ARTHUR, L. CLOZEL : *Simple Algebras, Base Change, and the Advanced Theory of the Trace Formula*, Ann. of Math. Stud. 120, Princeton Univ. Press, Princeton, 1989.
- [25] G. BARBANÇON, M. RAÏS : *Sur le théorème de Hilbert différentiable pour les groupes linéaires finis (d'après E. Noether)*, Ann. Sc. ENS 16 (1983), pp. 355–373
- [26] A. BOREL, J. TITS : *Groupes réductifs*, Publ. Math. IHES 27 (1965), pp. 55–150
- [27] A. BOREL : *Automorphic L-functions*, in *Automorphic forms, representations and L-functions*, Proc. of Symposia in Pure Math XXXIII, part 2, A. Borel et W. Casselman eds., AMS 1979
- [28] A. BOUAZIZ : *Intégrales orbitales sur les algèbres de Lie réductives*, Invent. Math. 115 (1994), pp. 163–207
- [29] A. BOUAZIZ : *Intégrales orbitales sur les groupes de Lie réductifs*, Ann. Sc. ENS 27 (1994), pp. 573–609
- [30] N. BOURBAKI : *Groupes et algèbres de Lie, chapitres 4, 5 et 6*, Hermann 1968
- [31] P.-H. CHAUDOUARD, G. LAUMON : *Le lemme fondamental pondéré I : constructions géométriques*, Compositio Math. 146 (2010), pp. 1416–1506
- [32] L. CLOZEL, P. DELORME : *Le théorème de Paley–Wiener invariant pour les groupes de Lie réductifs. II*, Ann. Sci. École Norm. Sup. (4) 23, no. 2, 1990, pp. 193–228
- [33] P. DELORME, P. MEZO : *A twisted invariant Paley–Wiener theorem for real reductive groups*, Duke Math. J. 144 (2008)
- [34] A. FERRARI : *Théorème de l'indice et formule des traces*, manuscripta math. 124 (2007), pp. 363–390

- [35] T. FINIS, E. LAPID, W. MÜLLER : *On the spectral side of Arthur's trace formula – absolute convergence*, Ann. of Math. 174 (2011), pp. 173–195
- [36] T. HALES *On the fundamental lemma for standard endoscopy : reduction to unit elements*, Canadian Journal of Mathematics 47 (5), 1995, pp. 974–994
- [37] HARISH-CHANDRA : *The characters of semi-simple Lie groups*, Trans. AMS 83 (1956), pp. 98–163
- [38] HARISH-CHANDRA : *Harmonic analysis on real reductive groups I*. Journal of funct. anal. **19** (1975) pp. 104–204
- [39] HARISH-CHANDRA : *Supertempered distributions on real reductive groups*, *Studies in applied Math.*, Adv. in Math. supplementary studies, vol. 8 (1983) et Harish-Chandra collected papers, volume IV, Springer Verlag, (1970–1983) pp. 447–461
- [40] H. HECHT : *On characters and asymptotics of representations of a real reductive Lie group*, Math. Ann. **242** (1979) pp. 103–126
- [41] H. HECHT, W. SCHMIDT : *Characters, asymptotics and n -homology of Harish-Chandra modules*, Acta Math. **151** (1983) pp. 49–151
- [42] G. HENNIART, B. LEMAIRE : *La transformée de Fourier pour les espaces tordus sur un groupe réductif p -adique I. Le théorème de Paley–Wiener*, prépublication 2013
- [43] R. HERB : *Supertempered virtual characters*, Compositio Math. **93** (1994) pp.139–154
- [44] R. KOTTWITZ : *Rational conjugacy classes in reductive groups*, Duke Math. J. 49 (1982), pp. 785–806
- [45] R. KOTTWITZ : *Stable trace formula : cuspidal tempered terms*, Duke Math. J. 51 (1984), pp. 611–650
- [46] R. KOTTWITZ : *Stable trace formula : elliptic singular terms*, Math. Annalen 275 (1986), pp. 365–399
- [47] R. KOTTWITZ, J. ROGAWSKI : *The Distributions in the Invariant Trace Formula Are Supported on Characters*, Canad. J. Math. Vol. 52 (4), 2000, pp. 804–814
- [48] R. KOTTWITZ, D. SHELSTAD : *Foundations of twisted endoscopy*, Astérisque 255 (1999)
- [49] R. KOTTWITZ, D. SHELSTAD : *On splitting invariants and sign conventions in endoscopic transfer*, prépublication 2012
- [50] J.-P. LABESSE : *Non invariant base change identities*, Mem. Soc. Math. France **61**, (1995)
- [51] J.-P. LABESSE : *Cohomologie, stabilisation et changement de base*, Astérisque 257 (1999)
- [52] J.-P. LABESSE : *Nombres de Tamagawa des groupes réductifs quasi-connexes*, manuscripta math. 104 (2001), pp. 407–430

- [53] J.-P. LABESSE : *Stable twisted trace formula : elliptic terms*, Journal of the Inst. of Math. Jussieu 3 (2004), pp. 473–530
- [54] J.-P. LABESSE, E. LAPID : *Characters of G over local and global Fields*, appendice à E. Lapid, Z. Mao : *A conjecture on Whittaker–Fourier coefficients of cusp forms*, arXiv NT 13093190v2 (2013)
- [55] J.-P. LABESSE, J.-L. WALDSPURGER : *La formule des traces tordue d’après le Friday Morning Seminar*, CRM Monograph Series 31 (2013)
- [56] R.P. LANGLANDS : *Stable conjugacy : definitions and lemmas*, Can. J. of Math. 31 (1979), pp. 700–725
- [57] R.P. LANGLANDS : *Les débuts d’une formule des traces stable*, Publ. Math. de l’Université Paris VII (1979)
- [58] R.P. LANGLANDS : *Base change for $GL(2)$* , Annals of Math. Studies 96, Princeton Univ. Press 1980
- [59] R.P. LANGLANDS, D. SHELSTAD : *On the definition of transfer factors*, Math. Annalen 278 (1987), pp. 219–271
- [60] B. LEMAIRE, C. MOEGLIN, J.-L. WALDSPURGER : *Le lemme fondamental pour l’endoscopie tordue : réduction aux éléments unités*, prépublication 2015
- [61] P. MEZO : *Spectral transfer in the twisted endoscopy of real groups*, prépublication 2013
- [62] C. MØEGLIN : *Appendice à la formule des traces locales*, à paraître aux Memoirs of AMS
- [63] C. MØEGLIN, J.-L. WALDSPURGER : *Décomposition spectrale et séries d’Eisenstein*, Birkhäuser, PM 113 (1994)
- [64] C.P. MOK : *Endoscopic classification of representations of representations of quasi-split unitary groups I et II*, prépublications 2012
- [65] W. MÜLLER : *The trace class conjecture in the theory of automorphic forms*, Annals of Math. 130, 1989, pp. 473–529
- [66] W. MÜLLER : *The trace class conjecture in the theory of automorphic forms. II*, GAFA, vol 8, 1998, pp. 315–355
- [67] NGO BAO CHAU : *Le lemme fondamental pour les algèbres de Lie*, Publ. Math. IHES 111 (2010), pp. 1–269
- [68] J. OESTERLÉ : *Nombres de Tamagawa et groupes unipotents en caractéristique p* , Inventiones Math. 78 (1984), pp. 13–88
- [69] D. RENARD : *Intégrales orbitales tordues sur les groupes de Lie réductifs réels*, J. of Funct. Analysis 145 (1997), pp. 374–454
- [70] D. RENARD : *Endoscopy for real reductive groups*, in *On the stabilization of the trace formula*, L. Clozel, M. Harris, J.-P. Labesse, B.-C. Ngô édés., International Press, 2011
- [71] J.-L. SANSUC : *Groupe de Brauer et arithmétique des groupes algébriques linéaires sur un corps de nombres*, Journal für die reine u. ang. Math. 327 (1981), pp. 12–80

- [72] J.-P. SERRE : *Corps locaux*, Hermann 1968
- [73] D. SHELSTAD : *Characters and inner forms of a quasi-split group over \mathbb{R}* , *Compositio Math.* 39 (1979), pp. 11–45
- [74] D. SHELSTAD : *On geometric transfer in real twisted endoscopy*, *Annals of Math.* 176 (2012), pp. 1919–1985
- [75] J. TATE : *Number theoretic background*, in *Automorphic forms, representations and L-functions*, A. Borel et W. Casselman eds., *Proc. of Symp. in Pure Math.* XXXIII, part 2, AMS 1979
- [76] V. VARADARAJAN : *Harmonic analysis on real reductive groups*, *Lecture Notes in Math* 576, Springer 1977
- [77] D. VOGAN : *A Langlands classification for unitary representations*, *Advanced Studies in Pure Mathematics* 26, 1998, *Analysis on Homogeneous Spaces and Representations of Lie Groups*, pp. 1–26
- [78] J.-L. WALDSPURGER : *Le groupe GL_N tordu, sur un corps p -adique, Ière partie*, *Duke Math J.* **137** (2), (2007) pp. 185–234
- [79] J.-L. WALDSPURGER : *L’endoscopie tordue n’est pas si tordue*, *Memoirs AMS* 908 (2008)
- [80] J.-L. WALDSPURGER : *A propos du lemme fondamental pondéré tordu*, *Math. Annalen* 343 (2009), pp. 103–174
- [81] J.-L. WALDSPURGER, *La formule des traces locale tordue*, à paraître aux *Memoirs of AMS*
- [82] J.-L. WALDSPURGER : *Stabilisation de la partie géométrique de la formule des traces tordue*, exposé à l’IMC de Séoul 2014
- [83] J.-L. WALDSPURGER : *Caractères automorphes d’un groupe réductif*, prépublication 2016
- [84] N. WALLACH : *Representations of semi-simple Lie groups and Lie algebras*, in *Lie theories and their applications*, *Queen’s papers in pure and applied math.* **48** (1978) pp. 154–246