

Index

A

Analysis of variance (ANOVA), 177–211, 213–247, 323
Anderson-Darling test, 25, 28, 29, 71–73, 123–125, 155–158, 160, 172, 202–205, 236, 281–282
Association, 123, 250, 252, 253, 266, 269, 270, 274, 282, 284, 286–290, 294–296, 321, 322

B

Bagplot, 288–290
Bar plot (stacked, side-by-side), 14, 16, 86, 89, 96
Beta values, 323
Binomial logistic regression, 312–324
Binomial probability, 302
Binomial test, 300–303
Block, 214–217, 237–239, 241
Block-type research design, 214, 217, 237, 241
Bonferroni, 209
Boolean, 41, 42, 80, 190, 191, 205
Boxplot, 35, 36, 63, 111, 113, 120, 142–145, 147, 192–196, 224, 237, 246, 247, 265, 266, 270, 271, 289, 318
Breakout groups, 67, 114–116, 135, 178–181, 188–190, 193, 194, 197–199, 204, 206–211, 223, 231, 232, 238, 243, 245, 247, 250, 256, 269–271, 274, 280, 316

C

CamelCase, 180
Central tendency, 53, 60, 66, 87, 90, 119–123, 142–144, 151–155, 161, 190, 230, 234–236, 276–280, 303, 308
Chi-square, 77–100
Code book, 57–60, 79, 82–84, 108–111, 139–141, 164, 183–190, 220–223, 254–261
Comma separator, 166
Comma-separated values (.csv), 55, 78, 81, 106–108, 125, 137, 138, 141, 180–182, 218, 220, 253, 254, 314, 326
Conditional density, 319, 321
Contingency table, 79, 80, 94, 100–102
Continuous scale, 53
Correlation, 249–297
Correlation coefficient, 284, 290, 296
Correlation matrix, 294, 297
Crosstabs, 87, 94, 96, 97, 99, 189
Cumulative probability, 318–321

D

Density plot, 7–11, 18–21, 23, 25, 27, 34, 115–118, 146, 147, 156, 190, 191, 224, 264, 269, 270, 288, 305, 306, 310, 311, 316, 317, 319
Descriptive statistics, 7, 9, 11, 20, 22, 29, 53, 60, 66–68, 71, 74, 111, 118–123, 128, 142, 143, 150–155, 158, 161, 162, 165, 166, 187, 190, 198, 199, 202, 206, 223, 231, 234, 236, 237, 239, 265, 276–278, 280–282, 307, 311, 321

Distribution free, 2, 6, 24, 105
Dot plot, 69, 199, 232

F

Factor, 52, 57, 60, 64, 65, 82, 83, 89, 109–112, 140–142, 151, 163, 165, 181, 186–188, 190, 192, 214, 216, 218, 220, 223, 224, 234, 235, 240, 246, 250, 258–260, 263, 270, 271, 274, 309, 324
Factorial research design, 53, 76, 179, 180, 211, 216, 237
Frequency distribution, 4, 63–66, 69, 74, 75, 87, 89, 92, 95, 97, 188, 223, 231, 234, 235, 316
Friedman twoway analysis of variance (ANOVA) by ranks, 213–248

G

Goodness of fit. *See* Chi-square test

H

Hinge (lower and upper), 143, 225
Histogram, 7–11, 18–20, 25, 29, 31–35, 37–39, 42–45, 47, 50, 114, 115, 145, 148, 225, 227, 228, 263, 264, 272, 273, 288, 302
Hochberg, 209
Holm, 209, 210

I

Institutional Review Board (IRB), 40, 250
Interaction plot, 25, 238–241
Interval, 3–6, 11–12, 17, 23, 30, 32, 52, 53, 60, 67, 103–105, 112, 118, 119, 126, 128, 135, 136, 143, 150, 161, 173, 178–181, 211, 215, 218, 225, 236, 241, 250, 252, 266, 272, 303–309, 313, 314

K

Kendall's tau, 295–297
Kolmogorov–Smirnov (K-S) two-sample test, 308–312
Kruskal–Wallis H-Test for oneway analysis of variance (ANOVA) by Ranks, 177–211

L

Least significant difference (LSD), 209, 242

M

Mann-Whitney U test, 103–132
Matched pairs, 133–175, 303
Mean, 2, 7, 9, 11, 18, 22, 24, 25, 29, 30, 34–40, 42, 45, 47, 49, 53, 60, 66, 67, 69, 70, 90, 111, 116, 118, 119, 128, 150, 153, 154, 162, 186, 197, 202, 231, 239, 277, 295, 303, 304, 308, 321
Median, 11, 22, 25, 29, 44, 53, 54, 60, 66, 69, 71, 74, 75, 90, 111, 119, 128, 143, 150, 154, 155, 160, 162, 197, 199, 202, 206–208, 225, 231, 239, 240, 277, 280, 303–305, 308, 309, 312, 321
Mode, 12, 25, 60, 66, 90, 111, 119, 150, 193, 276, 277
Mosaic plot, 85
Multiple comparisons, 244, 266

N

Nominal, 3, 4, 23, 77, 300, 312, 313
Nonparametric, 1–50, 52, 71, 73, 105, 106, 123, 125, 135, 136, 150, 155–160, 169, 170, 172–174, 178, 179, 180, 197, 202, 203, 205, 218, 237, 250, 252, 253, 264, 266, 267, 280–283, 285, 294–296, 299–326
Normal distribution, 6–20, 23–30, 37–40, 42, 47–49, 53, 72, 104, 105, 123, 124, 135, 136, 150, 156–158, 161, 181, 192, 203, 205, 251, 264, 281, 282, 304
Null hypothesis (Ho), 72, 74, 75, 80, 106, 123, 124, 126, 128, 132, 136, 156, 157, 159–161, 163, 166, 169, 171, 172, 174, 181, 203, 205, 207, 218, 238, 240, 253, 281, 282, 300, 301, 303, 305, 310

O

Odds, 312, 323–324
Odds ratio (OR), 312, 323–324
Oneway analysis of variance (ANOVA), 177–211
Ordinal, 3, 4, 11–12, 17, 23, 52–54, 60, 63, 66, 67, 80, 103–105, 112, 118, 119, 126, 128, 134, 135, 136, 143, 150, 161, 162, 172, 178–181, 211, 214, 218, 224, 225, 231, 236–239, 241, 242, 250, 252, 258, 266, 272, 283, 303, 309, 312, 313
Outlier, 6, 23, 35, 39, 40, 143, 192, 194, 224, 225, 261, 269, 270

P

Parametric, 2, 3, 6, 7, 17, 19, 20, 23–25, 29, 48, 71, 111, 112, 123, 143, 155, 156, 170, 172–174, 179, 192, 202, 203, 264, 266, 281, 307, 308

Pearson's product-moment coefficient of correlation, 283, 285

Pearson's r , 250, 252, 318, 322

Percentile, 143, 321

Predictor variable, 323, 324

Probability (p-value), 73–75, 80, 95, 97, 99, 101, 106, 124–125, 127, 128, 131, 132, 136, 156, 157, 160, 161, 166–174, 203–208, 210, 211, 218, 238, 240, 245, 246, 282, 292, 293, 303, 308, 312

Proportion, 77, 94

Q

Quantile-Quantile (QQ, Q-Q), 26, 29, 39, 40, 43, 48, 73, 125, 157, 158, 205, 206, 282, 283

R

Ranking, 3, 4, 23, 202

Ratio, 3, 5, 6, 312, 323–324

Regression line, 267, 268

Representation, 6, 17, 20, 23, 89, 142, 155, 178, 251, 252, 287

S

Sample (quota, convenience), 41, 179, 251, 252

Scatter plot, 157, 266–269, 271, 274, 275, 285–289, 318

Scatter plot matrix (SPLOM), 287, 288

Scheffé, 209

Sign test, 51–76

Spearman's rank-difference coefficient of correlation, 249–297

Spearman's ρ , 250, 252, 262, 266, 283–290, 292, 294–297

Stacked data, 105, 129–131, 137, 160, 163–169, 172–174, 180

Statistical significance, 290

STEAM (Science, Technology, Engineering, Art C Design, and Mathematics), 325

STEM (Science, Technology, Engineering, and Mathematics), 325

Student's t -test for independent samples, 24, 103, 105

Student's t -test for matched pairs, 135, 173, 303

T

Tilde separator, 166

Treatment, 12, 16, 17, 51–54, 74–76, 104–106, 109, 111, 113, 114, 116, 117, 119, 123, 125, 126, 128, 131, 134–136, 140, 141, 143–148, 150, 151, 155–163, 166–169, 172–174, 214–218, 220, 224, 227, 229, 232, 236–247, 304, 313, 314, 324

Trellis graphics, 261

Tukey, 209, 225

Two-way analysis of variance (ANOVA), 213–247

U

Unstacked data, 129–132, 135, 137, 160, 165, 166, 168, 169, 173

V

Violin plot, 35, 36, 63, 115, 147, 148, 224, 228, 229, 237

W

Walsh test for two related samples, 303–308

Whisker (lower and upper), 143, 225, 265

Wilcoxon matched-pairs signed ranks test, 133–175

Y

Yates correction, 80, 94, 97, 99