

Index

A

- Abdominal groin pain, 44–45
- Acetabular labral tear, 46
- Achilles tendinopathy (AT)
 - characterization, 150
 - clinical aspects, 153–154
 - conservative treatments, 155–156
 - etiopathogenesis, 150–152
 - incidence, 150
 - minimally invasive techniques
 - HVIGI, 157
 - minimally invasive achilles tendon stripping, 157–159
 - open surgery, 159, 160
 - percutaneous longitudinal tenotomy, 159–160
 - painful, 152–153
 - prevention, 154–155
 - synthesis, 161
 - therapeutic indications, 161
- Achilles tendon, 102, 105, 150–155, 157–160, 182
- Acute calcific tendinitis, 71
- Adductor tendinopathy
 - anatomy
 - adductor muscles, 42–43
 - inguinal region, 43
 - clinical examination, 49–50
 - conservative treatment, 52–53
 - definition and differential diagnosis
 - abdominal groin pain, 44–45
 - adductor enthesopathy, 44
 - benign tumors, 46
 - hip arthropathy, 45–46
 - hip muscle injury, 46
 - infectious lesions, 46
 - inflammatory rheumatism, 46
 - metabolic arthropathy, 46
 - radicular syndrome, 46
 - epidemiology, 41
 - etiopathogenesis
 - extrinsic factors, 49
 - intrinsic factors, 47–48
 - imaging
 - echography, 51–52
 - MRI, 50–51
 - X-rays, 50
 - physiopathology, 42
 - prevention
 - hip adduction and thigh rotations, 57
 - lower-crossed syndrome, 57
 - mobility, 57–59
 - player's profile determination, 57
 - primary, 56
 - proprioception, 57, 58
 - recurrence rate, 57
 - in soccer, 57
 - strengthening, 57–58, 60
 - training load, 58, 60
 - rehabilitation protocol, 59
 - active exercises, 53
 - first phase, 53–54
 - flexibility exercises, 53
 - fourth and final phase, 55
 - second phase, 54
 - third phase, 54–55
 - sport groin pain, 42
 - surgical treatment, 55–56
 - synthesis and therapeutic indications
 - acute mode, 61
 - chronic mode, 61–62
- Advanced glycation end products (AGE), 151

- AIIS. *See* Anterior inferior iliac spine (AIIS)
- Angiogenesis, 26, 28, 29, 183
- Anserine syndrome, 143, 144
- Anterior inferior iliac spine (AIIS), 68, 72, 75, 76, 78, 81
- Arthrodesis, 188
- Arthroscopy, 109, 193
- AT. *See* Achilles tendinopathy (AT)
- Augmentation, 111, 174–175, 177
- Autologous tendon transplantation, 175
- B**
- Basic helix-loop-helix (bHLH), 33
- Biophysical therapies, 107, 111
- Bone edema, 172
- C**
- Cellular proliferation, 25, 29
- Chronic tendinopathy, 4, 7, 10, 24, 71, 78, 101, 131, 170, 186
- Coarthropathy, 46
- Codivilla techniques, 109
- Collagen, 3, 4, 8, 9, 11, 12, 22, 25, 26, 31–33, 42, 70, 80, 103, 106, 111, 150, 151, 183
- Computed tomography (CT), 130, 144
- Connective tissue aging, 151
- Cyriax, 53
- D**
- Dancer's tendinitis. *See* Flexor hallucis longus (FHL) tendon
- Debridement, 14, 160, 187, 188
- Degenerative changes, 2–4, 70, 100, 110, 152, 183
- Diabetes mellitus, 110, 142, 151, 152
- Differential diagnosis
- adductor tendinopathy
 - abdominal groin pain, 44–45
 - adductor enthesopathy, 44
 - benign tumors, 46
 - hip arthropathy, 45–46
 - hip muscle injury, 46
 - infectious lesions, 46
 - inflammatory rheumatism, 46
 - metabolic arthropathy, 46
 - radicular syndrome, 46
 - hamstring syndrome, 129
 - iliopsoas tendinopathy, 92
 - ITBS, 121
 - PA tendinopathy, 143
 - RF tendinopathy, 73–74
- Dorsiflexion, 159, 189
- Downhill treadmill running (DTR), 11
- E**
- E-box, 33
- ECM. *See* Extracellular matrix (ECM)
- Electrostimulation (ES), 10
- ESWT. *See* Extracorporeal shock wave therapy (ESWT)
- Extracellular matrix (ECM)
- AT, 151, 152
 - healing process, 25, 27, 28
 - proliferative phase, 25
 - RF tendinopathy, 70
- Extracorporeal shock wave therapy (ESWT), 79, 80, 111, 131, 155, 156
- Extrinsic healing process, 30
- Exudative phase, 22–24
- Ex vivo models
- creep loading, 6–7
 - cyclical loading, 6
 - stress deprivation, 7
- F**
- FABER. *See* Flexion abduction external rotation (FABER)
- FADIR. *See* Flexion, adduction, internal rotation (FADIR)
- Femoroacetabular impingement, 73, 81, 82
- FHL. *See* Flexor hallucis longus (FHL) tendon
- Fibrosis tissue, 185
- Fleroxacin (FLX), 9
- Flexion abduction external rotation (FABER), 49, 50, 61
- Flexion, adduction, internal rotation (FADIR), 45, 61
- Flexor hallucis longus (FHL) tendon, 189–190
- arthroscopic procedure, 191, 193
 - cartilaginous loose body, 192
 - complete tendon release, 192–193
 - entrapment, 191
 - fibrous tissue removal, 192
 - posterior ankle endoscopy, 191
 - prevention, 191
 - symptoms, onset of, 191
 - systematic approach, 192–193
 - tenosynovitis, 190
- G**
- Glutamate, 4, 153
- Goose's foot. *See* Pes anserine (PA) tendinopathy

Gracilis (GR) muscle, 139, 140, 142, 144
 GR muscle. *See* Gracilis (GR) muscle
 Growth and differentiation factor (GDF),
 31–33
 Growth factors (GF)
 healing process, 28–29
 quadriceps tendinopathy, 105
 RF tendinopathy, 80

H

Hamstring-stretch test (HST), 128
 Hamstring syndrome (HS)
 clinical diagnosis, 128–129
 conservative treatment
 back chain muscle, 134, 135
 corticosteroids, local injection of, 131
 eccentric backward steps, 132
 eccentric forward pulls, 132, 133
 eccentric isokinetic exercises, 132
 extracorporeal shock wave
 therapy, 131
 Freeman platform, paravertebral
 muscle with, 134, 135
 piriformis muscle, 134, 136
 posterior kinetic chain, 134, 136
 regenerative therapy, 131
 sacrotuberous ligament, 134, 136
 single-limb balance windmill
 touches, 132
 split stance exercise, 132, 133
 WBV, 134
 imaging, 130–131
 proximal hamstring lesion, 127
 sprinter's pathology, 128
 surgical treatment, 134, 136, 137
 Healing process
 apoptosis process, 27–28
 cellular proliferation, angiogenesis in, 29
 extrinsic, 30
 GF, 28–29
 intrinsic, 30–31
 neoformation processes
 GDF, 31–33
 Scx, 31, 33–34
 nervous response, 26
 quadriceps tendinopathy, 105
 regeneration, 22
 tendon repair
 inflammatory phase, 22–24
 maturation phase, 22, 25–26
 proliferative phase, 22, 24–25
 remodeling phase, 22, 25–26
 Heat shock proteins (HSP), 11
 Hernia, 52, 92

High-volume image-guided injection
 (HVIGI), 157
 Hindfoot tendinopathies
 Achilles' tendon, 182
 anterior, 181
 biomechanics, 182–183
 calcaneal tuberosity, 181, 182
 clinical examination, 183
 instrumental diagnosis, 183–184
 pathophysiology, 182–183
 sagittal plane, 182
 single site tendinopathies
 FHL (*see* Flexor hallucis longus (FHL))
 peroneal tendons, 188–190
 tibialis posterior tendon, 185–188
 treatment, 184–185
 Hip flexion, 48, 49, 53, 72, 89, 128
 Hip pain, 45–46
 Hormone replacement therapy, 150, 155
 HS. *See* Hamstring syndrome (HS)
 Hyaline degeneration, 2, 70, 76
 Hyaluronic acid, 25, 80
 Hydrokinesitherapy, 172
 Hyperparathyroidism, 101, 110
 Hyperpronation, 150
 Hyperthermia, 79
 Hypoxia, 3, 4, 69, 71

I

Iceberg Theory (IT), 12–14
 Iliopsoas tendinopathy
 aetiopathogenesis, 86–87
 clinical examination
 functional muscle testing, 88, 89
 hip flexion strength testing, 88, 89
 hypermobility, 87
 internal hip snapping, 88
 Modified Thomas Test, 88, 90
 physical examination, 87
 positive test, 88
 provocative tests, 87
 psoas syndrome, 89
 signs and symptoms, 87
 conservative treatment, 93–94
 epidemiology, 86–87
 imaging, 89–92
 surgical treatment, 94–95
 Iliotibial band syndrome (ITBS)
 conservative treatment, 122–123
 etiopathogenesis, 118–120
 imaging, 121–122
 lateral knee pain, in runners, 117
 patient evaluation, 120–121
 surgical treatment, 123–125

Iliotibial bursitis (IB), 143
 Inflammation, 2, 8, 9, 24, 57, 70, 93,
 106, 143, 168
 Inflammatory changes, 2–4, 70
 Intrinsic healing process, 30–31
 In vitro models, 5–6
 In vivo chemical induction models (in vivo
 CIM)
 collagenase injection, 8
 cytokines injection, 8
 fluoroquinolones injection, 9–10
 prostaglandins injection, 8–9
 in vivo CIM. *See* In vivo chemical induction
 models (in vivo CIM)
 In vivo mechanical induction models, 10
 IT. *See* Iceberg Theory (IT)
 ITBS. *See* Iliotibial band syndrome (ITBS)

K

Kinesiotaping, 79

L

Laser therapy, 106
 Low-level laser treatment (LLLT), 79

M

Macrophages, 23–25, 29, 71
 Magnetic resonance imaging (MRI)
 AT, 154
 adductor tendinopathy, 43, 50–51
 hindfoot tendinopathies, 184, 189
 HS, 130, 131
 iliopsoas tendinopathy, 92
 ITBS, 122
 patellar tendinopathy, 171, 172
 PA tendinopathy, 144
 quadriceps tendinopathy, 102, 104
 RF tendinopathy, 74, 76–77
 Malalignment, 142, 150
 Matrix metalloproteinase (MMP), 4, 5, 150, 152
 Mechanical induction models
 DTR, 11
 ES, 10
 fatigue, 12
 UTR, 11
 Mesenchymal stem cell therapy, 80
 Minimally invasive techniques
 hindfoot tendinopathies, 192–193
 HVIGI, 157
 minimally invasive achilles tendon
 stripping, 157–159

 open surgery, 159, 160
 percutaneous longitudinal tenotomy, 159–160
 MMP. *See* Matrix metalloproteinase (MMP)
 MRI. *See* Magnetic resonance imaging (MRI)
 MTJ. *See* Myotendinous junction (MTJ)
 Mucoïd degeneration, 2, 3, 154
 Myotendinous junction (MTJ), 130, 131
 Myxoid degeneration, 2, 108, 110

N

Neof ormation processes
 GDF, 31–33
 Scx, 31, 33–34
 Neovascularization process, 2, 131, 152,
 155, 183, 186
 Nonsteroidal anti-inflammatory drugs
 (NSAID)
 adductor tendinopathy, 52–53
 iliopsoas tendinopathy, 93
 ITBS, 122
 patellar tendinopathy, 172
 RF tendinopathy, 78
 NSAID. *See* Nonsteroidal anti-inflammatory
 drugs (NSAID)

O

Obesity, 100, 101, 110, 151
 O'Brien test, 102
 Ofloxacin (OFLX), 9
 Orthotics, 185
 Osteoarthritis, 45, 142
 Osteochondrosis, 46
 Osteonecrosis, 46, 143

P

Patellar tendinopathy, 104
 adulthood, young age to, 167–168
 anatomy, 167–168
 biomechanics, 167–168
 characterization, 166
 clinical examination, 169–170
 epidemiology, 166–167
 etiopathogenesis, 166–167
 incidence of, 166
 instrumental diagnosis, 170–172
 jumper's knee, 166
 nonsurgical treatment, 166
 pathogenesis, 168–169
 treatment
 allograft/autologous tendon
 transplantation, 175

- biological augmentation, 174–175, 177
- eccentric exercise, 173
- hydrokinesitherapy, 172
- NSAID, 172
- patellar tendon rupture, 174, 176
- PRP, 172–175
- relax quadriceps, 172
- SAID, 172
- shockwave, 172
- surgical approach, 173–175
- transosseous suture, 174–175, 177
- PA tendinopathy. *See* Pes anserine (PA) tendinopathy
- Pefloxacin (PFLX), 9
- Percutaneous longitudinal tenotomy, 159–160
- Peripheral neuronal phenotype, 152
- Peroneal tendons, 188–190
- Pes anserine (PA) tendinopathy
 - clinical evaluation, 143
 - conservative treatment, 144–145
 - etiopathogenesis, 140, 142–143
 - GR muscle, 139, 140, 142
 - imaging, 144
 - RF tendinopathy, 80
 - SA muscle, 139, 140
 - semitendinosus muscle flexes, 140, 141
 - ST muscles, 139–141
 - surgical treatment, 145
- Phonophoresis, 79, 185
- Pincer impingement, 45
- Piriform syndrome, 129
- Plasma rich in growth factors (PRGF), 53
- Platelet-derived growth factor (PDGF), 28, 105
- Platelet-rich plasma (PRP)
 - adductor tendinopathy, 53, 55, 62
 - ITBS, 122
 - patellar tendinopathy, 172–175
 - quadriceps tendinopathy, 105, 106
 - RF tendinopathy, 80
- Popping, 189
- Posterior ankle endoscopy, 191
- Posterior tibialis tendinopathy, 185–188
- Primary suture repair, 108
- Prostaglandin E (PGE), 4, 9, 23
- PRP. *See* Platelet-rich plasma (PRP)
- Psoas syndrome, 89
- Pyknosis, 3

- Q**
- Quadriceps tendinopathy
 - clinical examination, 100–102
 - conservative treatment
 - biophysical therapies, 107
 - eccentric exercises, 104, 105
 - growth factors, 105
 - hysiokinesitherapy, 104
 - isometric exercises, 105
 - mechanical loading, 105
 - patellar tendinopathy, 104
 - PRP, 105, 106
 - quadriceps static stretching exercises, 105
 - rehabilitation treatment, 105
 - SW treatment, 106–107
 - therapeutical exercise, 106
- etiopathogenesis, 100–102
- imaging
 - MRI, 102, 104
 - radiographs, 102
 - sonography, 102
 - tendon injuries, 103–104
 - ultrasound, 102–103
- surgical treatment
 - advanced reconstruction techniques, 110
 - allograft, 110
 - Codivilla techniques, 109
 - complications, 109
 - delayed diagnosis, 109–110
 - iatrogenic conditions, 108
 - ipsilateral tendinopathy, 108
 - longitudinal tensional strength, 107
 - minor trauma, 107
 - muscle atrophy, 108
 - partial tears, 107
 - patellar spur, 108
 - postoperative rehabilitation, 110
 - primary suture repair, 108
 - repair techniques, 109
 - repetitive microtrauma, 108
 - Scuderi technique, 109
 - suture anchors, 109
 - tendon structure degeneration, 108
 - vascular supply, 108
- synthesis and therapeutic indications, 110–112

- R**
- Radial pulse therapy (RPT), 155
- Radial shock wave therapy (RSWT), 155, 156
- Radicular syndrome, 46
- Range of motion (ROM), 45, 47, 54–57, 61, 191

- Rectus femoris (RF) tendinopathy
 acute injury, 68
 anatomy and functional anatomy, 68–69
 clinical aspects, 71–73
 conservative treatment, 78–80
 coronal images, 77–78
 differential diagnoses, 73–74
 MRI, 74, 76–77
 pathophysiology, 70–71
 proximal injuries, 68
 in soccer players, 68
 surgical treatment, 81
 ultrasound
 advantage, 74
 calcification, 76
 longitudinal ultrasound scan, 76, 77
 normal ultrasound axial scan, 75–76
 normal ultrasound longitudinal scan, 75
 probe placement, 75
- Reflected tendon, 68
- RF tendinopathy. *See* Rectus femoris (RF) tendinopathy
- ROM. *See* Range of motion (ROM)
- RSWT. *See* Radial shock wave therapy (RSWT)
- S**
- Sartorius (SA) muscle, 139, 140, 144
- Scleraxis (Scx), 31, 33–34
- Scuderi techniques, 109
- Scx. *See* Scleraxis (Scx)
- Secondary cleft, 51
- Semimembranosus bursitis (SB), 143
- Semitendinosus (ST) muscles, 139–141, 144
- Shock wave therapy (SWT), 106–107, 155, 156
- Snapping hip syndromes, 86, 90, 93, 94
- Steroidal anti-inflammatory drugs (SAIDs), 172
- Swelling, 71, 100–103, 106, 120, 150, 159, 160, 170, 172, 183, 186, 189
- SWT. *See* Shock wave therapy (SWT)
- Symptomatic enthesopathy, 102, 111
- T**
- Tendon subluxation, 189
- Thyroid hormone (TH), 151
- Tibialis posterior tendon, 185–188
- Transglutaminase (TG), 152
- U**
- Ultrasonography
 ITBS, 121–122
 patellar tendinopathy, 170
- Ultrasound
 achilles tendinopathy, 154, 155, 157, 159
 adductor tendinopathy, 51, 52, 62
 hindfoot tendinopathies, 184, 186
 HS, 130
 hyperthermia, 79
 iliopsoas tendinopathy, 90–92
 patellar tendinopathy, 171
 PA tendinopathy, 144
 quadriceps tendinopathy, 102–104
 RF tendinopathy
 advantage, 74
 calcification, 76
 longitudinal ultrasound scan, 76, 77
 normal ultrasound axial scan, 75–76
 normal ultrasound longitudinal scan, 75
 probe placement, 75
- Uphill treadmill running (UTR), 11
- V**
- Vascular endothelial growth factor (VEGF), 4, 11, 24, 28, 29, 105
- W**
- Whole-body vibrations (WBV), 133