

Index

A

- Adolescent drug use, 84
- Adolescent health, 10, 11
- Adolescent Health and Development Questionnaire (AHDQ), 159, 160, 175, 176, 186, 188, 210
- Adolescent problem behavior, 133
 - and conventional behaviors, 113
 - definition, 111
 - delinquent-type behavior, 113
 - drinking, 113
 - genders, 114, 115
 - marijuana use, 113
 - maximum-likelihood factor analyses, 115
 - maximum-likelihood test, 114
 - Pearson correlations, 113
 - sexual intercourse, 113
 - social-psychological framework, 111
 - study design and procedures, 112
 - syndrome, 115, 116
 - virgin/nonvirgin status, 115
- Adolescent problem behavior involvement, 187
- Adolescent pro-social behavior involvement, 187–188
- Adolescent risk behavior
 - conceptual framework, 31, 32
 - explanatory model, 33, 34
 - frameworks, 33
 - problem behavior proneness, 31
 - protective factors, 33
 - risk-taking, 33
 - theory's predictor/explanatory variables, 31
- AIDS and HIV, 166
- Ambiguity of inference, 85

- Anomie, 44, 46, 53, 54
- Attitudinal Intolerance of Deviance, 145

B

- Bartlett's test of sphericity, 114
- Behavior measures, 92, 93, 98, 100
- Behavior protection, 190
- Behavior research, 74
- Behavior risk, 191
- Behavioral epidemiology, 122

C

- China's one-child policy, 165
- Chinese adolescents, 159, 161, 166, 175
- Chinese and U.S. sample, 159–161, 163, 165–169, 171–177, 186–188, 190, 192–195, 197, 198
- Chinese parents, 174
- Chi-square tests, 106, 113
- College Study, 21
- Community Survey Study, 19, 48, 49
- Composite measures
 - MPBI, 171–172
 - protection and risk, 162, 172–173, 189
- Conceptual ambiguity, 182
- Controls protection, 188
- Cross-lagged panel correlation strategy, 66, 67
- Cross-national generality of problem behavior theory, 156–161, 163–167, 169–177
- Cross-national study of adolescents, 155
- Cross-sectional hierarchical multiple regression analysis, 146

D

- Data analysis strategy, 93
- Delinquent behavior, 111, 113
- Developmental behavioral science approach, 28
- Developmental curves, 70
- Developmental transition
 - cohorts partitioning, 76
 - deviance, 76
 - maturing out, 77
 - personality and perceived environment system, 76
 - problem behavior proneness, 76
 - psychosocial growth curves, 75
 - stability
 - and consistency, 75
 - and continuity, 77
- Deviant behavior, 102
- Distal structure
 - perceived environment, 62
 - problem behavior, 63
- Drunkness, 114

E

- Explanatory Model of Adolescent Problem Behavior Involvement in Chinese and U.S. Samples, 167–169
- Explanatory model of psychosocial protection and risk, 173

F

- Friend Orientation Index, 138
- Friends Models for Conventional Behavior, 145, 146, 150, 151
- Friends Models for Problem Behavior, 137, 145, 146, 150, 151

H

- Health-enhancing behaviors, 156
- Hierarchical multiple regression, 140, 148
- High School Study, 19, 21, 48, 49

J

- Jessors' longitudinal study, 91, 92

L

- Low self-esteem, 132

M

- Marijuana use, 100, 102, 112, 113, 115
- Maturing out, 77
- Maximum likelihood test, 94, 96, 98, 102, 104
- Maximum-likelihood factor analyses, 112, 113
- Models protection, 188
- Models risk, 190
- Multiple Problem Behavior Index (MPBI), 139–145, 147, 148, 151, 164, 166, 167, 169, 171–173, 187, 189, 191–196, 198–200
- Multiple Pro-social Behavior Index (MPSBI), 187, 188, 193, 195–200
- Multiplism, 85

N

- National Institute of Mental Health (NIMH), 16
- National Institute on Alcohol Abuse and Alcoholism (NIAAA), 22
- National Study of Adolescent Drinking, 97, 98, 105
- NIAAA. *See* National Institute on Alcohol Abuse and Alcoholism (NIAAA)
- NIMH. *See* National Institute of Mental Health (NIMH)
- Normative structure, 18, 19, 44, 46, 53

O

- Opportunity risk, 190
- Opportunity structure, 18, 19, 44, 46–49, 53
- Ordinary least squares (OLS), 177

P

- Parental and personal consent, 160
- Pearson correlations, 94
- Peer socialization, 50
- Perceived environment system
 - personality system, 62, 69
 - problem behavior, 62
- Perceived opportunity structure, 45, 48
- Personal belief structure, 45, 47
- Personal control structure, 45, 47, 48
- Personality system, 45–47, 50, 51, 87
 - motivational-instigation variables, 63
 - proximal variables, 62
 - regression analyses, 61
- PFI, 138–145, 147, 149–151
- Precocious sexual intercourse, 111

- Problem behavior syndrome, 24, 78, 205
 adolescence, 6, 9, 115, 116
 behavior measures, 92, 93, 100
 data analysis strategy, 93
 elements, 90
 factor-analytic results
 behavior measures, 98
 maximum likelihood tests, 98
 National Study of Adolescent Drinking,
 97, 98
 Jessor's longitudinal study design, 91, 92
 longitudinal studies, 90
 maximum likelihood tests, 94, 96, 102
 national sample data, 99
 National Study of Adolescent Drinking, 101
 Pearson correlations, 94, 102
 problem and conventional behavior
 sex and sample, 95, 103
 single common factor, 105
- Problem Behavior Theory, 131–134, 136, 137,
 140, 141, 143–147, 149–151,
 183–184, 208
 account for adolescent problem behavior,
 192–195
 account for adolescent pro-social behavior,
 195–197
 adolescent development (*see also*
 Adolescent risk behavior)
 health, 28–30
 research collaboration, 35
 science, 15
 adolescent risk behavior, 205, 206
 alcohol abuse, 15
 analytic procedures, 140
 behavioral domains, 206
 behaviorism, 2
 Church Attendance Frequency, 106
 coherent social-psychological theory, 16
 construct validity, 17
 contemporary approaches to cognition, 16
 controls protection and models risk, 35
 conventionality–unconventionality,
 209–210
 cross-national generality, 155–169,
 171–177
 current study, 185–186
 definition, 89
 developmental behavioral science
 approach, 28
 developmental implications, 59
 developmental readiness and transition, 17
 disadvantage, context of, 30, 31
 elements, 107
 empirical assessment, 60
 framework, 194
 generality, 11–12
 individual level, 207
 interdisciplinary conceptual framework, 17
 lifestyle, 206
 Marxism and Marxist theory, 2
 measurement of risk and protection,
 135–138
 models risk, drinking, 207
 moderating effect, protective factors, 169
 monumental work, 3
 MPBI, 139
 multiple regression analysis, 59
 NIMH, 16
 nomological network, 17
 participants, 135
 prevention/intervention programs, 1
 pro-social behavior, 12
 protective factors, 134
 psychoanalysis, 16
 psychosocial attributes, 105
 psychosocial growth and developmental
 change, 5–8
 reformulation, 10–11
 RFI and PFI, 138, 139
 risk behavior, 207, 209
 risk factors (*see* Risk factors)
 single-factor model, 91
 social concerns and commitments, 2
 social learning theory, 206
 social-psychological formulation, 16 (*see*
 also The Tri-Ethnic Study)
 social-psychological framework, 57
 social-psychological research, 61
 study design and procedure, 134
 support protection, 36
 theoretical/explanatory level of analysis, 28
The Tri-Ethnic Community Study, 2
 transcending disciplinary boundaries, 17
 trans-disciplinary behavioral science, 3
 transition proneness, 13
 young adulthood, 8–10, 79, 91
- Pro-social behavior, 181–185, 187, 188, 191,
 192, 195–201
- Protection and problem behavior
 cross-sectional analyses, 140–146
 longitudinal analyses, 147
- Protection measures
 behavior, 190
 controls, 188, 190
 models, 188–190
 support, 190

Protection-risk model, 156, 171
 Protective and risk factors, 188
 composite measures, 162, 189
 Protective Factor Index (PR), 136, 138, 139, 141, 148
 Protective factors, promotive function, 182
 Proximal structure
 correlations, 68
 peer models, 62
 perceived environment, 62
 Psychopathology, 132
 Psycho-social development
 adolescent development, 6
 awareness, 7
 concept of deviance, 6
 developmental curves, 7
 immature adolescent brain, 7
 problem behavior syndrome, 6
 school adolescents, 6
 sexual intercourse, 7
 transition proneness, 7
 Psychosocial explanatory systems, 133

R

Regression models, 170
 Residualized gain scores, 66
 Risk behavior
 definition, 120
 health- and life-compromising outcomes, 127
 life-style, 120–122
 normal development, 207
 prevention/intervention, 127, 128
 protective factors, 124–126
 psychosocial risk
 alcohol and tobacco access, 118
 biological risk factors, 118
 drug use, 119
 environment risk, 118
 marijuana smoking, 119
 morbidity and mortality, 118
 sexual intercourse, 127
 risk-taking behavior, 209
 web of causation, 123, 125
 Risk Factor Index (RFI), 136, 138–145, 147, 149, 150
 Risk factors, 141, 146, 148
 and protective factors
 prevention/intervention, 208
 vs. and promotive, 208
 Risk measures
 behavior, 191
 models, 190–192

 opportunity, 190
 vulnerability, 191
 Risk-taking behavior concept, 120
 Rotter's social learning theory, 19, 44

S

School Record Grade Point Average, 138
 Self-esteem, 137
 SES index, 140
 Single common factor, 98, 105
 Single-factor model, 105
 Social control structure, 18, 19, 44, 46, 49
 Social learning theory, 16
 Socialization study, 19
 Socialization system, 45–48, 50
 Sociocultural system, 44–53
 Sociodemographic measures, 167
 Socioeconomic status (SES), 140
 Student-to-student harassment, 166
 Support protection, 190

T

Taylor Anxiety Scale, 17
 The Socialization of Problem Behavior in Youth Study
 classical version, 24
 cognitive-social variables, 23
 conceptual structure of, 23
 conventional/pro-social behaviors, 22
 Institute of Behavioral Science, 20
 longitudinal growth curves, 25
 National Academies of Science, 24
 NIAAA, 22
 perceived environment, 22, 23
 predictor and criterion measures, 25
 proneness, 24
 psychosocial and behavior measures, 21
 theory-guided longitudinal research, 21
 transition proneness concept, 25
 The Tri-Ethnic Study
 adolescent growth and development, 5
 Anglos, 18
 awareness, 4
 cognitive-social variables, 19
 concept of controls, 5
 converging studies, 19
 ethnic groups, 3
 heavy drinking, alcohol, 5
 methodological strategy, 4
 normative transgressions, 18
 personal control structure, 19
 personality, 4

- person and social context, 4
- quantitative inquiry, 4
- sheer predictability, 5
- social environment, 18
- societal position, adolescence, 6
- sociocultural system and personality system, 20
- study of deviance, 19, 20
- theory-guided inquiry, 3
- theory of the middle range, 18
- The Young Adult Follow-Up Study
 - adolescent life stage, 27
 - contributions, appraisal of, 26
 - families-evidence, 26
 - problem behavior theory, applicability of, 26
 - theoretical precursors, 27
- Transition proneness concept, 7, 13, 25, 59, 69, 70

U

- U.S. and Chinese sample, 159–161, 163, 165–169, 171–177, 186–188, 190, 192–195, 197, 198

V

- Vulnerability risk, 191

W

- Web of causation, 123, 125

Y

- Young adulthood
 - limitation, research design
 - cumulative multiplism, 86
 - multiplist orientation, 85
 - research samples, 86
 - MPBI, 81
 - personality development, 75
 - problem behavior
 - analysis outcomes, 83
 - bivariate correlational analyses, 78
 - components, 77
 - covariation, 78
 - cross-sectional multivariate analyses, 79
 - deviance, 80
 - drug involvement outcomes, 83, 84
 - historical perspective, 79
 - marijuana use, 81
 - perceived environment system, 80
 - regression analyses, predictiveness, 82
 - related with age, 84
 - religiosity, 80
 - socioeconomic status, 84
 - structural equation modeling,
 - predictiveness, 82, 83
 - structural modeling approach, 78
 - syndrome concept, 78
 - theoretical framework component, 79
 - psychosocial development, 74
 - stability and consistency, 74
 - stress measurement, 81
 - Young Pioneer Party and Communism Youth League, 157