

Index

Note: Page number followed by f and t indicate figures and tables respectively

A

Abduction, 40, 45, 47
Accessory lacrimal glands, 72
Accommodation, 20, 52, 66, 70
Acute dacryocystitis, viii
Adduction, 39, 43, 44, 45, 47, 98
Albinism, 99, 100
Amblyopia, 99, 100
Angle of anterior chamber, 15f, 21f
 optimum width of, 12, 18, 66
Aniridia, 100
Annulus of Zinn, 39, 40, 41f, 44
Anophthalmos, 100
Anterior chamber (AC), anatomy of, 11, 18–19
Anterior round border of lid margin, 75
Apex of orbit, 5, 7
Aponeurosis, 40
 of levator palpebrae superioris, 49, 71, 72
 triangular, 49
Axons of ganglion cells of retina, 11, 15, 25, 26, 80

B

Base of orbit, 5
Binocular diplopia, 7
Binocular vision, 23, 85, 99
Blinking, 53, 54, 57, 67
Blinking reflex, 40, 50, 51, 73
Blow-out fracture, vii
Bony socket
 for eyeballs, 1, 2f
 pyramidal shape, 4f
Bowman's membrane, 65, 68
Bulbar conjunctiva, 12

C

Capsule of lens, 66, 68, 70
 differential thickness of, 69f

Cavernous sinus, 89
Central retinal artery (CRA), 29, 33–34
Cerebral blindness, viii
Cervical sympathetic nerve, 49, 59
Choroid, 17f, 22, 24f, 100
 choroiditis, 25
Ciliary body, 11, 19–21
 apex of, 17f
 pars plicata, 12
 venous system of, 22
Ciliary processes, 12, 15f, 17, 18, 19, 19f, 20f, 21f
Circle of Willis, 86, 91f
Circulation of aqueous, 11, 12, 21–22, 29, 30–31
Collecting trunks, x, 12, 19f, 21f, 30, 37f
Coloboma of lid, 100
Concentrically arranged layers, 11
Congenital anomalies of eye
 developmental anomalies, 99
 tissue reactions to intrauterine insults, 99
Congenital cataract, 100
Congenital glaucoma, 100
Contralateral homonymous hemianopia, viii
Cornea, 11, 12, 16f, 21f, 54
 abrasion, 14f
 IOP, 22
 lens (*see* Lens)
 microscopic structure of, 67–68
 nutrition of, 68
Cranial palsies, ix
Crepitus, vii
Cryptophthalmos, 100

D

Deep keratitis, 65, 68
Dehydrating pumping mechanism, 65, 68
Dermoids, 100
Descemet's membrane, 65, 67, 68
Dilator pupillae, 18

- Double vision (diplopia), vii
 Drainage parts of lacrimal apparatus, 74, 74f
 Dryness of eye, 73
 Dual blood supply, in retina like brain, 25, 31, 33f, 78, 96
- E**
 Endothelium, 65, 67, 68
 Epiphora, 100
 Ethmoidal sinuses, 1, 4f
 Ethmoiditis, viii
 Extorsion, 40, 43, 45, 47
 Extraocular muscles, 39–40
 eight extraocular muscles, 40–44
 fascial hammock, 44–46
 inferior oblique muscle, 47
 levator palpebrae superioris, 47–50
 orbicularis oculi, 50–51
 superior oblique muscle, 46–47
 Eyeball, shape of, ix–x, 29, 30–31
 Eyelids
 blood vessels of, 60
 ciliary parts, 60–61
 glands of, 59–60
 lateral palpebral ligament, 62
 medial palpebral ligament, 62
 nerves of, 60
 nonciliary nerve, 60–61
 septum orbitale, 60
 structure of, 54–59
- Eyes
 angle of anterior chamber, 18–19
 blood supply to, 29–30
 choroid, 22
 ciliary body, 19–21
 in primary position, 12, 13f
 optic nerve, 25
 retina (*see* Retina)
 sclera, 15–17
 shape of eyeball, 21–22
 surface anatomy, 14–15
 uveal tract, 17–18
 visual pathway, 26
 vitreous, 26
- F**
 Fifth cranial nerve, 85
 schematic nuclei of, 88f, 92f
 schematic view of brainstem with origins of, 90f
 Floor of orbit, 1, 2, 3–5, 7f
 blow-out fracture of, 1
 Four recti muscles, 40, 43f
 inferior rectus (IR), 41, 43, 46, 47f
 lateral rectus, 39, 41, 44
 medial rectus (MR), 39, 41, 43–44
 superior rectus (SR), 41, 43, 46, 47f
 Fourth cranial nerve, 85, 86
 in posterior fossa, 85
 schematic nuclei of, 88f, 92f
 schematic view of brainstem with origins of, 90f
 Four-walled orbital cavity, 1, 5–6
 Frontal sinusitis, viii
 Frontoethmoidal mucocele, 1, 4f, 7
- G**
 Gland of Krause, 12, 61, 67, 71, 72
 Gland of Wolfring, 12, 61, 67, 71, 72
 Global abnormalities, 100
 Gray line, 54
- H**
 Herniation (displacement), vii
 Horizontal canaliculus, 72, 75, 76f
 Horner muscle, 50, 51f
 Hyperplastic primary vitreous, 99
- I**
 Inferior meatus of nose, 72, 74f, 75f, 76
 Inferior oblique muscle, 47
 Inferior punctum, 75, 76f
 Inferior tarsus muscle, 54, 57, 59, 60
 Inflow of aqueous, 12, 22, 29, 30, 31
 Interstitial keratitis, 100
 Intorsion, 39, 40, 43, 45, 47
 Intraocular muscles, 51–52
 Intraocular pressure (IOP), 12, 21–22
 Iris, 11, 12, 17–18
 Iris defect, 100
 Iris shadow test, x, 19, 20f
- L**
 Lacrimal apparatus, 71–76. *See also* Tears
 lacrimal fluid, conduction, 76
 secretory part and drainage parts, 74f
 Lacrimal sac, 49f, 50, 51f, 61f, 72, 74, 75, 76
 Lacrimation, 72
 Lamina cribrosa, 15, 16f, 23
 Lateral canthus, 57
 Lateral geniculate nucleus, 81, 85, 95, 96
 Lateral palpebral ligament, 60, 62f, 63
 Lateral wall of orbit, 1, 2, 3–5, 9f, 10f
 Lens, 68–69
 abnormalities, 100
 functions of, 70
 and optic disc, 100
 various views, 69f
 Leukocoria, 99
 Levator palpebrae superioris (LPS), 47–49

aponeurosis of, 49, 49f, 71
 divisions of tendon of, 54
 insertions of, 49–50
 Lid abnormalities, 100
 Ligament of Lockwood, 44, 45
 Limbus, 65
 Lysozyme, 72, 73

M

Macular sparing, viii
 Main lacrimal gland, 72
 Marfan syndrome, 100
 Maxillary sinus, 4f
 Medial canthus, 14, 54, 61
 Medial palpebral ligament (MPL), 60, 62, 62f
 Medial wall of orbit, 1, 2, 3–5, 8–9f
 Medical optics
 of cornea (*see* Cornea)
 of eye, 66
 Meibomian glands, 53, 56f, 57
 Microscopic outlet channels of aqueous, 12, 18, 29, 30f, 31
 Migraine, 98
 Moll's gland, 57, 58f, 59
 Mucocele, 1, 7
 Müller muscle, 49

N

Nasolacrimal duct, 72, 74f, 75f, 76
 delayed canalization, 100
 Neuromuscular control, 45–46, 85, 96
 involuntary blinking, 50
 Nutrition of cornea, 65, 68
 lens by normal aqueous, 68, 69

O

Ocular motor nerve palsies, 98
 Ophthalmic artery, 31–33
 Optic atrophy, anatomic correlation of, 84–85
 Optic chiasma, 80–81, 86, 91f
 lesions of, 94
 Optic nerve (ON), 77, 78
 arrangement of nerve fibers in, 81
 blood supply of, 81–83
 compression, 91–94
 intraocular part, 80
 optic chiasma, 80–81
 optic radiation, 81
 optic canal, 79
 orbit, 79–80
 relations of, 78–79
 structure of, 80
 trauma, 94
 Optic nerve compression, ix
 Optic nerve swelling (papilloedema), viii

Optic neuritis, ix, 91
 Optic radiation, 81
 fibers of, 83f
 blood supply of, 84
 Optic tract, 78, 80, 81
 blood supply of, 84
 Ora serrata, 22
 Orbicularis oculi, 50
 actions of, 50–51
 Orbit, 1 *See also* Bony socket
 orbital margins, 6–10
 paranasal sinuses and gaps in, 3
 venous drainage, 35–38
 weak spots in, 5–6
 Outflow of aqueous, 12, 21, 22, 29, 30, 31

P

Paranasal sinuses, 1, 3
 Polycoria, 100
 Positive pressure, 29, 31
 Posterior chamber (PC), 11, 12, 15f, 17, 19f, 21f
 Posterior cranial fossa, 85. *See also* Fifth cranial nerve; Fourth cranial nerve; Seventh cranial nerve; Sixth cranial nerve; Third cranial nerve
 Posterior scleral foramen, 11, 15, 16f, 80
 Posterior sharp border of lid margin, 72, 75f
 Pretectal nucleus, 80
 Primary action
 of inferior oblique muscle, 47
 of superior oblique muscle, 47
 Proper refraction, ix, 22, 29, 65
 Proptosis, oblique, 1, 7
 Ptosis, 100
 Pupil, 12
 Pupillary defects, 100
 Pupillary fibers, 80, 81, 97f, 98

R

Retina, 22–23, 25
 arrangement of nerve fibers in, 26–27
 layers of, 24f
 retinal holes, 23f
 Retinal holes, viii, 23f
 Retinoblastoma, 99
 Retinopathy, prematurity, 99
 Retrochiasmatic lesions of visual pathway, 95–96
 Roof of orbit, 1, 2, 3–5, 6f

S

Schirmer test, 74
 Sclera, 11, 12, 15–17
 rim, 13f
 Sebaceous gland of Zeis, 53, 58f, 60
 Secretion, 12, 21
 Secretory parts of Lacrimal Apparatus, 74, 74f

Senile cataract, 19, 66
 Septum orbitale, 54, 60
 Seventh cranial nerve, 40
 schematic nuclei of, 88f, 92f
 schematic view of brainstem with origins of, 90f
 Similar bifoveal image, 99, 100
 Sixth cranial nerve, 85, 86–89
 palsy, 98
 in posterior cranial fossa, 85
 schematic nuclei of, 88f, 92f
 schematic view of brainstem with origins of, 90f
 Skin–muscle layer of eyelid, 53
 Sphincter of eyelids. *See* Orbicularis oculi
 Sphincter pupillae. *See* Unstriated involuntary muscles
 Sty, 59
 Subluxation off lens, 100
 Subsidiary action. *See* Abduction, Adduction; Extorsion; Intorsion
 Superficial keratitis, 65, 68
 Superior oblique muscle, 46
 nerve and blood supply of, 47
 primary action of, 47
 Superior punctum, 75, 76f
 Superior tarsus, 54, 57, 58

T

Tarsconjunctival layer of eyelid, 53
 Tarsus, 59
 Tear film, 65, 67, 67f
 breakup time, 74
 components of, 73
 smoothing action of, 65, 67
 tear film covering, 73f
 three-layered, 54
 Tears
 composition and volume of, 73–74
 drainage channels of, 75
 functions of, 71–72

Third cranial nerve, 85
 ocular motor nerve palsies, 98
 in posterior cranial fossa, 85
 schematic nuclei of, 88f, 92f
 Thyroid orbitopathy, vii
 Trabecular meshwork, 12, 19f, 29, 30f
 Transparent dome, 11, 12, 14, 65, 66
 Trauma (contusion), vii
 Trochlear nerve. *See* Fourth cranial nerve
 Trochlear palsy, 98
 Two obliques. *See* Inferior oblique muscle; Superior oblique muscle

U

Ultrafiltration, 21
 Unilateral field defects, viii
 Unstriated involuntary muscles of eyeball, 11, 18, 19, 51
 Uveal tract, 11
 choroid, 22
 ciliary body, 19–21
 iris, 17–18

V

Venous drainage of orbit, 35–38
 Vertical canaliculus, 72, 75, 76f
 Vision deprivation, 99
 Visual center in occipital lobe, 77, 78, 81, 89
 Visual pathway, viii, 89–91
 blood supply, 34–35
 retrochiasmatic lesions of, 95–96
 Vitreous, 26–27, 70
 Vitreous chamber (VC), 12, 15f, 24f

Z

Zeis gland, 53
 Zonule of Zinn, 66, 69