

Index

A

ACA. *See* Anterior cerebral artery (ACA)

AccMCA

- clinical role, 18, 19
- variations, 17

Activated Clotting Time (ACT), 284

Acute ischemic stroke, 271–272

AICA. *See* Anterior inferior cerebellar (AICA)

American Heart Association, 269

Anesthesia

- brain bulk reduction, 55
- developmental changes, 51–52
- DSA, 119, 121
- IAC, 303
- intracranial and skull-based tumor embolization, 283
- maintenance, 54
- management
 - airway considerations, 53
 - induction, 53
 - intraoperative fluid and temperature, 55
 - positioning, 54
 - preoperative evaluation and preparation, 52–53
 - vascular access, 53–54
- moyamoya, 262–263
- neurophysiologic monitoring, 55–56
- neurotoxicity, 56–57

Aneurysms

- cerebral
 - autopsy studies, 101–102
 - CT, 102–103
 - location, 102
 - MRI and MRA, 102–104
 - neuroimaging, 102
 - SAH, 101
 - US, 102

- current management strategies, 3
- endovascular treatment, 4–6
- infectious (*see also* Infectious intracranial aneurysms (IIAs))
 - causative organisms, 184
 - clinical presentation, 185–186
 - description, 181
 - diagnosis and imaging, 186–187
 - epidemiology, 182–183
 - outcome, 193–194
 - pathogenesis, 183–184
 - treatment, 188–193

management, 4

- morphologically challenge, 4
- pipeline embolization device, 5

Angiography

- pre-embolization, 284
- radiation protection, in pediatric, 283
- SP, 175–177

Anterior cerebral artery (ACA)

- pediatric vascular neurology, 42–43
- segments, 14–16

Anterior choroidal artery (AChA), 44

Anterior circulation syndromes

- ACA, 42–43
- AChA, 44
- MCA, 43–44

Anterior inferior cerebellar (AICA), 18, 20

Anterior internal vertebral venous plexus, 37

Anterior spinal artery, 34, 47

Antibiotic therapy, 188–189

Arterial cranial anatomy and variations.
See Internal carotid arteries (ICAs)

- Arterial ischemic stroke
- childhood
 - clinical presentation, 214
 - definitions, 204
 - investigations, 214–215
 - management, 215–216
 - mechanisms, 204
 - outcomes, 217
 - recurrence and prevention, 216
 - risk factors, 205–213
 - perinatal
 - clinical presentation, 202
 - definitions, 201
 - investigations, 202, 203
 - management, 202, 203
 - outcome, 203
 - risk factors, 201–202
- Arterialized DVAs, 160
- Arterial spin labeling (ASL), 95
- Arteriovenous fistulae (AVFs)
- endovascular treatment, 7–9
 - vascular malformations, 311
- Arteriovenous malformations (AVMs)
- children with, 129
 - diagnostics, 132
 - endovascular treatment, 6–7
 - epidemiology, 130
 - imaging techniques, 107–109, 132
 - pathophysiology, 130–131
 - presentation, 131
 - risk, 129
 - score, 290–291
 - technique, 135–137
 - treatment
 - immediate therapeutic cure, 132
 - indications, 132
 - observation, 135
 - radiosurgical outcomes, 134–135
 - surgical excision, 135
 - surgical obliteration, 132–134
 - surgical outcomes, 134
- Artery radiculomedullaris magna, 33–34
- Aspirin, 269
- AVFs. *See* Arteriovenous fistulae (AVFs)
- AVMs. *See* Arteriovenous malformations (AVMs)
- B**
- Basivertebral plexus, 37
- “Batson’s” vertebral venous plexus, 36, 39
- BCT. *See* Brain capillary telangiectasias (BCT)
- Bleomycin, 313
- Bradycardia, 306
- Brain capillary telangiectasias (BCT)
- clinical presentation
 - asymptomatic, 152
 - symptomatic with hemorrhage, 154
 - symptomatic without hemorrhage, 153–154
 - conservative therapy, 155
 - development, 154
 - histological features, 150
 - management, 155
 - natural history, 149
 - neurosurgical resection, 155
 - radiographic features
 - cerebral angiography, 152
 - CT, 150–151
 - MRI, 151–152
- Brain parenchymal changes, 164
- Bronchospasm, 305–306
- C**
- Capillary telangiectasias.
- See* Brain capillary telangiectasias (BCT)
- Carotid angiogram, 303, 304
- Cavernomas (Cavernous angiomas)
- de novo formation, 162
 - imaging techniques, 103–107
- Cerebral aneurysm. *See also* Aneurysms
- autopsy studies, 101–102
 - CT, 102–103
 - location, 102
 - MRI and MRA, 102–104
 - neuroimaging, 102
 - SAH, 101
 - US, 102
- Cerebral angiography, 152
- Cerebral blood flow (CBF)
- hemodynamic maps, 95
 - neuroanesthesia, 52
 - thermal diffusion, 74
- Cerebral cavernous malformations (CCM), 297
- Cerebral microdialysis, 74
- Cerebral oximetry, 74
- Cerebral venous sinus thrombosis (CVT), 270–271
- Cerebrospinal fluid (CSF)
- drainage, 65–66
 - examination, 186

- Childhood arterial ischemic stroke.
See also Stroke
 clinical presentation, 214
 definitions, 204
 investigations, 214–215
 management
 intra-arterial thrombolysis, 216
 intravenous thrombolysis, 215–216
 supportive care, 215
 mechanisms, 204
 outcomes, 217
 recurrence and prevention, 216
 risk factors
 arterial dissection, 205–209
 arteriopathies, 205
 genetic diseases, 211–212
 hematologic disease, 213
 metabolic disease, 212–213
 Moyamoya disease and Moyamoya syndrome, 209–210
 post-varicella arteriopathy, 211
 TCA, 211
 vasculitis, 210–211
- Childhood hemorrhagic stroke. *See also* Stroke
 clinical presentation, 222
 definitions, 220
 investigations, 222–223
 management, 223
 outcome, 225
 rebleeding, 223
 recurrence risk, 225
 risk factors, 220–222
 treatment of vasospasm, 224
- Choroidal VGAMs, 143
- Choroid plexus papilloma, 281
- Circle of Willis (COW)
 neurocritical care, 73
 role, 22, 27
- Computed tomography (CT), 84–88
 AVM, 132
 BCT, 150–151
 cerebral aneurysm, 102–103
 DVA, 162
 focal cerebral ischemia, 98
 IIA, 187
 SP, 171–174
- Computed tomography angiography (CTA)
 AVM, diagnostics, 132
 IIA, 187
- Contrast-enhanced MRA (CE-MRA), 92, 94
- Contrast induced nephropathy (CIN), 121
- COW. *See* Circle of Willis (COW)
- Cranial vascular anatomy and variations. *See* Internal carotid arteries (ICAs)
- Cryptogenic mycotic aneurysm, 183
- CT. *See* Computed tomography (CT)
- D**
- Developmental venous anomaly (DVA), 104–107
 brain parenchymal changes, 164
 clinical presentation, 160–161
 with diseases, associated with, 166
 etiology, 159
 incidence, 159
 localization, 160
 neonatal period, 164–165
 neuroimaging, 162
 pediatric tumor patients, 165
 role, 160
 treatment, 166
 with vascular malformations, 162–164
- Diffusion weighted imaging (DWI)
 focal cerebral ischemia, 99
 IIA, 187
 imaging techniques, 94, 99, 101
- Digital subtraction angiography (DSA)
 anesthesia, 119, 121
 AVM, 132
 complications, 119, 120
 contrast, 121–122
 DVA, 162
 IIA, 187
 indications and alternatives, 116–118
 safety profile, 115
 SP, 175
- Doppler ultrasound
 color, 173–175
 transcranial, 75
- DSA. *See* Digital subtraction angiography (DSA)
- Dural arteriovenous fistulas (dAVFs), 297–298
- DVA. *See* Developmental venous anomaly (DVA)
- E**
- Embospheres, 282
- Encephaloduroarteriomyosynangiosis (EDAMS), 242
- Encephaloduroarteriosynangiosis (EDAS), 238–239
- Encephalogaleoperiostealsynangiosis (EGPS), 238

Encephalomyosynangiosis (EMS), 237–238
 Endovascular treatment
 aneurysm (*see* (Aneurysms))
 application, 3
 AVF, 7–9
 AVM, 6–7
 cerebrovascular pathologies, 1
 history, 2–3
 Ethanol, 313
 European Cooperative Acute Stroke Study (ECASS) scoring system, 204
 External vertebral venous plexus, 37
 Extrinsic arterial system, 34–35

F

Focal cerebral ischemia
 acute neurological symptoms, 97
 ASL, 100
 CT, 98
 DWI, 99
 etiology, 97
 moyamoya vasculopathy, 97–98
 MRI and MRA, 99
 PWI, 99–100
 SCD, 98
 SWI-DTI, 100
 US, 98
 venous strokes, 98

G

Gamma knife radiosurgery (GKRS), 292
 Gracilis Muscle-Cranial transplantation, 243
 Great anterior radiculomedullary artery of Adamkiewicz. *See* Artery radiculomedullaris magna
 Great anterior radiculomedullary vein, 36
 Guglielmi detachable coil (GDC), 3

H

Hemorrhage stroke, 131, 272
 childhood
 clinical presentation, 222
 definitions, 220
 investigations, 222–223
 management, 223
 outcome, 225
 rebleeding, 223
 recurrence risk, 225
 risk factors, 220–222
 treatment of vasospasm, 224
 perinatal
 clinical presentation, 218
 definitions, 217, 218

 investigations, 219
 management, 219–220
 outcome, 220
 risk factors, 217, 218
 Hemostasis, 259
 Hereditary hemorrhagic telangiectasia (HHT), 130
 High-output cardiac failure, 143
 Hyperventilation therapy, 95
 Hypoxic ischemic brain injury, 68

I

ICAs. *See* Internal carotid arteries (ICAs)
 Imaging techniques
 CT, 84–88
 intracranial vascular lesions
 AVM, 107–109
 cavernous angiomas, 103–105
 cerebral aneurysm, 101–103
 DVA, 103–107
 focal cerebral ischemia, 97–100
 ICH, 100–101
 VGAM, 107–109
 MRI, 89–96
 US, 83–88
 Indirect bypass techniques, 237
 combined, 243
 direct *vs.*, 249–252
 isolation, 247, 248
 outcome *vs.*, 247, 249
 using adjacent tissue, 237–242
 EDAMS, 242
 EDAS, 238–241
 EGPS, 238
 EMS, 237–238
 MBH, 242
 modified EDAS + pial synangiosis, 239
 modified EDAS + split-dural technique, 239
 using distant tissue
 gracilis muscle-cranial transplantation, 243
 omental-cranial transposition, 242–243
 Indocyanine green (ICG), 263
 Infectious intracranial aneurysms (IIAs)
 causative organisms, 184
 clinical presentation, 185–186
 description, 181
 diagnosis and imaging, 186–187
 epidemiology, 182–183
 outcome, 193–194
 pathogenesis, 183–184
 treatment
 algorithms, 192–193
 antibiotic therapy, 188–189

- endovascular, 190–192
 - microsurgical, 189–190
 - Inferolateral artery, 45
 - Internal carotid arteries (ICAs)
 - anastomotic pathways
 - brain comprises, 22
 - COW, 22, 27
 - extracranial—intracranial, 23, 28
 - pial collaterals, 23
 - anterior circulation
 - ACA, 14–16
 - anatomical segments, 13
 - anatomic variations, 14–16
 - brain MRI, 15, 18
 - cerebral angiogram, 14
 - C7 segment, 14
 - embryonic segments, 13
 - MCA, 14, 15
 - cerebral angiogram, 14, 15
 - posterior circulation
 - AICAs, 18, 20
 - anastomoses, 21, 25
 - anatomic variations, 21
 - asymmetric caudal fusion, 21, 26
 - clinical significance, 21, 24
 - persistent trigeminal artery, 21, 26
 - PICA, 18
 - posterior cerebral arteries, 19
 - Internal vertebral venous plexus, 37
 - International Society for the Study of Vascular Anomalies (ISSVA), 311
 - International Subarachnoid Aneurysm Trial, 3
 - Intra-arterial chemotherapy (IAC)
 - agent, 303
 - anesthesia, 303
 - carotid angiogram, 303, 304
 - microcatheter injection, 303
 - patient selection, 302
 - post operative care, 306
 - safety considerations, 305–306
 - Intra-arterial thrombolysis (IAT), 216
 - Intracerebral hemorrhage (ICH), 100–101
 - Intracranial and skull-based tumor embolization
 - anesthesia, 283
 - anticoagulation, 284
 - complications, 285–286
 - contrast media, 283–284
 - indications, 281
 - liquid embolic agents, 282–283
 - neurological tumors, 277–281
 - particle embolic agents, 281–282
 - pre-embolization angiography, 284
 - radiation protection, in pediatric angiography, 283
 - technique, 284–285
 - Intracranial aneurysms. *See* Aneurysms
 - Intracranial vascular lesions
 - AVM, 107–109
 - cavernomas, 103–107
 - cerebral aneurysm, 101–103
 - DVA, 103–107
 - focal cerebral ischemia, 97–100
 - ICH, 100–101
 - VGAM, 107–109
 - Intravenous thrombolysis, 215–216
 - Ischemic stroke. *See also* Stroke
 - acute therapy, 268–269
 - pharmacologic thrombolysis, 270
 - prevention, 269–270
 - risk factors, 268
- J**
- Jugular venous oximetry (SjvO₂), 74
 - Juvenile nasopharyngeal angiofibroma (JNA), 278
- L**
- Linear Accelerator (LINAC), 292
 - Liquid embolic agents, 282–283
- M**
- Magnetic resonance angiography (MRA)
 - cerebral aneurysm, 102–104
 - focal cerebral ischemia, 99
 - phase contrast, 89–90
 - time-of-flight, 89
 - Magnetic resonance imaging (MRI)
 - advantage, 94
 - anatomical and functional techniques, 95
 - arterial spin labeling, 95
 - AVM, 132
 - BCT, 151–152
 - cerebral aneurysm, 102–104
 - contrast-enhanced, 92, 94
 - DVA, 162
 - DWI, 94
 - dynamic susceptibility contrast technique, 94
 - focal cerebral ischemia, 99
 - IIA, 187
 - PWI, 94
 - SP, 175–177
 - SWI, 95–96
 - VGAMs, 144

- MCA. *See* Middle cerebral artery (MCA)
- Metabolic stroke, 204
- Microsurgical technique, 189–190
- Middle cerebral artery (MCA)
- cranial vascular anatomy and variations, 15, 16
 - pediatric vascular neurology, 43–44
- Moyamoya disease (MMD)
- anesthetic considerations, 262–263
 - characteristics, 257
 - childhood arterial ischemic stroke, 209–210
 - combined direct techniques, 243
 - epidemiology, 236
 - graft patency, 263
 - indications for revascularization, 237
 - indirect bypass techniques, 237
 - combined, 243
 - direct vs., 249–252
 - isolation, 247, 248
 - outcome, 247, 249
 - using adjacent tissue, 237–242
 - using distant tissue, 242–246
 - natural history, 257–258
 - operative technique
 - for direct revascularization, 260–262
 - for indirect revascularization, 258–260
 - outcomes, 263–264
 - post-operative management, 263
 - presentation, 236–237
 - surgical treatment, 258
- Moyamoya syndrome (MMS), 97–98
- MRA. *See* Magnetic resonance angiography (MRA)
- MRI. *See* Magnetic resonance imaging (MRI)
- Multiple burr holes (MBH), 242
- Mural VGAMs, 143
- Mycotic aneurysm. *See* Infectious intracranial aneurysms (IIAs)
- N**
- n*-butyl cyanoacrylate (NBCA), 191, 282–283
- Neurocritical care
- goal, 61–62
 - hypoxic ischemic brain injury, 68
 - multimodal cerebral monitoring
 - cerebral microdialysis, 74
 - cerebral oximetry, 74
 - COW, 73
 - ICP measurement devices, 72–73
 - PbtO₂, 74
 - SjvO₂, 74
 - thermal diffusion cerebral blood flow, 74
 - transcranial doppler ultrasound, 75
- SE
- definition, 71
 - management, 72
 - risk factors, 71
- stroke
- causes, 69
 - clinical presentation, 69
 - evaluation and management, 70–71
 - incidence, 68
- TBI
- abusive, 62
 - AHT, 63
 - Kennard principle, 62
 - management, 63–67
 - pathophysiology, 62
- Neurovascular diseases, management of, 1
- Non-contrast enhanced CT (NECT), 162
- O**
- Omental-Cranial transposition, 242–243
- Onyx[®], 191–192, 283
- P**
- Paramedian artery, 45
- Parenchymal arterial anatomy, 34–35
- Parent artery occlusion (PAO), 191–192
- Partial brain tissue oxygen tension (PbtO₂), 74
- Particle embolic agents, 281–282
- Perfusion weighted imaging (PWI)
- hemodynamic maps, 94–95
 - MRI, 89, 108
- Perinatal arterial ischemic stroke. *See also* Stroke
- clinical presentation, 202
 - definitions, 201
 - investigations, 202, 203
 - management, 202, 203
 - outcome, 203
 - risk factors, 201–202
- Perinatal hemorrhagic stroke. *See also* Stroke
- clinical presentation, 218
 - definitions, 217, 218
 - investigations, 219
 - management, 219–220
 - outcome, 220
 - risk factors, 217, 218

- Phase contrast (PC) MRA, 89–90
 Pial plexus, 35
 PICA. *See* Posterior inferior cerebellar artery (PICA)
 Pipeline embolization device, 5
 Polar artery. *See* Tuberothalamic artery
 Polyvinyl alcohol (PVA), 282
 Posterior cerebral artery (PCA), 44
 Posterior choroidal artery, 45
 Posterior circulation syndromes
 inferolateral artery, 45
 paramedian artery, 45
 PCA, 44
 posterior choroidal artery, 45
 tuberothalamic artery, 45
 vertebrobasilar syndromes, 45–46
 Watershed syndromes, 47
 Posterior inferior cerebellar artery (PICA), 18
 Posterior internal vertebral venous plexus, 37
 Posterior spinal artery
 spinal cord extrinsic anatomy, 34
 territory, 47–48
 Primary mycotic aneurysm, 183
 PWI. *See* Perfusion weighted imaging (PWI)
- R**
 Radial (peripheral) veins, 36
 Radiation
 protection, in pediatric angiography, 283
 vascular interventional neuro-angiography, 122
 Radiculomedullary veins, 36
 Recurrent artery of Heubner (RAH), 17
 Refractory SE (RSE), 72
 Retinoblastoma (Rb), classification, 302
- S**
 Sclerotherapy
 agents
 bleomycin, 313
 ethanol, 313
 fluid aspiration, 312–313
 sotradecol, 313
 extracranial vascular anomalies, 311–312
 Sickle cell disease (SCD)
 cause, 222
 imaging technique, 98
 stroke, 201, 213
 Sinovenous thrombosis (SVT), 98
- Sinus pericranii (SP)
 anatomical considerations, 169–170
 clinical presentation, 170–171
 diagnosis, 170
 drainage, 175
 DVA, 164
 embryological considerations, 169–170
 imaging features
 angiography, 175–177
 color Doppler ultrasound, 173–175
 CT, 171–174
 MRI, 175–177
 natural history, 170–171
 treatment, 176–178
 Sotradecol, 313
 Spetzler-Martin (S-M) grading system, 290–291
 Spinal cord
 arterial anatomy
 embryological considerations, 31
 extradural, 31–34
 extrinsic and parenchymal, 34–35
 extradural arterial anatomy
 metameric segment, 31–32
 radiculomedullary arteries, 33–34
 segmental arteries, 32–33
 supreme intercostal artery, 33
 extrinsic and parenchymal arterial anatomy, 34–35
 syndromes
 anterior spinal artery, 47
 posterior spinal artery, 47–48
 venous anatomy
 extradural, 36–38
 extrinsic, 36
 intrinsic, 35–36
 SRS. *See* Stereotactic radiosurgery (SRS)
 Status epilepticus (SE)
 definition, 71
 management, 72
 risk factors, 71
 Stereotactic radiosurgery (SRS)
 CCM, 297
 complications, 296–297
 dural AVF, 297–298
 history, 289–290
 multi-stage treatment, 292–293
 outcomes, 293–296
 patient selection, 290–291
 technique, 292
 timing, 291–292

- Stroke
- cerebrovascular pathology, 42
 - childhood arterial ischemic
 - clinical presentation, 214
 - definitions, 204
 - investigations, 214–215
 - management, 215–216
 - mechanisms, 204
 - outcomes, 217
 - recurrence and prevention, 216
 - risk factors, 205–213
 - childhood hemorrhagic
 - clinical presentation, 222
 - definitions, 220
 - investigations, 222–223
 - management, 223
 - outcome, 225
 - rebleeding, 223
 - recurrence risk, 225
 - risk factors, 220–222
 - treatment of vasospasm, 224
 - childhood vs. adulthood, 200
 - clinical diagnosis, 41, 42
 - epidemiology
 - ethnicity and sex, 200–201
 - incidence, 200
 - focal neurologic deficits, 41–42
 - hemorrhagic, 272
 - incidence, 268
 - ischemic
 - acute therapy, 268–269
 - pharmacologic thrombolysis, 270
 - prevention, 269–270
 - risk factors, 268
 - local thrombolysis, 271–272
 - mechanisms, 42
 - in neonates, 41
 - neurocritical care
 - causes, 69
 - clinical presentation, 69
 - evaluation and management, 70–71
 - incidence, 68
 - perinatal arterial ischemic
 - clinical presentation, 202
 - definitions, 201
 - investigations, 202, 203
 - management, 202, 203
 - outcome, 203
 - risk factors, 201–202
 - perinatal hemorrhagic
 - clinical presentation, 218
 - definitions, 217, 218
 - investigations, 219
 - management, 219–220
 - outcome, 220
 - risk factors, 217, 218
 - posterior circulation, 42
 - principles, 41
 - therapies, 272
 - Subarachnoid hemorrhage (SAH), 101
 - Sulcal arteries, 35
 - Sulcocommissural arteries. *See* Sulcal arteries
 - Superficial temporal artery (STA), 259, 261
 - Supreme intercostal artery, 33
 - Susceptibility weighted imaging (SWI)
 - AVM, 96
 - DVA, 162
 - DVA vessels, 106–107
 - MRI, 95
 - sensitivity, 105
- T**
- Thalamogeniculate artery. *See* Inferolateral artery
 - Thalamoperforators. *See* Paramedian artery
 - Thrombectomy, for cerebral venous sinus thrombosis, 271–272
 - Thrombolysis. *See also* Stroke
 - intra-arterial, 216
 - intravenous, 215–216
 - Thrombosis, 270–271
 - Time-of-flight (TOF), 89
 - IV tissue plasminogen activator (tPA), 215–216
 - Transient cerebral arteriopathy (TCA), 211
 - Transmedullary anastomotic veins, 36
 - Transverse metameric segmental (radiculomedullary) arteries, 31
 - Traumatic brain injury (TBI)
 - abusive, 62
 - AHT, 63
 - Kennard principle, 62
 - management
 - cervical spine and airway, 63–65
 - intracranial hypertension, 65–67
 - pathophysiology, 62
 - Tuberthalamic artery, 45
- U**
- Ultrasound (US), 83–88
 - cerebral aneurysm, 102
 - focal cerebral ischemia, 98
 - SP, 173–175
 - VGAMs, 144

V

Vascular interventional neuro-angiography

access, 123–124

catheterization, 124

closure devices, 124

DSA

anesthesia, 119, 121

complications, 119, 120

contrast, 121–122

indications and alternatives,
116–118

safety profile, 115

radiation, 122

Vasocorona. *See* Pial plexus

Vein of Galen aneurysmal malformations

(VGAMs), 107–109

anatomy and embryology, 141–142

classification, 142–143

clinical features, 143–144

evaluation, 144

intracranial vascular lesions, in children,
107–109

MRI, 144

pathophysiology, 143–144

surgical management, 146

treatment, 144–146

US, 144

Venous cranial anatomy and variations,
24, 25, 28–29

Ventral sulcal veins, 36

Vertebral venous plexus, 36–37

Vertebrobasilar syndromes, 45–46

VGAMs. *See* Vein of Galen aneurysmal
malformations (VGAMs)**W**

Watershed syndromes, 47