

References

- Agrawal A (ed) (2005) In search of Vedic–Harappan relationship. Aryan Books International, New Delhi
- Ahmad F (1986) Geological evidence bearing on the origin of the Rajasthan desert. *Proc Ind Natl Sci Acad* 52:1285–1306
- Allchin R, Allchin B (1993) The birth of Indian civilization. Penguin, New Delhi, p 338
- Allchin B, Allchin R (1996) The rise of civilization in India and Pakistan. Cambridge University Press, New Delhi, p 379
- Anonymous (2015) Geology and mineral resources of Haryana. In: Miscellaneous Publication 30 (Part XVIII), Geological Survey of India, Kolkata
- Auden JB (1935) Traverses in the Himalaya. *Rec Geol Surv India* 69:123–167
- Bakliwal PC, Sharma SB (1980) On the migration of the Yamuna River. *J Geol Soc India* 21:461–463
- Bakliwal PC, Ramasamy SM (1987) Lineament fabric of Rajasthan and Gujarat. *Rec Geol Surv India* 113:54–56
- Bakliwal PC, Grover AK (1988) Signatures and migration of Saraswati River in Thar Desert, Western India. *Rec Geol Surv India* 116:77–86
- Bakliwal PC, Wadhawan SK (2003) Geological evolution of Thar Desert in India—issues and prospects. *Proc Indian Natl Sci Acad* 69A:151–165
- Banerjee S, Chakraborty S (1973) Remains of the Great One-horned *Rhinoceros unicornis* from Rajasthan. *Sci Cult* 39:430–431
- Bansal BK, Verma M (2012) The M 4.9 Delhi earthquake of 5 March 2012. *Curr Sci* 102:1704–1705
- Barnabas S, Suresh CG (1998) Molecular genetic markers in the study of human heritage. In: Balasubramanian D, Appaji Rao N (eds) *The Indian Heritage*. Universities Press, Hyderabad, pp 27–44
- Bhadra BK, Gupta AK, Sharma JR (2006) Subsurface water oozing at Kalayat village, Jind district, Haryana in December 2005: possible connection with Saraswati palaeochannel. *J Geol Soc India* 68:946–948
- Bhadra BK, Gupta AK, Sharma JR (2009) Saraswati Nadi in Haryana and its linkage with the Vedic Saraswati—integrated study based on satellite images and ground-based information. *J Geol Soc India* 73:273–288
- Bhan S (1972) Changes in the course of the Yamuna and their bearing on the Protohistoric cultures of Haryana. In: Deo SB (ed) *Archaeological congress and seminar papers*, Nagpur, pp 125–128
- Bhan S (2000) Aryanization of the Indus civilization. In: Panikkar KN, Byres TJ, Patnaik U (eds) *The making of history*. Tulika, New Delhi, pp 41–55
- Bhatia SB, Singh N (1998) Middle Holocene palaeoclimatic and palaeoenvironmental events in southern Haryana. *Proc Indian Natl Sci Acad* 54A(4):574–584
- Bhatia R, Cestli R, Scatista M, Malik RPS (2009) World Bank supported studies: case studies from India, Egypt and Brazil. Academic Foundation, New York

- Bhatnagar AK (2014) Astronomical dating from Rigveda to Mahabharat. In: International seminar on Determining Cultural Continuity since Vedic and Epic Eras. Institute of Scientific Research on Vedas, New Delhi
- Bisht RS (1978) Banawali: a new Harappan site in Haryana. *Man Environ* II:86–88
- Bisht RS (1982) Excavations at Banawali: 1974–1977. In: Possehl GL (ed) *Harappa civilization*. Oxford & IBH, New Delhi, pp 113–124
- Bisht RS (1984) Structural remains and town planning of Banawali. In: Lal BB, Gupta SP (eds) *Frontiers of the Indus civilization*. Books & Books, New Delhi, pp 89–97
- Bisht RS (1991) Dholavira, new horizon of the Indus Civilization. *Puratattva* 20:70–82
- Bisht RS (1997) Dholavira excavations: 1990–1999. In: Joshi JP (ed) *Facets of Indian civilization: recent perspectives*, vol I. Aryan Books International, New Delhi, pp 107–120
- Bisht RS (1998) Harappans and *Rigveda*: points of convergence. In: Pandey GC (ed) *History of science, philosophy and culture in Indian civilization*. Books & Books, New Delhi, pp 89–97
- Bisht RS (2000) Urban planning at Dholavira: a Harappan city. In: McKim MJ, Gujral LM (eds) *Ancient cities—city planning in India*. Indira Gandhi National Centre for Arts, New Delhi, pp 16–17
- Bisht RS (2013a) Status of Harappan studies as on today—a summary. *Institute of Archaeology, Delhi*, 24 p
- Bisht RS (2013b) Harappan civilization (1921–2013) an overview. *Puratattva* 43:11–28
- Biswas SK (1987) Regional tectonic framework, structure and evolution of western continental marginal basins of India. *Tectonophysics* 135:307–327
- Bohra A, Kotlia BS (2014) Tectonoclimatic signatures during Late Quaternary in the Yunam basin, Baralacha Pass (upper Lahaul Valley), derived from multi-proxy records. *Quatern Int.* [10.1016/j.quart.2014.10.023](https://doi.org/10.1016/j.quart.2014.10.023)
- Bose NK, Sen D (1958) *The Stone Age in India. The cultural heritage of India*. Ramakrishna Mission Institute of Culture, Calcutta, pp 93–109
- Bryson RA, Swain AM (1981) Holocene variations of monsoon rainfall in Rajasthan. *Quatern Res* 16:135–145
- Chakrabarti DK, Saini S (2009) *The problem of the Saraswati River and notes on the archaeological geography*. Aryan Books International, New Delhi
- Chakraborti HP (1982) Saraswati. *Great rivers of India*. Ramakrishna Mission Ashrama, Patna, pp 9–22
- Chatterjee A, Ray JS (2016) Evidence for a Mid-Holocene buried Himalayan River beneath the Ghaggar Plains: a geochemical provenance study. *Goldschmidt Conference Abstracts, NW India*, 414 p
- Chaudhary P, Bohra NK, Chodhary KR (2011) Conserving biodiversity of community forests and rangelands of a hot arid region of India. *Land Use Policy* 28:506–513
- Chaudhri AR (2008a) Active tectonics in the frontal Siwalik hills in the neighbourhood of Chandigarh, India—a case study. In: *International Association for Gondwana Research Conference, Series 5*, pp 5
- Chaudhri AR (2008b) Civilization along the Saraswati River—a scientific approach. In: Kalyanaraman S (ed) *Vedic River Saraswati and Hindu civilization*. Aryan Books International, New Delhi, pp 356–377
- Clift PD (2009) Harappan collapse. *Geoscientist* 9(9)
- Clift PD, Carter A, Giosan L, Duncan J, Duller GAT, Mcklin MG, Alizai A, Tabrez AR, Danish M, Vanlaningham S, Fuller DO (2012) U-Pb zircon dating evidence for a Pleistocene Saraswati River and capture of the Yamuna River. *Geology* 40(2):211–214
- Courty MA (1995) Late Quaternary environmental changes and natural constraints to ancient landuse (Northwest India). In: Johnson E (ed) *Ancient peoples and landscapes*. Museum of Technical University, Lubbock, Texas, pp 106–126
- Danino M (2010) *The Lost River: on the trail of the Saraswati*. Penguin, New Delhi, 357 p
- de Saint-Martin LV (1860) *Elude sur la Geographie et les population, Primitives due northwest de l'Inde, dapres les hymnes Vediques*. Imprimerie Imperiale, Paris

- Delcaillau B (2006) Recent fold growth and drainage development: the Janauri and Chandigarh anticlines in the Siwalik foothills, NW India. *Geomorphology* 76:241–256
- Deotare BC, Kajal MD, Rajguru SN, Kusumgar S, Jull AJT, Donahue JD (2004) Palaeoenvironmental history of Bap–Balar and Kanod playas of western Rajasthan, Thar Desert. *Proc Indian Acad Sci (Earth Planet Sci)* 113:403–425
- Dhir RP, Singhvi AK (2012) The Thar Desert and its antiquity. *Curr Sci* 102:1001–1008
- Dhir RP, Rajaguru SN, Singhvi AK (1994) Desert Quaternary formations and their morphostratigraphy: implications of the evolutionary history of the Thar. *J Geol Soc India* 43:435–447
- Dimri AP, Chevuturi A (2013) Model sensitivity study for western disturbances over the Himalaya. *Meteorol Atmos Phys*. doi:[10.1007/s00703-013-0302-4](https://doi.org/10.1007/s00703-013-0302-4)
- Dixit KN (1981) The excavation at Hulas and further exploration of the upper Ganga–Yamuna. *Man Environ* 5:70–76
- Dixit KN (1993) Hulas and the Late Harappan Complex in western Uttar Pradesh. In: Possehl GL (ed) *Harappan civilization*
- Dixit Y, Hodell DA, Petrie A (2014) Abrupt weakening of the summer monsoon in northwest India ~4100 years ago. *Geology*. doi:[10.1130/G35236](https://doi.org/10.1130/G35236)
- Dutta S, Suresh N, Kumar R (2012) Climatically controlled Late Quaternary terrace staircase development in the fold-and-thrust belt of sub-Himalaya. *Palaeogeogr Palaeoclimatol Palaeoecol* 356–357:16–26
- Enzel Y, Ely LL, Mishra S, Ramesh R, Amit R, Lazar B, Rajaguru SN, Baker VR, Sandler A (1999) High resolution Holocene environmental changes in the Thar desert, northwestern India. *Science* 284:125–126
- Flam L (1993) Fluvial geomorphology of the lower Indus basin (Sindh, Pakistan) and the Indus Civilization. In: Shroder JF Jr (ed) *Himalaya to the sea*. Routledge, London, pp 265–326
- Gadgil M, Joshi NB, Shambu Prasad UV, Manoharan S, Patil S (1998) Peopling of India. In: Balasubramanian D, Appaji Rao N (eds) *The Indian human heritage*. Universities Press, Hyderabad, pp 100–129
- Ganguli KM (1998) *The Mahabharata of Krishna Dwaipayana Vyasa (12 volumes) Munshiram Manoharlal (Reprints of 1883–1896 editions)*
- Gaur AS, Vora KH (1999) Ancient shorelines of Gujarat, India during the Indus Civilization (Late-Mid Holocene): a study based on archaeological evidence. *Curr Sci* 77:180–185
- Gaur AS, Vora KH, Sundaresh R, Mani M, Jayakar S (2013) Was the Rann of Kachchh navigable during the Harappan times (Mid Holocene): an archaeological perspective. *Curr Sci* 105:1485–1491
- Geyh MA, Ploethner D (1995) An applied palaeohydrological study of Cholistan, Thar Desert, Pakistan. In: Adar EM, Leibundug C (eds) *Application of tracers in arid zone hydrology*. International Association of Hydrological Sciences, Vienna, pp 119–127
- Ghose B (1964) Geomorphological aspects of the formation of salt basins in western Rajasthan. *Proceedings, symposium on problems of Indian arid zone*. Central Arid Zone Research Institute, Jodhpur, pp 79–83
- Ghose B, Kar A, Husain Z (1979) The lost courses of the Saraswati River in the great Indian desert: new evidence from LANDSAT Imagery. *Geogr J Lond* 145(3):446–451
- Ghosh A (1952) The Rajputana desert: its archaeological aspects. *Bull Natl Inst Sci India (INSA)* 1:37–42
- Giosan L, Clift PD, Macklin MG, Fuller DQ, Constantinescu S, Durcan JA, Stevens T, Duller GAT, Tabrez AR, Gangal K, Adhikari R, Alizai A, Filip FF, Vanlaningham S, Syvitski PM (2012) Fluvial landscapes of the Harappan civilization. In: *PNAS*. doi:[10.1073/pnas.1112743109](https://doi.org/10.1073/pnas.1112743109) (Early Edition)
- Grewal NS, Sharma SK (2015) *Unearthing the Saraswati valley*. Heritage 1–6
- Gupta SP (1996) *The Indus-Saraswati civilization*. Pratibha Prakashan, Delhi, 110 p
- Gupta RK, Prakash I (1975) *Environmental analysis of Thar Desert*. English Book Depot, Dehradun, 484 p

- Gupta AK, Sharma JR, Sreenivasan G, Srivastava KS (2004) New findings on the course of River Saraswati. *Photonirvachak* 32:1–24
- Gupta AK, Bhadra BK, Sharma JR (2008) Saraswati drainage system of Haryana—satellite based study. In: Kalyanaraman S (ed) *Vedic Sarasvati and Hindu civilization*. Aryan Books International, New Delhi, pp 46–64
- Gupta AK, Sharma JR, Sreenivasan G, Srivastava KS (2011a) Using satellite imagery to reveal the course of an extinct river below the Thar Desert in Indo-Pak region. *Int J Remote Sens* 32 (18):5197–5216 (Published online 1 August 2011)
- Gupta RP, Kumar S, Samadder RK (2011b) Palaeochannels as reservoirs for watershed management. In: *Proceedings of 4th international conference research in Watersheds*, Fairbanks, UK, pp 156–161
- Heim A, Gansser A (1939) Central Himalaya: Geological observations of the Swiss Expedition 1936. *Denkschr Schweiz Naturf Ges* 32:1–245
- Iyengar RN (1999) Earthquakes in ancient India. *Curr Sci* 77:827–829
- Iyengar RN (2003) Internal consistency of eclipses and planetary positions in Mahabharat. *Indian J Hist Sci* 38:75–115
- Jain DL (2015) Saraswati project: bringing back the glory of Indian civilization. In: Jain VK (ed) *Saraswati Darshan. Saraswati Nadi Shodh Sansthan, Jagadhri*, pp 13–14
- Jarrige JF, Meadow RD (1980) The antecedents of civilization in the Indus Valley. *Sci Am* 243 (2):102–110
- Jayangondaperumal R, Kumar S, Wesnousky SG, Mahajan AK, Gupta V, Arora BR, Suresh N (2008) Late Pleistocene activity of intrabasinal Bhauwala Thrust, Dehradun, NW Himalaya. *Himalayan Geol* 29:36
- Joshi JP (1972) Exploration in Kutch and excavation at Surkotada, and new light on Harappan migration. *J Orient Inst Baroda* 22(1):98–144
- Joshi JP (1990) Excavation of Surkotada 1971–1972 and exploration of Kutch. *Memoirs Archaeological Survey of India, New Delhi*
- Joshi JP (2008) *Harappan architecture and civil engineering*. Rupa and Infinity Foundation, New Delhi, 218 p
- Joshi JP, Bisht RS (1994) *India and the Indus civilization*. National Museum Institute, New Delhi
- Joshi DD, Dharman R, Saxena AK, Mulkraj (1997) Jaisalmer earthquake of 1991: its effects and tectonic implications. *J Geol Soc India* 49:433–436
- Joshi DD, Kandpal GC, Joshi B, Pande P (2005) *Morphotectonic and palaeoseismic studies along the Yamuna tear zone, Himalayan frontal fault belt (Special Publication)*. *Geol Surv India* 85:225–236
- Juyal N, Pant RK, Yadava MG, Saini NK, Singhvi AK (2004) Climate and seismicity in higher Central Himalaya during 20–10 ka: evidence from the Garbyang basin, Uttarranchal, India. *Palaeogeogr Palaeoclimatol Palaeoecol* 213:315–330
- Kalyanaraman S (2003) *Saraswati vol 6 (Language), vol 7 (Epigraphs)*. Bhabasaheb Apte Smarak Samiti, Bengaluru
- Kalyanaraman S (2013) *Meluha: a visible language*. Saraswati Research Centre, Chennai
- Kar A (1988) Possible neotectonic activities in the Luni-Jawar plains, Rajasthan. *J Geol Soc India* 32:522–526
- Kar A (1990) A stream trap hypothesis for the evolution of some saline lakes in the Indian Desert. *Z Geomorphol* 34:37–47
- Kar A (1993a) Aeolian processes and bedforms in the Thar Desert. *J Arid Environ* 25:83–96
- Kar A (1993b) Neotectonic influences on morphological variations along the coastline of Kachchh, India. *Geomorphology* 8:199–219
- Kar A (1996) Morphology and evolution of sand dunes in the Thar Desert as key to sand control measures. *Indian J Geomorphol* 1(2):177–206
- Kar A (1999a) A hitherto unknown palaeodrainage system from the radar imagery of southeastern Thar Desert and its significance. *Mem Geol Soc India* 42:229–235

- Kar A (1999b) Climatic and neotectonic controls on drainage evolution in the Thar Desert. In: Paliwal BS (ed) Geological evolution of northwest India. Scientific Publishers, Jodhpur, pp 246–259
- Kar A (2012) GCM-derived future climate of arid, western India and implications for land degradation. *Ann Arid Zone* 51:147–169
- Kar A (2014a) The Thar or the Great Indian Sand Desert. In: Kale VS (ed) Landscapes and landforms of India. Springer Science, Dordrecht, pp 79–90
- Kar A (2014b) Agricultural land use in arid western Rajasthan: resource exploration and emerging issues. *Agropedology* 24:179–196
- Kar A, Ghose B (1984) The Drishadvati river system of India: an assessment of new findings. *Geogr J* 150:221–229
- Kar A, Shukla JP (2000) Remote sensing of ground water along the Saraswati palaeochannels in western part of Jaisalmer district, Thar Desert. *MAEER's MIT Pune J (Special issue)* 1999–2000:28–36
- Kar A, Singhvi AK, Juyal N, Rajaguru SN (2004) Late Quaternary aeolian sedimentation history of the Thar Desert. In: Sharma HS, Singh S, De S (eds) *Geomorphology and environment*. ABC Publications, Kolkata, pp 107–124
- Kenoyer JM (1998) *Ancient cities of the Indus Valley civilization*. Oxford University Press, Karachi
- Khadkikar AS, Rajshekhar C, Kumaran KPN (2004) Palaeogeography around the Harappan port of Lothal, Gujarat, western India. *Antiquity* 78:901
- Kochhar R (2008) *The Vedic people: Their history and geography*. Orient Longman, Hyderabad, 259 p
- Kochhar N, Kochhar R, Chakrabarti DK (1999) A new source of primary tin ore in the Indus civilization. *South Asian Studies* 15:115–118
- Kotlia BS, Joshi LM (2013) Late Holocene climate changes in Garhwal Himalaya. *Curr Sci* 104:911–919
- Kotlia BS, Singh AK, Josh LM, Dhaila BS (2014) Precipitation variability in the Indian Central Himalaya during the last ca 4000 years inferred from a speleothem record: impact of Indian Monsoon (ISM) and Westerlies. *Quatern Int*. doi:[10.1016/j.quaint.2014.10.066](https://doi.org/10.1016/j.quaint.2014.10.066)
- Krishna Brahmam N (1993) Gravity and seismicity of the Jaisalmer region, Rajasthan. *Curr Sci* 64:837–840
- Krishna Dvaipāyan Vyās, Before BCE. Purān, *Samvat* 2065. Mahābhārat, Geeta Press, Gorakhpur, 1406 p
- Krishnaswamy VS, Jalote SP, Shome SK (1970) Recent crustal movements in northwest Himalaya and the Gangetic fore-deep and related pattern of seismicity. In: *Proceedings of 4th symposium earthquake engineering*. Roorkee University, Roorkee, pp 419–439
- Kshetrimayum KS, Bajpai VN (2011) Establishment of missing stream link between the Markanda river and the Vedic Saraswati river in Haryana, India—geolectrical resistivity approach. *Curr Sci* 100:1719–1724
- Kumar S, Wesnousky SG, Rockwell TK, Ragona D, Thakur VC, Seitz GG (2001) Earthquakes recurrence and rupture dynamics of Himalayan Frontal Thrust. *Science* 294:2328–2331
- Kumar S, Wesnousky G, Rockwell TK, Briggs RW, Thakur VC, Jayangondaperumal R (2006) Palaeoseismic evidence of great surface-rupture earthquakes along the Indian Himalaya. *J Geophys Res* 111:Bo3304. doi:[10.1029/2004JB003309](https://doi.org/10.1029/2004JB003309)
- Lal BB (1971) Perhaps the earliest ploughed field so far excavated anywhere in the world. *Puratattva* 4:1
- Lal BB (1979) Kalibangan and the Indus Civilization. In: Agrawal DP, Chakrabarti DK (eds) *Essays in Indian protohistory*. B.R. Publishing Corporation, Delhi, pp 65–97
- Lal BB (1997) *The earliest civilization of South Asia*. Aryan Books International, New Delhi, 287 p
- Lal BB (1998) *India 1947–1997: New Light on the Indus civilization*, New Delhi, pp 116–123
- Lal BB (2002) *The Saraswati flows on*. Aryan Books International, New Delhi, 148 p

- Lal BB (2005) *The Homeland of the Aryans: evidence of Rigvedic Flora and Fauna*. Aryan Books International, New Delhi
- Lal BB (2009) *How deep are the roots of Indian civilization*. Aryan Books International, New Delhi
- Lal BB, Thapar BK (1967) Excavations at Kalibangan: New light on Indus civilization. *Cultural Forum* 9(4):78–88
- Lal BB et al (2003) Excavations at Kalibangan, vol I. Archaeological Survey of India, New Delhi
- Mackeson F (1844) Report on route from Seersa to Bahawalpore. *J Asiatic Soc*, XXX, pp 145–150
- Malik JN, Mathews G (2005) Evidence of palaeoearthquakes from trench investigation across Pinjore Garden Fault in Pinjore Dun, NW Himalaya. *J Earth Syst Sci* 114:387–400
- Malik JN, Merh SS, Sridhar V (1999) Palaeodelta complex of Vedic Saraswati and other ancient rivers of northwestern India. *Mem Geol Soc India* 42:163–197
- Malik JN, Nakata T, Philip G, Viridi NS (2003) Preliminary observations from a trench near Chandigarh, NW Himalaya and their bearing on active faulting. *Curr Sci* 85:1793–1798
- Malik JN, Nakata T, Philip G, Suresh N, Viridi NS (2008a) Active fault and palaeoseismic investigations: evidence of a historic earthquake along Chandigarh Fault in the Frontal Himalayan Zone, NW India. *Himalayan Geol* 29:109–117
- Malik JN, Morino M, Mishra M, Bhuiyan C, Kaneko F (2008b) First active fault exposure identified along Kachchh Mainland Fault: evidence from trench excavation near Lodai village, Gujarat, northern India. *J Geol Soc India* 71:201–208
- Mallya MR (2005) *Ancient India: search for a true chronology*. Chaitanya Publication, Bengaluru, 252 p
- Marshall J (ed) (1931) *Mohenjodaro and the Indus civilization* (3 volumes). Arthur Probsthain, London
- Mathur UB (2002) Chronology of Harappan port towns of Gujarat in the light of sea-level changes, during the Holocene. *Man Environ* 27(2):61–67
- Maurya DM, Raj R, Chamyal LS (1998) Seismically induced deformational structures (seismites) from the Mid-Late Holocene terraces, lower Mahi Valley, Gujarat. *J Geol Soc India* 51:755–758
- Maurya DM, Khonde N, Das A, Chowksey V, Chamyal LS (2013) Subsurface sediment characteristics of the Great Rann of Kachchh, western India, based on preliminary evaluation of textural analysis of two continuous sediment cores. *Curr Sci* 104:1071–1077
- Merh SS (1993) Neogene-Quaternary sequence in Gujarat: a review. *J Geol Soc India* 41:259–276
- Merh SS (2011) Changing land–sea relationship in the Rann of Kachchh (a geoarchaeological perspective). In: Varadarajan L (ed) *Gujarat and the sea*. Darshak Itihas Nidhi, Vadodara, pp 11–32
- Mishra K (2012) Origin and development of civilization in the Indian subcontinent during the last 8000 years: an archaeological perspective. In: Bala S, Mishra K (eds) *Historicity of Vedic and Ramayan Eras*. Institute of Scientific Research on Vedas, New Delhi, pp 81–124
- Misra VN (1961) Palaeolithic culture of western Rajasthan. *Bull Deccan Coll Res Inst* 21:86–156
- Misra VN (1993) Indus civilization and Rigvedic Saraswati. In: Parpola A, Koskikallio P (eds) *South Asian archaeology, vol II., SoumalaineTiedeakatemia, Helsinki*, pp 511–525
- Misra VN (1995) *Lost Saraswati: The Cradle of Harappan civilization*. Manthan, XV-4-XVI-1. Deen Dayal Institute, New Delhi, pp 98–116
- Mitra DS, Bhadu B (2012) Possible contribution of River Saraswati in groundwater aquifer system in western Rajasthan, India. *Curr Sci* 102:685–689
- Morino M, Malik JN, Mishra P, Bhuiyan C, Kaneko F (2008) Active fault traces along Bhuj Fault and Katrol Hill Fault, and trenching survey at Wandhay, Kachchh, Gujarat, India. *J Earth Syst Sci* 117:181–188
- Mughal MR (1974) New evidence of the Early Harappan culture from Jalilpur, Pakistan. *Archaeology* 27:106–113
- Mughal MR (1984) The post-Harappan phase in Bahawalpur District, Pakistan. In: Lal BB, Gupta SP (eds) *Frontiers of the Indus civilization*. Books & Books, New Delhi

- Mughal RR (1995) Ancient Cholistan: archaeology and architecture. Ferozsons, Rawalpindi, Karchi, Lahore
- Mukherji AB (1976) Terminal fans of inland stream in Sutlej-Yamuna Plain, India. *Z Geomorphol NF* 20:190–204
- Naidu PD (1996) Onset of an arid climate at 3.5 ka in the tropics: evidence from monsoon upwelling record. *Curr Sci* 71:715–718
- Nair AR, Navada SV, Rao SM (1999) Isotope study to investigate the origin and age of groundwater along palaeochannels in Jaisalmer and Ganganagar districts of Rajasthan. *Mem Geol Soc India* 42:315–319
- Nakata T (1972) Geomorphic History of Crustal Movements in the Himalaya. Institute of Geography, Tohoku University, Sendai 77 p
- Nath B (1969) The role of animal remains in the early prehistoric cultures of India. *Indian Mus Bull*
- Ngangom M, Thakkar MG, Bhushan R, Juyal N (2012) Continental-marine interaction in the vicinity of the Nara River during the last 1400 years, Great Rann of Kachchh, India. *Curr Sci* 103:1339–1342
- Oldham RD (1886) On the probable change in the geography of the Panjab and its rivers: an historical geographical study. *J Asiatic Soc Bengal* 55:322–343
- Oldham CF (1893) The Saraswati and the lost river of the Indian desert. *J R Asiatic Soc Lond* 34:49–76
- Owen LA, Bailey RM, Rhodes EJ, Mitchell WA, Cox P (1997) Style and timing of glaciations in the Lahul Himalaya, northern India: a framework for reconstructing Late Quaternary palaeoclimatic change in the western Himalaya. *J Quatern Sci* 12:83–109
- Page WD, Aeoit JN, Cluff CS, Plafken G (1979) Evidence for recurrence of large magnitude earthquakes along the Makran Coast of Iran and Pakistan. *Tectonophysics* 52:533–547
- Pandey AK, Pandey P (2015) Soft sediment deformation structures in late Quaternary abandoned channel-fill deposit of Yamunā river in NW sub-Himālaya. *Curr Sci* 108:1717–1725
- Pant RK, Juyal N, Basavaiah N, Singhvi AK (2006) Late Quaternary glaciations and seismicity in the Higher Himalaya: evidence from Shalang basin (Goriganga) Uttarakhand. *Curr Sci* 90:1500–1505
- Parkash B, Kumar S, Rao MS, Giri SC, Kumar CS, Gupta S, Srivastava P (2000) Holocene tectonic movements and stress field in western Gangetic plains. *Curr Sci* 79:438–449
- Phadtare NR (2000) Sharp decrease in summer monsoon strength 4000–3500 cal yr B.P. in the Central High Himalaya of India based on pollen evidence from alpine peat. *Quatern Res* 53:122–129
- Philip G, Suresh N, Bhakuni SS, Gupta V (2011) Palaeoseismic investigation along Nalagarh Thrust: Evidence of Late Pleistocene earthquake in Pinjaur Dun, northwestern sub-Himalaya. *J Asian Earth Sci* 40:1056–1067
- Philip G, Bhakuni SS, Suresh N (2012) Late Pleistocene and Holocene large-magnitude earthquakes along Himalayan Frontal Thrust in the Central Seismic Gap in NW Himalaya, Kala Amb., India. *Tectonophysics* 580:162–177
- Philip G, Suresh N, Bhakuni SS (2014) Active tectonism in the northwestern Outer Himalaya: evidence of large-magnitude palaeoearthquake in Pinjaur Dun and Frontal Himalaya. *Curr Sci* 106:211–222
- Pokharia AK, Kharakwal JS, Rawat RS, Osada T, Nautiyal CM, Srivastava A (2011) Archaeobotany and archaeology at Lanmer, a Harappan site in Kachchh, Gujarat: evidence for adaptation in response to climatic variability. *Curr Sci* 100:1833–1846
- Pokharia AK, Kharakwal JS, Srivastava AK (2014) Archaeobotanical evidence of millets in the Indian subcontinent with some observations on their role in the Indus civilization. *J Archaeol Sci* 42:442–455
- Possehl GL (1999) *Indus Age: the beginning*. IBH & Oxford Publishing Company, Delhi

- Prasad V, Farooqui A, Sharma A, Phartiyal B, Chakraborty S, Bhandari S, Raj R, Singh A (2014) Mid-Late Holocene monsoonal variations from mainland Gujarat, India: a multi-proxy study for evaluating climate-culture relationship. *Palaeogeogr Paleoclimatol Paleoecol* 397:38–51
- Puri VMK (2008) Vedic Saraswati: Scientific signatures on its origin from Himalaya. In: Kalyanaraman S (ed) *Vedic Rivier Saraswati and Hindu civilization*. Aryan Books International, New Delhi, pp 14–15
- Puri VMK, Varma BC (1998) Glaciological and geological source of Vedic Saraswati in the Himalayas. *Itihas Darpar* 4:7–36
- Radhakrishna BP, Merh SS (eds) (1999) *Vedic Saraswati: evolutionary History of a Lost River in Northwest India*. Geological Society of India, Bangalore, 329 p
- Raghav KS (1999) Evolution of drainage basin in parts of northern and western Rajasthan. *Mem Geol Soc India* 42:175–185
- Raikes RL (1964) The end of the ancient cities of the Indus. *Am Anthropol* 66:284–299
- Raikes RL (1969) Kalibangan: death from natural causes. *Antiquity* XLII
- Rajaguru SN, Badam GL (1999) Late Quaternary geomorphology and environment of the Markanda valley, H.P. *Mem Geol Soc India* 42:143–152
- Rajal BS, Virdi NS, Hasija NL (1986) Recent crustal uplift in the Doon Valley. In: *Proceedings of international symposium neotectonics in South Asia*. Survey of India, Dehradun, pp 146–159
- Rajawat AS, Sastry CVS, Narain A (1999) Application of pyramidal processing on high resolution IRS-1C data for tracing migration of the Saraswati River in parts of Thar Desert. *Mem Geol Soc India* 42:259–272
- Rajendran CP, Rajendran K (2000) Geological investigations in the 1819 Kutch (NW India) seismic zone and implications for mechanism of SCR earthquakes. In: *Proceedings of international symposium active faults, Hokuden, Japan*, pp 387–391
- Ramakrishna Rao KV (2008) GVC to IVC to SVC, Ganges Valley Civilization to Indus Valley Civilization to Saraswati Valley Civilization. In: Kalyanaraman (ed) *Vedic Sarswati and Hindu civilization*. Aryan Books Internatonal, New Delhi, pp 247–274
- Ramasamy SM (1999) Neotectonic controls in the migration of Saraswati River in the Great Indian Desert. *Mem Geol Soc India* 42:153–162
- Ramasamy SM, Bakliwal PC, Verma RP (1991) Remote sensing and river migration in western India. *Int J Remote Sens* 12:2597–2609
- Rao SR (1963) Excavations at Rangpur and other explorations in Gujarat. *Ancient India* 18–19:5–207
- Rao SR (1973) *Lothal and the Indus civilization*. Asian Publishing House, Mumbai
- Rao SR (1985) Lothal—a Harappan port town. *Mem Archaeol Surv India* 78(II)
- Rao SR (1991) Dawn and devolution of the Indus civilization. Aditya Prakashan, New Delhi, 392 p
- Rao SR (1999) *The lost city of Dwaraka*. Aditya Prakashan, New Delhi
- Rao MR (2015) ONGC Project on Saraswati River. In: Jain VK (ed) *Saraswati Darshan*. Saraswati Nadhi Shodh Sansthan, Jagadhri, pp 13–14
- Rao SM, Kulkarni KM (1997) Isotope hydrology studies on water resources in western Rajasthan. *Curr Sci* 72:55–61
- Rao LS et al (2004/2005) New light on the excavation of Harappan settlement at Bhirrana. *Puratattva* 35:60–68
- Rastogi BK (2014) Seismogenesis of earthquakes occurring in the ancient rift basins of Kachchh, western India. In: Talwani P (ed) *Intraplate Earthquakes*. Cambridge University Press, New York, pp 126–160
- Raverty HG (1892) The Mihran of Sind and its tributaries: geographical and historical studies. *J R Asiatic Soc* 61(1):155–206 and 297–508.
- Rawat S, Gupta AK, Sangode SJ, Srivastava P, Nainwal HC (2015) Late Pleistocene-Holocene vegetation and Indian Summer Monsoon record from the Lahaul, NW Himalaya, India. *Quatern Sci Rev* 114:167–181

- Reddy DV, Nagabhushanam P, Rao MR, Mitra DS, Tripathi BM, Sinha SK, Bhadu B (2011) Radiocarbon evidence of palaeo-recharge (pre-Saraswati period, of potential deep aquifer in Thar Desert. *J Geol Soc India* 77:239–242
- Roy AB (1999) Evolution of saline lakes in Rajasthan. *Curr Sci* 76:290–295
- Roy AB, Jakhar SR (2001) Late Quaternary drainage disorganization and migration and extinction of the Vedic Saraswati. *Curr Sci* 81:1188–1195
- Roy B, Merh SS (1977) The Great Rann of Kutch: an intriguing Quaternary terrain. In: Recent advances in geology, vol 9. Hindustan Publishing Corporation, New Delhi, pp 100–108
- Rubi BS, Punj NK (1999) Quaternary geological studies in Amritsar district, Punjab. *Gondwana Geol Mag* 4:33–42
- Sahai B (1999) Unravelling of the lost Vedic Saraswati. *Mem Geol Soc India* 42:121–141
- Saini HS, Tandon SK, Mujtaba SAT, Pant NC, Khorana RK (2009) Reconstruction of buried-floodplain systems of the northwestern Haryana Plain and their relation to the ‘Vedic’ Saraswati. *Curr Sci* 97:1634–1643
- Saini HS, Mujtaba SA (2011) Depositional history and palaeoclimatic variation at northern fringe of Thar Desert, Haryana plain. *Quatern Int*. doi:10.1016/j.quint.2011.06.002
- Samadder RK, Gupta RP, Kumar S (2011) Palaeochannels and their potential for artificial groundwater recharge in the western Ganga plains. *J Hydrol* (14th Feb 2011)
- Sanwal J, Kotlia BS, Rajendran CP, Ahmad SM, Rajendran K, Sandiford M (2013) Climatic variability in Central Indian Himalaya during the last ~ 1800 years: evidence from high resolution speleothem record. *Quatern Int* 304:183–192
- Sarkar A, Mukharjee AD, Bera MK, Das B, Juyal M, Morthekai P, Deshpande RD, Shinde VS and Rao LS (2016) Oxygen isotope in archaeological bioapatites from India: implications to climate change and decline of Bronze Age Harappan civilization. *Nature Sci Rep*. doi:10.1038/srep26555
- Sen D, Sen S (1983) Post-Neogene tectonism along the Aravali range, Rajasthan. *Tectonophysics* 93:75–98
- Sharma RS (1999) *Advent of the Aryans in India*, Manohar Publications, New Delhi
- Sharma JR, Bhadra BK (2012) Signatures of palaeorivers network in northwest India using satellite remote sensing. In: Bala S, Mishra K (eds) *Historicity of Vedic and Ramayan Eras. Institute of Scientific Research on Vedas*, New Delhi, pp 171–192
- Sharma JR, Gupta AK, Bhadra BK (2006) Course of Vedic River Saraswati as deciphered from latest satellite data. *Puratattva* 36:187–195
- Shinde VS (1998) Pre-Harappan Padri culture in Saurashtra: the recent discovery. *S Asian Stud* 13:145–147
- Shinde V (2008) Exploration in the Ghaggar basin and excavations at Girawad, Farmana (Rohtak district) and Mitathal (Bhiwani district), Haryana. In: Osada T, Akinori U (eds) *Linguistics, archaeology and the human past*. Research Institute for Humanity and Nature, Kyoto, p 82
- Shroder JF Jr (ed) (1993) *Himalayas to the sea*. Routledge, London
- Shukla MK, Mujtaba SA (2015) Late Quaternary stratigraphy and geomorphic evolution of the cultural plain along the Ghaggar River. In: Extended abstract, seminar on Palaeocene in India. Geological Survey of India, Lucknow, pp 228–229
- Shukla AK, Prakash R, Singh RK, Mishra PS, Bhatnagar AK (2007) Seismotectonic implications of Delhi region through fault-plane solution of some recent earthquakes. *Curr Sci* 93:1848–1953
- Siddique SI (1944) River changes in the Ghaggar Plain. *Indian Geogr J* 19(4):139–146
- Singh G (1952) In: *The Geography*, vol 5, p 27 (cited in: Yashpal et al. 1980)
- Singh B (1995) *The Vedic Harappans*. Aditya Prakashan, New Delhi
- Singh NP (1996) Mesozoic–Tertiary biostratigraphy and biogeochronological datum planes in Jaisalmer Basin, Rajasthan. In: Pandey J et al (eds) *Contributions 15th Indian Colloquium on Micropalaeontology and Stratigraphy*. KDMPIE & WIHG, Dehradun

- Singh S (2008) Where lied the Rigvedic rishis, rulers and artisans, the founders of Bharatiaya Sanskriti. In: Kalyanaraman S (ed) Vedic River Saraswati and Hindu civilization. Aryan Books International, New Delhi, pp 118–145
- Singh G, Joshi RD, Chopra SK, Singh AB (1974) Late Quaternary history of vegetation and climate of the Rajasthan desert, India. *Philos Trans R Soc Lond* 267B:467–501
- Singh H, Singh R, Raju VS, Chakraborty D (1988) Report on the Quaternary geology and geomorphology of parts of Sirsa and Hissar districts, Haryana. Unpublished Report Geological Survey India, Faridabad
- Singh RJ, Joseph DD, Pande P (2008) Geological signature of the Ropar tear in Ropar-Nalagarh sector of the northwestern Himalaya. *Himalayan Geol* 29:105–108
- Singh T, Sharma U, Awasthi AK, Viridi NS, Kumar R (2011) Geomorphic and structural evidences of neotectonic activity in the sub Himalayan belt of Nahan Salient, NW India. *J Geol Soc India* 77:175–182
- Singh A, Paul A, Sinha R, Thomsen KJ, Gupta S (2016) Geochemistry of buried river sediments from Ghaggar Plain: multi-proxy records of variations in provenance, palaeoclimate and palaeovegetation patterns in the Late Quaternary, NW India. *Palaeogeogr Palaeoclimatol Palaeoecol* 449:85–100
- Singhvi AK, Kar A (1992) Thar Desert in Rajasthan: land and environment. Geological Society of India, Bangalore, 186 p
- Singhvi AK, Kar A (2004) The aeolian sedimentation record of the Thar Desert. *Proc Indian Acad Sci (Earth Planet Sci)* 113:371–401
- Singhvi AK, Kale VS (2009) Paleoclimate studies in India: late ice age to present. Indian National Science Academy, New Delhi, 34 p
- Sinha R, Yadav GS, Gupta S, Singh A, Lahiri SK (2012) Geo-electric resistivity evidence for subsurface palaeochannel systems adjacent to Harappan sites in NW India. *Quatern Int* doi:10.1016/J.Quaint.2012.08.002
- Sinha-Roy S (1986) Himalayan collision and indentation of Aravali orogen by Bundelkhand wedge: implications for neotectonics in Rajasthan. In: Proceedings of international symposium neotectonics in South Asia, Survey of India, Dehradun, pp 13–24
- Sinha-Roy S, Malhotra G, Mohanty M (1998) Geology of Rajasthan. Geological Society of India, Bangalore, 278 p
- Sivewright R (1907) Cutch and the Rann. *Geogr J* 29:518–535
- Snelgrove AK (1979) Migration of the Indus River, Pakistan in response to plate tectonic motions. *J Geol Soc India* 20:392–403
- Soni V (2009) Recharging floodplain. *Curr Sci* 97:1401–1402
- Soni V, Sharma DC, Srivastava KS, Sisodia MS (1999) Hydrogeological, geophysical and isotope study to trace the course of the buried ‘Saraswati’ River in Jaisalmer district, Rajasthan. In: Paliwal BS (ed) Geological evolution of northwestern India. Scientific Publishers, Jodhpur, pp 305–311
- Sood RK, Sahai B (1983) Hydrographic changes in northwestern India. *Man Environ* 7:166–169
- Srivastava GS, Singh IB, Kulshreshtha AK (2006) Late Quaternary geomorphic evolution of Yamuna-Satluj interfluvies: significance of the terminal fan. *J Indian Soc Remote Sens* 34:123–130
- Srivastava GS, Kulshreshtha AK, Agarwal KK (2013) Morphometric evidence of neotectonic block movement in Yamuna tear zone of outer Himalaya, India, *Zeitsch. Geomorphologie* 57:471–484
- Srivastava GS, Singh IB, Kulshreshtha AK (2013) Surface profiles across Ganga-Indus water divide: Identification of an independent drainage system in Panjab-Haryana plain. *Himalayan Geol* 34:107–123
- Staubwasser M et al (2003) Climate change at 4.2 ka B.P: Termination of the Indus Valley Civilization and Holocene South Asian variability. *Geophys Lett* 30:1425
- Stein MA (1942) A survey of ancient sites along the “lost” Saraswati River. *Geogr J* 99:173–182
- Subramanian TS, Krishnan D (2014) Harappan Surprises, *Frontline*, June 13, pp 84–98

- Talukdar SN, Sudhakar R (1972) Structure of the southern edge of the Himalaya in north India. In: Miscellaneous Publication No. 15. Geological Survey of India, pp 185–194
- Tewari HC, Rao VV, Prasad BR (2000) Tectonic significance of seismic reflectivity patterns: a study from the NW Indian Shield. In: Deb B (ed) Crustal evolution and metallogeny in northwestern Indian shield. Narosa, New Delhi, pp 189–202
- Thakkar MG, Maurya DM, Raj R, Chamyal LS (1999) Quaternary tectonic history and terrain evolution of the area around Bhuj, Mainland Kachchh. *J Geol Soc India* 53:601–610
- Thakkar MG, Ngangom M, Thakker PS, Juyal N (2012) Terrain response to the 1819 Allahband earthquake in western Great Rann of Kachchh, Gujarat, India. *Curr Sci* 103:208–212
- Thakur VC (1993) *Geology of Western Himalaya*. Pergamon Press, Oxford, 366 p
- Thakur VC (2006) Reassessment of earthquake hazard in the Himalaya and implications from the 2004 Sumatra-Andaman earthquake. *Curr Sci* 90:1070–1072
- Thapar BK (1971) New traits of the Indus Civilization at Kalibangan: An appraisal. *S Asian Archaeol* 1:85–104
- Thapar BK (1975) A Harappan metropolis beyond the Indus Valley. *Expedition* 17(2):19–32
- Thapar R (1979) *Ancient Indian social history: some interpretations*. Orient Longman, New Delhi, 396 p
- Thapar R (2006) *The historical beginnings and the concept of the Aryans*. National Book Trust, New Delhi
- Thussu JL (1999) Role of tectonics in drainage migration in Punjab-Haryana plain in recent times. *Mem Geol Soc India* 42:205–217
- Thussu JL (2006) *Geology of Haryana and Delhi*. Geological Society of India, Bangalore, 191 p
- Tyagi AK, Shukla AD, Bhushan R, Thakker PS, Thakkar MG, Juyal N (2012) Mid-Holocene sedimentation and landscape evolution in western Great Rann of Kachchh, India. *Geomorphology* 151–152:89–98
- Valdiya KS (1968) Kyā Gangā ne Saraswati ke jal kā apaharan kiyā thā? *Dharmayug*, 21 July, pp 21–23
- Valdiya KS (1980) *Geology of kumaun lesser himalaya*. Wadia Institute of Himalayan Geology, Dehradun, 291 p
- Valdiya KS (1992) The main boundary thrust zone of the Himalaya, India. *Ann Tectonicae* 6:54–84
- Valdiya KS (1996) Saraswati that disappeared. *Resonance* 1(5):19–28
- Valdiya KS (1998) *Dynamic himalaya*. Universities Press, Hyderabad 178
- Valdiya KS (1999a) Rising himalaya: advent and intensification of monsoon. *Curr Sci* 76:514–524
- Valdiya KS (1999b) Marwar's connection with the Himalaya. In: Paliwal BS (ed) *Geological evolution of northwestern India*. Scientific Publishers, Jodhpur, pp 1–18
- Valdiya KS (2001) Reactivation of terrane-defining boundary thrusts in central sector of the Himalaya: implications. *Curr Sci* 81:1418–1431
- Valdiya KS (2002) *Saraswati: the river that disappeared*. Universities Press, Hyderabad, 116 p
- Valdiya KS (2010) *The making of India: geodynamic evolution*, Macmillan, Noida, 816 p (Chapter 23), p 549–561
- Valdiya KS (2012) *Geography, peoples and geodynamics of India in Puranas and Epics*. Aryan Books International, New Delhi, 240 p
- Valdiya KS (2013) The Saraswati was a Himalayan-born river. *Curr Sci* 104:42–54
- Valdiya KS, Pande K (2009) Behaviour of basement-cover decoupling in compressional deformation regime, northern Kumaun (Uttarakhand Himalaya). *Proc Indian Natl Sci Acad* 75:27–40
- Valdiya KS, Joshi DD, Sanwal R, Tandon SK (1984) Geomorphic development across the active Main Boundary Thrust, an example from the Nainital Hills in Kumaun Himalaya. *J Geol Soc India* 25:761–774
- Valdiya KS, Rana RS, Sharma PK, Dey P (1992) Active Himalayan frontal fault, main boundary thrust and Ramgarh Thrust in southern Kumaun. *J Geol Soc India* 40:509–528

- Varma SK, Chandra S, Pavankumar G, Nagaiah E, Ahmed S (2016) Efficacy of time domain electromagnetic method in delineating paleo-channels north of Jaisalmer, Rajasthan, Curr Sci (Communicated)
- Van Dijk WM, Densmore AL, Singh A, Gupta S, Sinha R, Mason PJ, Joshi SK, Nayak N, Kumar M, Shekhar S, Kumar D, Rai SP (2015) Linking the morphology of fluvial fan systems to aquifer stratigraphy in the Sutlej-Yamuna plain of northwest India. *J Geophys Res Earth Surf* 121:1–22. doi:[10.1002/2015JF003720](https://doi.org/10.1002/2015JF003720)
- Virdi NS, Philip G, Bhattacharya S (2006) Neotectonic activity in the Markanda and Bata River basin, Himachal Pradesh, NW Himalaya. *Int J Remote Sens* 27:2093–2099
- Wadhawan SK (1990) Quaternary geology, morphostratigraphy and neotectonism in parts of Nagaur district, Rajasthan. *Rec Geol Surv India* 123(7):16–17
- Wadhawan SK (2015) Palaeogene–Neogene tectonics and continental aggradational basins in northwestern India—implications for geological evolution of Thar Desert. In: Abstract national conference palaeogene of the Indian Subcontinent. Geological Survey of India, Lucknow, pp 18–19
- Wasson RJ (1995) The Asian monsoon during the Late Quaternary: a test of orbital-forcing and palaeoanalogue forecasting. In: Wadia S, Korisetar R, Kale VS (eds) Quaternary environments and geoarchaeology of India. Geological Society of India, Bangalore, pp 22–35
- Wesnousky SG, Kumar S, Mohindra R, Thakur VC (1999) Uplift and convergence along the Himalayan Frontal Thrust. *Tectonics* 18:967–976
- Wheeler REM (1968) *The Indus Civilization*, 3rd edn. Cambridge Universities Press, Cambridge
- Wilhelmy H (1969) Das Urstomtal zum Ostrand der Induse bene und das Saraswati Problem. *Z Geomorphol NF Suppl* 8:76–93 (The ancient river valley on the eastern border of the Indus plain and the Saraswati problem. *Mem Geol Soc India* 42:95–112)
- Wright RP et al (2008) Water supply and history: Harappa and Beas regional survey. *Antiquity* 82:37–48
- Yash P, Sahai B, Sood RK, Agrawal DP (1980) Remote sensing of the lost Saraswati river. *Proc Indian Acad Sci (Earth Planet Sci)* 89:317–337