

# Index

Note: Page numbers followed by f and t indicate figures and tables, respectively

## A

ACROSS (Advanced Cockpit for Reduction Of Stress and workload) project, 54  
Actigraphs, 130, 134  
Acute health-related effects, 137  
Acute safety effects, 136–137  
Adventure-based experiential therapy (AET), 228  
“Adventure Therapy” as a modality of interaction, 230, 232  
Advocacy, 25, 55, 56  
Airport Collaborative Decision Making (A-CDM), 65  
Airsickness, 157, 170, 171  
Alcohol consumption, in seafarers, 113–115  
Antiauthoritarian sentiment, 191  
Antihistamine class of drugs, 172  
Anti-motion sickness drugs, 168, 169, 172–174, 176  
Australian Maritime College (AMC), 87  
Authentic happiness, 27  
Aviation maintenance, 58–59  
Aviation maintenance teams, 61

## B

“Bad Luck” evolutionary maladaptation hypothesis, 160–162  
Benign paroxysmal positional vertigo (BPPV), 167  
Bio-pharmaceutical manufacturing (BPM) sector, 57  
    challenges in transferring HF training to, 58–64  
    identifying challenges, 60–62  
    sector profiling, 59–60  
    structured methodology, 62–64  
    transferring innovation and learning, 59  
BMI (body mass index) issues, 74

Bridge Resource Management (BRM), 13, 55, 56, 64  
British Marine Investigation Branch, 136

## C

CANSO (Civil Aviation Navigation Services Organisation), 65  
Cardiovascular diseases (CVD) among seafarers, 113  
Cervical vestibular evoked myogenic potentials (cVEMP), 166  
Challenges and opportunities for maritime psychology, 8  
    global health at work, 11  
    organizational culture, 10  
    piracy, 9–10  
    psychological capital, 10–11  
    ship evacuation, 8–9  
Chemoreceptor trigger zone (CTZ), 160, 172  
Chronic effects  
    chronic psychosocial effects and sleep disorders, 138  
    chronic somatic health effects, 138–139  
Chronic responsibility syndrome, 107  
Cinerama sickness, 152, 155, 156  
Classification of maritime activities, 3t  
Cockpit Resource Management, 13, 55  
Cognition, 140, 142, 187  
    impaired, 14, 137, 138  
Cold sweating, 152, 154  
Commercial shipping, 4–7  
Commercial transport, 3–4, 6  
Commonwealth Scientific and Industrial Research Organisation (CSIRO), 75  
Compendium of Maritime Labour Instruments, 4  
“Competence” in maritime profession, 202  
Computer-based interventions and training, 36–37

- Conceptualization of commercial maritime sector, 7–8
- Connected life, 27
- Corporate sailing interventions, 137–138, 233
- COTS (commercial off-the-shelf), 71
- Crew Resource Management (CRM), 54–55  
challenges in transferring CRM to maritime sector, 56–57
- Criminalization of seafarers, 110
- Croatian seafarers in international maritime sector, 99
- Cross-sector transfer of learning, 63
- Culture. *See* Organizational culture
- CyClaDes, 87
- D**
- Definition of maritime psychology, 2
- Degree of centralization, 60
- Degree of standardization, 56, 60
- Delayed sleep-phase syndrome, 138
- Design engineering  
curriculum, extension of, 86–88  
fundamentals, 78–79  
knowledge base, 84–85  
natural inclinations of, 79–81  
thinking  
decomposition, 82–83  
objects and artefacts, 81–82  
uncertainty, 83
- Disability, 15, 112, 203, 227
- Disasters. *See individual entries*
- Disorientation/motor warning hypothesis, 161
- Distress, 23, 26, 33, 105
- Disturbed sleep, 132, 135, 137, 142
- Driver monitoring technologies, 54
- E**
- Educational intervention, sailing as, 225–228
- Educational sail training, 226
- Elaboration likelihood model (ELM), 14, 188–189, 196–197
- Emotional exhaustion in seafarers, 115
- Engine control room (ECR), 71–72, 82
- Engineering knowledge base, 84–85  
evolution of, 84f
- Engineering student learning styles, 80r
- English language skills among crew members, 109
- Entertainment-based communication methods, 191
- Environmental stressors on board, 109
- EUROCONTROL, 65
- EXCROSS (exploiting safety results a CROSS transportation modes) project, 59–60
- Exposure to practice, 86
- F**
- Fatigue, 127  
acute health-related effects, 137  
acute safety effects, 136–137  
chronic psychosocial effects and sleep disorders, 138  
chronic somatic health effects, 138–139  
defined, 128  
main determinants and outcomes of, 130f  
mitigation, 140  
collective fatigue mitigation management, 141–142  
fatigue prediction, 143–144  
individual fatigue mitigation management, 142–143  
international regulation, 140–141  
risk factors for, 131  
individual risk factors, 134–135  
irregular work and sleep quantity, 133–134  
physical risk factors, 134  
sleep quality, 134  
stress, 131–132  
in seafarers, 108  
and sleepiness, 128
- Fatigue risk management systems (FRMS), 14
- Federal Aviation Administration (FAA), 204
- Filipino crew members, 24
- Flag-of-convenience (FOC) ships, 7
- G**
- Galvanic vestibular stimulation (GVS), 172
- Gastric stasis, 152, 153
- Global health at work, 11
- Global occupational health, 11
- Good life, 26, 28
- Gravito-inertial force (GIF), 157, 161 169r
- “Gut stimulation” hypothesis, 156
- H**
- Habituation, 164, 165, 169r, 170  
to motion, 175, 176  
motion sickness, 166, 168
- Happy ship, 33
- Hardy attitudes, 32
- Health, defined, 115
- Healthy organization, defined, 104
- High Speed Craft (HSC) design, 88, 89r
- HORIZON project, 134, 143
- Horse-sickness, 158
- Human-Centred Design (HCD), 72, 87  
low-key human-centred design, 88–93

Human element, 5, 6, 15  
 Human Element Alert! Initiative, 76  
 Human factors (HF)  
   knowledge, 72–73, 78, 87  
   training, 57–58  
 Human factors engineering (HFE) principles, 88, 90*t*–91*t*  
 Human Factors for Naval Architect (HFNA) students, 87  
 Human-made disasters, 187  
 Hypothermia, 154

## I

IATA (International Airport Transport System), 65  
 Information messages, 190  
 Innovation, 50, 59, 62, 84  
 Insomnia, 138  
   shift work-related, 133  
 International Agency for Research on Cancer, 139  
 International Civil Aviation Organization (ICAO), 53  
 International Labour Conference, 5  
 International Maritime Organization (IMO), 51, 128  
   regulations, 77  
 International maritime sector, Croatian seafarers in, 99  
 International Safety Management (ISM) Code, 50, 140, 201  
 Interventions. *See individual entries*  
 Irregular work and sleep quantity and fatigue, 133–134  
   risk factors for, 131  
 Ischemic heart disease (IHD) among seafarers, 113

## J

Job dissatisfaction, sources of, 100–101  
 Jubilee Trust ships, 228

## K

Karasek's decision-latitude dimension, 108  
 Karolinska Sleepiness Scale (KSS), 129  
 Key performance indicators (KPIs), 201  
 Knowledge  
   human factors, 72–73, 78, 87  
   knowledge base, 84–85. *See also* (Engineering knowledge base)

## L

Langner's Total Health Test, 108  
 Lazarus' transactional standpoint, 105

Learning across safety-critical industries, transferring, 49  
   case study, 49  
   challenges in transferring  
     CRM to maritime sector, 56–57  
     HF training to bio-pharmaceutical sector, 58–64  
   transfer of learning, 50  
     aviation case, 52–53  
     Crew Resource Management (CRM), 54–55  
     future directions, 65–66  
     human factors training, 57–58  
     maritime case, 52  
 Limited opportunities for recreation, 109  
 Long working hours, 103  
   shift work and, 133  
 Low-key human-centred design, 88–93  
   ABCD Group, 88  
   heuristic evaluation, 93  
   HF areas and HF input to design process, 89*t*  
   HFE programme, 90–91*t*  
   important information, 92  
   iterative HCD design activities, 92*f*

## M

Mal-de-debarquement, 167–168  
 Mandatory Occurrence Reports (MOR), 62  
 Marginalized groups, 15  
 Marine Accident Investigation Branch (MAIB), 134  
 Marital satisfaction in seafarers, 117  
 Maritime audience, 192  
 Maritime Labour Convention (MLC), 4, 7, 23, 140  
 Maritime psychology, 1, 15  
   classification of, 3*t*  
   definition, 2  
 MARTHA project, 143  
 Meniere's disease, 167  
 Mental fatigue and sleepiness, 128  
 Mental health problems, awareness of, 23, 40  
 Merchant marine officers (MMOs), 203, 205  
   descriptive statistics for MMPI-2 of, 207  
   sample, demographic characteristics of, 206*t*  
 Message processing, 190–192  
 MH17 disaster, 53  
 Migraineurs, 167, 175  
 Military aspects of the maritime, 4  
 Mindfulness-based Mind Fitness Training (MMFT), 36  
 “Mindfulness”, state-like quality of, 35–36

- Minnesota Multiphasic Personality Inventory (MMPI), 203  
 MMPI-2, 203–204, 210*f*, 211*f*, 212*f*, 213*f*  
 Moderator variable, 118  
 Morbidity and mortality in seafarers, 112  
 Mortality data on seafarers, 113  
 Motion sickness, 14, 151  
   behavioural countermeasures against, 169*t*  
   case study, 151–152  
   desensitization, 168  
   existence of, 160–162  
   Mal-de-debarquement, 167–168  
   mechanisms of, 156–160  
   non-pharmacological countermeasures against, 168–172  
   pharmacological countermeasures, 172–174  
   provocative circumstances and incidence of, 154–156  
   signs, symptoms and effects on performance, 152–154  
   stimuli capable of provoking, 155*r*  
   susceptibility, 162  
     blind, migraine and vestibular disorders, 166–167  
     concept of, 162  
     general predictors, 164–166  
     genetics, 164  
     symptom self-report questionnaire for, 153*r*  
 Motion Sickness Susceptibility Questionnaires (MSSQ), 162  
 Motive-congruent goals, 29  
*M/S Balao*, 69  
*M/S Balao* project, 74  
 MSD (Musculoskeletal Disorder) issues, 74  
*M/S Hoegh Mistral*, 69  
*M/S Hoegh Multina*, 69  
 Multidimensional fatigue inventory (MFI-20), 130
- N**  
 National Transportation Safety Board (NTSB), 73  
 Natural disasters, 187  
 Naturalistic intelligence, 79  
 Nausea, 152  
 Naval architect, 77–78, 86, 87, 88  
 NEO-Five Factor Inventory (NEO-FFI), 203  
 Nicotine consumption, in seafarers, 115  
 Night-shift insomnia, 133  
 Night-shift work, 139  
 Non-military seafaring contexts, 35  
 Nucleus tractus solitarius (NTS), 159
- O**  
 Occupational stress, definition of, 104–106  
 Occupational stress in seafaring, 13, 99  
   alcohol consumption, 114  
   Croatian seafarers in international maritime sector, 99  
   disturbed sexual life on board, 109  
   English language skills among crew members, 109  
   environmental stressors on board, 109  
   exploitation and abuse, 110  
   implementing findings of research in, 101–104  
   at individual and organizational levels, 110–114  
     occupational stressors, health and well-being among seafarers, 116–117  
     physical health and psychological well-being of seafarers, 114–115  
   interpersonal relationships, 109  
   job dissatisfaction, sources of, 100–101  
   Lazarus' transactional standpoint, 105  
   limited opportunities for recreation, 109  
   methodological considerations, 120  
   multinational crews, 109  
   occupational accidents, 112  
   overweight, 115  
   primary level interventions, 102, 103  
   psycho-emotional stress, 103  
   psychological functioning and health, 115  
   research questions, 118–119  
 seafarers  
   cardiovascular diseases (CVD) among, 113  
   criminalization of, 110  
   emotional exhaustion in, 115  
   fatigue in, 108  
   ischemic heart disease (IHD) among, 113  
   marital satisfaction in, 117  
   morbidity and mortality in, 112  
   seafaring risks, 110  
   secondary level interventions, 102, 103  
   social isolation, 107  
   sources of, 106–110  
   suicides, data on, 113  
   symptoms of stress, 107  
   tertiary level interventions, 102, 103  
   from transactional perspective, 104–107  
   work-related stressors, 107  
 Oculomotor symptoms, 153  
 Oil Companies International Marine Forum's (OCIMF), 201

- Online positive psychology interventions, 36
- Organizational culture, 10, 119
- Outdoor experiential learning, 227
- Overtime work, 134
- Overweight, 115, 138
- P**
- PENN Resiliency Program, 28
- Peptic ulcers and symptoms, 138
- Performance, signs, symptoms and effects on, 152–154
- Peripheral attitude change, 192
- Peripheral messages, 191, 193
- Personality assessments, 203–205
- Personality Psychopathology Scales (PSY-5), 215
- Personality trait variables, 165
- Pharmaceutical manufacturing, 59
- Piracy, 9–10
- Positive emotions, 26, 27, 28, 32, 40
- Positive organizational behaviour (POB), 30–31
- Positive organizational psychology, 30–33, 37*t*–38*t*
- Positive organizational scholarship (POS), 30
- Positive psychology, 12, 25–30, 34*t*–35*t*
- effect duration and effect maintenance of, 38
- and well-being at sea, 20–22, 33–36
- case study (Ralf Stilz), 19–20
- positive organizational psychology, 30–33
- rationale for future research, 36–39
- seafaring environment, 22–24
- ship as isolated, confined environment, 24
- ship as safety-critical organization, 25
- Post-operative nausea and vomiting (PONV), 160, 171
- Posttraumatic stress disorder (PTSD), 187, 188
- Power management system, 72
- Prevention
- of error, 93
- risk, 103–104
- Problem-based learning (PBL), 86–87
- Promethazine, 173, 174
- Prostate carcinoma, 139
- PsyCap, 10–11
- Psychological capital, 10–11, 31
- Psychological consequences of disasters, 187
- Psychology
- of ship design, 72–73
- of ship designers, 75–78
- Psychometric assessment, 201
- discussion, 214–218
- method, 205
- assessment and analysis procedures, 206–207
- ethical considerations, 206
- results, 207–214
- sample, 205
- personality assessment and MMPI-2 in maritime industry, 203–205
- Q**
- QHSE (quality, health, safety, environment), 51
- Quality of life (QOL), 116–117
- R**
- Rationale for future research, 36–39
- “Reaction & Learning” of the participant, 226
- Regulations, 57, 58, 201
- Rena* incident, 186, 188, 194
- “Rescue” medication approach, 174
- Resilience, 31–33
- relationship with recovery, 32
- Rest-day insomnia, 133
- Risk communication, 185
- case study, 185–186
- implications for communication practice, 188, 192–194
- message processing, 190–192
- maritime case study, 194–195
- rationale for future research, 196–197
- review of state of the knowledge, 187–188
- Risk factors
- individual risk factors, 134–135
- physical risk factors, 134
- Royal Navy ships, 76
- Royal Navy steam ship HMS *Orpheus*, 186
- “Rule of thumb” model, 157
- S**
- Safety assurance, 53
- Safety-critical industries, 13, 50
- learning across (*see* Learning across safety-critical industries, transferring)
- Safety-critical organization, 25, 28
- Safety culture maturity, 51, 52, 60
- Safety indicators, 60
- Safety management system (SMS), 50, 52, 201
- Safety of Life at Sea (SOLAS), 52
- Sailing, 15, 223
- case study, 223
- as educational intervention, 225–228
- research questions, 231–232
- as therapeutic intervention, 228–231

- Sampson, Helen, 4
- Scopolamine, 173
- Scopolamine + dexamphetamine, 173
- Seafarers, 11, 102, 119, 130, 131, 203
- Croatian, 99
  - experience of occupational stressors, health and well-being among, 116–117
  - mortality in, 112–114
  - occupational stress in, 13
  - opportunities for communication of, 24
  - physical health and psychological well-being of, 114–116
  - resolution concerning recruitment and retention of, 5*t*
  - sources of stress in, 106–110
- Seafarers' Bill of Rights, 23
- Seafarers' Identity Documents (Revised) Convention (2003), 4
- Seafaring, 20
- occupational stress in (*see* Occupational stress in seafaring)
- Seafaring environment, 22–24
- Seafaring risks, 110
- SEAHORSE project, 13, 35, 62, 63, 64, 65
- Seasickness, 155
- Secondary traumatic stress, 188
- Sector profiling, 62, 65
- Self-esteem, 29
- Sensory/neural mismatch, 156
- Shell Health Resilience Programme, 19
- Shen Neng 1*, 127
- Shift work, 136, 138, 139
- and long working hours, 133
- Ship architecture and design, psychology of, 69
- ergonomic requirements, 76*t*
  - exposure to practice, 86
  - extension of design engineering curriculum, 86–88
  - low-key human-centred design, 88–93
  - recommendations on psychology of ship design, 93–94
  - state of knowledge, 72
    - design engineering fundamentals, 78–79
    - design engineering knowledge base, 84–85
    - design engineering thinking, 81–83
    - natural inclinations of design engineering, 79–81
    - potential of ship psychology, 74–75
    - psychology of ship design, 72–73
    - psychology of ship designers, 75–78  - state of practice, 69–72
- Ship as isolated, confined environment, 24
- Ship as safety-critical organization, 25
- Ship design spiral, 70, 70*f*
- Ship evacuation, 8–9
- Ship psychology, 74–75
- of ship design, 72–73
  - ship designers, 75–78
- 6/6-watch system, 134
- Sleep and sleepiness, 134, 137
- Sleep apnoea/hypopnoea, 138
- Sleep disturbances, 23, 134
- Sleep quality and fatigue, 134
- Sleepiness, fatigue and, 128
- Social isolation in seafarers, 107
- Socio-technical system, 13
- Sopite syndrome, 152, 154
- STAMINA training programme, 8, 57, 61, 64
- Standards of Training, Certification and Watchkeeping for Seafarers (STCW) Code, 140
- Strain, 105
- Stress, 21, 23, 32, 36
- and fatigue, 131–132
  - defined, 105
  - symptoms of, 107
- Stressful work, financial costs of, 111
- Stressors, 13, 22, 103, 104, 105, 106, 109, 120, 132
- Stroboscopic illumination, 170
- Survival effect, 113
- Sweat ships, 7
- “System of systems” perspective, 54
- T**
- Take off blocks time (TOBT), 65–66
- Tanker Management and Self Assessment (TMSA), 201, 203
- Technological actions, 84
- Technological disasters, 187
- Textbook of Maritime Medicine, 6
- Therapeutic intervention, sailing as, 228–231
- Therapy
- “Adventure-based experiential therapy” (AET), 228
  - “Adventure Therapy” as a modality of interaction, 230, 232
- Transactional model of occupational stress, 106, 118
- Transfer
- challenges in transferring CRM to maritime sector, 56–57
  - challenges in transferring HF training, 58–64
  - identifying challenges, 60–62
  - sector profiling, 59–60

- structured methodology, 62–64
  - transferring innovation and learning, 59
  - cross-sector transfer of learning, 63
  - of learning, 50
    - aviation case, 52–53
    - Crew Resource Management (CRM), 54–55
    - future directions, 65–66
    - human factors training, 57–58
    - maritime case, 52
  - T*-scores, 205, 207, 212
  - Two-sided messages, 194
- U**
- U.S. Navy Operational Stress Control Programme, 33
- V**
- Vasopressin, 153
  - Vection, 156, 157
  - Vestibular–cardiovascular/autonomic reflex hypothesis, 161
  - Vestibular migraine (VM), 167
  - Vestibular neuritis (VN), 167
  - Vestibular ocular reflexes (VORs), 157–158
  - “Vestibular overstimulation” hypothesis, 156
  - Vibration, 89, 109, 129, 142, 171, 202
- Visual Analogue Scales (VAS), 134
  - Visual–vestibular mismatches, 157
- W**
- Waking, seafarers’ fatigue on, 108
  - Watchkeepers, 134
  - Well-being, 10, 12, 26
    - measuring, 27
  - Workforce, ageing of, 116
  - Work Improvement on Board (WIB) programmes, 10
  - Work in Fishing Convention and Recommendation (2007), 4
  - Work-related fatigue, 129, 136
  - Work-related stressors of seafaring, 107
- Y**
- Young people, 15, 193
    - family situation, 117
    - physical QOL, 117
    - sail training for, 225
    - sleep quality, 135
- Z**
- Zero-G parabolic flights, 155