

References

1. RDF 1.1 N-Quads. <http://www.w3.org/TR/n-quads/>
2. RDF 1.1 N-Triples. <http://www.w3.org/TR/n-triples/>
3. RDF 1.1 XML syntax. <http://www.w3.org/TR/rdf-syntax-grammar/>
4. RDFa. <http://rdfa.info/>
5. Abbasi, R., Staab, S., Cimiano, P.: Organizing resources on tagging systems using t-org. In: In Proceedings of Workshop on Bridging the Gap Between Semantic Web and Web 2.0 at ESWC 2007, June 2007. <http://www.uni-koblenz.de/~abbasi/publications/Abbasi2007ORO.pdf> (2007)
6. Adrian, B., Sauermann, L., Roth-Berghofer, T.: Contag: a semantic tag recommendation system. In: Pellegrini, T., Schaffert, S. (eds.) Proceedings of I-Semantics' 07, pp. 297–304. JUCS, 2007. ISSN0948-6968. <http://www.dfki.uni-kl.de/~sauermann/papers/horak+2007a.pdf> (2007)
7. Alexander, K., Cyganiak, R., Hausenblas, M., Zhao, J.: Describing Linked Datasets with the Void Vocabulary. <http://www.w3.org/TR/void/> (1999)
8. Allinson, J.: OpenART: open metadata for art research at the Tate. Bull. Am. Soc. Inf. Sci. Technol. **38**(3), 43–48 (2012). ISSN 1550-8366. doi:[10.1002/bult.2012.1720380311](https://doi.org/10.1002/bult.2012.1720380311)
9. Altman, N.S.: An introduction to kernel and nearest-neighbor nonparametric regression. Am. Stat. **46**(3), 175–185 (1992)
10. An, Y., Mylopoulos, J.: Translating XML web data into ontologies. In: OTM Workshops, pp. 967–976 (2005)
11. Angles, R., Gutierrez, C.: Survey of graph database models. ACM Comput. Surv. **40**(1), 1:1–1:39 (2008). ISSN 0360-0300. doi:[10.1145/1322432.1322433](https://doi.org/10.1145/1322432.1322433)
12. Armstrong, T.G., Ponnekanti, V., Borthakur, D., Callaghan, M.: Linkbench: a database benchmark based on the Facebook social graph. In: Proceedings of the 2013 International Conference on Management of Data, pp. 1185–1196. ACM (2013)
13. Artale, A., Calvanese, D., Kontchakov, R., Zakharyashev, M.: The DL-Lite family and relations. J. Artif. Intell. Res. (JAIR) **36**, 1–69 (2009)
14. Auer, S., Bizer, C., Kobilarov, G., Lehmann, J., Cyganiak, R., Ives, Z.: Dbpedia: a nucleus for a web of open data. In: Proceedings of the 6th International Semantic Web and 2nd Asian Conference on Semantic Web Conference, ISWC'07/ASWC'07, pp. 722–735. Springer, Berlin (2007). ISBN 3-540-76297-3, 978-3-540-76297-3
15. Baader, F., Bienvenu, M., Lutz, C., Wolter, F., et al.: Query and predicate emptiness in description logics. In: Proceedings of the KR2010
16. Baader, F., Calvanese, D., McGuinness, D.L., Nardi, D., Patel-Schneider, P.F. (eds.): The Description Logic Handbook: Theory, Implementation, and Applications. Cambridge University Press (2003). ISBN 0-521-78176-0

17. Baader, F., Horrocks, I., Sattler, U.: Description logics as ontology languages for the semantic web. In: *Festschrift in Honor of Jǃűrg Siekmann, Lecture Notes in Artificial Intelligence*, pp. 228–248. Springer (2003)
18. Baader, F., Nutt, W.: *The Description Logic Handbook*, pp. 43–95. Cambridge University Press, New York (2003). ISBN 0-521-78176-0
19. Bail, S., Parsia, B., Sattler, U.: Justbench: a framework for owl benchmarking. In: *The Semantic Web–ISWC 2010*, pp. 32–47. Springer (2010)
20. Barrasa, J.: *Modelo para la definici3n autom3tica de correspondencias sem3nticas entre ontologías y modelos relacionales*. Ph.D. thesis, Facultad de Informatica, Universidad Politecnica de Madrid, Madrid, Spain (2007)
21. Barrasa, J., Corcho, O., G3mez-P3rez, A.: R2O, an extensible and semantically based database-to-ontology mapping language. In: *Second Workshop on Semantic Web and Databases (SWDB2004)* (2004)
22. Beaver, D.: Presupposition. In: van Benthem, J., ter Meulen, A. (eds.) *The Handbook of Logic and Language*, pp. 939–1008. Elsevier (1997)
23. Belhajjame, K., Corcho, O., Garijo, D., Zhao, J., Missier, P., Newman, D., Palma, R., Bechhofer, S., GarcĀa-Cuesta, E., G3mez-P3rez, J.M., et al.: Workflow-centric research objects: first class citizens in scholarly discourse
24. Benjamins, V.R.: Near-term prospects for semantic technologies. *IEEE Intell. Syst.* **23**(1), 76–88 (2008)
25. Berant, J., Chou, A., Frostig, R., Liang, P.: Semantic parsing on freebase from question-answer pairs. In: *EMNLP*, pp. 1533–1544. *ACL* (2013). ISBN 978-1-937284-97-8. <http://dblp.uni-trier.de/db/conf/emnlp/emnlp2013.html#BerantCFL13>
26. Berant, J., Dagan, I., Goldberger, J.: Learning entailment relations by global graph structure optimization. *Comput. Linguist.* **38**(1), 73–111 (2012). <http://dblp.uni-trier.de/db/journals/coling/coling38.html#BerantDG12>
27. Berners-Lee, T., Fielding, R., Masinter, L.: Uniform Resource Identifier (URI): Generic Syntax (RFC 3986). <http://www.ietf.org/rfc/rfc3986.txt> (2005)
28. Berners-Lee, T., Hendler, J., Lassila, O.: The semantic web. *Sci. Am.* **284**(5), 34–43 (2001)
29. Bernstein, A., Kaufmann, E., Kaiser, C.: Querying the semantic web with ginseng: a guided input natural language search engine. In: *15th Workshop on Information Technologies and Systems, Las Vegas, NV*, pp. 112–126 (2005)
30. Bikakis, N., Giannopoulos, G., Dalamagas, T., Sellis, T.: Integrating keywords and semantics on document annotation and search. In: *Proceedings of the 2010 International Conference on the Move to Meaningful Internet Systems: Part II, OTM’10*, pp. 921–938. Springer, Berlin (2010). ISBN 3-642-16948-1, 978-3-642-16948-9. <http://portal.acm.org/citation.cfm?id=1926129.1926157>
31. Bizer, C., Cyganiak, R., Heath, T.: *How to Publish Linked Data on the Web*. Web page, 2007. Revised 2008. [http://www4.wiwiw.fu-berlin.de/bizer/pub/LinkedDataTutorial/\(2007\)](http://www4.wiwiw.fu-berlin.de/bizer/pub/LinkedDataTutorial/(2007)). Accessed 01 Jan 2011
32. Bizer, C., Heath, T., Berners-Lee, T.: Linked data—the story so far. *Int. J. Seman. Web Inf. Syst.* **5**(3), 1–22 (2009)
33. Bizer, C., Lehmann, J., Kobilarov, G., Auer, S., Becker, C., Cyganiak, R., Hellmann, S.: Dbpedia—a crystallization point for the web of data. *Web Seman.: Sci. Serv. Agents World Wide Web* **7**(3), 154–165 (2009). ISSN 15708268. doi:10.1016/j.websem.2009.07.002. http://wierzba.wzks.uj.edu.pl/09_iracki/eventmarket/uploads/event/summary/2/bizer2009dbpedia.pdf
34. Bizer, C., Schultz, A.: The Berlin SPARQL Benchmark. *Int. J. Seman. Web Inf. Syst. (IJSWIS)* **5**(2), 1–24 (2009)
35. Bizer, K., Volz, J., Gaedke, M.: Silk—a link discovery framework for the web of data. In: *18th International World Wide Web Conference*, pp. 559–572 (2009)
36. Bornea, M.A., Dolby, J., Kementsietsidis, A., Srinivas, K., Dantressangle, P., Udrea, O., Bhattacharjee, B.: Building an efficient RDF store over a relational database. In: *SIGMOD*, pp. 121–132 (2013)

37. Bouma, G., Parmentier, Y. (eds.): Proceedings of the 14th Conference of the European Chapter of the Association for Computational Linguistics, EACL 2014, April 26–30, 2014, Gothenburg, Sweden. The Association for Computer Linguistics (2014). ISBN 978-1-937284-78-7. <http://aclweb.org/anthology-new/E/E14/>
38. Brachman, R.J., Levesque, H.J. (eds.): Readings in Knowledge Representation. Morgan Kaufmann Publishers Inc., San Francisco (1985). ISBN 093461301X
39. Brickley, D., Miller, L.: FOAF Vocabulary Specification 0.98. [http://xmlns.com/foaf/spec/\(2010\)](http://xmlns.com/foaf/spec/(2010))
40. Brin, S., Page, L.: The anatomy of a large-scale hypertextual web search engine. In: Proceedings of the Seventh International Conference on World Wide Web 7, WWW7, pp. 107–117. Elsevier Science Publishers B. V., Amsterdam (1998). <http://dl.acm.org/citation.cfm?id=297805.297827>
41. Broder, A.Z.: On the resemblance and containment of documents. In: SEQUENCES, pp. 21–29. IEEE Computer Society (1997)
42. Băfîm, C., Lorey, J., Naumann, F.: Creating void descriptions for web-scale data. Web Seman.: Sci. Serv. Agents World Wide Web **9**(3) (2011). ISSN 1570-8268. <http://www.websemanticsjournal.org/index.php/ps/article/view/204>
43. Cabrio, E., Palmero Aprosio, A., Cojan, J., Magnini, B., Gandon, F., Lavelli, A.: Qakis @ qald-2. In: Proceedings of the ESWC 2012 Workshop Interacting with Linked Data. Heraklion, Greece (2012)
44. Calvanese, D., Giacomo, G.D., Lembo, D., Lenzerini, M., Rosati, R.: DL-Lite: tractable description logics for ontologies. In: Proceedings of the AAAI (2005)
45. Carbone, F., Contreras, J., Hernández, J.Z., Gomez-Perez, J.M.: Open innovation in an enterprise 3.0 framework: three case studies. Expert Syst. Appl. **39**(10), 8929–8939 (2012)
46. Cardoso, J., Hepp, M., Lytras, M.D.: The Semantic Web: Real-World Applications from Industry, vol. 6. Springer Science & Business Media (2007)
47. Charikar, M.S.: Similarity estimation techniques from rounding algorithms. In: STOC, pp. 380–388. ISBN 1-58113-495-9. <http://doi.acm.org/10.1145/509907.509965> (2002)
48. Chatzopoulou, G., Eirinaki, M., Polyzotis, N.: Query recommendations for interactive database exploration. In: Proceedings of the SSDBM, pp. 3–18 (2009)
49. Cheng, G., Ge, W., Wu, H., Qu, Y.: Searching semantic web objects based on class hierarchies. In: LDOW (2008)
50. Christen, P.: A survey of indexing techniques for scalable record linkage and deduplication. IEEE Trans. Knowl. Data Eng. **24**(9), 1537–1555 (2012)
51. Chu-Carroll, J., Fan, J., Boguraev, B., Carmel, D., Sheinwald, D., Welty, C.: Finding needles in the haystack: search and candidate generation. IBM J. Res. Dev. **56**(3.4), 1–6 (2012)
52. Cimiano, P.: Ontology Learning and Population from Text-Algorithms. Springer, Evaluation and Applications (2006). ISBN 978-0-387-30632-2
53. Cimiano, P.: Ontology Learning and Population from Text: Algorithms. Evaluation and Applications. Springer, New York (2006)
54. Cimiano, P., Haase, P., Heizmann, J.: Porting natural language interfaces between domains: an experimental user study with the orakel system. In: Proceedings of the 12th International Conference on Intelligent User Interfaces, IUI '07, pp. 180–189. ACM, New York (2007). ISBN 1-59593-481-2. doi:[10.1145/1216295.1216330](https://doi.org/10.1145/1216295.1216330)
55. Cimiano, P., Hotho, A., Staab, S.: Learning concept hierarchies from text corpora using formal concept analysis. CoRR, abs/1109.2140 (2011). <http://arxiv.org/abs/1109.2140>
56. Clark, L.: SPARQL views: a visual SPARQL query builder for Drupal. In: Polleres, A., Chen, H. (eds.) ISWC Posters and Demos, vol. 658 of CEUR Workshop Proceedings. CEUR-WS.org (2010). <http://dblp.uni-trier.de/db/conf/semweb/pd2010.html#Clark10>
57. Cruz, I.F., Xiao, H., Hsu, F.: An ontology-based framework for xml semantic integration. In: IDEAS '04: Proceedings of the International Database Engineering and Applications Symposium, pp. 217–226. IEEE Computer Society, Washington, DC (2004). ISBN 0-7695-2168-1. doi:[10.1109/IDEAS.2004.10](https://doi.org/10.1109/IDEAS.2004.10)

58. Csomai, A., Mihalcea, R.: Linking documents to encyclopedic knowledge. *IEEE Intell. Syst.* **23**(5), 34–41 (2008). ISSN 1541-1672. doi:[10.1109/MIS.2008.86](https://doi.org/10.1109/MIS.2008.86)
59. Curtis, J., Matthews, G., Baxter, D.: On the effective use of cyc in a question answering system. In: *IJCAI Workshop on Knowledge and Reasoning for Answering Questions*, pp. 61–70 (2005)
60. Cyganiak, R., Reynolds, D.: The RDF Data Cube Vocabulary. <http://www.w3.org/TR/vocab-data-cube/> (2010)
61. Cyganiak, R., Wood, D., Lanthaler, M.: RDF 1.1 Concepts and Abstract Syntax. <http://www.w3.org/TR/rdf11-concepts/> (2014)
62. d’Amato, C., Fanizzi, N., Esposito, F.: Inductive learning for the semantic web: what does it buy? *Seman. Web* **1**(1,2), 53–59 (2010). ISSN 1570-0844
63. Damjanovic, D., Agatonovic, M., Cunningham, H.: Freya: an interactive way of querying linked data using natural language. In: *Proceedings of the 8th International Conference on the Semantic Web, ESWC’11*, pp. 125–138. Springer, Berlin (2012). ISBN 978-3-642-25952-4. doi:[10.1007/978-3-642-25953-1_11](https://doi.org/10.1007/978-3-642-25953-1_11)
64. d’Aquin, M., Motta, E.: Extracting relevant questions to an RDF dataset using formal concept analysis. In: *Proceedings of the Sixth International Conference on Knowledge Capture*, pp. 121–128 (2011)
65. Davis, M., Whistler, K.: Unicode Normalization Forms. <http://www.unicode.org/reports/tr15/> (2010)
66. Demter, J., Auer, S., Martin, M., Lehmann, J.: Lodstats—an extensible framework for high-performance dataset analytics. In: *Proceedings of the EKAW 2012, Lecture Notes in Computer Science (LNCS)*, vol. 7603. Springer (2012)
67. Diab, M.T., Moschitti, A., Pighin, D.: Semantic role labeling systems for Arabic using Kernel methods. In: *ACL 2008, Proceedings of the 46th Annual Meeting of the Association for Computational Linguistics*, June 15–20, 2008, Columbus, Ohio, USA, pp. 798–806 (2008). <http://www.aclweb.org/anthology/P08-1091>
68. Doerr, M.: The CIDOC conceptual reference module: an ontological approach to semantic interoperability of metadata. *AI Mag.* **24**(3), 75 (2003)
69. Dong, X., Gabrilovich, E., Heitz, G., Horn, W., Lao, N., Murphy, K., Strohmman, T., Sun, S., Zhang, W.: Knowledge vault: a web-scale approach to probabilistic knowledge fusion. In: *Proceedings of the 20th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pp. 601–610. ACM (2014)
70. Duan, S., Fokoue, A., Hassanzadeh, O., Kementsietsidis, A., Srinivas, K., Ward, M.J.: Instance-based matching of large ontologies using locality-sensitive hashing. In: *ISWC*, pp. 49–64 (2012)
71. Durst, M., Suignard, M.: Internationalized Resource Identifiers (IRIs). <http://www.ietf.org/rfc/rfc3987.txt> (2005)
72. Dzbor, M., Motta, E., Gomez, J.M., Buil, C., Dellschaft, K., Görlitz, O., Lewen, H.: D4.1.1 analysis of user needs, behaviours & requirements wrt user interfaces for ontology engineering. Technical report (2006)
73. Fanizzi, N., D’Amato, C., Esposito, F.: *Machine Learning Methods for Ontology Mining*, pp. 131–153. Wiley (2010). ISBN 9780470588222
74. Fellbaum, C.: *WordNet: An Electronic Lexical Database*. The MIT Press (1998). ISBN 026206197X
75. Fernandez-Lopez, M., Gomez-Perez, A., Juristo, N.: Methontology: from ontological art towards ontological engineering. In: *Proceedings of the AAAI97 Spring Symposium*, pp. 33–40, Stanford, USA (1997)
76. Ferrández, I., Izquierdo, R., Ferrández, S., Vicedo, J.L.: Addressing ontology-based question answering with collections of user queries. *Inf. Process. Manage.* **45**(2), 175–188 (2009). ISSN 0306-4573. doi:[10.1016/j.ipm.2008.09.001](https://doi.org/10.1016/j.ipm.2008.09.001)
77. Ferrucci, D.A.: Introduction to “this is watson”. *IBM J. Res. Dev.* **56**(3,4), 1–1 (2012)
78. Ferrucci, D.A., Brown, E.W., Chu-Carroll, J., Fan, J., Gondek, D., Kalyanpur, A., Lally, A., Murdock, J.W., Nyberg, E., Prager, J.M., Schlaefer, N., Welty, C.A.: Building watson: an overview of the deepqa project. *AI Mag.* 59–79 (2010)

79. Fleischhacker, D., Váčilker, J.: Inductive learning of disjointness axioms. In: *On the Move to Meaningful Internet Systems: OTM 2011*, vol. 7045 of *Lecture Notes in Computer Science*, pp. 680–697. Springer, Berlin (2011). ISBN 978-3-642-25105-4
80. Fokoue, A., Kershenbaum, A., Ma, L., Schonberg, E., Srinivas, K.: The summary abox: cutting ontologies down to size. In: *The Semantic Web-ISWC 2006*, pp. 343–356. Springer (2006)
81. Fokoue, A., Meneguzzi, F., Sensoy, M., Pan, J.Z.: Querying linked ontological data through distributed summarization. In: *AAAI2012*
82. Foxvog, D., Bussler, C.: Ontologizing EDI semantics. In: *ER (Workshops)*, pp. 301–311 (2006)
83. Gaasterland, T., Godfrey, P., Minker, J.: An overview of cooperative answering. *J. Intell. Inf. Syst.* **1**(2), 123–157 (1992)
84. Galárraga, L.A., Teflioudi, C., Hose, K., Suchanek, F.: AMIE: Association rule mining under incomplete evidence in ontological knowledge bases. In: *Proceedings of the 22nd International Conference on World Wide Web, WWW '13*, pp. 413–422. International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, Switzerland (2013). ISBN 978-1-4503-2035-1
85. Gangemi, A., Guarino, N., Masolo, C., Oltramari, A.: Sweetening WORDNET with DOLCE. *AI Mag.* **24**(3), 13–24 (2003). ISSN 0738-4602
86. Gangemi, A., Navigli, R., Velardi, P.: The OntoWordNet Project: extension and axiomatization of conceptual relations in WordNet. In: *CoopIS/DOA/ODBASE* (2003)
87. García, R., Celma, O.: Semantic integration and retrieval of multimedia metadata. In: *Proceedings of the ISWC 2005 Workshop on Knowledge Markup and Semantic Annotation (Semannot'2005)* (2005)
88. Gemmell, J., Schimoler, T., Mobasher, B., Burke, R.: Hybrid tag recommendation for social annotation systems. In: *Proceedings of the 19th ACM International Conference on Information and Knowledge Management, CIKM '10*, pp. 829–838. ACM, New York (2010). ISBN 978-1-4503-0099-5
89. Ghosh, J.K.: Probabilistic networks and expert systems: exact computational methods for bayesian networks by Robert G. Cowell, A. Philip Dawid, Steffen I. Lauritzen, David J. Spiegelhalter. *Int. Stat. Rev.* **76**(2), 306–307 (2008). ISSN 1751-5823
90. Gloor, P.A.: *Swarm Creativity: Competitive Advantage Through Collaborative Innovation Networks*. Oxford University Press (2005)
91. Gómez-Pérez, J.M., García-Cuesta, E., Garrido, A., Ruiz, J.E., Zhao, J., Klyne, G.: The Semantic Web—ISWC 2013: 12th International Semantic Web Conference, Sydney, NSW, Australia, October 21–25, 2013, *Proceedings, Part II, chapter When History Matters—Assessing Reliability for the Reuse of Scientific Workflows*, pp. 81–97. Springer, Berlin (2013). ISBN 978-3-642-41338-4. doi:10.1007/978-3-642-41338-4_6
92. Görlitz, O., Thimm, M., Staab, S.: Splodge: systematic generation of sparql benchmark queries for linked open data. In: *Proceedings of the ISWC 2012*, pp. 116–132. Springer (2012)
93. Grau, B.C., Stoilos, G.: What to ask to an incomplete semantic web reasoner? In: *IJCAI*, pp. 2226–2231 (2011)
94. Gruhl, D., Nagarajan, M., Pieper, J., Robson, C., Sheth, A.: Context and domain knowledge enhanced entity spotting in informal text. In: *Proceedings of the 8th International Semantic Web Conference, ISWC '09*, pp. 260–276. Springer, Berlin (2009). ISBN 978-3-642-04929-3
95. Guarino, N., Welty, C.: An overview of OntoClean. In: Staab, S., Studer, R. (eds.) *Handbook on Ontologies, International Handbooks on Information Systems*, pp. 201–220. Springer, Berlin (2009). ISBN 978-3-540-70999-2. doi:10.1007/978-3-540-92673-3_9
96. Guide, S.U.: *Statistical Data and Metadata Exchange Initiative*. <http://sdmx.org/wp-content/uploads/2009/02/sdmx-userguide-version2009-1-71.pdf> (2009)
97. Guo, Y., Pan, Z., Heflin, J.: Lubm: a benchmark for owl knowledge base systems. *Web Seman.: Sci. Serv. Agents. World Wide Web* **3**(2), 158–182 (2005)
98. Gutierrez-Cuellar, J., Gomez-Perez, J.M.: Havas 18 lab: a knowledge graph for innovation in the media industry. In: *Proceedings of the 13th International Semantic Web Conference (ISWC 2014)*. Springer (2014)

99. Hahn, U., Schulz, S.: Towards a broad-coverage biomedical ontology based on description logics. In: Pacific Symposium on Biocomputing, pp. 577–588 (2003)
100. Hahn, V.: Turning informal thesauri into formal ontologies: a feasibility study on biomedical knowledge re-use. *Comp. Funct. Genomics* **4**, 94–97(4) (2003). doi:10.1002/cfg.247. <http://www.ingentaconnect.com/content/jws/cfg/2003/00000004/00000001/art00247>
101. Hakkarainen, S., Hella, L., Strasunskas, D., Tuxen, S.: A semantic transformation approach for ISO 15926. In: Proceedings of the OIS 2006 First International Workshop on Ontologizing Industrial Standards (2006)
102. Hales, B., Pronovost, P.: The checklist a tool for error management and performance improvement. *J. Crit. Care* **21**(3), 231–235 (2006). ISSN 08839441. doi:10.1016/j.jccr.2006.06.002
103. Hassanali, K.-N., Hatzivassiloglou, V.: Automatic detection of tags for political blogs. In: Proceedings of the NAACL HLT 2010 Workshop on Computational Linguistics in a World of Social Media, WSA '10, pages 21–22. Association for Computational Linguistics, Stroudsburg, PA, USA (2010). <http://portal.acm.org/citation.cfm?id=1860667.1860678>
104. Hassanzadeh, O., Chiang, F., Miller, R.J., Lee, H.C.: Framework for evaluating clustering algorithms in duplicate detection. *PVLDB* **2**(1), 1282–1293 (2009)
105. Hassanzadeh, O., Pu, K.Q., Yeganeh, S.H., Miller, R.J., Hernandez, M., Popa, L., Ho, H.: Discovering linkage points over web data. *PVLDB* **6**(6), 444–456 (2013)
106. Hassell, J., Aleman-Meza, B., Arpinar, I.B.: Ontology-driven automatic entity disambiguation in unstructured text. In: Proceedings of the 5th International Conference on the Semantic Web, ISWC'06, pp. 44–57. Springer, Berlin (2006). ISBN 3-540-49029-9, 978-3-540-49029-6
107. Hausenblas, M.: The Statistical Core Vocabulary. <http://sw.joanneum.at/scovo/schema.html>
108. He, H., Garcia, E.A.: Learning from imbalanced data. *IEEE Trans. Knowl. Data Eng.* **21**(9), 1263–1284 (2009). ISSN 1041-4347
109. Heath, T., Bizer, C.: Linked Data: Evolving the Web into a Global Data Space, vol. 1. Morgan & Claypool (2011). <http://linkeddatabook.com/>
110. Heino, N., Pan, J.Z.: RDFS reasoning on massively parallel hardware. In: Proceedings of ISWC2012
111. Hellmann, S., Lehmann, J., Auer, S.: Learning of OWL class descriptions on very large knowledge bases. *Int. J. Seman. Web Inf. Syst. (IJSWIS)* **5**(2), 25–48 (2009)
112. Hepp, M.: Products and services ontologies: a methodology for deriving owl ontologies from industrial categorization standards. *Int. J. Seman. Web Inf. Syst.* **2**(1), 72–99 (2006)
113. Hepp, M.: Possible ontologies: how reality constrains the development of relevant ontologies. *IEEE Internet Comput.* **11**(1), 90–96 (2007)
114. Hepp, M.: GoodRelations Ontology. <http://purl.org/goodrelations/v1> (2011)
115. Hepp, M., de Bruijn, J.: GenTax: a generic methodology for deriving OWL and RDF-S ontologies from hierarchical classifications, thesauri, and inconsistent taxonomies. In: Proceedings of the 4th European Semantic Web Conference (ESWC2007). Springer (2007)
116. Hoffart, J., Suchanek, F., Berberich, K., Weikum, G.: Yago2: a spatially and temporally enhanced knowledge base from wikipedia. *Artif. Intell.* (2012). <https://mpi-inf.mpg.de/yago-naga/yago/publications/aij.pdf>
117. Hoffart, J., Yosef, M.A., Bordino, I., Fürstenau, H., Pinkal, M., Spaniol, M., Taneva, B., Thater, S., Weikum, G.: Robust disambiguation of named entities in text. In: Proceedings of the Conference on Empirical Methods in Natural Language Processing, EMNLP '11, pp. 782–792. Association for Computational Linguistics, Stroudsburg, PA, USA (2011). ISBN 978-1-937284-11-4
118. Hogan, A., Harth, A., Passant, A., Decker, S., Polleres, A.: Weaving the pedantic web. In: Linked Data on the Web Workshop (LDOW2010) at WWW'2010 (2010)
119. Holst, T.: Structural analysis of unknown rdf datasets via sparql endpoints. <http://www.inf.fu-berlin.de/inst-ag-se/theses/Holst13-RDF-structure.pdf> (2013)
120. Horrocks, I., Kutz, O., Sattler, U.: The even more irresistible SROIQ. In: KR 2006 (2006)
121. Horrocks, I., Patel-Schneider, P.: KR and reasoning on the semantic web: OWL. In: Handbook of Semantic Web Technologies, pp. 365–398. Springer, Berlin (2011). ISBN 978-3-540-92912-3

122. Hyland, B., Wood, D.: The joy of data—a cookbook for publishing linked government data on the web. In: *Linking Government Data*, pp. 3–26. Springer (2011)
123. Hyvönen, E., Viljanen, K., Tuominen, J., Seppälä, K.: Building a national semantic web ontology and ontology service infrastructure—the finnto approach. In: *ESWC*, pp. 95–109 (2008)
124. Isaac, A.: *SKOS Simple Knowledge Organization System Primer*. <http://www.w3.org/TR/skos-primer> (2009)
125. Ji, Q., Gao, Z., Huang, Z.: Reasoning with noisy semantic data. In: *Proceedings of the 8th Extended Semantic Web Conference on the Semantic Web: Research and Applications—Volume Part II, ESWC’11*, pp. 497–502. Springer, Berlin (2011). ISBN 978-3-642-21063-1
126. Kalyanpur, A., Boguraev, B., Patwardhan, S., Murdock, J.W., Lally, A., Welty, C., Prager, J.M., Coppola, B., Fokoue-Nkoutche, A., Zhang, L., Pan, Y., Qiu, Z.: Structured data and inference in deepqa. *IBM J. Res. Dev.* **56**(3), 10 (2012). doi:[10.1147/JRD.2012.2188737](https://doi.org/10.1147/JRD.2012.2188737)
127. Kalyanpur, A., Boguraev, B.K., Patwardhan, S., Murdock, J.W., Lally, A., Welty, C., Prager, J.M., Coppola, B., Fokoue-Nkoutche, A., Zhang, L., et al.: Structured data and inference in deepqa. *IBM J. Res. Dev.* **56**(3.4), 1–10 (2012)
128. Keet, C.M., Fernández-Reyes, F.C., Morales-González, A.: Representing mereotopological relations in OWL ontologies with OntoPartS. In: Simperl, E. et al. (eds.) *Proceedings of the 9th Extended Semantic Web Conference (ESWC’12)*, volume in print of LNCS. Springer (2012). <http://www.meteck.org/files/OntoPartSESWC12.pdf>
129. Keet, C.M., Khan, M.T., Ghidini, C.: Ontology authoring with forza. In: He, Q., Iyengar, A., Nejdil, W., Pei, J., Rastogi, R. (eds.) *CIKM*, pp. 569–578. ACM (2013). ISBN 978-1-4503-2263-8. <http://dblp.uni-trier.de/db/conf/cikm/cikm2013.html#KeetKG13>
130. Kersting, K., De Raedt, L.: Towards combining inductive logic programming with Bayesian networks. In: *Inductive Logic Programming*, volume 2157 of *Lecture Notes in Computer Science*, pp. 118–131. Springer, Berlin (2001). ISBN 978-3-540-42538-0. doi:[10.1007/3-540-44797-0_10](https://doi.org/10.1007/3-540-44797-0_10)
131. Kim, J.-D., Cohen, K.: Natural language query processing for sparql generation: a prototype system for SNOMED-CT. In: *Proceedings of the BioLINK SIG*, pp. 32–38 (2013). http://biolinksig.org/proceedings/2013/biolinksig2013_Kim_Cohen.pdf
132. Kimball, R., Caserta, J.: *The Data Warehouse ETL Toolkit: Practical Techniques for Extracting*. Wiley, Cleanin (2004). ISBN 0764567578
133. Kleb, J., Abecker, A.: Entity reference resolution via spreading activation on rdf-graphs. In: *Proceedings of the 7th International Conference on the Semantic Web: Research and Applications—Volume Part I, ESWC’10*, pp. 152–166. Springer, Berlin (2010). ISBN 3-642-13485-8, 978-3-642-13485-2
134. Kleinberg, J.M.: Authoritative sources in a hyperlinked environment. *J. ACM* **46**(5), 604–632 (1999). ISSN 0004-5411. doi:[10.1145/324133.324140](https://doi.org/10.1145/324133.324140)
135. Kolas, D.: A benchmark for spatial semantic web systems. In: *International Workshop on Scalable Semantic Web Knowledge Base Systems* (2008)
136. Koller, D., Friedman, N.: *Probabilistic Graphical Models: Principles and Techniques—Adaptive Computation and Machine Learning*. The MIT Press (2009). ISBN 0262013193, 9780262013192
137. Koller, D., Levy, A., Pfeffer, A.: P-CLASSIC: a tractable probabilistic description logic. In: *Proceedings of the Fourteenth National Conference on Artificial Intelligence and Ninth Conference on Innovative Applications of Artificial Intelligence, AAAI’97/IAAI’97*, pp. 390–397. AAAI Press (1997). ISBN 0-262-51095-2
138. Kotis, K., Vouros, A.: Human-centered ontology engineering: the HCOME methodology. *Knowl. Inf. Syst.* **10**(1), 109–131 (2006). ISSN 0219-1377
139. Lauser, B., Sini, M.: From agrovoc to the agricultural ontology service/concept server: an owl model for creating ontologies in the agricultural domain. In: *DCMI ’06: Proceedings of the 2006 International Conference on Dublin Core and Metadata Applications*, pp. 76–88. Dublin Core Metadata Initiative (2006). ISBN 970-692-268-7

140. Lehmann, J.: Learning OWL Class Expressions. Ph.D. thesis, University of Leipzig (2010). Ph.D. in Computer Science, supervisors: Prof. Klaus-Peter Fährnich, Dr. Sören Auer
141. Lehmann, J., Auer, S., Bühmann, L., Tramp, S.: Class expression learning for ontology engineering. *J. Web Semant.* **9**, 71–81 (2011)
142. Lehmann, J., Hitzler, P.: A refinement operator based learning algorithm for the ALC description logic. In: Proceedings of the 17th International Conference on Inductive Logic Programming, ILP'07, pp. 147–160. Springer, Berlin (2008). ISBN 3-540-78468-3, 978-3-540-78468-5
143. Lehmann, J., Hitzler, P.: Concept learning in description logics using refinement operators. *Mach. Learn.* **78**(1–2), 203–250 (2010). ISSN 0885-6125
144. Lenzerini, M.: Data integration: a theoretical perspective. In: Proceedings of the Twenty-First ACM SIGMOD-SIGACT-SIGART Symposium on Principles of Database Systems, PODS '02, pp. 233–246. ACM, New York, NY, USA (2002). ISBN 1-58113-507-6. doi:[10.1145/543613.543644](https://doi.org/10.1145/543613.543644)
145. Li, N., Motta, E.: Evaluations of user-driven ontology summarization. In: Cimiano, P., Pinto, H.S. (eds.) EKAW, volume 6317 of Lecture Notes in Computer Science, pp. 544–553. Springer (2010). ISBN 978-3-642-16437-8. <http://dblp.uni-trier.de/db/conf/ekaw/ekaw2010.html#LiM10>
146. Liu, K., Fang, B., Zhang, W.: Ontology emergence from folksonomies. In: Proceedings of the 19th ACM International Conference on Information and Knowledge Management, CIKM '10, pp. 1109–1118. ACM, New York, NY, USA (2010). ISBN 978-1-4503-0099-5. doi:[10.1145/1871437.1871578](https://doi.org/10.1145/1871437.1871578)
147. Liu, T.-Y.: Learning to Rank for Information Retrieval. Springer (2011)
148. Lopez, V., Fernandez, M., Motta, E., Stielor, N.: Poweraqua: supporting users in querying and exploring the semantic web. In: Semantic Web—Interoperability, Usability, Applicability (2011)
149. Lopez, V., Uren, V., Motta, E., Pasin, M.: Aqualog: an ontology-driven question answering system for organizational semantic intranets. *Web Semant.* **5**(2), 72–105 (2007). ISSN 1570-8268. doi:[10.1016/j.websem.2007.03.003](https://doi.org/10.1016/j.websem.2007.03.003)
150. Jarrar, M., Meersman, R.: Ontology Engineering—The DOGMA Approach. In: Advances in Web Semantics, Volume I, LNCS 4891 (2004)
151. Ma, L., Yang, Y., Qiu, Z., Xie, G., Pan, Y., Liu, S.: Towards a complete owl ontology benchmark. In: Sure, Y., Domingue, J. (eds.) The Semantic Web: Research and Applications, volume 4011 of Lecture Notes in Computer Science, pp. 125–139. Springer, Berlin (2006). ISBN 978-3-540-34544-2. doi:[10.1007/11762256_12](https://doi.org/10.1007/11762256_12)
152. Maala, M.Z., Delteil, A., Azough, A.: A conversion process from flickr tags to rdf descriptions. In: SAW (2007)
153. Maali, F., Cyganiak, R.: Re-using Cool URIs: Entity Reconciliation Against LOD Hubs. Library (2011). <http://events.linkedata.org/ldow2011/papers/ldow2011-paper11-maali.pdf>
154. Makela, E., Hyvönen, E., Ruotsalo, T.: How to deal with massively heterogeneous cultural heritage data: lessons learned in culturesampo. *Seman. Web* **3**(1), 85–109 (2012). ISSN 1570-0844. doi:[10.3233/SW-2012-0049](https://doi.org/10.3233/SW-2012-0049)
155. Masolo, C., Borgo, S., Gangemi, A., Guarino, N., Oltramari, A.: WonderWeb Deliverable D18 Ontology Library (final). Technical report, IST Project 2001-33052 WonderWeb: Ontology Infrastructure for the Semantic Web (2003)
156. McAfee, A.P.: Enterprise 2.0: the dawn of emergent collaboration. *MIT Sloan. Manage. Rev.* **47**(3), 21–28 (2006)
157. Mendes, P.N., Jakob, M., García-Silva, A., Bizer, C.: Dbpedia spotlight: shedding light on the web of documents. In: Proceedings of the 7th International Conference on Semantic Systems, I-Semantics '11, pp. 1–8. ACM, New York, NY, USA (2011). ISBN 978-1-4503-0621-8
158. D. C. metadata initiative. Dublin Core metadata element set, version 1.1. <http://dublincore.org/documents/dcmi-terms/> (1999)
159. Miles, A., Brickley, D.: SKOS core vocabulary specification. In: W3C Working Draft, World Wide Web Consortium (2005)

160. Milne, D., Witten, I.: An open-source toolkit for mining wikipedia. In: Proceedings of the New Zealand Computer Science Research Student Conference, NZCSRSC, vol. 9 (2009). http://cs.smith.edu/classwiki/images/c/c8/Open_source_mining_wikipedia.pdf
161. Mishne, G.: Autotag: a collaborative approach to automated tag assignment for weblog posts. In: WWW '06: Proceedings of the 15th International Conference on World Wide Web, pp. 953–954. ACM Press, New York, NY, USA (2006). Paper Presented at the Poster Track. <http://2006.org/programme/item.php?id=p11>
162. Mishra, C., Koudas, N., Zuzarte, C.: Generating targeted queries for database testing. In: Proceedings of SIGMOD (2008)
163. Mitchell, T.M.: Machine Learning. McGraw Hill, New York (1997)
164. Mitchell, T.M., Betteridge, J., Carlson, A., Hruschka, E., Wang, R.: Populating the semantic web by macro-reading internet text. In: Proceedings of the 8th International Semantic Web Conference, ISWC '09, pp. 998–1002. Springer, Berlin (2009). ISBN 978-3-642-04929-3. doi:10.1007/978-3-642-04930-9_66
165. Moschitti, A.: Efficient convolution kernels for dependency and constituent syntactic trees. In: Proceedings of the 17th European Conference on Machine Learning (ECML), pp. 318–329. Springer (2006)
166. Moschitti, A., Chu-Carroll, J., Patwardhan, S., Fan, J., Ricciardi, G.: Using syntactic and semantic structural kernels for classifying definition questions in jeopardy! In: Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing, EMNLP 2011, 27–31 July 2011, John McIntyre Conference Centre, Edinburgh, UK, A meeting of SIGDAT, a Special Interest Group of the ACL, pp. 712–724 (2011). <http://www.aclweb.org/anthology/D11-1066>
167. Moschitti, A., Patwardhan, S., Welty, C.: Long-distance time-event relation extraction. In: Sixth International Joint Conference on Natural Language Processing, IJCNLP 2013, Nagoya, Japan, October 14–18, 2013, pp. 1330–1338 (2013). <http://aclweb.org/anthology/I113/I13-1189.pdf>
168. Moschitti, A., Quarteroni, S.: Kernels on linguistic structures for answer extraction. In: ACL (2008)
169. Moschitti, A., Quarteroni, S.: Linguistic kernels for answer re-ranking in question answering systems. *Inf. Process. Manage.* **47**(6), 825–842 (2011). doi:10.1016/j.ipm.2010.06.002
170. Moschitti, A., Quarteroni, S., Basili, R., Manandhar, S.: Exploiting syntactic and shallow semantic kernels for question answer classification. In: Proceedings of ACL-07, pp. 776–783 (2007)
171. Motik, B., Grau, B.C., Horrocks, I., Wu, Z., Fokoue, A., Lutz, C.: Owl 2 web ontology language profiles. W3C Recommendation, 27 October 2009. <http://www.w3.org/TR/owl2-profiles/>
172. Murdock, J., Kalyanpur, A., Welty, C., Fan, J., Ferrucci, D., Gondek, D., Zhang, L., Kanayama, H.: Typing candidate answers using type coercion. *IBM J. Res. Dev.* **56**(3.4):7–1 (2012). <http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=6177730&isnumber=6177717>
173. Neapolitan, R.E.: Learning Bayesian Networks. Prentice-Hall Inc., Upper Saddle River (2003)
174. Nešić, S., Crestani, F., Jazayeri, M., Gašević, D.: Concept-based semantic annotation, indexing and retrieval of office-like document units. In: Adaptivity, Personalization and Fusion of Heterogeneous Information, RIAO '10, pp. 134–135, Paris, France (2010). <http://portal.acm.org/citation.cfm?id=1937055.1937088>
175. Ngomo, A.-C.N., Auer, S.: Limes—a time-efficient approach for large-scale link discovery on the web of data (2011)
176. Nguyen, H.H., Beel, D.E., Webster, G., Mellish, C., Pan, J.Z., Wallace, C.: CURIOS mobile: linked data exploitation for tourist mobile apps in rural areas. In: Semantic Technology—4th Joint International Conference, JIST 2014, pp. 129–145 (2014). doi:10.1007/978-3-319-15615-6_10
177. Nguyen, H.H., Taylor, S., Webster, G., Jekjantuk, N., Mellish, C., Pan, J.Z., ap Rheinallt, T.: CURIOS: web-based presentation and management of linked datasets. In: Proceedings of the ISWC 2014 Posters & Demonstrations Track a track within the 13th International Semantic

- Web Conference, ISWC 2014, Riva del Garda, Italy, October 21, 2014, pp. 249–252 (2014). http://ceur-ws.org/Vol-1272/paper_29.pdf
178. Nguyen, H.H., Taylor, S., Webster, G., Jekjantuk, N., Mellish, C., Pan, J.Z., ap Rheinallt, T., Byrne, K.: A lightweight treatment of inexact dates. In: Semantic Technology—4th Joint International Conference, JIST 2014, Chiang Mai, Thailand, November 9–11, 2014. Revised Selected Papers, pp. 187–193 (2014). doi:[10.1007/978-3-319-15615-6_14](https://doi.org/10.1007/978-3-319-15615-6_14)
 179. Niepert, M., Noessner, J., Stuckenschmidt, H.: Log-linear description logics. In: Proceedings of the Twenty-Second International Joint Conference on Artificial Intelligence—Volume Three, IJCAI'11, pp. 2153–2158. AAAI Press (2011). ISBN 978-1-57735-515-1
 180. Nikolov, A., dAquin, M.: Identifying Relevant Sources for Data Linking using a Semantic Web Index. Search (2011). http://wrlab.um.ac.ir/parameters/wrlab/filemanager/LD_resources/LDOW2011/ldow2011-paper10.pdf
 181. Novalija, I., Mladenic, D., Bradesko, L.: Ontoplus: text-driven ontology extension using ontology content, structure and co-occurrence information. *Knowl.-Based Syst.* **24**(8), 1261–1276 (2011). <http://dblp.uni-trier.de/db/journals/kbs/kbs24.html#NovalijaMB11>
 182. Oliveira, B., Calado, P., Pinto, H.S.: Automatic tag suggestion based on resource contents. In: Proceedings of the 16th International Conference on Knowledge Engineering: Practice and Patterns, EKAW '08, pp. 255–264. Springer, Berlin (2008). ISBN 978-3-540-87695-3. doi:[10.1007/978-3-540-87696-0_23](https://doi.org/10.1007/978-3-540-87696-0_23)
 183. Palmer, S.R., Felsing, M.: A Practical Guide to Feature-Driven Development. Pearson Education (2001)
 184. Pan, J.Z.: Description Logics: Reasoning Support for the Semantic Web. Ph.D. thesis, School of Computer Science, The University of Manchester, Oxford Rd, Manchester M13 9PL, UK (2004)
 185. Pan, J.Z., Ren, Y., Wu, H., Zhu, M.: Query generation for semantic datasets. In: Proceedings of the Seventh International Conference on Knowledge Capture, pp. 113–116. ACM (2013)
 186. Pan, J.Z., Thomas, E., Ren, Y., Taylor, S.: Tractable fuzzy and crisp reasoning in ontology applications. *IEEE Comput. Intell. Mag* (2012)
 187. Parsia, B., Patel-Schneider, P.F.: Owl 2 web ontology language primer. W3C Working Draft, 11 April 2008. <http://www.w3.org/TR/2008/WD-owl2-primer-20080411>. Accessed 23 June 2008
 188. Penela, V., Álvaro, G., Ruiz, C., Córdoba, C., Carbone, F., Castagnone, M., Gómez-Pérez, J.M., Contreras, J.: miKrow: semantic intra-enterprise micro-knowledge management system. In: The Semantic Web: Research and Applications, pp. 154–168. Springer (2011)
 189. Phillips, A., Davis, M.: Tags for Identifying Languages. <http://tools.ietf.org/html/bcp47> (2009)
 190. Prudhommeaux, E., Carothers, G.: RDF 1.1 Turtle: Terse RDF Triple Language. <http://www.w3.org/TR/turtle/> (2014)
 191. Prud'hommeaux, E., Seaborne, A.: Sparql query language for rdf. W3C Recommendation, 15 January 2008. <http://www.w3.org/TR/rdf-sparql-query/>
 192. Prud'hommeaux, E., Seaborne, A.: SPARQL Query Language for RDF. W3C Recommendation (2008). <http://www.w3.org/TR/rdf-sparql-query/>
 193. Pudota, N., Dattolo, A., Baruzzo, A., Ferrara, F., Tasso, C.: Automatic keyphrase extraction and ontology mining for content-based tag recommendation. *Int. J. Intell. Syst.* **25**(12), 1158–1186 (2010). ISSN 1098-111X. doi:[10.1002/int.20448](https://doi.org/10.1002/int.20448)
 194. Quillian, M.R.: Word concepts: a theory and simulation of some basic semantic capabilities. *Behav. Sci.* **12**(5), 410–430 (1967)
 195. Quillian, M.R.: Semantic memory. In: Minsky, M. (ed.) *Semantic Information Processing*, pp. 227–270. MIT Press (1968)
 196. Quinlan, J., Cameron-Jones, R.: Foil: A midterm report. In: *Machine Learning: ECML-93*, pp. 1–20. Springer (1993)
 197. Rahm, E., Bernstein, P.A.: A survey of approaches to automatic schema matching. *VLDB J.* **10**(4), 334–350 (2001). ISSN 1066-8888. doi:[10.1007/s007780100057](https://doi.org/10.1007/s007780100057)

198. Rajput, Q., Haider, S.: BNOSA: A Bayesian network and ontology based semantic annotation framework. *Web Seman.: Sci. Serv. Agents World Wide Web* **9**(2), 99–112 (2011). ISSN 1570-8268. Provenance in the Semantic Web
199. Rector, A., Drummond, N., Horridge, M., Rogers, J., Knublauch, H., Stevens, R., Wang, H., Wroe, C.: Owl pizzas: practical experience of teaching owl-dl: common errors & common patterns. In: *Engineering Knowledge in the Age of the Semantic Web*. Springer (2004)
200. Ren, Y., Parvizi, A., Mellish, C., Pan, J.Z., van Deemter, K., Stevens, R.: Towards competency question-driven ontology authoring. In: *Proceedings of 11th Conference on Extended Semantic Web Conference (ESWC 2014)* (2014)
201. Reynolds, D.: The Organization Ontology. <http://www.w3.org/TR/vocab-org/> (2014)
202. Rivero, C.R., Schultz, A., Bizer, C., Ruiz, D.: Benchmarking the performance of linked data translation systems. In: *LDOw, Citeseer* (2012)
203. Rusu, D., Fortuna, B., Mladenic, D.: Automatically annotating text with linked open data. In: Bizer, C., Heath, T., Berners-Lee, T., Hausenblas, M. (eds.) *LDOw*, volume 813 of *CEUR Workshop Proceedings*. CEUR-WS.org (2011)
204. Sauer mann, L.: Pimo-a pim ontology for the semantic desktop (draft). Draft, DFKI (2006). <http://www.dfki.uni-kl.de/~sauer mann/2006/01-pimo-report/pimOntologyLanguageReport.html>
205. Sauer mann, L., Cyganiak, R., Ayers, D., Volkel, M.: Cool URIs for the semantic web. Interest Group Note 20080331, W3C. Web page (2008). <http://www.w3.org/TR/2008/NOTE-cooluris-20080331/>
206. Sawant, U., Chakrabarti, S.: Learning joint query interpretation and response ranking. In: *Proceedings of the 22Nd International Conference on World Wide Web, WWW '13*, pp. 1099–1110. International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, Switzerland, 2013. ISBN 978-1-4503-2035-1. <http://dl.acm.org/citation.cfm?id=2488388.2488484>
207. Schmidt, M., Görlitz, O., Haase, P., Ladwig, G., Schwarte, A., Tran, T.: Fedbench: a benchmark suite for federated semantic data query processing. In: *The Semantic Web–ISWC 2011*, pp. 585–600. Springer (2011)
208. Severyn, A., Moschitti, A.: Structural relationships for large-scale learning of answer re-ranking. In: *Proceedings of the 35th International ACM SIGIR Conference on Research and Development in Information Retrieval, SIGIR '12*, pp. 741–750. ACM, New York (2012). ISBN 978-1-4503-1472-5. doi:10.1145/2348283.2348383
209. Severyn, A., Moschitti, A.: Automatic feature engineering for answer selection and extraction. In: *EMNLP* (2013). http://www.researchgate.net/publication/256708662_Automatic_Feature_Engineering_for_Answer_Selection_and_Extraction/file/72e7e523ac69841c9e.pdf
210. Severyn, A., Nicosia, M., Moschitti, A.: Building structures from classifiers for passage reranking. In: *22nd ACM International Conference on Information and Knowledge Management, CIKM'13*, San Francisco, CA, USA, October 27–November 1, 2013, pp. 969–978 (2013). doi:10.1145/2505515.2505688
211. Severyn, A., Nicosia, M., Moschitti, A.: Learning adaptable patterns for passage reranking. *CoNLL* (2013)
212. Severyn, A., Nicosia, M., Moschitti, A.: Learning semantic textual similarity with structural representations. In: *Proceedings of the 51st Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pp. 714–718. Association for Computational Linguistics, Sofia, Bulgaria, August 2013. <http://www.aclweb.org/anthology/P13-2125>
213. Shearer, R., Motik, B., Horrocks, I.: Hermit: a highly-efficient OWL reasoner. In: Dolbear, C., Ruttenberg, A., Sattler, U. (eds.) *OWLED 2008*, volume 432 of *CEUR Workshop Proceedings*. CEUR-WS.org (2008). <http://dblp.uni-trier.de/db/conf/owled/owled2008.html#ShearerMH08>
214. Shekarpour, S., Ngomo, A.-C.N., Auer, S.: Question answering on interlinked data. In: *WWW*, pp. 1145–1156 (2013)
215. Sibera ski, W., Pan, J.Z., Thaden, U.: Querying the semantic web with preferences. In: *Proceedings of ISWC2006*

216. Sirin, E., Parsia, B., Grau, B., Kalyanpur, A., Katz, Y.: Pellet: a practical OWL-DL reasoner. *J. Web Seman.* **5**(2), 51–53 (2007). ISSN 1570-8268. http://apps.isiknowledge.com.proxy.library.ucsb.edu:2048/full_record.do?product=WOS&search_mode=GeneralSearch&qid=11&SID=4CIAPHkFckJgGHMNI5N&page=1&doc=2
217. Slutz, D.: Massive stochastic testing of SQL. In: VLDB, pp. 618–622 (1998)
218. Soergel, D., Lauser, B., Liang, A., Fisseha, F., Keizer, J., Katz, S.: Reengineering thesauri for new applications: the agrovoc example. *J. Digit. Inf.* **4**(4) (2004)
219. Spackman, K.: Managing clinical terminology hierarchies using algorithmic calculation of subsumption: experience with SNOMED-RT. *JAMIA* (2000)
220. Sporny, M., Kellogg, G., Lanthaler, M.: JSON-LD 1.0. <http://www.w3.org/TR/json-ld/> (2014)
221. Steigmillera, A., Liebig, T., Glimma, B.: Konclude: system description (2013)
222. Stevens, A.: The most popular trends in cognitive computing. Web page (2016). <https://www.ibm.com/blogs/watson/2016/05/popular-trends-cognitive-computing/>
223. Stojanovic, L., Stojanovic, N., Volz, R.: A reverse engineering approach for migrating data-intensive web sites to the semantic web. In: Proceedings of the Conference on Intelligent Information Processing (2002)
224. Suárez-Figueroa, M.C.: NeOn Methodology for Building Ontology Networks: Specification, Scheduling and Reuse. Ph.D. thesis, Facultad de Informática, Universidad Politécnica de Madrid, Madrid, Spain (2010)
225. Suarez-Figueroa, M.C., Gómez-Pérez, A.: NeOn Methodology for Building Ontology Networks: a Scenario-based Methodology. In: (S3T 2009) (2009)
226. Suárez-Figueroa, M.C., Gómez-Pérez, A., Motta, E., Gangemi, A.: *Ontology Engineering in a Networked World*. Springer Science & Business Media (2012)
227. Suchanek, F.M., Kasneci, G., Weikum, G.: Yago: a core of semantic knowledge. In: 16th International World Wide Web Conference (WWW). ACM Press, New York (2007)
228. Suchanek, F.M., Sozio, M., Weikum, G.: SOFIE: a self-organizing framework for information extraction. In: Proceedings of the 18th International Conference on World Wide Web, WWW 2009, Madrid, Spain, April 20–24, 2009, pp. 631–640 (2009). doi:10.1145/1526709.1526794
229. Tatu, M., Srikanth, M., D’Silva, T.: Tag recommendations using bookmark content. In: Proceedings of ECML PKDD Discovery Challenge (RSDC08), pp. 96–107 (2008)
230. Tenenbaum, L., Shapira, B., Shoval, P.: Ontology-based classification of news in an electronic newspaper. In: Proceedings of INFOS 2008, Varna, Bulgaria, pp. 89–97 (2008)
231. Thomas, E., Pan, J.Z., Ren, Y.: TrOWL: Tractable OWL 2 Reasoning Infrastructure. In: The Proceedings of the Extended Semantic Web Conference (ESWC2010) (2010)
232. Tran, T., Wang, H., Rudolph, S., Cimiano, P.: Top-k exploration of query candidates for efficient keyword search on graph-shaped (rdf) data. In: ICDE, pp. 405–416 (2009). ISBN 978-0-7695-3545-6. doi:10.1109/ICDE.2009.119
233. Tsarkov, D., Horrocks. I.: FaCT++ Description logic reasoner: system description. In: Proceedings of the International Joint Conference on Automated Reasoning (IJCAR 2006), volume 4130 of *Lecture Notes in Artificial Intelligence*, pp. 292–297. Springer (2006)
234. Tymoshenko, K., Moschitti, A., Severyn, A.: Encoding semantic resources in syntactic structures for passage reranking. In: Proceedings of the 14th Conference of the European Chapter of the Association for Computational Linguistics, pp. 664–672. Association for Computational Linguistics, Gothenburg, Sweden (2014). <http://www.aclweb.org/anthology/E14-1070>
235. Unger, C., Bühmann, L., Lehmann, J., Ngomo, A.-C.N., Gerber, D., Cimiano, P.: Template-based question answering over RDF data. In: Proceedings of the 21st international conference on World Wide Web, pp. 639–648 (2012). http://jens-lehmann.org/files/2012/tbsl_www.pdf
236. Unger, C., Cimiano, P.: Pythia: compositional meaning construction for ontology-based question answering on the semantic web. In: Proceedings of the 16th International Conference on Natural Language Processing and Information Systems, NLDB’11, pp. 153–160. Springer, Berlin (2011). ISBN 978-3-642-22326-6. <http://dl.acm.org/citation.cfm?id=2026011.2026028>
237. Uschold, M., Gruninger, M., et al.: *Ontologies: principles, methods and applications*. *Knowl. Eng. Rev.* **11**(2), 93–136 (1996)

238. van Assem, M., Gangemi, A., Schreiber, G.: Conversion of WordNet to a standard RDF/OWL representation. In: Proceedings of the Fifth International Conference on Language Resources and Evaluation (LREC'06), Genoa, Italy (2006)
239. van Assem, M., Malaisé, V., Miles, A., Schreiber, G.: A method to convert Thesauri to SKOS. In: The Semantic Web: Research and Applications, pp. 95–109 (2006). doi:[10.1007/11762256_10](https://doi.org/10.1007/11762256_10)
240. van Assem, M., Menken, M., Schreiber, G., Wielemaker, J.: A method for converting thesauri to RDF/OWL. In: Proceedings of the Third International Semantic Web Conference (ISWC). Springer (2004)
241. Verborgh, R., Hartig, O., De Meester, B., Haesendonck, G., De Vocht, L., Vander Sande, M., Cyganiak, R., Colpaert, P., Mannens, E., Van de Walle, R.: Querying datasets on the web with high availability. In: The Semantic Web–ISWC 2014, pp. 180–196. Springer (2014)
242. Vetere, G., Lenzerini, M.: Models for semantic interoperability in service-oriented architectures. *IBM Syst. J.* **44**(4), 887–904 (2005). doi:[10.1147/sj.444.0887](https://doi.org/10.1147/sj.444.0887)
243. Vila-Suero, D., Villazón-Terrazas, B., Gómez-Pérez, A.: datos.bne.es: a library linked dataset. *Seman. Web* **4**(3), 307–313 (2013). doi:[10.3233/SW-120094](https://doi.org/10.3233/SW-120094)
244. Villazón-Terrazas, B., Suárez-Figueroa, M.C., Gómez-Pérez, A.: A pattern-based method for re-engineering non-ontological resources into ontologies. *Int. J. Seman. Web Inform. Syst.* **6**(4), 27–63 (2010)
245. Villazón-Terrazas, B., Vilches-Blázquez, L.M., Corcho, O., Gómez-Pérez, A.: Methodological guidelines for publishing government linked data. In: Linking Government Data, pp. 27–49. Springer (2011)
246. Villazón-Terrazas, B.M.: A Method for Reusing and Re-engineering Non-ontological Resources for Building Ontologies, vol. 12. IOS Press (2012)
247. Völker, J., Niepert, M.: Statistical schema induction. *Seman. Web Res, Appl* (2011)
248. Vrandečić, D., Pinto, H.S., Sure, Y., Tempich, C.: The DILIGENT knowledge processes. *J. Knowl. Manage.* **9**(5), 85–96 (2005). http://www.aifb.uni-karlsruhe.de/WBS/ysu/publications/2005_kmjournal_diligent.pdf
249. Wang, W., Barnaghi, P., Bargiela, A.: Probabilistic topic models for learning terminological ontologies. *IEEE Trans. Knowl. Data Eng.* **22**, 1028–1040 (2010)
250. Webster, G., Nguyen, H.H., Beel, D.E., Mellish, C., Wallace, C.D., Pan, J.Z.: CURIOS: connecting community heritage through linked data. In: Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work and Social Computing, CSCW 2015, Vancouver, BC, Canada, 14–18 March 2015, pp. 639–648 (2015). doi:[10.1145/2675133.2675247](https://doi.org/10.1145/2675133.2675247)
251. Welty, C.A.: OntOWLClean: cleaning OWL ontologies with OWL. In: Bennett, B., Fellbaum, C. (eds.) FOIS, volume 150 of Frontiers in Artificial Intelligence and Applications, pp. 347–359. IOS Press (2006). ISBN 978-1-58603-685-0. <http://dblp.uni-trier.de/db/conf/fois/fois2006.html#Welty06>
252. Wielinga, B., Schreiber, A.T., Wielemaker, J., Sandberg, J.: From thesaurus to ontology. In: K-CAP '01: Proceedings of the 1st International Conference on Knowledge Capture, pp. 194–201. ACM Press, New York (2001). ISBN 1581133804. doi:[10.1145/500737.500767](https://doi.org/10.1145/500737.500767). <http://portal.acm.org/citation.cfm?id=500767>
253. Wu, H., Qu, Y.: Understanding semantic web entity: concept space based summarization method. *J. Southeast Univ.* **39**(4), 723–727 (2009)
254. Wu, H., Villazon-Terrazas, B., Pan, J.Z., Gomez-Perez, J.M.: Exploiting semantic web datasets: a graph pattern based approach. In: Proceedings of the Eighth Chinese Semantic Web and Web Science Conference, CCIS, pp. 167–173. Springer (2014)
255. Xia, F., Liu, T.-Y., Wang, J., Zhang, W., Li, H.: Listwise approach to learning to rank: theory and algorithm. In: Proceedings of the 25th International Conference on Machine Learning, ICML '08, pp. 1192–1199. ACM, New York (2008). ISBN 978-1-60558-205-4. doi:[10.1145/1390156.1390306](https://doi.org/10.1145/1390156.1390306)

256. Yang, Y., Calmet, J.: OntoBayes: an ontology-driven uncertainty model. In: Proceedings of the International Conference on Computational Intelligence for Modelling, Control and Automation and International Conference on Intelligent Agents, Web Technologies and Internet Commerce Vol-1 (CIMCA-IAWTIC'06)—Volume 01, CIMCA '05, pp. 457–463. IEEE Computer Society, Washington, DC (2005). ISBN 0-7695-2504-0-01
257. Zavitsanos, E., Paliouras, G., Vouros, G.A., Petridis, S.: Learning subsumption hierarchies of ontology concepts from texts. *Web Intell. Agent Syst.* **8**(1), 37–51 (2010). <http://dblp.uni-trier.de/db/journals/wias/wias8.html#ZavitsanosPVP10>
258. Zhang, X., Cheng, G., Qu, Y.: Ontology summarization based on rdf sentence graph. In: Williamson, C.L., Zurko, M.E., Patel-Schneider, P.F., Shenoy, P.J. (eds.) WWW, pp. 707–716. ACM (2007). ISBN 978-1-59593-654-7. <http://dblp.uni-trier.de/db/conf/www/www2007.html#ZhangCQ07>
259. Zhang, Z., Nasraoui, O.: Mining search engine query logs for query recommendation. In: Proceedings of WWW2006
260. Zhao, J., Gomez-Perez, J.M., Belhajjame, K., Klyne, G., Garcia-Cuesta, E., Garrido, A., Hettne, K.M., Roos, M., Roure, D.D., Goble, C.A.: Why workflows break—understanding and combating decay in taverna workflows. In: eScience, pp. 1–9. IEEE Computer Society (2012). ISBN 978-1-4673-4467-8
261. Zhou, L.: Ontology learning: state of the art and open issues. *Inf. Technol. Manage.* **8**(3), 241–252 (2007). doi:10.1007/s10799-007-0019-5. <http://www.springerlink.com/content/j4g2211217k00833/>
262. Zhu, M.: DC proposal: ontology learning from noisy linked data. In: Proceedings of the 10th International Conference on the Semantic Web—Volume Part II, ISWC'11, pp. 373–380. Springer, Berlin (2011). ISBN 978-3-642-25092-7
263. Zhu, M., Gao, Z., Pan, J.Z., Zhao, Y., Xu, Y., Quan, Z.: Ontology learning from incomplete semantic web data by BelNet. In: Proceedings of the 2013 IEEE 25th International Conference on Tools with Artificial Intelligence, ICTAI '13, pp. 761–768. IEEE Computer Society, Washington, DC (2013). ISBN 978-1-4799-2971-9

Index

A

ABox, 28, 126
Abstract Reference Architecture, 58
AI, v, 18
Application, 5, 216
Architecture, 58

B

BelNet, 126
BelNet⁺, 128
BigTable, 72

C

Chunking, 185
Competency Questions, 94
Concept Space, 150
CPG, 229
Cultural Heritage, 219
CURIOS, 221

D

Data Cube Vocabulary, 36
Data Curation, 93
Data Lifting, 39
Datatype IRI, 19
DB4O, 72
DeepQA, 196
Description Logics, 3, 26, 66, 103, 126
D2RQ, 48

E

EHR, 232, 245
EKG, 246

Enterprise Knowledge Graph, 53
Entity Description Pattern(EDP), 160
Entity Summary, 79

F

FOAF, 38

G

GoodRelations, 34
Google's Knowledge Graph, 4
Graph Analytics, 80
Graph Pattern, 174
Graph Profiling, 79
Graph Summary, 79
GRDDL, 48

H

HAVAS 18 Innovation Labs, 216
Healthcare, 245, 247

I

IBM Watson, vi, 9, 196, 239
Insightful Queries, 174

J

Jeopardy, vi, 196

K

Knowledge Acquisition and Integration Layer, 58

Knowledge Construction and Maintenance
 Lifecycle, 88
 Knowledge Consumption Layer, 58, 77
 Knowledge Graph, 1, 2, 18, 51
 Knowledge Management, 6
 Knowledge Storage layer, 58
 Knowledge Tagger, 118
 KR, v, 5, 18

L

Lemmatization, 185
 Lexical Form, 19
 Linked Data, 3, 51
 Linked Data Fragments, 73
 LOV, 90

M

MAX, 132
 Media Industry, 216
 MongoDB, 72
 Morph-RDB, 47

N

Named Entity Resolution, 62, 117
 NLP, 183, 231
 NoSQL, 72

O

OBDA, 66, 75, 243
 Ontology, 2, 3, 26, 33, 38, 51, 54, 60, 94, 126
 Ontology Authoring Workflow, 98
 Ontology Learning, 64
 Organisation Ontology, 34
 OWA, 126
 OWL, 2, 3, 26, 51
 OWL 2, 30
 OWL 2 EL, 29
 OWL 2 QL, 29
 OWL 2 RL, 29

P

Part-of-Speech Tagging, 185

Property Graph, 73

Q

QA Pipeline, 202
 Query Generation, 172
 Question Answering, 181

R

RDB2RDF, 40
 RDF, 2, 18
 RDF Serialization, 21
 RDF Stores, 69
 RDF Triples, 18
 RDFS, 23
 Reasoning, 5, 26, 77, 103, 126
 R2RML, 40

S

Schema.org, 38, 248
 Semantic Networks, 3
 Semantic Search, 78
 Sentence Boundary Disambiguation, 185
 SPARQL, 30
SRQLQ, 28
 Stemming, 184

T

TBox, 28, 126
 TBox Learning, 133
 Thematic Scope, 118
 Thematic Scope Resolution, 62
 Tokenisation, 184
 TP, 231
 Triple Store, 69
 Turtle, 21

U

UIMA, 184, 239

V

Virtuoso, 48