
Index

A

- ACE inhibition, 392
- Achievement testing, 329
- Acute and chronic disease, 413
- Acute kidney injury
 - CKD, 383–385
- Add Health study, 181
- Adolescence, 181
 - obesity prevention
 - social influences, 181
 - T2DM
 - bariatric surgery, 213
 - Care Transition into Adult Practice, 214
 - comorbidities, 213, 214
 - diagnosis, 211
 - surveillance, 213
 - transition into, 211
 - treatment, 211–213
- Adolescent and adult CKD, 388
- Adolescent development, 111
 - embodiment, 117
 - Five Cs, 110
 - nutrition impact, 116
 - plasticity, 111
 - prefrontal cortex, 109
 - PYD, 110
 - RDS (*see* Relational developmental systems (RDS))
 - self-governance, 109
 - self-regulatory skills, 110
 - specificity principle, 116
- Adrenarache (adrenal glands)
 - body's energetic resources, 99
 - DHEAS, 98
 - endocrinological event, 98
 - psychological changes, middle childhood, 99
 - role of, 98
- Adult disease
 - CKD, 381–384
 - developmental origins, nutrition, 438–439
- Adult independence
 - cognitive, linguistic, social and behavioral abilities, 244
 - early intervention services, 244
 - individuals IQ performance, 247
 - low- to middle-functioning individuals, 247
 - outcome criteria, 244
 - predictors, 249–251
 - review of studies, 244–246
- Adulthood hypertension, 381
- Adverse Childhood Experiences (ACE) Study, 282, 283, 557, 631
- Adversity
 - biobehavioral systems, 1
 - brain development, 79–80
 - chromatin modification, 75
 - diseases and health conditions, 11
 - epigenetics, 76, 78, 79
 - gene expression, 75
 - health development outcomes, 9
 - promoter and coding regions, 76
- Affordable Care Act (ACA), 641, 642
- Affordable Care Act of 2010 (ACA), 137
- African-American children, 387
- Aging and ASD, 258
- Allostatic load model, 410, 466, 467, 473, 476, 479, 480, 482, 484
- Alzheimer's disease, 446
- American Academy of Pediatrics, 452
- American Diabetes Association (ADA) guidelines, 207
- American Economic Review*, 591
- Analysis model dominate longitudinal research, 537
- Animal models, CKD, 378–379
- Armed Forces Qualifications Test (AFQT), 562
- Armed Services Vocational Aptitude Battery (ASVAB), 562, 567
- Asperger's disorder, 238
- Attention-deficit hyperactivity disorder (ADHD), 331, 444
- Autism spectrum disorder (ASD), 331
 - and aging, 258
 - annual cost, individual care, 237
 - baby sibs paradigm, 240
 - classification, 239
 - data/method development priorities, 264
 - de novo copy number variants, 242
 - diagnosis, 240
 - DSM-IV and ICD-10, 238
 - during EA, 131
 - environmental risk factors, 241

- Autism spectrum disorder (ASD) (*cont.*)
 epidemiology, 239
 epigenetic mechanisms, 242
 genetic factors, 240
 genotype-phenotype correlations, 242
 maternal/paternal risk factors (*see also* Mental health)
 motor mannerisms, 238
 neurodevelopmental disorder, 260
 neuronal development/migration, 241
 parents, clinicians and educators, 261
 perceptual abilities, 238
 pervasive developmental disorders, 238
 physical biomarkers, 242
 prototypic disorder, 238
 research agenda and health development, 237
 research examining quality of life, 261
 research priorities, 262–265
 sibling risks, 240
 social difficulties, 238
 standardized IQ measures, 260
 supportive employment programs, 262
 translational priorities, 264, 265
 twin studies, 240
- Autosomal-dominant polycystic kidney disease, 381
- Auxology, 405
- Avon Longitudinal Study of Parents and Children (ALSPAC), 228
- B**
- Bariatric Surgery
 T2DM, 213
- Barker hypothesis, 381
- Barker's theory, 381
- Basic Science Research
 CKD, 393
- Bayley scores, 329
- Behavioral Assessment System for Children (BASC), 338
- Bidirectional relational system, 113
- Bioactive compounds
 and food, 448–450
- Biological conditioning, 628
- Biological embedding, 410
- Birth cohort longitudinal studies, 217–227
- Birth cohorts
 T2DM, 216–228
- Birth defects
 nutrition, 436–437
- Birth weight
 prenatal period, 170, 171
- Blindness, 322
- Body composition, 405, 406, 408, 412, 414, 419
- Body mass index (BMI), 170
- Bone morphogenetic proteins (BMPs), 380
- Brain
 abnormal brain morphometry, 465
 amygdala, 464
 chronic stress exposure, 465
 function, 469–471, 477, 478
 human stress and coping, 465
 hypothalamus-pituitary-adrenal axis, 464
 language for communication, 465
 neural networks, 465, 466
 prefrontal cortex dysfunction, 465
 structure, 467–469, 474–477
- Breastfeeding, 177, 178, 204–206, 223, 225, 226
- B vitamin, 433
- C**
- Caloric restriction, 447
- Canadian National Longitudinal Survey of Children and Youth (NLSCY), 228
- CARDIA study, 200
- Cardiac anomalies, 436
- Cardiometabolic risks, 204
- Cardiovascular disease (CVD), 388, 445, 446
 fetal growth, 148
 GDM, 147
 MEDLINE searches, 146
 offspring birth weight, 147, 148
 parity, 146, 147
 preterm delivery, 149
 primordial prevention, 146
 stress tests, 146
- Cardiovascular outcomes, 387
- Caregiving, 283–284
- Carotenoids, 448, 449
- Case-control study
 challenges and limitations, 551, 552
 description, 551
 outcome status, 551
 traumas and alcohol abuse and dependence, 552
- CDC's 2014 Breastfeeding Report Card, 177
- Cell-level controls, 415
- Centers for Disease Control and Prevention, 436
- Cerebral palsy (CP), 322, 327–329
- Chemo-parasitic and focal infection theories, 307, 310
- Child care and school
 early to mid-childhood, 180–181
- Child development
 foundation support, 617
 genetic data collection, 611
 and self-regulation, 292
- Child Development Supplement (CDS)
 caregivers, 585, 586
 child development, 585
 components, 588
 design, 585, 587
 longitudinal cohort design, 585
 parent/child interactions, 586
 participants, 585
 PSID families, 587
 State-standardized test scores, 588
- Child Development Supplement and the Transition into Adulthood Study, 580
- Child health development, 586, 588
- Child's primary caregiver (PCG), 610
- Childhood
 early to mid-childhood, 178–181

- obesity, 51, 54
- T2DM
 - diabetes prevention, 208, 209
 - glucose tolerance and progression, 207, 208
 - growth in, 211
 - guidelines, 207, 208
 - obesity prevention, 209, 210
 - overweight and obesity, 207
 - screening guidelines, 211
- Childhood SED, 476–477
 - brain (*see* Brain)
 - physiological systems, 478, 479
- Childhood Sexual Abuse, 549, 550
- Children and young adults
 - CDS, 584–588
 - intragenerational and intergenerational mobility, 584
 - Life Course Health Development Analysis, 588–590
 - TAS, 587
- Children with special health-care needs (CSHCN), 324
- China Stroke Primary Prevention Trial, 447
- Choline, 437
- Chronic and acute stress, 333
- Chronic disease epidemiology, 1
- Chronic kidney disease (CKD), 132, 133, 390–393
 - acute kidney injury, 383–385
 - adolescent and adult, 388
 - animal models, 378–379
 - Chronic Renal Insufficiency Cohort Study, 375
 - during EA
 - and ESKD, 132
 - kidney transplant, 133
 - medications, 132
 - services, adult-focused, 133
 - stages, 132
 - and end-stage renal disease, 376, 379
 - fetal origins, adult disease, 381–384
 - and first year of life, 385–388
 - framework, 376
 - genetic abnormalities, 380–382
 - geriatric, 389
 - gestation, 384
 - implications
 - abnormal creatinine, 390
 - American Academy of Pediatrics, 390
 - biomarker, 390
 - ex utero renal growth, 390
 - hypertension, 390
 - microalbuminuria, 390
 - neonatal history, 390
 - postnatal care, 390
 - rapid growth in puberty, 390
 - recommendation, 391
 - research, 391–393
 - infants, 375
 - kidney transplants, 375
 - life course omics map, 376, 377
 - mechanisms of disease progression and health development, 376
 - modifiable risk factors, 376
 - natural progression and treatment, 375
 - nephrogenesis, 384
 - omics approach, 376, 377
 - preconception, 377–378
 - prematurity, 379–380
 - principles, 376
 - progression, 376
 - quality-of-life effects, 389, 390
 - renal development, 380–382
 - research recommendations, 393–394
 - risk factor, 383–385
 - risk factors and natural history, 375
 - SES, 389
 - stages, 375
- Chronic Kidney Disease in Children (CKiD), 386, 387
- Chronic Renal Insufficiency Cohort Study, 375, 388
- Cigarette excise taxes, 183
- Cleft lip and cleft palate (CLP), 305, 436
- Clinical Research
 - CKD, 393
- Cognitive impairment, 323
- Cognitive stability, 252
- Cognitive testing, 338
- Cohort study
 - challenges and limitations, 544
 - and data collection, 543
 - larger population of interest, 543
 - LCHD principle, 543
 - minimizing study dropout and loss to follow-up, 543
 - period of time, 543
 - scientific periods, 543
 - substance use disorder, 544–546
 - and trauma, 545, 546
- Cohort-sequential design, 532
- Collaborative Studies CKD registry, 387
- Common Core of Data (CCD), 593
- Comorbidities
 - T2DM, 213, 214
- Complexity principle
 - health -development phenotypes, 31
 - systems-driven, 32
 - theories and frameworks, 31
 - time-honored scientific approach, 32
- Computer-assisted interview software, 582
- Confounding factor, 437
- Congenital anomalies, 392
- Consumer Expenditure Survey, 582
- Copy number variants, 241
- Coronary artery disease, 381
- Coronary heart disease (CHD), 148
- Craniofacial conditions, 305, 306
- Cre-recombinase technology, 392
- Critical/sensitive periods, 317
- Cross-National Equivalent File (CNEF), 592
- Cross-sectional studies
 - challenges and limitations, 553
 - life course research, 553
 - prevalence of disease and associations, 553
 - substance use disorder, 553, 554
 - trauma, 554
- Cross-sequential design, 534

D

Danish National Birth Cohort studies, 442
 Data/methods development priorities
 obesity prevention
 cross-sectional studies, 186
 exposure assessment, 187
 longitudinal cohort studies, 186
 statistical techniques, 187
 traditional longitudinal analyses, 187
 De novo copy number variants, 242
 Deficient erythropoietin synthesis, 388
 Delay of gratification approach, 279
 Dental conditions, 304, 305
 Deoxyribonucleic acid (DNA), 433
 Department of Health and Human Services (DHHS), 451
 Developmental origins, 499
 Developmental origins of health and disease (DOHaD),
 5, 24, 26, 626
 Developmental plasticity, 99
 Developmental regulations, 115
 Developmental switch concept
 adaptive plasticity, 99
 dangerous and unpredictable environments, 101
 integrated evolutionary model, 101
 life history strategies, 100
 modular fashion, 99, 100
 regulatory mechanism, 99
 sensitive period, 99
 stress response system, 101
 DHA phosphatidylcholine (DHA-PC), 446
 Diabetes mellitus (DM), type 1
 during EA, 131, 132
 Diabetes prevention
 T2DM, 208, 209
 Dialysis
 CKD, 380, 387
 Dietary
 early to mid-childhood, 179
 Dietary assessment, 439
 Dietary folate deficiencies, 436
 Dietary habits, 204
 Dietary intake, 432
 Dietary nutrient sufficiency, 448
 Dietary recommendations, 449
 Dietary Reference Intakes (DRI), 445, 448
 Differential item function (DIF), 527
 Disease Control and Prevention (CDC), 170
 Disparities in obesity, 178
 Docosahexaenoic acid (DHA), 437, 444, 447
 Dunedin Multidisciplinary Health and Development
 Study (DMHDS), 546, 547
 Dyslipidemia, 51, 387

E

Early childhood
 cultural beliefs (*see also* Early developmental
 research)
 educational institutions' responsibility, 61
 parenting practices, 62

 research questions, 64, 65
 social constructions, 62
 susceptibility and continuity, 63, 64
 Early Childhood Longitudinal Survey-Birth Cohort, 336
 Early Development Instrument (EDI), 72
 Early developmental research
 critical periodicity, 74
 developmental biology, 80
 EDI, 72, 73
 epidemiological- and population-based studies, 80
 high-poverty neighborhoods, 70
 history, 73, 74
 individual differences, phenotype, 81
 interpersonal marginalization and scapegoating, 73
 neurobiological susceptibility, 70, 71
 social brain examination, 81
 social stratification, 65
 social subordination, 69
 social-environmental dimensions, 81
 time, role of, 82
 vulnerability and resilience, 70, 71
 Early intensive behavioral interventions (EIBI), 253
 Early life origins, *see* Metabolic risk, preconception
 Early relational environment, 185
 Early to mid-childhood, 178–181
 obesity prevention
 child care and school, 180–181
 diet, 179
 family, 178, 179
 food insecurity, 179
 inactivity, 179
 physical activity, 179
 Economic modeling, 322
 Economic status
 T2DM, 199, 200
 Educational attainment, 255, 256, 336
 EIBI, *see* Early intensive behavioral interventions
 (EIBI)
 Eicosapentaenoic acid (EPA), 443, 444, 446
 Elucidate mechanisms
 T2DM, 215, 216
 Embodiment of disease risk, 25
 Emerging adulthood (EA)
 characteristic qualities, 124
 with chronic health conditions
 ASDs, 131
 CKD, 132, 133
 special health- care need, 130
 type 1 DM, 131, 132
 as co-developers, 124
 dependence, 123
 developmental stage, 123
 dynamic and complex changes, 124
 environmental challenges and supports, 125
 factors, 125
 issues, in life course research
 macro framework, 137, 138
 meso framework, 138
 micro framework, 139
 by LCHD model, 124

- macro-level influences
 - character qualities, 126
 - during “life -cycle service”, 126
 - individualism, 126
 - societal expectations, 126
 - mental health and substance use
 - cigarette, alcohol and drug use, 133
 - dysfunctional family environments and participation, 134
 - expanded independence and self-reliance, 133
 - meso-level influences
 - abuse experience, 127
 - family interactions, 127
 - independence, 127
 - parent-child relationships, 127
 - (*see* Socio-economic status (SES))
 - micro-level influences
 - cognitive development, 128, 129
 - identity formation, 129
 - resilience, 130
 - principles, LCHD, 125
 - protective factors
 - agency/independence and social and institutional support, 134
 - practical supports, 134
 - PYD programs, 135
 - services and supports
 - “digital natives”, 136
 - child-serving services, 135
 - clinical billing practices and regulations, 136
 - health- care policies, 137
 - training services, 136
 - volitional years, 124
 - Emotion regulation, 279–280
 - Endocrine-disrupting chemicals (EDCs), 185
 - End-stage kidney disease (ESKD), 132, 133
 - End-stage renal disease, 380
 - Environmental contaminants, 414
 - Environmental exposures
 - preconception health, 202
 - Environment-wide association study’ (EWAS)
 - methods, 557
 - Epidemiological study
 - complexity, 557
 - EWAS methods, 557
 - experimental, 555–556
 - framework, 542
 - GWAS, 557
 - health development, 556
 - life course approach, 541–542
 - observational, 543–554
 - principles, life course health-development framework, 556
 - quasi-experimental designs, 554–555
 - timing, 557
 - Epigenetics, 185, 186
 - corticotropin-releasing factor (CRF) systems, 30
 - DOHaD, 26
 - epidemiology, 11 (*see* Gene and environment interaction)
 - genetic networks, 2
 - maternal behavior, 30
 - and systems biology, 4
 - Epigenome, 333
 - Epigenomics, 434
 - ESCAPE trial, 391, 392
 - Estimated Average Requirement (EAR), 448
 - Estimated glomerular filtration rate (eGFR), 389
 - European Childhood Obesity Project, 451
 - European Longitudinal Study of Pregnancy and Childhood (ELSPAC), 228
 - Evidenced-Based Prevention and Treatment Strategies T2DM, 228
 - Excess weight, 170
 - Executive function network, 466
 - Executive functioning, 278
 - Exome sequencing, 392
 - Experimental study
 - challenges and limitations, 555, 556
 - PTSD, 556
 - RCTs, 555, 556
 - and Substance Use Treatment, 556
 - Exploring Perinatal Outcomes among Children (EPOCH) study, 205
 - Extreme preterm infants (EPI), 322
- F**
- Family Identification Mapping System (FIMS), 592
 - Fasting glucose levels, 198
 - Fat mass, 176
 - Fat-free mass, 176
 - Feeding, 204–205
 - infancy
 - T2DM, 204–205
 - Fetal alcohol syndrome, 437
 - Fetal growth, 148
 - Fetal origins, adult disease
 - CKD, 381–384
 - Fetal programming, 21
 - Fibroblast growth factor (FGF), 380
 - Five-Factor Theory (FFT), 113, 114
 - Five-to-seven shift, cognitive functioning, 97
 - Flavonoids, 449
 - Folate
 - and health development, 433–434
 - Food
 - and bioactive compounds, 432, 448–450
 - and microbiome, 450–451
 - vs. nutritionism, 447–448
 - Food advertising, 179
 - Food and beverages, 180
 - Food insecurity
 - early to mid-childhood, 179
 - Fragile Families and Child Wellbeing Study (FFCWS)
 - adolescence, 616
 - attrition and retention, 608
 - birth cohort, 604

Fragile Families and Child Wellbeing Study (FFCWS) (*cont.*)

- childcare provider survey, 610
- contract dataset, accessing, 617
- couple data, 608
- data access, 609
- data modules, 609
- data users, resources, 618
- data, in Y15 wave, 616
- fundors
 - foundation support, 617
 - government agencies, 617
- genetic data file, restricted-use file, 611, 612
- idnum* variable, 613
- in-home module, 610
- interviewing, timing, 607, 608
- and LCHD model, 603, 604
- macroeconomic data file, restricted-use file, 611
- measurement, social environment, 604
- medical records, restricted-use file, 610
- multiple substantive constructs, 614
- nonmarital childbearing, 602
- on household and family characteristics, 609
- participation rates, data collection modules, 612
- public discourse, 602
- public- use files, access, 612
- sampling weights, 607
- sampling, cities, 605–607
- school characteristics, restricted-use file, 611
- “Strengthening Fragile Families” initiative, 602
- variable documentation
 - FFCWS Core Question Map, 613
 - missing data codes, 614
 - modes of collection, 614
 - parents’ demographic information, 613
 - structure and construction, 613, 614

Framingham Study, 181

G

Gene and environment interaction

- animal studies, 53
- epigenetic alteration, 53
- epigenetic mechanisms, 52
- imprinted genes, 53

Gene delivery techniques, 392

Gene expression, 438

Gene-environment interactions, 170

Genetic abnormalities

- CKD, 380–382

Genetic mutations, 381

Genetic risk score (GRS), 51

Genetics

- T2DM, 198–199

Genome-wide association studies (GWAS), 199, 557

Gentamicin for infections, 378

Geographic information system (GIS) mapping, 182

Geriatric CKD, 389

Germ theory, 22

Gestation

- CKD, 384

Gestational diabetes, 200

- Preconception and Intrauterine Life, 202, 203

Gestational diabetes mellitus (GDM), 145–147, 149, 150, 152, 153, 156, 170

- prenatal period
 - definition, 172
 - excess GWG, 172
 - and excessive GWG, 172
 - and intergenerational transmission of obesity, 172, 173
 - maternal prepregnancy, 172
 - methodology, 173
 - mothers’ risk, 172
 - National Hospital Discharge Survey, 172
 - pancreatic β -cells, 172
 - and prepregnancy obesity, 172
 - RCTs, 173, 174
 - sibling-pair designs, 174
 - treatment, 172
 - type 2 diabetes mellitus, 172

Gestational weight gain (GWG), 48, 49

- prenatal period, 174–175

Glomerular apoptosis, 384

Glomerular basement membrane, 391

Glomerular filtration rate (GFR), 378, 379, 387

Glomerular hypertrophy, 392

Glomerulosclerosis, 379

Glucose tolerance and progression

- T2DM, 207, 208

Growth, *see* Physical growth

GRS, *see* Genetic risk score (GRS)

Gut microbiota, 186

GWG, *see* Gestational weight gain (GWG)

H

Half longitudinal design, 536

Hard of hearing, 349

Harmony

- genetic modulations, 37
- implication, 37
- theories and frameworks, 37

Head-Toes-Knees-Shoulders (HTKS), 289

Health disparities, 500, 579

- data and method development priorities, 511, 512
- early evaluations, 505
- early nurse home visiting programs, 505
- effective health interventions, 507
- intergenerational, 504, 505
- LCHD (*see* Life course health development (LCHD))
- low childhood SES, 502
- low-income families, 505
- measurement complexity, 506
- pregnancy and prepregnancy longitudinal data
 - sources, 505
- racial/ethnic, 506
- research priorities, 508–511
- risk factors, 502

- social adversity, 503, 504
- social class and race/ethnicity, 499
- social contributors, 506
- statistical methods, 506, 507
- translational priorities, 508, 512, 513
- Health-development
 - description, 26, 27
 - principle, 27
 - theories and frameworks, 27
- Health development perspective, 360
- Health promotion, 639
- Health-related outcomes
 - academic achievement and educational attainment, 286
 - economic well-being, 286
 - and well-being, 286–288
- Healthy Aging, 445–447
- HEALTHY Study, 208, 209
- Hearing health
 - early intervention
 - cochlear implantation, 360
 - hospitalization/outpatient therapy, 361
 - IQ estimation, 361
 - mortality, 362
 - professional services, 362
 - economic implications, 368
 - EHDI goals, 363
 - etiology, hearing loss
 - contributing factors, 356
 - environmental causes, 354, 355
 - epigenetics, 354
 - gene-environment interactions, 354
 - genetics, 353
 - and presbycusis, 355, 356
 - for health and well-being, implications, 351
 - frequency modulation (FM) classroom systems, 362
 - habilitation goals, 363
 - hearing technology, 364
 - integrated services, 368
 - involvements, deaf and hard communities, 367
 - knowledge synthesis, 365
 - LCHD model, 351
 - longitudinal study designs, 365
 - optimization, 363
 - oto-acoustic emissions (OAEs), 364
 - pathophysiology, hearing loss, 367
 - phases
 - acquisition, full hearing capacity, 357
 - generativity, 356, 357
 - maintenance, hearing function, 357
 - routes, to managing decline, 357, 358
 - trajectories, hearing loss, 355, 357
 - policy changes, impact, 368
 - positive hearing health, measures, 366
 - prevalence, 349–351
 - principles, LCHD model, 352, 353
 - public information campaign, 368
 - registries, 366
 - risk and protective factors, for hearing loss, 351, 352
 - screening program, 363
 - sensitive time periods, 359
 - social relationships, 358, 359
 - translational research, 367
- High-quality early childhood intervention
 - programs, 322
- High-risk cohort study
 - behaviours and characteristics, 550
 - natural history of disorders, 550
 - outcome, 550
 - PTSD symptoms and substance abuse, 550, 551
 - Substance Use Disorder, 550, 551
- Hispanic females, 197
- HOMA-IR, *see* Homeostatic model assessment-insulin resistance (HOMA-IR)
- Home Observation Measurement of the Environment-Short Form (HOME-SF), 565
- Homeostatic model assessment-insulin resistance (HOMA-IR), 50
- Hormonal influences
 - prenatal period, 175–176
- Human brain development, 324
- Hypercoagulability, 155
- Hyperemesis gravidarum, 334
- Hyperglycemia and Adverse Pregnancy Outcome (HAPO) study, 49–50
- Hypertension, 50
- Hypertensive disorders of pregnancy (HDPs), 150, 151
- Hypoplastic or dysplastic kidneys, 380
- Hypothalamic-pituitary-adrenal (HPA) axis, 333
 - amygdala, 466
 - autonomic nervous system, 464
 - childhood SED, 478
 - cortisol, hormone marker, 471
 - dysregulation, 466
 - in early childhood, 471
 - and glucocorticoid levels, 481
 - and immune process, 484
 - neuroendocrine biomarkers, 466
- I**
- Ideal diet, 449
- Ideal food pattern, 449
- Identity development, 129
- Identity of opposites, 115
- idnum*, 613
- Immune function
 - nutrition, 444, 445
- Inborn errors of metabolism, 434
- Individuals with Disabilities Education Act (IDEA), 131
- Infancy
 - obesity prevention
 - breastfeeding, 177–178
 - disparities, 178
 - weight gain, 176–177
 - T2DM
 - feeding, 204–205
 - infant growth patterns, 205
 - Parenting and Postpartum Depression, 206
 - sleep duration, 205, 206

- Infant Growth Patterns
 T2DM, 205
 Infant Health Development Program (IHDP), 322
 Infant weight gain, 177
 Infer causality, 178
 Inflammatory responses
 and immune function, 478
 risk of asthma, 473
 T cells gene expression, 473
 Information maximum likelihood (IML), 529
 Institute of Medicine (IOM), 174, 180
 Institute of Nutrition of Central America and Panama in
 Guatemala, 441
 Insulin resistance, 381
 Insulin resistance/diabetes, 51
 Integrated Postsecondary Education Data System
 (IPEDS), 593
 Intellectual disability (ID), 322, 323
 Intellectual functioning (IQ), 249, 250
 Intelligence testing, 329
 Intensive care unit (ICU), 378
 Intentional self-regulation, 110, 115
 Interactive voice response (IVR) technology, 587
 Intergenerational health disparities, 504, 505
 Intergenerational sample, 584
 INTERGROWTH-21st Project, 442
 International birth cohort studies, 216
 International Classification of Functioning (ICF), 323
 International Federation of Gynecologists and
 Obstetricians (FIGO), 435, 452
 International Obesity Task Force (IOTF), 207
 International Statistical Classification of Diseases and
 Related Health Problems (ICD), 593
 Intragenerational analyses, 584
 Intrauterine environment, 335
 Intrauterine environmental interactions, 437
 Intrauterine growth restriction (IUGR), 335
 Intrauterine life
 T2DM
 environmental exposures, 202
 GDM, 202, 203
 maternal hypoxia/placental insufficiency, 201–202
 maternal nutrition, 201
 maternal stress, 201
 microbiome, 202
 screening and diagnosis, 203
 treatment, 203
 IOM's Standing Committee on Childhood Obesity
 Prevention, 184
 Item response theory (IRT) analysis, 524, 525
- J**
- JAMA Pediatrics*, 592
 Joint attention skills, 250
Journal of Marriage and Family, 591
 Juvenility
 adrenarche, role of, 101
 description, 96
 family subsistence, 98
 social learning and integration, 97, 98
- K**
- Kidney Disease Outcomes Quality Initiative
 (KDOQI), 376
 Kidney transplants, 375
- L**
- Lag as moderator (LAM) model, 528
 Large for gestational age (LGA), 171–175
 LCHD, *see* Life course health development (LCHD)
 Leptin, 175–177
 Life course, 20, 349
 etiologic processes, in social and behavioral
 sciences, 23
 health-development, 27
 hearing health, approach to (*see* Hearing health)
 LCHD (*see* Life course health-development (LCHD))
 nonmarital births, prevalence, 601, 602
 in scientific fields, 20
 sociological approaches, 24
 theories, 23
 timing and plasticity, 37
 Life course analysis, 583, 584
 Life course approach, 541
 Life course data, 588
 Life course epidemiology, 311
 Life course health development (LCHD), 28, 112,
 115–117, 237, 244–247, 324, 579, 588–590
 adult independence (*see* Adult independence)
 agenda-setting process and/or published volume, 8
 age-related vulnerabilities, 243
 ASD (*see* Autism spectrum disorders (ASD))
 biopsychosocial framework, 23
 capacity, 500
 Cartesian-Newtonian mechanistic ontology, 3
 clinical and population health levels, 4
 cognitive stability, 252
 comorbid conditions, 243
 complexity, 31–33
 conceptual models, evolution of, 22
 contextual influences, 533
 core principles, 12
 cumulative experiences, 300
 definitions, 7
 description, 20, 299
 design, 527
 diagnostic stability, 251, 252
 disciplines, 500
 disease, 20
 DOHaD, 24, 26
 dynamic nonlinear process, 500
 EA, description, 124
 EA, principles, 125
 early life exposures, 299
 environmental exposures, 237, 501
 factorial invariance, 526, 527
 fetal programming, 21
 and FFCWS, 603, 604
 FIML, 529
 framework, 8, 9, 507
 genetic networks and epigenetics, 2

- germ theory, 22
 - growth, 11
 - harmony, 37
 - health development, life course, 237
 - health measures, 525
 - health pathways/trajectories, 299
 - health-development, 26, 27
 - hearing health *see also* Hearing health, 351
 - IRT, 525
 - intellectual functioning and communication
 - competence, 243 (*see also* Oral health)
 - LAM model, 528
 - latent variable, 525
 - LCRN's 2013 MCH Life Course
 - Research, 8
 - life stages, 9, 10
 - linking measures, 525
 - longitudinal design, 535
 - longitudinal models, 527
 - MAR, 529
 - maturation, 5–7
 - MCAR and MAR missingness, 530
 - measurement occasion, 528
 - mediation and moderation, 535
 - mixture distribution component, 537
 - MNAR, 529
 - National Longitudinal Surveys of Youth
 - (NLSY), 12
 - neo-Darwinian synthesis, 22
 - nutrition, 435–447
 - oral health, 10
 - organ structure and function, 2
 - pediatric type 2 diabetes, 10
 - person-environmental interactions, 4
 - plastic health-development pathways, 21
 - plasticity, 34, 35
 - prematurity, 10
 - principles, 237
 - QOL, 247, 249
 - RDS metatheory, 3
 - RDST, 24
 - reductionist accounts, 4
 - risk and protective factors, 300–302
 - SEDs, 11
 - self-regulation, 10
 - SEM, 524
 - social and environmental exposures, 500
 - social language use and peer relationships, 243
 - stress and social adversity, 25
 - “subthreshold” pervasive developmental
 - disorder, 243
 - symptom severity, 251
 - theoretical principles, 303
 - thriving, 35, 36
 - timing, 33, 34
 - traditional and novel approaches, 12
 - two-method design, 530
 - unfolding (*see* Unfolding principle)
- Life course methodology, 537
- Life course omics map, 376, 377
- Life Course Research
 - fertility and birth outcomes, 590
 - generations, 591
 - health development assets, 590
 - neighborhood effects, 590, 591
 - time usage, 591–592
- Life Course Research Agenda (LCRA)
 - Affordable Care Act (ACA), 641, 642
 - biomedical research studies, 626
 - complex and multifaceted biological variation, 636
 - DOHaD, 626
 - evolutionary and developmental perspectives, 626
 - framework
 - 1.0 acute care-focused medical care system, 640
 - and health system transformation, 640
 - measurement, health-development, 640
 - precision medicine and population health, 639
 - principles, 638
 - framework challenges, 626
 - health-development research, 625
 - in priority research
 - dynamic developmental relationships, 633
 - epidemiologic transition, 634
 - epidemiological research, 627, 628
 - family- and community-level factors, 632, 633
 - health disparities, 632
 - intervention research, 630, 631
 - mechanism research, 628, 629
 - on childhood adversity, 631
 - vulnerable populations, children, 634
 - institutional capacity, 637
- LCRN, 642
- lifelong learning system, 638
- longitudinal cohort studies, 625
- longitudinal/life course integration, 637
- measurement capacity
 - big health-development data resources, 636
 - Early Development Index (EDI), 635
 - longitudinal life course studies, 636
 - Middle Development Index (MDI), 635
 - PROMIS, 635
- National Children's Study, 624
- Life Course Research Network (LCRN), 642
- Life history theory, 100
- Life span human developmental psychology, 23, 24, 26, 112
- Life span sociology, 23, 24
- Lifecourse health-development, 169
 - obesity (*see* Obesity prevention)
- Limb defects, 436
- Lipid aberrations, 154
- Lipid profiles, 156
- Long-chain polyunsaturated fatty acids, 443
- Longitudinal studies
 - birth cohort, 217–227
 - FFCWS, 604
- Long-term exclusive breastfeeding, 204
- Low birth weight (LBW), 339, 411
 - nutrition, 437–438
- Lutein, 449

M

- Macro-level factors, 181–184
 - obesity prevention
 - environment, 181–183
 - local and state, 183–184
 - national, 184
- Malnutrition
 - double burden, 442
 - lack of micronutrients, 438
 - nutritional status and sensitivity of assessment methods, 441
 - risk/signs, 441
- Malocclusion, 306
- Matches and mismatches
 - ACEs, 282, 283
 - media and technology use, 284
 - parenting and caregiving, 283–284
- Maternal
 - diabetes mellitus, 378
 - drug abuse, 389
 - gestational diabetes mellitus, 378
 - glucocorticoid and fetal kidney, 384
 - and infant hospital discharge records, 378
 - nutrition, 393
 - overweight/obesity, 378
 - preconception, 388
 - preconceptual nutritional status, 380
 - smoking and alcohol, 547, 548
- Maternal and Child Health Bureau/Health Resources and Services Administration (MCHB/HRSA), 453
- Maternal diabetes, 50
- Maternal education and income, 338
- Maternal folic acid supplementation, 435
- Maternal hypoxia/placental insufficiency
 - preconception and intrauterine life, 201–202
- Maternal micronutrient deficiency
 - metabolic effects, 440
- Maternal nutrition, 201
 - preconception and intrauterine life
 - maternal overnutrition, 201
 - maternal under nutrition, 201
- Maternal overnutrition, 201
- Maternal prepregnancy obesity, 48, 49
 - prenatal period, 171, 172
- Maternal smoking during pregnancy
 - prenatal period, 175
- Maternal stress
 - preconception and intrauterine life, 201
- Maternal under nutrition, 201
- Medical Birth Registry, 549
- Medicare health maintenance organizations, 593
- Mental health
 - prevalence rates, 258, 259
 - services, 259, 260
- Metabolic dysregulation, 154
- Metabolic effects
 - maternal micronutrient deficiency, 440
- Metabolic regulatory processes
 - CKD, 377
- Metabolic risk, preconception
 - animal studies, 53
 - conceptual framework, 47, 48, 51
 - DNA methylation, 53
 - epigenetic alteration, 53
 - epigenetic mechanisms, 52
 - genetics, 51–52
 - imprinted genes, 53
 - maternal prepregnancy BMI, 52
 - pregestational and gestational diabetes, 52
- Metabolic syndrome, 388
- Microalbuminuria, 379, 390
- Microbiome
 - and food, 450–451
 - Preconception and Intrauterine Life, 202
- Micronutrients, 50, 431, 436
- Micropathways
 - microbiome, 416, 417
- Middle childhood, 98
 - adrenarche (*see* Adrenarche (adrenal glands))
 - development in, 95, 96 (*see also* Developmental switch concept)
 - domestic tasks, 98
 - genetic variation, 103
 - health development, 103–105
 - human development, 95
 - human growth and sex hormones production, 97
 - juveniles, role of, 98
 - receivers and providers, 98
 - self-regulation and executive functions, 97
 - sexual selection, 102
 - social competition, 102
 - social integration, 102
 - social learning and integration, 98
 - storytelling, 98
- Midlife Development in the United States (MIDUS), 340
- Missing at random (MAR), 529
- Missing completely at random (MCAR), 529
- Missing Data Mechanisms, 529
- Missing not at random (MNAR), 529
- Moderation, 536
- Modern missing data treatments, 529, 531
- Moments of Analysis, 113, 114
- Monitoring the Future (MTF) project, 545
- mTOR inhibition, 392

N

- National Birth Cohort study, 437
- National Birth Defects Prevention Study, 436
- National Center for Education Statistics (NCES), 593
- National Comorbidity Survey, 554
- National Death Index (NDI), 593
- National Diabetes Education program, 203
- National food consumption surveys, 449
- National Health and Nutrition Examination Survey (NHANES), 197, 199, 436
- National Health Interview Survey, 582
- National Hospital Discharge Survey, 172

- National Institute of Child Health and Human Development, 581
- National Institute on Drug Abuse (NIDA), 545
- National Institutes of Health (NIH), 453
- National level, 184
- National Longitudinal Study of Adolescent Health, 181
- National Longitudinal Surveys (NLS), 561, 562
- National Longitudinal Surveys of Youth (NLSY)
- assessments, 564
 - ASVAB, 562
 - data retrieval system, 575–576
 - funding, 566
 - geographic residence information, 571
 - health data
 - 50-and-over health module, 571
 - CES-D scale, 571
 - children born to NLSY79 mothers, 572
 - extended 40- and- over health module, 571
 - health and cognition module for respondents aged 29, 573
 - Health-At-Age-29 health module, 573
 - health- related research, 574, 575
 - HOME-SF, 565
 - households, survey of, 564
 - NLS, 561, 562
 - NLSY79 Child and Young Adult Surveys, 564
 - publications, 561
 - respondent- and school-specific information, 563
 - surveys, 561
 - surveys, NLSY79 Child and Young Adult, 568
 - Ten-Item Personality Inventory (TIPI), 566
 - uniqueness
 - availability, comprehensive child data, 569
 - child sibling sample cases, 570
 - NLS Older Men's cohort, 568
 - research comparisons, 570
 - socioeconomic status, 568
- National School Lunch Program, 180
- National Science Foundation (NSF), 579
- National Survey on Drug Use and Health (NSDUH), 553, 554
- Naturalistic developmental behavioral interventions (NDBI), 253
- NDBI, *see* Naturalistic developmental behavioral interventions (NDBI)
- Neonatal intensive care unit (NICU), 379
- Nephrogenesis
- CKD, 384
- Nephron mass, 381
- Nephrotic-range proteinuria, 387
- Nephrotoxins, 378
- Nested case-control study
- advantageous, 552
 - trauma and substance use disorder, 552, 553
- Net nutrition, 441
- Neural tube defects (NTDs), 50, 436
- Neurobiological mechanisms
- childhood, 467–469
 - brain (*see* Brain)
 - physiological systems, 471–474
 - during adulthood, 474–475
 - brain (*see* Brain)
 - physiological systems, 475, 476
 - stress, 464–466
 - brain (*see* Brain)
 - physiological systems, 464, 466
 - stress perception, appraisal and regulation, 464
- Neurodevelopmental disabilities, 322, 328
- Neurological development
- nutrition, 443–444
- Neuropsychological testing, 329
- Neurosensory impairment, 327–329
- New England Family Study (NEFS), 546, 547
- New York City (NYC), 183
- Newborn Epigenetics Study, 442
- 1964 Food Stamp Program, 580
- Non-syndromic congenital anomalies
- kidney and urinary tract, 380
- North American and European investigators, 375
- North American Pediatric Renal Trials, 387
- North American Pediatric Renal Trials and Collaborative Studies database, 386
- Notch pathways, 380
- NTDs, *see* Neural tube defects (NTDs)
- Nurses' Health Study II, 204
- Nutrients
- clinical research, 453
 - Data and Methods Development, 453
 - deficiencies, 443
 - environmental stressors, 451
 - European Childhood Obesity Project, 451
 - FIGO, 452
 - mechanisms, 453
 - Population/Epidemiologic Research, 453
 - population-based issues, 451
 - practice and policy development, 452
 - practice-oriented efforts, 452
 - recognition, 452
 - services, 452
- Nutrigenetics, 434
- Nutrition, 435–439
- component in armamentarium, 431
 - definition, 432
 - epigenetic markers, 432
 - folate and health development, 433–434
 - vs.* food, 447–451
 - growth, 439–442
 - health potential, 432
 - Healthy Aging, 445–447
 - Immune Function, 444, 445
 - neurological development, 443–444
 - nutritional epigenetics, 434–435
 - nutritional genetics, 434
 - obesity, 442–443
 - oxidative stress, 444, 445
 - phytates, 431
 - pre-conception and pregnancy
 - birth defects, 436–437
 - developmental origins of adult disease, 438–439
 - FIGO, 435

- Nutrition (*cont.*)
- health outcomes, 435
 - inter-pregnancy intervals, 435
 - low birth weight, 437–438
 - NTD, 436
 - perfect parasite, 435
 - placenta, 435
 - trace minerals, 431
 - vitamins, 431
 - zinc, 431
- Nutrition and feeding practices, 412, 413
- Nutrition standards, 180
- Nutrition transition, 442
- Nutritional epigenetics, 434–435
- Nutritional genetics, 434
- Nutrition-focused research studies, 204
- Nutritionism, 447
- O**
- Obesity
- epidemics, 442
 - and gestational diabetes mellitus, 172–173
 - intergenerational transmission, 172, 173
 - nutrition, 442–443
- Obesity prevention
- adolescence, 181
 - chronic disease, 170
 - data collection, 169
 - data/methods development priorities, 186–187
 - early to mid-childhood, 178–181
 - framework, 169–171
 - individual risk factors, 184
 - infancy, 176–178
 - macro-level factors, 181–184
 - organ system, 169
 - and overweight measurement, 170
 - prenatal period, 170–176
 - racial/ethnic differences, 169
 - research priorities, 184–186
 - self-perpetuating cycle, 169
 - T2DM, 209, 210
 - translational priorities, 187–188
- Obesogenic environment, 181
- Observational studies, 177
- case–control, 551–552
 - cohort studies, 543–546
 - cross-sectional studies, 553–554
 - high-risk cohort, 550–551
 - Nested Case–Control, 551–553
 - perinatal and birth cohorts, 546–548
 - twin studies, 548–550
- Obstructive uropathy, 380
- Offspring birth weight, 147, 148
- Offspring of diabetic mothers (ODM), 204
- Oligonephropathy
- clinical signs, 379
- Omega-3 (synthesized from linolenic acid), 443
- Omega-3 acids, 447
- Omega-3 fatty acid, 444, 446
- Omega-3 supplementation, 444
- Omega-3s DHA, 443
- Omega-6 (synthesized from linoleic acid), 443
- Omega-6 fatty acids, 444
- Omics approach, 376, 377
- Optimal parathyroid levels, 387
- Oral cancers, 306
- Oral health, 315
- chemo-parasitic and focal infection theories, 307, 310
 - chronic disease model, 307, 308
 - chronic diseases, 316
 - concepts and definitions, 303
 - craniofacial conditions, 305, 306
 - critical/sensitive periods, 317
 - cumulative, 317
 - cumulative conditions, 300
 - dental conditions, 304, 305
 - Dunedin Cohort studies, 312–314
 - early programming, 316
 - future research studies, 317, 318
 - general health and QOL, 315
 - intraindividual trajectories, 316
 - life course epidemiology, 311
 - malocclusion, 306
 - oral cancers, 306
 - oral conditions, 300
 - oral diseases, 315
 - policy priorities and research, 318
 - PubMed search, 300
 - researchers, 303
 - risk and protective factors, 317
 - risk factors, 308
 - SGROH, 303, 315
 - social determinants, 309
 - specific and transmissible infection, 307
 - TMJD, 306
 - tooth worm theory, 307
- Organ system, 169
- Organization for Economic Cooperation and Development (OECD), 441
- Overnutrition, 442
- Overweight, 204, 206, 207, 209, 210
- and obesity, 170, 207, 212
- Oxidative stress
- nutrition, 444, 445
- P**
- Pancreatic β -cells, 172
- Panel Study of Income Dynamics (PSID)
- acquisition of capacity, 580
 - CDS, 585, 586, 589
 - child, adolescent, and young adult health development, 595
 - childhood health calendar, 583
 - children and young adults (*see also* Children and young adults)
 - design and evolution, 581, 582
 - epigenetic and biological mechanisms, 594
 - family members, 581

- generativity, 580
- genetic markers, 594
- individual and household economic status, 583
- life course analysis, 583, 584
- maintenance of capacity, 580
- managing decline, 580
- mortgage distress, 583
- post-1997 immigrants, 593
- restricted data resources, 593
- scientific and public policy research, 579
- SEO, 580
- socioeconomic status, 579
- split-off households, 581
- statistical software formats, 592
- Parental obesity, 177
- Parenting, 283–284
- Parenting and postpartum depression, 206
 - infancy
 - T2DM, 206
- Patent ductus arteriosus (PDA) closure, 379
- Patient Reported Outcome Measurement Information System (PROMIS), 635
- Patient-Centered Outcome Research Initiative, 637
- Pediatric T2DM, *see* Type 2 diabetes mellitus (T2DM)
- Perinatal and birth cohorts study
 - again limiting, 546
 - data collection, 546
 - maternal smoking and alcohol, 547, 548
 - mother and child, pregnancy, 546
 - substance use disorder, 546–548
- Periodontal disease, 304
- Personal Responsibility and Work Opportunity Reconciliation Act, 601
- Phenolics, 448
- Phenylketonuria (PKU), 434
- Physical functioning domain, 339
- Physical growth
 - acute and chronic disease, 413
 - altitude, 413–414
 - barriers, 420
 - basic/mechanism research, 419
 - CDC and WHO, 406
 - clinical research, 419–420
 - defined, 405
 - ecological and sociocultural factors, 408
 - environmental contaminants, 414
 - epidemiology, 405
 - functional and reproductively capable organism, 406
 - future research efforts, 419
 - growth hormone (GH) effects, 407
 - health and well-being, 408–410
 - healthcare resources, 414
 - income, social status and educational attainment, 414
 - intergenerational and/or genetic effects, 407
 - intergenerational changes, 407
 - later-life health outcomes, 410–412
 - in LCHD
 - body fat estimation, 418
 - growth trajectories, 418, 419
 - size assessment, 418
 - size fallacy, 418
 - weight changes, 418
- micropathways
 - cell-level controls, 415
 - epigenetics, 417
 - hormones, immune cells and inflammatory compounds, 415, 416
 - microbiome, 416, 417
 - organs, structural changes, 417
 - nutrition and feeding practices, 412, 413
 - population/epidemiologic research, 420
 - population-level epidemiologic assessments and research evidence, 405
 - psychosocial stress, 413
 - skeletal growth illustration, 406
 - translational priorities, 420
 - translational research, 420
 - urban/rural status, 414, 415
- Physical health outcomes, 182
- Phytates, 431
- Phytochemicals, 448
- Phytonutrients, 448, 449
- Planned missing data designs, 528
- Plasma C-reactive protein, 156
- Plasticity, 113, 438
- Plasticity principle
 - description, 34
 - implications, 35
 - predictive adaptive responses, 35
 - theories and frameworks, 35
- Plausible developmental mechanisms, 172
- Plausible mechanisms, 177
- Polycystic kidney disease, 381
- Polyphenols, 449
- Polyunsaturated fatty acids, 443, 444
- Polyunsaturated long-chain fatty acids (PUFA), 434
- Positive youth development (PYD) programs, 110, 111, 135
- Post-traumatic stress disorder (PTSD), 334, 550, 551, 556
- Poverty and maternal employment, 591–592
- Practice-oriented efforts, 452
- Preconception
 - prenatal care, 53, 54
 - See also* Maternal prepregnancy obesity
- Preconception health
 - T2DM
 - environmental exposures, 202
 - GDM, 202, 203
 - high-risk maternal factors, 200
 - maternal hypoxia/placental insufficiency, 201–202
 - maternal nutrition, 201
 - maternal stress, 201
 - microbiome, 202
 - notion of biological embedding, 200
 - screening and diagnosis, 203
 - treatment, 203
- Predictive adaptive responses (PARs), 411
- Preeclampsia, 156, 157, 159, 326, 327

- Preexistent and gestational diabetes, 49, 50
- Pregestational and gestational diabetes, 52
- Pregnancy
- maternal prepregnancy obesity, 171, 172
 - maternal smoking during, 175
- Pregnancy complication, 153
- CVD risk
 - pregnancy blood pressure, 153
 - gestational diabetes mellitus, 149, 150
- Pregnancy complication and CVD, 155, 156
- adiposity and glucose/insulin dysregulation, 153
 - after pregnancy
 - blood pressure, 155
 - lipid profiles, 156
 - plasma C-reactive protein, 156
 - procoagulation state, 156
 - type 2 diabetes, 156
 - vascular and endothelial dysfunction, 155
 - animal models, 159
 - BMI, 153
 - chronic diseases, 146
 - clinical implications, 159
 - data and methods, 158
 - GDM, 149, 157
 - HDPs, 150, 151
 - hypercoagulability, 155
 - last pregnancy, 152
 - lipid aberrations, 154
 - metabolic dysregulation, 154
 - normal pregnancy, 154
 - offspring birth weight, 147, 148
 - pregnancy blood pressure, 153
 - pregnancy lipid concentrations, 153
 - preterm delivery, 149
 - research priorities, 157, 158
 - stress tests, 146
 - systemic inflammation, 154
 - vascular and endothelial dysfunction, 154
- Pregnancy Nutrition Surveillance System (PNSS), 174
- Prematurity
- adolescent and adult behavioral health outcomes, 332
 - adult health outcomes, 334, 335
 - cognitive processes
 - Bayley assessments, 329
 - behavioral/emotional disorders, 331, 332
 - biomarkers and neurometrics, 332
 - neonatal morbidities, 330
 - neurodevelopmental impairments, 330
 - neurosensory disabilities, 330
 - optimism, 330
 - perceptual and sensory skills, 329
 - sobering, 330
 - toddlers and young children, 329
 - cognitive, executive function and academic achievement, 337
 - CP and neurosensory impairment, 327–329
 - epigenetic mechanisms, 333, 334
 - estimation, 322
 - growing inequality, 323
 - health and educational professionals create systems, 341
 - learning and behavior disabilities, 322
 - life course health development, 341, 342
 - life course health disparities, 342–344
 - life course impact, 323
 - long-term survival, 322
 - neurodevelopmental disabilities, 322
 - neurodevelopmental dysfunction, 341
 - neurodevelopmental outcomes, 379
 - postnatal and social risk
 - adolescent and adult outcomes, 336–341
 - parental mental or developmental disorder, 336
 - VLBW and ELBW survivors, 336
 - preterm births, 323, 327, 339
 - proactive behavioral health strategies, 341
 - on renal mass, 379
 - research and policy efforts, 324, 325
 - risk factor, CKD, 379–380
 - secondary, 376
 - social risk factors, 325, 326
- Prenatal care
- and preconception, 53, 54
- Prenatal environmental influences, 381
- Prenatal factor
- blood glucose levels and diabetic complications, 50
 - fetal metabolic programming, 55
 - obesity and metabolic outcomes, 47
- Prenatal period
- obesity prevention
 - birth weight, 170, 171
 - GDM, 172–174
 - GWG, 174–175
 - hormonal influences, 175–176
 - leptin, 175–176
 - maternal prepregnancy, 171, 172
 - maternal smoking during pregnancy, 175
- Prenatal stress reduction strategies, 334
- Prepregnancy adiposity and glucose/insulin dysregulation, 153
- pregnancy blood pressure, 153
- Prepregnancy lipid concentrations, 153
- Prepregnancy obesity, 48–50
- Preschools, 169, 180
- Preterm delivery, 149
- Primordial prevention, 146
- Private School Universe Survey (PSS), 593
- Programming mechanisms, 408
- Proteinuria, 387
- PSID's Companion International Surveys, 592
- Psychosocial stress, 413
- Public housing in high-poverty areas, 182
- Q**
- Quality of life (QOL)
- vs. ASD, 248
 - being, belonging, and becoming domains, 248
 - CKD, 389, 390
 - comprehensive and multidimensional concept, 247

- objective and subjective indicators, 248
- optimal health development, 249
- parent/care rating of individual's well-being, 248
- shift in research focus, 249
- oral health and general health, 315, 316
- Quasi-experimental designs, 182
- Quasi-experimental studies
 - challenges and limitations, 554, 555
 - characterization, 554
 - life course theory, 554
 - Trauma and Substance Use Disorder, 554, 555

- R**
- Randomized controlled trials (RCTs), 205, 436, 446, 555, 556
 - GDM, 173, 174
 - GWG, 174, 175
 - maternal smoking during pregnancy, 175
 - obesogenic environment, 182
 - rapid weight gain, 177
- Rapid weight gain
 - infancy, 176–177
- RBC folate levels, 437
- RDoC, *see* Research Domain Criteria (RDoC) approach
- Recommended Dietary Allowance (RDA), 445
- Recommended Dietary Allowances, 448
- Red blood cell (RBC), 436
- Reductionist approach, 111
- Relational developmental systems (RDS), 3, 276
 - bidirectional relational system, 113
 - biological, social, cultural and historical levels, 277
 - consciousness and sub/nonconscious behavior, 277
 - defined, 111
 - developmental regulations, 115, 277
 - embodiment, 112, 113
 - FFT, 113, 114
 - identity of opposites, 113, 115
 - individual and context, 277
 - individual context, 114
 - life course health development, 115
 - “objective” measure, 114
 - person-context interaction, 112
 - psychology, 276
 - reductionist approach, 111
 - self-regulation, 115
 - split approach, 112
- Relational developmental systems theory (RDST), 24
- Renal development, 392
 - CKD, 380–382
- Renal functional plasticity, 376
- Renal sympathetic activation, 384
- Renin-angiotensin system, 378, 384
- Research agenda
 - interventions, 624
 - LCRA *see* Life Course Research Agenda (LCRA), 624
- Research Domain Criteria (RDoC) approach, 240
- Research priorities
 - advanced analytical methods, 55
 - epidemiologic research, 54
 - mechanism research, 54
 - obesity prevention
 - early relational environment, 185
 - EDCs, 185
 - epigenetics, 185, 186
 - gut microbiota, 186
 - sleep duration and quality, 184, 185
 - translational research, 54–55
- Research, CKD
 - ACE inhibition, 392
 - and associations, 381
 - Basic Science Research, 393
 - biomarkers to quantify risk, 391
 - Clinical Research, 393
 - congenital anomalies, 392
 - Cre-recombinase technology, 392
 - epigenetic modifications, 392
 - ESCAPE trial, 391
 - gene mutations, 391
 - glomerular hypertrophy, 392
 - GUDMAP, 392
 - micronutrients, 378
 - nephron number, 391
 - neurodevelopmental outcomes, 379
 - NICU, 391
 - non-syndromic and nonfamilial congenital anomalies, 391
 - opportunity, 390
 - progression, 375
 - and public policy, 376
 - Translational Priorities, 394
 - Translational Research, 393
- RET/glia cell-derived neurotrophic factor, 380
- Retinoic acid signaling pathways, 390
- Retinopathy of prematurity (ROP), 329
- Ribonucleic acid (RNA), 433
- Risk factor
 - CKD, 383–385
- Rosenberg Self-Esteem Scale, 566

- S**
- Satiety hormone, 176
- School Breakfast Program, 180
- Screening Across the Lifespan Twin (SALT) study, 549
- SEARCH for Diabetes in Youth Study (SEARCH), 197
- SEARCH study, 198, 199
- Selenium, 437
- Self-control *vs.* self-regulation, 115, 278
- Self-perpetuating cycle, 169
- Self-regulation
 - adaptive developmental tasks, 275
 - biobehavioral development, 276
 - construct diversity, 289–290
 - delay of gratification approach, 279
 - EDI, 289
 - effortful control, 279
 - emotion regulation, 279–280
 - executive functioning, 278

- Self-regulation (*cont.*)
 future research issues
 conceptualization and measure, 290
 developmental changes examination, 291
 intervention efforts improvement, 291, 292
 (*see also* Health-related outcomes)
 HTKS, 289
 integration levels, 284, 285 (*see also* Matches and mismatches)
 levels and contexts, 276
 NIH Toolbox, 289
 nomothetic with idiographic analyses, 290
 outcomes, 275
 person-centered movement and systems
 theories, 288
 protective/maladaptive way, 276 (*see also* Relational developmental systems (RDS))
 slowly developing phenomenon, 288
 translation (*see* Translation)
- Sensorineural hearing loss, 322
- Sex differences
 middle childhood, 102
- Sex hormones
 adrenal androgens, 98
 prenatal, 102
- SGROH, *see* US Surgeon General's Report on Oral Health (SGROH)
- Sibling-pair analyses
 GWG, 175
- Sibling-pair design, 177
 GDM, 174
- Sleep duration, 205, 206
 infancy
 T2DM, 205, 206
- Sleep duration and quality, 184, 185
- Smart Snacks in Schools, 180
- Social (Psychological) Stressors
 T2DM, 200
- Social class, 177
- Social cognition network, 466
- Social determinants of health, 410
- Social disparities
 in health, 82
- Social influences
 adolescence, 181
- Social learning
 and social integration, 98
 five-to-seven shift, cognitive functioning, 97
 in juvenility, 97
- Social network theory and analysis, 181
- Socioeconomic disadvantages (SEDs)
 adulthood factors, 463
 adulthood, individuals, 483
 childhood exposure, 464
 cognitive deficits and behavioral problems, 463
 conceptual model, 467
 cumulative risk factors, 483
 description, 468
 family poverty, 464
 genes and environment interaction, 484
 neighborhood deprivation, 463
 (*see also* Neurobiological mechanisms)
 physical and psychological development, 463
 population-based studies, 484
 psychosocial factors, 483
 sleep quality, 483
 testing mediation, 484
 timing vs. duration, 480–482
- Socioeconomic factors, 204
- Socio-economic status (SES), 127, 128, 200, 329, 338
 CKD, 389
 EA
 educational achievement, 128
 family supports and neighborhood environment, 127
 financial resources, 128
 self-efficacy and hope, 128
- Sonic hedgehog, 380
- Spastic diplegia, 328
- Spastic hemiplegia, 328
- Special health care needs, 130
- Specificity principle, 116
- Split approaches, 112
- Stem cell technologies, 392
- Stilbenoids, 449
- Strict blood pressure control, 392
- Stroke, 446
- Structural equation modeling (SEM), 524
- Study designs, 541
 epidemiological (*see* Epidemiological study)
- Sugar-sweetened beverages, 183, 184
- Sugar-sweetened drink, 205
- Surgeon General's Report on Oral Health (SGROH), 315
- Survey of Economic Opportunity (SEO), 580
- Survey Research Center (SRC), 580
- Sympathetic nervous system (SNS), 333, 466, 467, 471, 475, 478, 481
- T**
- T2DM
 inter-generational transmission, 172, 173
 prevention, 216
 risks, 216
 treatment, 216
- T2DM in adolescents and youth study (TODAY Study), 200
- Teenage pregnancy, 322
- Temporomandibular joint disorders (TMJD), 306
- TGF-beta, 378
- Three-form planned missing data design, 530
- Thrifty gene hypothesis, 411
- Thrifty phenotype hypothesis, 411
- Thriving principle
 endophenotypes, 36
 health-development phenotypes, 36
 implications, 36
 theories and frameworks, 36

- Timing principle
 health-development pathways, 33
 implications, 34
 theories and frameworks, 33
 transitions and turning points, 33
- TMJD, *see* Temporomandibular joint disorders (TMJD)
- Tobacco control, 183
- Tooth worm theory, 307
- Trace minerals, 431
- Trans fat, 183
- Transition in ASD, 254–256
 children with, 252–254
 employment, independent living and social life, 256, 257
 from adolescence into adulthood
 comorbid intellectual disability, 254
 educational attainment, 255, 256
 family income, 255
 post-high school goals, 255
 verbal communication impairments, 254
- Transition into Adulthood Study (TAS), 587
- Translation
 adolescence, 281, 282
 schooling, 280–281
- Translational priorities
 obesity prevention, 187–188
- Translational Priorities: Recommendations for
 Translating Existing Research into Practice
 and Policy, 394
- Translational Research
 CKD, 393
- Traumas and alcohol abuse and dependence, 552
- Twin studies
 broader population, 548
 Childhood Sexual Abuse, 549, 550
 genetic and environmental risks, 548
 from registries, 548
 shared environment and gene–environment
 interaction, 548
 substance use disorder, 549, 550
 Substance Use Disorder, 549, 550
 who grow up in shared environment, 548
- Two-method design, 530, 531
- 2020 Dietary Guidelines Advisory Committee, 451
- Type 1 diabetes mellitus (T1DM), 199
- Type 2 diabetes mellitus (T2DM)
 adolescence, 211–214
 adolescents, 197
 age, 199
 Birth Cohorts, 216–228
 child developing, 198
 childhood, 207–211
 development, 198
 disease diagnosed in adults, 197
 disease-causing pathways, 198
 economic status, 199, 200
 Elucidate Mechanisms, 215, 216
 ethnicity, 199
 Evidenced-Based Prevention and Treatment
 Strategies, 228
 genetic and epigenetic mechanisms, 198
 genetics, 198–199
 incidence, 199
 infancy, 204–206
 mean direct cost for medical care, 197
 metabolic comorbidities, 198
 preconception and intrauterine life, 200–203
 prevalence, 199
 prevalence of prediabetes, 197
 race, 199
 risks and protective factors, 198
 SEARCH study, 198
 Social (Psychological) Stressors, 200
- U**
- Unfolding principle
 adaptive, 28
 autocatalytic, 28
 cultural information and practices, 28
 description, 28
 evolution, 29
 functional phases, 29
 implications, 30
 self-organizing, 28
 short- and long-term effects, 30
 theories and frameworks, 29
- Universal newborn hearing screening programs, 363
- Ureteric bud, 380
- US mixed-race cohort, 204
- US Preventative Services Task Force (USPSTF), 209
- US Public Health Service, 437
- US Surgeon General’s Report on Oral Health
 (SGROH), 303
- V**
- Vascular and endothelial dysfunction, 154, 155
- Vermont Oxford Network, 379
- Very preterm infants (VPI), 322
- Vesicoureteral reflux (VUR), 380
- Victorian Institute of Forensic Medicine in Australia, 552
- Victorian Psychiatric Case Register, 552
- Vitamin A, 437
- Vitamin A deficiency, 377
- Vitamin B12, 433, 434, 448
- Vitamin C deficiency, 443
- Vitamin D, 443, 445, 446
- Vitamin E, 437, 446, 447
- Vitamins, 431
- W**
- War on Poverty, 580
- Wave missing data design, 531
- Web of causation, 25
- Welfare generosity, 605

Well-being and health, 286–288
White House Task Force, 184
White House Task Force on Childhood Obesity, 184
Wisconsin Longitudinal Study (WLS), 340
Wnts, 380
Woodcock-Johnson cognitive assessments, 588
Woodlawn Study, 545
World Health Organization (WHO), 436

Y
YMCA-based program, 209
Youth development programs, 110

Z
Zeaxanthin, 449
Zinc, 431, 444