

Index

A

Acacia auriculiformis, 28, 177, 178, 191

Acacia nilotica, 25, 177–181, 183–186, 191

ACC. *See* 1-Aminocyclopropane-1-Carboxylate (ACC)

Acid-forming/acidic amendments, 199

Acids or acid formers, 198

Active oxygen species (AOS), 11

Adoptability evaluations, agroforestry systems, 190

Agribusiness sector, land reclamation, 270–271

Agro-ecological subregions (AESR), 50

Agroforestry systems

adoptability evaluations, 190

carbon sinks, 182–183

enhancing soil fertility, 183

FAO, 173

Indo-Gangetic plains, 173

local adaptation, 174

planting techniques, MFTS, 190–191

policy responses, 174

productivity evaluations, 188

reframing, 173

rehabilitation, 173

salt-affected soils

characteristics, 174–177

multifunctional tree species

(*see* Multifunctional tree species)

origin and distribution, 174, 175

soil reclamation, 184–186

sustainability evaluations, 188–190

tree growing, 174

water quality and use efficiency, 183–184

Alkali soils

alkaline hydrolysis, 175

biofuel and grass species, 83

horticultural species-based agroforestry models, 181

Indo-Gangetic regions, 262

non-saline, 47

saline, 47

sodic soil, 176

Alley cropping, 182

All India Soil Survey and Land Use, Delhi, 44

Aluminosilicate minerals, 257

Amendments

acid-forming/acidic, 199

calcium-based, 198

chemical reactions, 198–200, 206–207

gypsum, 200–202

organic, 197, 198, 207–208

types, 198–199

1-Aminocyclopropane-1-Carboxylate (ACC)

bacterial IAA production, 160

PGPR, 120, 289

Pseudomonas fluorescens strain, 163

rhizosphere bacteria, 119

salinity stress tolerance, 118

AOS. *See* Active oxygen species (AOS)

Aquaporins

biological/technical differences, 145

expression analysis, 145

MIP family, transmembrane channels, 145

subfamilies, 145

in water uptake, 145

Araucaria cunninghamii, 177

- Arbuscular mycorrhizal fungi (AMF)
 agricultural soils, 139
 enhanced nutrient uptake, 147–148
 extraradical hyphae, 138
 glomalin production, 134
 good quality land and water resources, 133
 low plant productivity, salinity, 134
 morphological criteria, 91
 mycelium, 138
 mycorrhizosphere effect, 138
 physiological and biochemical processes, 134
 plant growth and nutrient uptake, 136–137
 quality soil, 138
 salt detrimental effects, 134
 (*see also* Salt stress)
 soil microfauna, 138
 soil salinity, 133
- B**
- BGA. *See* Blue-green algae (BGA)
 Bioaugmentation method, 238
 Biological reclamation method, 58–59
 beneficial effects, 202
 crop residues/ploughing under manure, 203
 FYM, 202
 organic materials and crop residues, 202, 203
 sodic dense subsoil with organic amendments, 203–204
 Biomass and bioenergy production, 185–186
 Biopiling method, 239
 Bioreactors, in situ bioremediation, 240
 Bioremediation
 advantages, 279
 agriculture, marginal lands, 275
 agroforestry plant species, 275
 in arid and semiarid regions, 275
 bio-treatment process, 249
 chemical amendments, 278
 classification, 238
 complex pollutants, 249
 defined, 233
 environmentally safe and clean technique, 279
 farming community, 276
 halophilic microorganisms, 276
 hazardous/toxic chemicals, 249
 highly saline (NaCl) conditions, 277
 history, 234
 in situ, 249 (*see also* In situ bioremediation methods)
 limitations of, 249
 management system, 233
 microbial inoculants, 292–293
 novel remediation technology, 285
 plant-microbiome interactions, 290–292
 plants economic value, 277
 pollution treatment, 284
 reclamation and vegetation restoration, 278
 requirements, 238
 restoration and remediation projects, 278
 rhizosphere engineering, 285, 292
 salt effect, soil microorganisms, 286
 seed and germplasm preservation, 278, 280
 soil reclamation purposes, 275, 284–285
 symbiotic soil microorganisms, 283
 unused and marginal lands, 278
 VAM, 276 (*see also* Vegetative bioremediation)
- Biosparging method, 239
 Bioventing method, 239
 Black alkali, 196
 Blue-green algae (BGA), 290
 Borderline extreme halophiles, 88
Brassica species, metal-contaminated soil, 216
- C**
- Calcareous sodic soils, 199, 204, 290
 Calcium amendments, 198
 Carbon sequestration
 bio-amelioration, 84
 candidate species, 25
 environmental services, 209
 halophytes, 84
 photosynthesis and biomass production, 84
 post-amelioration soil, 205, 279
 seaweed cultivation, 27
 Carbon sinks, 84, 182–183
Casuarina equisetifolia, 25, 177, 178, 183–186, 191, 217
 Cation exchange capacity (CEC), 24, 196, 197
 Cementation method, 237
 Central Soil Salinity Research Institute, Karnal, 44
 Chelating agents, 212, 214, 218, 221, 227
 Chemical amendments
 acids/acid formers, 198
 adverse effects, 206–207
 gypsum and FYM effect, 56
 mined gypsum, 200
 phytoremediation effect, 205, 279
 reclamation programmes, 25
 resource-poor farmers, 74
 soluble sources of calcium, 198
 types, 198
 Chemoautotrophs, 199

- Chenopodiaceae family, 223
 Chrysanthemum, 217
 Coastal saline soils, 19, 50, 51, 72, 90, 278, 289
 Coastal soils
 acid sulphate soils, predominance of, 50
 AESR, 50
 agricultural productivity, 50
 continental shelf, 49
 different sub-ecosystems, 49
 eutrophication and hypoxia, 50
 excess accumulation of soluble salts and alkalinity, 50
 groundwater behaviour, 50
 horizontal intrusion, 50
 inundation and flooding, 52
 pumping, 50
 saline soils, 51
 salinisation, 50
 salt accumulation, 51
 salt water intrusion, 50
 soil fertility, 51
 soil surface, periodic inundation, 50
 upconing, 50
 Composting method, 240
 Constraints
 coastal soils, 49–52
 in salinity research, 28–30
 saline vertisols, 48
 waterlogged soils, 48–49
Cordial Rothay, 177
 Cow dung and nutrients replacement, 187
 Cropping intensity, land reclamation, 263–264
 Crops and cropping sequences
 cultural practices, 66
 diversification, 61
 forage grasses, 60
 green manure, rice grain yield, 60
 management, 66–67
 oil seed, medicinal and aromatic crops, 59
 reclamation process, 60
 reclamation stages, 61
 relative crop tolerance to sodicity, 59, 60
 selection, 65
 soil fertility management, 66
 varieties, 67–68
 Cruciferae (raya), 217
 Cyanobacteria, 290
- D**
Dalbergia sissoo, 177, 178
 Deep thala system, 190
 Diammonium phosphate (DAP), 218
 Dimethylallyl diphosphate (DMAPP), 113
- E**
 Economic losses, sodic soils
 crop-wise production and monetary losses, 258, 259, 261
 in farm production, 258
 monetary losses, 258
 in Pakistan, 258
 Republic of South Africa, 258
 soil degradation, 258
 statewise monetary and production losses, 259, 260
 Efflux transporters
 abcABCD system, 244
 Ars operon, 245
 CBA transporters, 242
 heavy metal resistance, 242
 merB-encoded enzyme organomercurial lyase, 244
 metal ions, 243
 Ni/Co ABC-type, 244
 Pseudomonas syringae Cu²⁺ resistance, 244
 P-type ATPases and CDF transporters, 242
 resistance, 244, 245
 ZntA, zinc-transporting P-type efflux ATPase, 244
 Electrical conductivity (EC)
 and ESP, 44
 mycorrhizal roots, 144
 nonsaline alkali soils, 47
 saline-alkali soils, 47
 saline soils, 46
 salinity mapping, 16
 Electrocoagulation, 236–237
 Electrodialysis method, 237
 Electrolyte leakage (EL), 10, 11, 121
 Electrowinning method, 236
 Employment generation, 187, 268
 Endophytes
 bacteria, 286
 description, 285
 halophilic microbes isolation, 94–95
 recalcitrant organic compounds and heavy metals, 285
 in salt and drought stress, 286
Eucalyptus camaldulensis, 177, 178
Eucalyptus tereticornis, 177–181, 184–186
 Exchangeable sodium percentage (ESP), 44, 175, 177, 196–198, 201–203, 206–208
 Extracellular sequestration, 247, 248
 Extreme halophiles, 88

F

- Facultative halophytes, 72
- Fish pond-based integrated farming system model, 68–69
- Food chain contamination, phytoremediation, 212–213
- Foodgrain availability
 - farmers, categories of, 268, 269
 - households distribution, foodgrain self-sufficiency status, 269, 270
 - land degradation, 268
 - land reclamation programme, 268
 - self-sufficiency, 268
- Food-yielding halophytes, 81
- Forages
 - commercial halophyte cultivation, 81
 - digestible protein levels, 81
 - farmers, 81
 - nitrogen-fixing halophytes, 82 and oilseed crops, 278
 - silvipastoral system, 178
 - species, 82
- Forested and non-forested sodic soils, 185, 186

G

- Genetic engineering, 103, 134, 281–282
- Groundwater resources
 - depletion, 6
 - dryland and irrigated regions, 6
 - F⁻ contamination, 7
 - Indo-Gangetic plains of India, 7
 - large-scale rural electrification, 6
 - poor quality water, 8–10
 - water withdrawal/artificial groundwater recharge, 7

Gypsum

- application method, 57, 201
- deposits, 200
- fineness and solubility, 201–202
- Na₂CO₃ and adsorbed sodium, 201
- sodic soils amendment, 23

H**Halophilic bacteria**

- ACC deaminase activity, 97
- applications, 287
- biotechnological applications, 93, 287
- compatible solutes, 93
- CSSRO2 and CSSRY1 strains, 96
- ectoine production, 287
- endophytic, 95

- environmental biotechnology, 93
- genetic tools, 93
- hypotheses, 93, 287
- plant growth promotion, 97
- plant-microbe interactions, 96
- rhizospheric soil samples, 94
- sodium chloride tolerance, 95
- wheat performance with, 97

Halophilic microbes

- classification of, 88
- ecotones and endemisms, 87 (*see also* Halophilic bacteria; Halotolerance)
- halotolerant microorganisms, 88 (*see also* Moderately halophilic bacteria)
- plant growth promotion, 87
- plant-microbe interaction, 87
- VAM (*see* Vesicular arbuscular mycorrhiza (VAM))

Halophytes

- breeding programs, 280
- carbon sequestration, 84
- classification, 223
- coastal marshes, 73
- commercial viability, 280
- conventional breeding techniques, 281 as crops, 80
- deep-rooting perennials, 72
- definitions, 71
- environmental conservation, 83–84
- food-yielding, 81
- future agricultural production, 80
- genetic engineering, 281–282
- germination, 72
- high osmotic pressure, 286–287
- hydro and xero, 72
- industrial oil production, 82–83
- leaf tissues, 225
- livestock feeding, 72
- natural halophytes, 71
- nonseasonality and year-round availability, 73
- obligative and facultative, 72
- oil-yielding species, 73
- petro-crops, 73
- physiological adaptation, 71, 224
- phytoremediation, 73, 83
- protection and survival, 224
- remediation, 222–223 and saline lands (*see* Saline lands)
- salt stress, 79 (*see also* Salt tolerance)
- salt-tolerant, salt-loving/saltwater plants, 72, 81
- secondary metabolites, 73

- toxic metals, 279
 - vegetation clearance and irrigation, 79
 - Walter's classification, 218, 219
 - Halotolerance
 - brines concentration, 92
 - compatible solute strategy, 92
 - Halobacillus*, 92
 - osmolarity, hypersaline conditions, 92
 - salt-in strategy, 92
 - Halotolerant microbial species
 - isolation and identification, 158
 - nitrogen-fixing legumes, 159
 - OTUs, microbial diversity, 158
 - soil salinity, 159
 - water deficit and salinity disrupt photosynthesis, 159
 - Halotolerant microorganisms
 - Debaryomyces hansenii*, 90
 - domain bacteria, 88
 - family *Halomonadaceae*, 90
 - high salt concentrations, 88
 - hypersaline environments, 88
 - Heavy metals
 - accumulations, 212
 - automobiles and battery manufacturers, 234
 - bacteria, removal of
 - efflux transporters, 242–245
 - MTs (*see* Metallothioneins (MTs))
 - siderophores, 245–246
 - on contaminated soil, 214
 - czc genes, 242
 - different doses, 212
 - food chain, 212
 - fungi, removal of, 247–248
 - heavy metal-contaminated soils, 211
 - hyperaccumulation, 216
 - microbes physiology, 242
 - microorganisms, removal of, 240
 - mineral rock weathering and anthropogenic activities, 235
 - neurotoxic, nephrotoxic, fetotoxic and teratogenic effects, 235
 - normally discharged, water bodies, 234
 - PGPR, 220–221
 - phytoextraction, 218
 - pollutants, 234
 - removal methods
 - cementation, 237
 - electrocoagulation, 236–237
 - electrodialysis, 237
 - electrowinning, 236
 - ion exchange, 236
 - precipitation, 236
 - reverse osmosis, 237
 - renewable biomass, 240
 - soil solution and cell cytoplasm, 215
 - soil and water bodies, 211
 - toxic levels, 235
 - translocation and removal, 219
 - Hedgerow intercropping, 182
 - Household expenditure, land reclamation, 270–271
 - Hydro-halophytes, 72
 - Hyperaccumulator plants, 215–217
- I**
- Indo-Gangetic plains, 173
 - agriculture in, 257
 - rice-wheat rotation, 265
 - sodic soils, 257
 - Indole-3-acetic acid (IAA), 95, 110–112, 117, 118, 160–163, 288
 - Induced systemic resistance (ISR), 117, 123, 124
 - In situ bioremediation methods
 - bioaugmentation, 238
 - biopiling, 239
 - bioreactors, 240
 - biosparging, 239
 - bioventing, 239
 - composting, 240
 - landfarming, 240
 - Intracellular sequestration, 248
 - Ion compartmentation, halophytic grasses, 77, 79
 - Ion exchange method, 236
 - Ion toxicity, 10, 53, 87, 103, 134, 135, 174, 257
 - Irrigation management, 9
 - fertigation, 22
 - phosphorous and organic manures, 22
 - SDI, 23
 - site-specific management practices, 22
 - water use, 22, 64–65
- K**
- Keshopur Effluent Irrigation System in Western Delhi, 212
 - Kigelia pinnata*, 177, 178
- L**
- Land degradation, 1–2, 6, 20, 26, 30, 43, 50, 211, 257, 262, 268, 271
 - Land equivalent ratio (LER), 188

- Land reclamation
 agribusiness sector, 270–271
 cropping intensity, 263–264
 crop yields, 264–266
 employment, 267–268
 farm income, 267–268
 foodgrain availability, 268–270
 household expenditure, 270–271
 productivity, 264–266
 unit cost of production, 266
- Land shaping models
 agronomic practices, 20
 BBF and RF, 21
 degraded waterlogged saline lands, 20
- Landfarming method, 240
- Late embryogenesis abundant protein (LsLea),
 145, 146
- Lipid peroxidation (LP), 10, 11, 28, 141, 142
- Livelihood security, 74, 173, 174, 258,
 268, 271
- M**
- Mangrove forests, 50, 278
- Metal-contaminated soils
 arsenic-contaminated, 218
 bioconcentration factors, 217
Brassica, 216
 canola plants, 218
 Cd, 217
 chromium, 220
 chrysanthemum, 217
 Cr accumulation, flower plants, 217
 Cruciferae (raya), 217
 EDTA, 218
 growth-promoting effects, PSB, 218, 219
 heavy metals, phytoextraction, 218
 hyperaccumulator plants, 217
 marigold and tuberose possess, 217
 metalliferous soils, 218
 phosphatic fertilizers, 218
 phosphorus fertilizer, 217
 PTEs, 218
 rhizospheric soil, 218
 Walter's classification of halophytes,
 218, 219
- Metal hyperaccumulators, 218
- Metalliferous soils, 218
- Metallophytes, 211
- Metallothioneins (MTs)
 biomineral formation (biomineralization),
 247
 cysteine-rich metal-binding proteins, 246
 eukaryotes, 247
 extracellular enzymes, 246
 homeostasis function, 246
 metabolism, 246
 metals detoxification, 247
 nonessential heavy metals, 246
 passive (biosorptive) and active
 (bioaccumulation) mechanisms, 246
- MFTS, planting techniques, 190–191
- Microbial biomass carbon (MBC), 185, 186
- Microbial biomass nitrogen (MBN), 185, 186
- Microbial biomass phosphorus (MBP),
 185, 186
- Microbial Consortium, 292–293
- Microbially enhanced phytoextraction, 226
- Moderate halophiles, 88
- Moderately halophilic bacteria
 aerobic/facultatively anaerobic, 89
 alkaliphilic *Bacillus* species, 89
 chemoheterotrophic cell-walled
 eukaryotes, 90
 genus *Halobacillus*, 90
 genus *Marinobacter*, 90
Nocardiopsaceae family, 90
Virgibacillus genus, 89
- MTs. *See* Metallothioneins (MTs)
- Multifunctional agroforestry systems
 sequential agroforestry system, 181–182
 silvi-agriculture system, 180–181
 silvi-horti-pasture/horti-agricultural
 system, 181
 silvipastoral system, 178–180
- Multifunctional tree species
 agroforestry systems
 carbon sinks, 182–183
 enhancing soil fertility, 183
 soil reclamation, 184–186
 water quality and use efficiency,
 183–184
 alley cropping, 182
 biomass and bioenergy production,
 185–186
 employment generation, 187
 germination and initial growth, 177
 replacement, cow dung and
 nutrients, 187
 saline and alkali soils, 178
 selection, 177
 sequential agroforestry system, 181–182
 silvi-agriculture system, 180–181
 silvi-horti-pasture or horti-agricultural
 system, 181
 silvipastoral system, 178–180
 sodic conditions, 177
- Mycorrhizosphere effect, 138

N

- National Bureau of Soil Survey and Land Use Planning, Nagpur, 43, 44
- National Remote Sensing Agency (NRSA), 44
- Natural/primary salinity, 45–46
- Nodulin-like intrinsic proteins (NIPs), 145
- Non-destructive (non-CO₂ emitting), 183
- Non-halophytes, 223
- Nonsaline alkali soils, 47
- NSSO survey, 268
- Nursery bed preparation, 62
- Nursery management
 - nutrient management, 63
 - seed rate and nursery bed preparation, 62
 - seed treatment, 62
 - seedlings, 63
- Nutritional
 - imbalance, 174
 - management, 63, 64
 - minerals, 265

O

- Obligate halophytes, 223, 226
- Obligative halophytes, 72
- Operational taxonomic units (OTUs), 158
- Organic amendments, 197, 198, 202–204, 207–208
- Organic manures application method, 58

P

- Parkinsonia aculeata*, 177, 179
- PGP. *See* Plant growth-promoting (PGP) bacteria
- PGPR. *See* Plant growth-promoting rhizobacteria (PGPR)
- Phosphate-solubilizing bacteria (PSB)
 - Amaranthus dubius* wild I, 220
 - Amaranthus tricolor*, 220
 - growth-promoting effects, 218, 219
- Phosphatic fertilizers, 218
- Physicochemical approaches, 213
- Phytoextraction
 - hyperaccumulators plants, 215, 216
 - metals, 216
 - microbially enhanced, 226
 - process, 212
 - types, 214
- Phytohormones
 - Azospirillum* inoculation, 162
 - IAA, 163
 - morphogenesis, 162
 - Pseudomonas fluorescens* strain, 163
 - shoot and root meristems, 162
- Phytoremediation
 - amelioration strategy, calcareous sodic soils, 204
 - environmental remediation strategies, 211
 - description, 212, 214
 - disadvantages, 283
 - food chain contamination, 212–213
 - halophytes, 83
 - heavy metals, soil and water bodies, 211
 - hyperaccumulating plants, 213
 - land degradation, 211
 - low-cost intervention for resource-poor farmers, 204
 - mechanisms and processes, 205–206
 - metal-contaminated soil, 216–220
 - metallophytes, 211
 - molecular markers and QTL, 283
 - novel genes identification, 282
 - organic and inorganic pollutants, 214
 - osmoprotectant biosynthetic pathways, 283
 - PGPR, 220–221
 - phytodegradation, 214, 215
 - phytoextraction, 212, 214, 215
 - phytostabilization, 214, 215
 - phytovolatilization, 214, 215
 - proteomics, 283
 - rhizofiltration, 214, 215
 - salt-affected soils
 - advantage, 222
 - amelioration, 221
 - definition, 221
 - halophytes, 222–223
 - mechanisms, 221, 222
 - microbially enhanced phytoextraction, 226
 - risk assessment and remediation, 222
 - salt adaptation mechanism, 219, 223–226
 - soil salinity and sodicity, 221
 - soil contamination, 211
 - time-consuming, 282
 - vegetative bioremediation, 211
 - Phytostabilization, 214, 215, 217
 - Phytovolatilization, 214, 215
 - PIPs. *See* Plasma membrane intrinsic proteins (PIPs)
 - Pithecellobium dulce*, 177, 184, 186
 - Plant growth-promoting (PGP) bacteria, 104, 108

- Plant growth-promoting rhizobacteria (PGPR)
- ACC deaminase activity, 160
 - against soilborne diseases, 160
 - antibiotic production, 115, 116, 288
 - antioxidative enzymes, 122, 160
 - Azospirillum* inoculation, 289
 - bacterial IAA production, 160
 - classification, 108
 - cytokinin production, 112, 113
 - direct and indirect mechanisms, 288
 - disease suppression, 123, 124
 - endocellular and intracellular microorganisms, 159
 - ethylene, 289
 - extracellular (ePGPR), 108
 - gibberellins, 113, 114
 - halophilic strains, 289
 - heavy metal-contaminated soil, 220–221
 - IAA production, 111, 112
 - intracellular (iPGPR), 108
 - ion homeostasis, 121
 - phytohormones, 160
 - nitrogen fixation, 109
 - osmolyte accumulation, 121, 122
 - PGP, 108
 - salinity stress tolerance, 118
 - salt stress, 288
 - secreting hormones, 288
 - siderophore production, 114
 - soil bacteria, 288
- Planting techniques, MFTS, 190–191
- Plant-microbe interactions, 87, 96
- Plasma membrane intrinsic proteins (PIPs), 145
- Polyamines, 142
- Pongamia pinnata*, 177, 178, 183–186
- Potential toxic elements (PTEs), 218
- Precipitation method, 236
- Pre-reclamation management, 57
- Pressmud, 56, 57, 200
- Productivity evaluations, agroforestry systems, 188
- Prosopis juliflora*, 177, 178, 180, 181, 183–186, 191
- PSB. *See* Phosphate-solubilizing bacteria (PSB)
- Pyrite application method, 57–58
- R**
- Raised bed-based farming system model, 69
- Reclamation
- biological, 202–204
 - characterization, 257
 - economic impacts (*see* Land reclamation)
 - economic losses, 258–261
 - in Indo-Gangetic plains, 257
 - investment and economic feasibility, 261–263
 - land degradation, 257, 271
 - low crop productivity, 257
 - marginal and small farmers, 258
 - pH condition, 257
 - sodic land reclamation technology, 258
- Remediation processes
- classification, 213
 - hyperaccumulator plants, 215–216
 - microbial approach, 213
 - physicochemical approaches, 213
 - phytoextraction types, 214
 - phytoremediation, 214, 215
- Reverse osmosis method, 237
- Rhizobacteria
- gram negative rhizobia hormone levels, 161, 162
 - phytohormones, 162–163
 - salinity effect, 163–164
- Rhizofiltration, 214, 215
- Rhizosphere, 215, 218, 221
- Rhizosphere engineering, 292
- Rice-wheat rotation, 265
- S**
- Saline agriculture, 124–125
- Saline–alkali soils, 47
- Saline lands, India
- coastal Gujarat, 74–75
 - community lands and resource-poor farmers, 74
 - revegetation, 74
 - wastelands and livelihood security, 74
- Saline soils, 46, 175, 176, 191
- Saline vertisols, 48
- Salinisation
- and alkalisation, 47
 - land degradation in agricultural areas, 50
 - soil degradation, 44, 49
 - secondary, 46
 - waterlogging and secondary, 43
- Salinity
- natural/primary, 45–46
 - secondary/human-induced salinity, 46

- mitigation
 - microbial approaches, 27–28
 - plant-based solutions, 25–26
 - stress tolerance, 118
- Salinized soils
 - biological/genetic management, 221
 - control of salinity level, 221
- Salt-accumulating/salt-tolerant plants, 212
- Salt accumulation
 - causes, 46
 - classification, Indian system, 47
 - coastal soils, 51
 - nonsaline alkali soils, 47
 - saline-alkali soils, 47
 - saline soils, 46
 - USDA, 47
- Salt adaptation mechanism
 - application of non-leaching conditions, 226
 - initial ECe, 225
 - salt accumulating, 223–225
 - salt excluding, 223, 224
 - salt excreting, 223, 224
 - salt stress, plants, 223
 - SAR, 225
- Salt-affected soils (SAS)
 - agroforestry systems
 - characteristics, 174–177
 - origin and distribution, 174, 175
 - AOS/ROS, 11
 - cell-specific events, 10
 - chlorophyll membrane, 11
 - EL, LP and MDA, 10
 - Great Barrier Reef Lagoon, 18
 - Indo-Gangetic plains, 54
 - initial osmotic shock, 12
 - integrated hydro-geochemical and geophysical methods, 17
 - remote sensing, 16
 - saline and sodic soils, 10
 - salinity mapping, 16
 - sensor-based techniques, 17
 - soil electrical conductivity (EC_s)
 - measurements, 17
 - state-wise extent of, 54
 - TDR technique, 17
- Salt compartmentation, 75–76
- Salt glands, 71, 72, 77–79, 224
- Salt shock, 122, 123
- Salt stress, 79, 107
 - ABA phytohormone, 143
 - accumulation, 135
 - antioxidants, 142–143
 - fungi, 164–165
 - high NaCl uptake, 135
 - ionic and osmotic imbalance,
 - plants, 134
 - ions quantity, 135
 - molecular changes
 - aquaporins, 145
 - cation channels and transporters, 146–147
 - morphological and physiological characteristics, 139
 - nutritional deficiency symptoms, 135
 - osmotic adjustment, 140–142
 - osmotic effects, 135
 - PGPR (*see* Plant Growth-Promoting Rhizobacteria (PGPR))
 - phosphorus (P) uptake, 103
 - physiological impairments, 136, 139, 140, 143, 144
 - plant performance, 136
 - plant salt tolerance, 139, 140
 - polyamines, 142
 - rhizobacteria (*see* Rhizobacteria)
 - soil bacteria, 161
- Salt tolerance
 - K/Na selectivity
 - ion compartmentation, 77, 79
 - Na⁺ and Cl⁻ concentration and flux, 76–78
 - net selectivity (net $S_{K\backslash Na}$), 75
 - salt compartmentation, 75–76
 - physiological mechanisms, 75
 - salt glands
 - epidermal appendages, 79
 - excretion, 77
 - flowering plants, 79
- SDI. *See* Subsurface drip irrigation (SDI)
- Secondary/human-induced salinity, 46
- Sequential agroforestry system, 181–182
- Shoot metal concentration, 215
- Siderophores
 - bacterial strains, 245
 - defined, 245
 - Pb(II) and Ni(II) binding, 246
- Silvi-agriculture system, 180–181
- Silvi-horti-pasture or horti-agricultural system, 181
- Silvipastoral system, 178–180
- Single superphosphate (SSP), 218
- Slight halophiles, 88
- Small basic intrinsic proteins (SIPs), 145
- SMB. *See* Soil microbial biomass (SMB)

- Sodicity
 - and salinity, 258
 - categories, 265
 - category, 265, 266
 - Crop-wise production and monetary losses, 261
 - Farmers, 267
 - land degradation, 257
 - Land degradation, 271
 - sodicity-affected lands, 262
 - Statewise monetary losses, 260
 - Statewise production losses, 259
 - tolerance and rooting depth of crop, 261
- Sodic soils
 - amendment use, 57
 - biological reclamation, 202–204
 - Black alkali, 196
 - characteristics, 55
 - chemical amendment, 56
 - definition, 195
 - degradation, 195
 - development, 195
 - gypsum and FYM effect, 56
 - organic matter decomposition, 56
 - phytoremediation, 204–206
 - pre-reclamation management, 57
 - salt-affected soils, 195
 - salts and Na⁺ originate, 195
 - sodium hazard, 196
 - water-irrigated, 196–202
- Sodic water-irrigated soils
 - calcium, 198
 - CEC, 197
 - drainage, 197
 - environment, 196
 - ESP, 197
 - free lime, 197
 - gypsum, 197
 - profile, 197
 - reclaiming, 197
 - reclamation, 197
- Sodium absorption ratio (SAR), 177, 196, 206, 223, 225
- Sodium hazards, 196
- Soil bacteria
 - generas, bacteria, 161
 - plant growth stimulation, 161
 - rhizosphere, 161
 - halophilic, 88
- Soil degradation
 - agricultural/farm activities, 43
 - estimation, 43
 - salinisation, 44
 - salt-affected soils, 44–45
- Soil enzymes
 - animal and vegetable origins, 165
 - dehydrogenase activity, 165, 166
 - ecosystems, role in, 165
 - environmental management, 167
 - enzyme activities, 166
 - invertase and urease activities, 166
 - microbial biomass, 167
 - phosphorus, 166
- Soil fertility
 - agroforestry systems, 183
 - coastal soils, 51
 - management, 66
- Soil microbial biomass (SMB), 24
- Soil nutrient transformation, 167–170
- Soil reclamation, agroforestry systems, 184–186
- Soil resources
 - characteristics of salt-affected soils, 45–47
 - distribution, 42, 43
 - FAO Land and Plant Nutrition Management Service, 42
 - groups in India, 42
 - inventory, 41
 - National Bureau of Soil Survey and Land Use Planning, 43
 - post-independence development, 43
 - pressure, 41
 - regional distribution, 42
 - soil degradation, 43–44
 - utilisation, 41
- Soil salinity
 - plant growth and development, 106, 107
 - rhizosphere-associated microbes, 105, 106
 - soil salinization process, 104–105
- Soil salinization process, 104–105
- Soluble salts, 174, 175
- Soluble sources of calcium, 198
- Subsurface drip irrigation (SDI), 23
- Sunken bed-based farming system model, 69
- Sustainability evaluations, agroforestry systems, 188–190
- Sustainable agriculture
 - adaptation, 3
 - agro-industrialization and food marketing, 4
 - ecological balance, 2
 - engineering, agronomic and biological approaches, 4
 - food production, principles of, 3
 - food requirements, 2
 - high-yielding varieties, chemical fertilizers and liberal irrigation, 2
 - for human future, 2 (*see also* Groundwater resources)
 - integrated landscape management, 3
 - land degradation, 1

- saline lands, productivity of
 - aquaculture, 26–27
 - chemicals and amendments, 23–25
 - groundwater recharge, 21–22
 - irrigation management, 22–23
 - land drainage, 18–20
 - land shaping models, 20–21
 - microbial approaches, 27–28
 - research constraints, 28–30
 - salinity mitigation, 25–26
 - salinity-environment interaction, 13–15
 - salt stress alleviation, 12–13
 - social and environmental costs, 4–6
 - soil erosion, 1
 - world population and global economic transformation, 3
- Sustainable crop production, 101

T

- Tamarix articulata*, 177, 178
- Terminalia arjuna*, 177, 178, 180, 181, 183–186, 191
- Tonoplast intrinsic proteins (TIPs), 145
- Total dissolved salts (TDS), 96
- Translocation factor (TF), 219, 220
- Transplanting/sowing method, 63

U

- Upconing, 50
- USDA classification, 45

V

- Vegetative bioremediation, 211
 - agroforestry systems, 277
 - food and fodders, 276
 - sodic soil amelioration, 277
 - soil salinity/sodicity, 276
- Vertisols, saline, 48
- Vesicular arbuscular mycorrhiza (VAM), 218
 - fungal spore density, 91
 - Glomus* species, 91
 - morphological criteria, 91
 - saline environment, 91
 - salt stress, 276
 - spores/infectivity, 91

W

- Walter's classification, halophytes, 218, 219
- Waterlogged sodic soils, 48–49
 - fish pond-based integrated farming system model, 68–69
 - land modification, 68
 - raised bed-based farming system model, 69
 - sunken bed-based farming system model, 69
- World Commission on Environment and Development (WCED), 189

X

- Xero-halophytes, 72
- X intrinsic proteins (XIPs), 145