

Index

A

Anisotropy, strain-induced, 173
Anthracene, 59–62
Arrhenius shift factor, 158
Atomic force microscopy (AFM), 69, 75, 83,
97, 99, 110, 114, 120, 131
Autoepitaxy, 62

B

Ballistic cooling, 129, 145, 148
Banded–nonbanded transition (BNB), 114
Banded polymer spherulite, 95
Bifurcation of growth, 26
Biomorphs, 98
Borax, 96

C

Chain tilt, 95
Chirality, 102, 121
Clapeyron equation, 154, 249, 261, 275
Compressibility, 243, 257, 265
Concomitant crystallization, 1
Continuous-cooling-transformation (CCT)
diagrams, 148
Cooling, fast, 212
undercooling, 4, 16, 24, 31, 40, 49, 147,
152, 209, 275, 282
Couette cell, 249
Cross-nucleation, 1
Crystallization, 55
flow-induced, 243
kinetics, 167, 207, 261
shear-induced, 127

strain-induced, 167, 177
Crystal modification, control, 78
Cyclic voltammetry (CV), 83

D

Dicyclohexylterephthalamide, 57
Differential radial distribution function
(DRDF), 170
Dilatometry, 218, 243
extended, 249
Discrete elastic-viscoelastic stress split
(DEVSS), 253

E

Entanglements, 128, 197
Epitaxy, 23, 32, 46, 55, 58, 87
Ewald sphere, 102, 106, 107, 145
Extended-chain crystals (shishs), 62
Extended pom-pom (XPP) model, 248

F

Fast scanning calorimetry (FSC), 216
Flow-induced crystallization (FIC), 244
Flow instabilities, 271
Folded-chain lamellar crystals (kebabs), 62
Fourier transform infrared spectroscopy
(FTIR), 67–69, 129

G

Gibbs–Thomson relation, 6
Growth, bifurcation, 26

Growth (*cont.*)

- transformation, 26
- transition, 26, 48, 79

Guinier approximation, 142

H

- Halos, amorphous, 170
- Heat balance, 221, 231, 233, 257
- Hencky strain rate, 159
- Hermans' orientation factor, 251, 270, 274
- Heteroepitaxy, 64
- Hexamethyleneadipate (HA), 18
- High-density polyethylene (HDPE), 95, 97, 102, 107
- High shear rates, 252
- Hoffman–Lauritzen theory, 28, 100, 275
- Homoepitaxy, 62

I

Impingement, 281

K

- Keabs, 62, 142, 160, 245, 270, 279
- Kolmogoroff–Avrami expression, 210, 247
- KP-model, 100

L

- Lamellae, 44, 62, 95
 - branching, 243
 - chirality, 95, 106–108
 - daughters, 245, 263, 270, 287
 - edge-on, 74
 - handedness, 107
 - nanoscale, 31
 - thickness, 5, 6, 71, 118, 154, 226
 - twisted, 99–106, 119
- Lauritzen–Hoffman theory, 28, 100, 275
- Lennard–Jones potential, 24
- Linear low density polyethylene (LLDPE), 130, 152
- Linear viscoelastic envelope (LVE), 158
- Log-conformation representation (LCR), 253

M

- Mannitol, 23
- Mechanical cycling, 189
- 5-methyl-2-[(2-nitrophenyl)amino]-3-thiophenecarbonitrile, 23

- Millisecond time resolution, 127
- Modelling, 207
- Molecular vibration spectroscopy, 68
- Momentum balance, 254
- Monte Carlo simulations, 68

N

- Nanocalorimetry, 95
- Nanofocus X-ray scattering, 95
- Natural rubber, 167, 168
- Nucleation, 1, 4
 - cross-nucleation, 1
 - density, 208
 - point-like, 264, 282
 - shish-kebab, 279

O

- Organic field-effect transistors (OFETs), 56, 76
- Orientation factor, 251, 270
- Ostwald's rule, 1, 3–6, 24, 42

P

- Parameter sensitivity analysis, 267
- Photoswitchers, 79, 81
- Pirouette dilatometer, 218, 249
- Polanyi sphere, 107
- Polarized optical microscopy (POM), 11, 43, 110, 130, 151, 271
- Poly(1,3-dioxolan) (PDOL), 19, 24
- Poly(3-hexylthiophene) (P3HT), 69
- Poly(3-hydroxybutyrate) (PHB), 74, 95, 120
- Poly(3-hydroxypropionate) (PHP), 17
- Poly(3-hydroxyvalerate) (PHV), 120
- Poly(3-methylthiophene) (P3MT), 83
- Poly(butylene adipate) (PBA), 5, 17
- Poly(butylene terephthalate) (PBT), 113
- Poly(butylene-2,6-naphthalate) (PBN), 18
- Poly(caprolactone) (PCL), 66, 77, 102
- Poly(di-*n*-hexylsilane), 74
- Poly(ethylene adipate) (PEA), 72
- Poly(ethylene oxide) (PEO), 19
- Poly(ethylene sebacate), 77
- Poly(ethylene terephthalate) (PET), 113, 208
- Poly(heptamethylene terephthalate) (PHepT), 18
- Poly(hexamethylene terephthalate) (PHexT), 11, 18, 32
- Poly(lactic acid) (PLA), 97, 246
- Poly(L-lactic acid) (PLLA), 21, 33, 102
- Poly(methylmethacrylate) (PMMA), 74

- Poly(pivalolactone) (PPVL), 3, 30, 35
 Poly(propylene adipate) (PPA), 95, 97, 110
 Poly(tetrafluoroethylene) (PTFE), 76, 77, 86
 Poly(trimethylene terephthalate) (PTT), 95, 97, 102, 113
 Poly(vinylidene fluoride) (PVDF), 2, 15, 57, 95, 97, 99
 Poly(vinylpyrrolidone), 23
 Polyethylene, 25, 59, 95, 207
 high-density (HDPE), 97, 102, 107
 linear low density (LLDPE), 130, 152, 209, 224
 shish-kebab, 131
 Poly(1-butene), isotactic (i-PBu), 3, 13, 42, 102, 246
 Poly(4-methyl-1-pentene), isotactic (i-P4M1P), 2, 14
 Polymorphic self-poisoning, 20
 Polymorphism, 1, 72, 78, 208, 243
 Polymorphs, 1, 98, 157, 209, 275, 282
 concomitant crystallization, 7
 cross-nucleation, 22
 ROY, 23
 Polyoctamer, 77
 Polyoxymethylene, 77
 Poly(*p*-phenylene ethynylene)s, 79
 Polypropylene, 2, 207, 243
 isotactic (iPP), 2, 11, 57, 148, 208, 246
 syndiotactic (sPP), 2, 71
 Polystyrene, isotactic, 75, 76, 102
 syndiotactic, 11, 14, 21
 Pressure, 217
 Processing, 127, 243
 Propene/ethylene, ballistic cooling, 145
- Q**
- Quiescent state, 169, 176, 180
 Quinacridone, 57
- R**
- Real-time fast structuring, 127
 Recovery, 113, 191–194, 199, 201
 Rheo-SAXS/WAXD, 156
 ROY polymorphs, 23
 Rubber elasticity, 178
- S**
- Schneider rate equations, 210, 230, 247, 262, 275, 278, 288
 Screw dislocation, 100, 109, 116
 Selected-area electron diffraction (SAED), 113
- Self-poisoning, polymorphic, 20
 Semicrystalline polymers, 2, 7, 55, 57, 68, 74, 79, 111, 128–138, 158, 170, 244
 cross-nucleation, 24
 non-isothermal crystallization, 207
 polymorphs, 2
 Porod behavior, 141
 Sentmanat extension rheometer (SER), 156
 Shear layer thickness, 271
 Shish, 62, 243, 248, 273
 Shish-kebab, 62, 131–159, 243, 245, 280
 Slit flow, 149–152, 217, 250
 Small-angle light scattering (SALS), 228
 Small-angle oscillatory shear (SAOS), 255
 Small-angle X-ray scattering (SAXS), 104, 107, 127, 135, 264
 Spherulites, 11, 16, 18, 62, 96, 130, 260
 banding, 97, 116
 bandwidth, 115
 branches, 38
 crystallization kinetics, 247, 278
 flow-induced, 287
 isotropic, 262
 nucleated, 30, 36, 243
 Strain-induced anisotropy, 173
 Strain-induced crystallization, 167, 177
 Strain rate, Hencky, 159
 Strain-regulation process, 196
 Strain relaxation, 167
 Streamers, 259
 Streamline-upwind Petrov–Galerkin (SUPG), 253
 Stretching, 57, 167, 195, 253
 uniaxial, 127, 142
 Structure regulation, 74
 Synchrotron radiation, 95
- T**
- Tazofelone (TZF), 33
 Temperature-induced crystallization (TIC), 169
 Terphenyl, 59, 61, 72
 Thompson scattering, 135
- U**
- Undercooling, 4, 16, 24, 31, 40, 49, 147, 152, 209, 275, 282
- V**
- Viscoelastic fluid model, 255
 Viscoelasticity, nonlinear, 243, 253, 260, 269

W

- Wide-angle X-ray diffraction (WAXD), 12, 18,
34, 43, 67, 129, 131, 213, 250
Wide-angle X-ray scattering (WAXS), 104,
127, 129, 161

X

- X-ray diffraction, 12, 15, 25, 43, 69, 85,
167–175, 202, 213, 247, 250
X-ray photoelectron spectrum (XPS), 84
X-ray scattering, nanofocus, 95, 102