

References

1. Altamimi, Z., Collilieux, X., & Métivier, L. (2011). ITRF2008: An improved solution of the international terrestrial reference frame. *Journal of Geodesy*, 85(8), 457–472.
2. Badura, T., Sakulin, C., Gruber, C., & Klostius, R. (2006). Derivation of the CHAMP only global gravity field model TUG-CHAMP04 applying the energy integral approach. *Studia Geophysica et Geodaetica*, 50(1), 59–74.
3. Baker, R. (1960). Orbit determination from range and range rate data. Technical report, Semi-annual meeting of American Rocket Society, Los Angeles.
4. Balmino, G. (1974). Determination of earth potential by means of space methods. *La Géodynamique Spatiale*, A76–36176(17–42), 275–472.
5. Balmino, G., Barthel, G., Castel, L., Halldorson, T., Hufnagel, H., Leibold, G., et al. (1978). Mission/system definition study for a space laser low orbit mission (SLALOM)-Final Report. Technical report, ESA. ESA Contract No. 3483/78/F/DK(SC).
6. Baur, O., Reubelt, T., Weigelt, M., Roth, M., & Sneeuw, N. (2012). GOCE orbit analysis: Longwavelength gravity field determination using the acceleration approach. *Advances in Space Research*, 50(3), 385–396.
7. Beutler, G. (2005a). Methods of celestial mechanics. Physical, mathematical, and numerical principles (Vol. 1). Springer. ISBN 3-540-40749-9.
8. Beutler, G. (2005b). Methods of celestial mechanics. Application to planetary system, geodynamics and satellite geodesy (Vol. 2). Springer. ISBN 3-540-40750-2.
9. Beutler, G., Mueller, I., & Neilan, R. (1994). The international GPS service for geodynamics (IGS): Development and start of official service on 1 January 1994. *Manuscripta Geodaetica*, 68, 43–51.
10. Beutler, G., Jäggi, A., Mervart, L., & Meyer, U. (2010a). The celestial mechanics approach: Application to data of the GRACE mission. *Journal of Geodesy*, 84(11), 661–681.
11. Beutler, G., Jäggi, A., Mervart, L., & Meyer, U. (2010b). The celestial mechanics approach: Theoretical foundations. *Journal of Geodesy*, 84(10), 605–624.
12. Bjerhammar, A. (1969). On the energy integral for satellites. *Tellus*, 21(1), 1–9.
13. Björk, A. (1996). *Numerical methods for least squares problems*. Philadelphia, PA: SIAM.
14. Bock, H., Jäggi, A., Dach, R., Beutler, G., & Schaer, S. (2009a). GPS single-frequency orbit determination for low earth orbiting satellites. *Advances in Space Research*, 43(5), 783–791.
15. Bock, H., Dach, R., Jäggi, A., & Beutler, G. (2009b). High-rate GPS clock corrections from CODE: Support of 1 Hz applications. *Journal of Geodesy*, 83(11), 1083–1094.
16. Bock, H., Jäggi, A., Meyer, U., Visser, P., & van den IJssel, J. (2011a). GPS-derived orbits for the GOCE satellite. *Journal of Geodesy*, 85(11), 807–818.
17. Bock, H., Jäggi, A., Meyer, U., Dach, R., & Beutler, G. (2011b). Impact of GPS antenna phase center variations on precise orbits of the GOCE satellite. *Advances in Space Research*, 47(11), 1885–1893.

18. Bock, H., Jäggi, A., Beutler, G., & Meyer, U. (2014). GOCE-Precise orbit determination for the entire mission. *Journal of Geodesy*, 88(11), 1047–1060.
19. Bouman, J. (2000). Quality assessment of satellite-based global gravity. Ph.D. thesis, TU Delft.
20. Breakwell, J. (1979). Satellite determination of short wavelength gravity variations. Technical report, American Astronomical Society, Provincetown.
21. Brockmann, E. (1997). Combination of solutions for geodetic and geodynamic applications of the global positioning system (GPS). Technical report, Geodätisch-geophysikalische Arbeiten in der Schweiz, Band 55, Schweizerische Geodätische Kommission, Institut für Geodäsie und Photogrammetrie, Eidg. Technische Hochschule Zürich, Zürich. <http://www.sgc.ethz.ch/sgcvolumes/sgk-55.pdf>.
22. Brockmann, J. (2014). On high performance computing in geodesy -applications in global gravity field determination. Ph.D. thesis, Bonn University.
23. Buchar, E. (1958). Motion of the nodal line of the second Russian Earth Satellite (1957) and flattening of the Earth. *Nature*, 182, 198–199.
24. Buckreuss, S., Balzer, W., Muhlbauer, P., Werninghaus, R., & Pitz, W. (2003). The TerraSAR-X satellite project. In *Proceedings of IGARSS, Toulouse* (Vol. 5, pp. 30963098).
25. Bulirsch, R., & Stoer, J. (1966). Numerical treatment of ordinary differential equations by extrapolation methods. *Numerische Mathematik*, 8, 1–13.
26. Colombo, O. (1981). Geopotential modelling from satellite-to-satellite tracking. Technical report, OSU report 317, Columbus.
27. Colombo, O. (1984). *The global mapping of gravity with two satellites* (Vol. 3.7), *New Series*. Delft: Netherlands Geodetic Commission.
28. Dach, R., Brockmann, E., Schaer, S., Beutler, G., Meindl, M., Prange, L., et al. (2009). GNSS processing at CODE: Status report. *Journal of Geodesy*, 83(3–4), 353–366.
29. Dach, R., Lutz, S., Walser, P., & Fridez, P. E. (2015). *Bernese GNSS software version 5.2*. Astronomical Institute, University of Bern, Bern Open Publishing.
30. Danby, J. (1988). *Fundamentals of celestial mechanics*. Richmond, Virginia: Willman-Bell Inc.
31. Daras, I., Pail, R., Murböck, M., & Yi, W. (2015). Gravity field processing with enhanced numerical precision for LL-SST missions. *Journal of Geodesy*, 89(2), 99–110.
32. Dickey, J. (1997). Satellite gravity and the geosphere. Technical report, The committee on earth gravity from space, National Research Council, National Academy Press.
33. Ditmar, P., Kusche, J., & Klees, R. (2003). Computation of spherical harmonic coefficients from gravity gradiometry data to be acquired by the GOCE satellite: Regularization issues. *Journal of Geodesy*, 77, 465–477.
34. Dow, J., Neilan, R., & Gendt, G. (2005). The international GPS service: Celebrating the 10th anniversary and looking to the next decade. *Advances in Space Research*, 36(3), 320–326.
35. Drinkwater, M., Haagmans, R., Muzi, D., Popescu, A., Floberghagen, R., Kern, M., et al. (2006). The GOCE gravity mission: ESA's first core explorer. *ESA SP*, 627, 1–7.
36. Dunn, C., Bertiger, W., Bar-Sever, Y., Desai, S., Haines, B., Kuang, D., et al. (2003). Instrument of GRACE. *GPS World*, 14(2), 16–28.
37. Eanes, R. (1995). A study of temporal variations in Earth's gravitational field using Lageos-1 laser range observations. Ph.D. thesis, University of Texas at Austin.
38. Eanes, R., & Bettadpur, S. (1995). Temporal variability of Earth's gravitational field from satellite laser ranging. In *Global gravity field and its temporal variations* (Vol. 116, pp. 41). IAG Proceedings.
39. ESA (1978). SLALOM mission/system definition. Technical report, Contract No. 3483/78/F/DK(SC).
40. Flechtner, F., Morton, P., Watkins, M., & Webb, F. (2013). Status of the GRACE follow-on mission. In U. Marti (Ed.), *Gravity, geoid and height systems* (pp. 117–121). IAG Symposia 141.
41. Flohrer, C., Otten, M., Springer, T., & Dow, J. (2011). Generating precise and homogeneous orbits for Jason-1 and Jason-2. *Advances in Space Research*, 48(1), 152–172.

42. Förstner, W. (1979). Ein Verfahren zur Schätzung von Varianz- und Kovarianzkomponenten. *Allgemeine Vermessungs-Nachrichten*, 86, 446–453.
43. Friis-Christensen, E., Lühr, H., Knudsen, D., & Haagmans, R. (2006). Swarm—An Earth observation mission investigating geospace. *Advances in Space Research*, 41(1), 210–216.
44. Fu, L., Christensen, E., Yamarone, C., Lefebvre, M., Mnard, Y., Dorrer, M., et al. (1994). TOPEX/POSEIDON mission overview. *Journal of Geophysical Research*, 99(C12), 2436924381.
45. Gaposchkin, E., & Coster, A. (1988). Analysis of satellite drag. *The Lincoln Laboratory Journal*, 1(2), 203–224.
46. Gerlach, C., Földvary, L., Svehla, D., Gruber, T., Wermuth, M., Sneeuw, N., et al. (2003). A CHAMP-only gravity field model from kinematic orbits using the energy integral. *Geophysical Research Letters*, 30(20), 2037.
47. Guo, J., Shang, K., Jekeli, C., & Shum, C. (2015). On the energy integral formulation of gravitational potential differences from satellite-to-satellite tracking. *Celestial Mechanics and Dynamical Astronomy*, 121(4), 415–429.
48. Hackel, S., Montenbruck, O., Steigenberger, P., Balss, U., Gisinger, C., & Eineder, M. (2015a). Galileo orbit determination using combined GNSS and SLR observations. *GPS Solutions*, 19, 15–25.
49. Hackel, S., Montenbruck, O., Steigenberger, P., Balss, U., Gisinger, C., & Eineder, M. (2015b). Impact of improved satellite dynamic models on reduced dynamic orbit determination. *Journal of Geodesy*, in review.
50. Hajela, D. (1974). Direct recovery of mean gravity anomalies from satellite to satellite tracking. Technical report, OSU report 218, Columbus.
51. Hajela, D. (1978). Improved procedures for the recovery of 50 mean gravity anomalies from ATS6/GEOS-3 satellite-to-satellite range rate observations using least squares collocation. Technical report, OSU report 276, Columbus.
52. Han, S. (2004). Efficient determination of global gravity field from satellite-to-satellite tracking mission. *Celestial Mechanics and Dynamical Astronomy*, 88, 69–102.
53. Han, S., Shum, C., & Matsumoto, K. (2005a). GRACE observations of M2 and S2 ocean tides underneath the Filchner-Ronne and Larsen ice shelves. *Antarctica. Geophysical Research Letters*, 32, L20311.
54. Han, S., Shum, C., & Braun, A. (2005b). High-resolution continental water storage recovery from low-low satellite-to-satellite tracking. *Journal of Geodynamics*, 39(1), 11–28.
55. Han, S., Shum, C., Jekeli, C., & Alsdorf, D. (2005c). Improved estimation of terrestrial water storage changes from GRACE. *Geophysical Research Letters*, 32, L07302.
56. Han, S., Shum, C., & Jekeli, C. (2006). Precise estimation of in situ geopotential differences from GRACE low-low satellite-to-satellite tracking and accelerometer data. *Journal of Geophysical Research*, 111, B04411.
57. Hartmann, T., & Wenzel, H. (1995). The HW95 tidal potential catalogue. *Geophysical Research Letters*, 22(24), 3553–3556.
58. Henriksen, S. E. (1977). *National geodetic satellite program, part 1 and 2* (p. 1019). NASA, Washington DC: Technical report.
59. Hofmann-Wellenhof, B., & Moritz, H. (2005). *Physical geodesy*. Berlin: Springer.
60. Hofmann-Wellenhof, B., Lichtenegger, H., & Wasle, E. (2007). *GNSS—Global navigation satellite systems: GPS, GLONASS, Galileo, and more*. Wien, New York: Springer.
61. Ilk, K., Löcher, A., & Mayer-Gürr, T. (2008). VI Hotine-Marussi symposium on theoretical and computational geodesy. In *Kapitel dowWe need new gravity field recovery techniques for the new gravity field satellites?* (Vol. 132, pp. 3–9). Springer.
62. IPCC (2013). Climate change 2013—The physical science basis. Technical report, Fifth assessment report of the intergovernmental panel on climate change, Cambridge University Press.
63. Izsak, I. (1964). Tesseral harmonics of the geopotential and corrections to station coordinates. *Journal of Geophysical Research*, 69(12), 2621–2631.

64. Jäggi, A. (2007). Pseudo-stochastic orbit modeling of low earth satellites using the global positioning system. Technical report, Geodätisch-geophysikalische Arbeiten in der Schweiz, Band 73, Schweizerische Geodätische Kommission, Institut für Geodäsie und Photogrammetrie, Eidg. Technische Hochschule Zürich, Zürich. <http://www.sgc.ethz.ch/sgc-volumes/sgk-73.pdf>.
65. Jäggi, A., Bock, H., Pail, R., & Goiginger, G. (2008). Highly reduced dynamic orbits and their use for global gravity field recovery: A simulation study for GOCE. *Studia Geophysica et Geodaetica*, 52(3), 341–359.
66. Jäggi, A., Dach, R., Montenbruck, O., Hugentobler, U., Bock, H., & Beutler, G. (2009). Phase center modeling for LEO GPS receiver antennas and its impact on precise orbit determination. *Journal of Geodesy*, 83(12), 1145–1162.
67. Jäggi, A., Bock, H., Thaller, D., Dach, R., Beutler, G., Prange, L., et al. (2010). Precise orbit determination of low Earth satellites at AIUB. *ESA SP*, 686, 62.
68. Jäggi, A., Bock, H., & Floberghagen, R. (2011a). GOCE orbit predictions for SLR tracking. *GPS Solutions*, 15(2), 129–137.
69. Jäggi, A., Bock, H., Prange, L., Meyer, U., & Beutler, G. (2011b). GPS-only gravity field recovery with GOCE, CHAMP, and GRACE. *Advances in Space Research*, 47(6), 1020–1028.
70. Jäggi, A., Prange, L., & Hugentobler, U. (2011c). Impact of covariance information of kinematic positions on orbit reconstruction and gravity field recovery. *Advances in Space Research*, 47(9), 1472–1479.
71. Jäggi, A., Bock, H., Meyer, U., Beutler, G., & van den IJssel, J., (2015). GOCE: Assessment of GPS-only gravity field determination. *Journal of Geodesy*, 89(1), 33–48.
72. Jäggi, A., Dahle, C., Arnold, D., Bock, H., Meyer, U., Beutler, G., et al. (2016). Swarm kinematic orbits and gravity fields from 18 months of GPS data. *Advances in Space Research*, 57(1), 218–233.
73. Jazwinski, A. (1970). *Stochastic processes and filtering theories*. New York: Academic Press Inc.
74. Jekeli, C. (1999). The determination of gravitational potential differences from satellite-to-satellite tracking. *Celestial Mechanics and Dynamical Astronomy*, 75, 85–101.
75. Jekeli, C. (2000). *Inertial navigation systems with geodetic applications*. Berlin: Walter deGruyter Inc.
76. Jekeli, C. (2004). High-resolution gravity mapping: The next generation of sensors. *The State of the Planet: Frontiers and Challenges in Geophysics, Geophysical Monograph 150*, 19, 135–146. R. S. J. Sparks (Ed.).
77. Jekeli, C., & Rapp, R. (1980). Accuracy of the determination of mean anomalies and mean geoid undulations from a satellite gravity mapping mission. Technical report 307, Department of Geodetic Science, The Ohio State University.
78. Jekeli, C., & Upadhyay, T. (1990). Gravity estimation from STAGE, a satellite-to-satellite tracking mission. *Journal of Geophysical Research*, 95(B7), 10973–10985.
79. Kaula, W. E. (1969). The terrestrial environment: Solid-Earth and ocean physics application of space and astronomic techniques. Technical report, Report of a study at Williamstown/Mass. to NASA, Cambridge Mass.
80. Kaula, W. E. (1983). Inference of variations in the gravity field from satellite-to-satellite range rate. *Journal of Geophysical Research*, 88(B10), 8345–8349.
81. Keating, T., Taylor, P., Kahn, W., & Lerch, F. (1986). Geopotential research mission, science, engineering, and program summary. Technical report, NASA Tech. Memo 86240.
82. Keller, W., & Sharifi, M. (2005). Satellite gradiometry using a satellite pair. *Journal of Geodesy*, 78, 544–557.
83. Kim, J. (2000). Simulation study of a low-low satellite-to-satellite tracking mission. Ph.D. thesis, University of Texas at Austin, Austin.
84. Kim, J., & Tapley, B. (2002). Error analysis of a low-low satellite-to-satellite tracking mission. *Journal of Guidance, Control, and Dynamics*, 25(6), 1100–1106.

85. Kim, M. (1997). Theory of satellite ground-track crossovers. *Journal of Geodesy*, 71, 749–767.
86. Koch, K. (1986). Maximum likelihood estimate of variance components. *Bulletin Geodesique*, 60, 329–338.
87. Koch, K. (1999). *Parameter estimation and hypothesis testing in linear models*. Berlin: Springer.
88. Krieger, G., Moreira, A., Fiedler, H., Hajnsek, I., Werner, M., Younis, M., et al. (2007). TanDEM-X: A satellite formation for high-resolution SAR interferometry. *IEEE Transactions on Geoscience and Remote Sensing*, 45(11), 3317–3341.
89. Kusche, J. (2003). A Monte-Carlo technique for weight estimation in satellite geodesy. *Journal of Geodesy*, 76, 641–652.
90. Lambeck, K. (1988). *Geophysical geodesy: The slow deformations of the Earth*. Oxford: Clarendon Press.
91. Lambin, J., Morrow, R., Fu, L., Willis, J., Bonekamp, H., Lillibridge, J., et al. (2010). The OSTM/Jason-2 mission. *Marine Geodesy*, 33(Supp 1), 4–25.
92. Lemoine, F., Goossens, S., Sabaka, T., Nicholas, J., Mazarico, E., Rowlands, D., et al. (2013). High-degree gravity models from GRAIL primary mission data. *Journal of Geophysical Research, Planets*, 118, 1676–1699.
93. Liu, X. (2008). Global gravity field recovery from satellite-to-satellite tracking data with the acceleration approach. Ph.D. thesis, TU Delft.
94. Loveless, F., & Duncan, B. (1976). *Satellite-to-satellite tracking for orbit improvement and determination of a 1 degree x 1 degree gravity field*. National Technical Information Service, US Department of Commerce: Technical report.
95. Mayer-Gürr, T. (2006). Gravitationsfeldbestimmung aus der Analyse kurzer Bahnbögen am Beispiel der Satellitenmissionen CHAMP und GRACE. Ph.D. thesis, Institut für Theoretische Geodäsie der Universität Bonn.
96. Mayer-Gürr, T. (2015). The combined satellite gravity field model GOCO05s. In *EGU General Assembly Conference Abstracts* (Vol. 17, pp. 12364).
97. Mayer-Gürr, T., Ilk, K., Eicker, A., & Feuchtinger, M. (2005). ITG-CHAMP01: A CHAMP gravity field model from short kinematic arcs over a one-year observation period. *Journal of Geodesy*, 78(7–8), 462–480.
98. Mayer-Gürr, T., Eicker, A., Kurtenbach, E., & Ilk, K. (2010). ITG-GRACE: Global static and temporal gravity field models from GRACE data. In Flechtner et al. (Ed.), *System Earth via geodetic geophysical space techniques*. Berlin: Springer.
99. Mayer-Gürr, T., Rieser, D., Hoeck, E., Brockmann, J., Schuh, W., Krasbutter, I., et al. (2012). The new combined satellite only model GOCO03. In *International Symposium on Gravity, Geoid and Height Systems. GGHS 2012, Venice, Italy*.
100. Meissl, P. (1971). A study of covariance functions related to the earth's disturbing potential. Technical report, OSU report 151, Columbus.
101. Menard, Y., Fu, L., Escudier, P., Parisot, F., Perbos, J., Vincent, P., et al. (2003). The Jason-1 mission. *Marine Geodesy*, 26(3–4), 147–157.
102. Merson, R., & King-Hele, D. (1958). A new value for the Earth's flattening, derived from measurements of satellite orbits. *Nature*, 182, 640.
103. Meyer, U., Jäggi, A., Beutler, G., & Bock, H. (2015). The impact of common versus separate estimation of orbit parameters on GRACE gravity field solutions. *Journal of Geodesy*, 89(7), 685–696.
104. Montenbruck, O. (2000). *Satellite orbits-models, methods, and applications*. Springer.
105. Montenbruck, O., van Helleputte, T., Kroes, R., & Gill, E. (2005). Reduced dynamic orbit determination using GPS code and carrier measurements. *Aerospace Science and Technology*, 9(3), 261–271.
106. Montenbruck, O., Rizos, C., Weber, R., Weber, G., Neilan, R., & Hugentobler, U. (2013). Getting a grip on multi-GNSS: The international GNSS service MGEX campaign. *GPS World*, 24(7), 44–49.

107. Moritz, H. (1969). On the determination of the potential from gravity disturbances along a fixed direction. *Tellus*, 21, 568–571.
108. Muller, P., & Sjogren, W. (1968). Mascons: Lunar mass concentrations. *Science*, 161(3842), 680–684.
109. NASA. (1972). *Earth and ocean physics applications program* (Vol. II). Technical report, NASA, EOPAP: Rationale and program plans.
110. Newton, I. (1687). *Philosophiae naturalis principia mathematica*.
111. Nievergelt, Y. (2000). A tutorial history of least squares with applications to astronomy and geodesy. *Journal of Computational and Applied Mathematics*, 121, 37–72.
112. NRC (1979). Applications of a dedicated gravitational satellite mission. Technical report, Panel on gravity field and sea level, Washington D.C.
113. O’Keefe, J. (1957). An application of Jacobi’s integral to the motion of an Earth satellite. *The Astronomical Journal*, 62(1252), 265–266.
114. Pavlis, N., Holmes, S., Kenyon, S., & Factor, J. (2012). The development and evaluation of the Earth gravitational model 2008 (EGM2008). *Journal of Geophysical Research, Solid Earth*, 117, B04406.
115. Pearlman, M., Degnan, J., & Bosworth, J. (2002). The International laser ranging service. *Advances in Space Research*, 30(2), 135–143.
116. Petit, G., & Luzum, B. (2010). *IERS technical note no. 36, IERS conventions 2010*. Verlag des Bundesamts für Kartographie und Geodäsie, Frankfurt am Main.
117. Ramillien, G., Biancale, R., & Gratton, S. (2011). GRACE-derived surface water mass anomalies by energy integral approach: Application to continental hydrology. *Journal of Geodesy*, 85, 313–328.
118. Rapp, R. (1998). Past and future developments in geopotential modeling. In R. Forsberg, M. Feissel, & R. Dietrich (Eds.), *Geodesy on the move, IAG-Symposium* (Vol. 119, pp. 58–78). Berlin: Springer.
119. Reigber, C. (1989). Theory of satellite geodesy and gravity field determination. In *Lecture notes in Earth sciences* (Vol. 25, pp. 197–234). Kapitel Gravity field recovery from satellite tracking data. Springer.
120. Reigber, C., Luhr, H., & Schwintzer, P. (2002). CHAMP mission status. *Advances in Space Research*, 30(2), 129–134.
121. Reigber, C., Schwintzer, P., Neumayer, K., Barthelmes, F., König, R., Förste, C., et al. (2003). The CHAMP-only earth gravity field model EIGEN-2. *Advances in Space Research*, 31(8), 1883–1888.
122. Remondi, B. (1993). NGS second generation ASCII and binary orbit formats and associated interpolation studies. In G. L. Mader (Ed.), *Permanent satellite tracking networks for geodesy and geodynamics*. Berlin, Heidelberg, New York: Springer.
123. Rockwell. (1984). *GPS interface control document, ICD-GPS-200*. Satellite Systems Division: International corporation.
124. Rummel, R. (1975). Downward continuation of gravity information from SST or satellite gradiometry in local areas. Technical report, OSU report 221, Columbus.
125. Rummel, R. (1979). Determination of short-wavelength components of the gravity field by satellite-to-satellite tracking or satellite gradiometry: an attempt to an identification of problem areas. *Manuscripta Geodaetica*, 4, 107–148.
126. Rummel, R., & van Gelderen, M. (1992). Spectral analysis of the full gravity tensor. *Geophysical Journal International*, 111, 159–169.
127. Rummel, R., Reigber, C., & Ilk, K. (1978). The use of satellite-to-satellite tracking for gravity parameter recovery. *ESA Space Oceanography, Navigation, and Geodynamics*, 137, 153–161.
128. Schmid, P., & Vonbun, F. (1974). *The ATS-F/nimbus E tracking and orbit determination experiment*. International Convention and Exposition, New York, NY: In IEEE.
129. Schuh, W. (1996). *Tailored numerical solution strategies for the global determination of the Earth’s gravity field*. Technical report, Mitt: Geodät. Instiute der TU Graz.
130. Schwarz, C. (1970). Gravity field refinement by satellite-to-satellite Doppler tracking. Technical report, OSU report 147, Columbus.

131. Seeber, G. (2003). *Satellite geodesy: Foundations, methods, and applications*. de Gruyter.
132. Shampine, L., & Gordon, M. (1975). *Computer solution of ordinary differential equations: The initial value problem*. San Francisco, W.H: Freeman.
133. Sheard, B., Heinzel, G., Danzmann, K., Shaddock, D., Klipstein, W., & Folkner, W. (2012). Intersatellite laser ranging instrument for the GRACE follow-on mission. *Journal of Geodesy*, 86(12), 1083–1095.
134. Sjogren, W., Laing, P., Liu, A., & Wimberly, R. (1976). Earth gravity field variations from GEOS-3/ATS-6 satellite-to-satellite radio tracking. *EOS Transactions AGU*, 57(4), 234.
135. Sneeuw, N. (2000). A semi-analytical approach to gravity field analysis from satellite observations. Ph.D. thesis, Deutsche Geodätische Kommission, Reihe C-527, München.
136. Sneeuw, N., Gerlach, C., Foldvary, L., Gruber, T., Peters, T., Rummel, R., et al. (2004). A window on the future of geodesy. In F. Sanso (Ed.), *IGAG symposium series* (Vol. 128, pp. 288–293). Kapitel One year of time variable CHAMP-only gravity field models using kinematic orbits. Berlin: Springer.
137. Sošnica, K. (2015). Determination of precise satellite orbits and geodetic parameters using satellite laser ranging. Technical report, Geodätisch-geophysikalische Arbeiten in der Schweiz, Band 93, Schweizerische Geodätische Kommission, Institut für Geodäsie und Photogrammetrie, Eidg. Technische Hochschule Zürich, Zürich.
138. Sošnica, K., Jäggi, A., Thaller, D., Beutler, G., & Dach, R. (2014). Contribution of Starlette, Stella, and AJISAI to the SLR-derived global reference frame. *Journal of Geodesy*, 88(8), 789–804.
139. Tangdamrongsub, N., Hwang, C., Shum, C., & Wang, L. (2012). Regional surface mass anomalies from GRACE KBR measurements: Application of L-curve regularization and a priori hydrological knowledge. *Journal of Geophysical Research*, 117, B11406.
140. Tapley, B., Bettadpur, S., Ries, J., Thompson, P., & Watkins, M. (2004a). GRACE measurements of mass variability in the Earth system. *Science*, 305, 503–505.
141. Tapley, B., Schutz, B., & Born, G. (2004b). *Statistical orbit determination*. Elsevier Academic Press.
142. Tapley, B., Bettadpur, S., Watkins, M., & Reigber, C. (2004c). The gravity recovery and climate experiment: Mission overview and early results. *Geophysical Research Letters*, 1(9), L09607.
143. Teunissen, P., Kleusberg, A. (1998). *GPS for geodesy*. Springer. ISBN 3-540-63661-7.
144. Torge, W., & Müller, J. (2010). *Geodesy*. Berlin: Walter de Gruyter.
145. van den IJssel, J., Encarnao, J., Doornbos, E., & Visser, P., (2015). Precise science orbits for the Swarm satellite constellation. *Advances in Space Research*, 56(6), 1042–1055.
146. Van Helleputte, T., Doornbos, E., & Visser, P. (2009). CHAMP and GRACE accelerometer calibration by GPS-based orbit determination. *Advances in Space Research*, 43(12), 1890–1896.
147. van Loon, J. (2008). Functional and stochastic modelling of satellite gravity data. Ph.D. thesis, TU Delft.
148. Visser, P., & van den IJssel, J., (2015). Calibration and validation of individual GOCE accelerometers by precise orbit determination. *Journal of Geodesy*, 90(1), 1–13.
149. Visser, P., Sneeuw, N., & Gerlach, C. (2003). Energy integral method for gravity field determination from satellite orbit coordinates. *Journal of Geodesy*, 77(3–4), 207–216.
150. Vonbun, F., Kahn, W., Wells, W., & Conrad, T. (1980). Determination of 50x50 anomalies using satellite-to-satellite tracking between ATS-6 and APOLLO. *Geophysical Journal of the Royal Astronomical Society*, 61, 645–657.
151. Švehla, D., & Rothacher, M. (2004). Kinematic precise orbit determination for gravity field determination. In F. Sanso (Ed.), *A window on the future of geodesy* (pp. 181–188). Berlin, Heidelberg, New York: Springer.
152. Wagner, C. (1983). Direct determination of gravitational harmonics from low-low GRAVSAT data. *Journal of Geophysical Research*, 88(B12), 10309–10321.
153. Wahr, J. (1981). Body tides on an elliptical, rotating, elastic and oceanless earth. *Geophysical Journal of the Royal Astronomical Society*, 64(3), 677703.

154. Wahr, J., Molenaar, M., & Bryon, F. (1998). Time variability of the Earth's gravity field: Hydrological and oceanic effects and their possible detection using GRACE. *Journal of Geophysical Research*, *103*(B12), 30205–30229.
155. Wang, X., Gerlach, C., & Rummel, R. (2012). Time-variable gravity field from satellite constellations using the energy integral. *Geophysical Journal International*, *190*, 1507–1525.
156. Weiffenbach, G., Grossi, M., & Shores, P. (1976). *Apollo-Soyuz doppler tracking experiment MA-089*. Smithsonian Astrophysical Observatory, Cambridge Mass: Technical report.
157. Weigelt, M., Sideris, M., & Sneeuw, N. (2009). On the influence of the ground track on the gravity field recovery from high-low satellite-to-satellite tracking missions: CHAMP monthly gravity field recovery using the energy balance approach revisited. *Journal of Geodesy*, *83*(12), 1131–1143.
158. Weigelt, M., van Dam, T., Jäggi, A., Prange, L., Tourian, M., Keller, W., et al. (2013). Time-variable gravity signal in Greenland revealed by high-low satellite-to-satellite tracking. *Journal of Geophysical Research, Solid Earth*, *118*, 3848–3859.
159. Wells, W., Conrad, T., & Kahn, W. (1977). Estimation of gravity anomalies with GEOS-3/ATS-6 satellite-to-satellite tracking data. *EOS Transactions*, *58*(6), 371.
160. Wolff, M. (1969). Direct measurement of the Earth's gravitational potential using a satellite pair. *Journal of Geophysical Research*, *74*(22), 5295–5300.
161. Wu, S., Yunck, T., & Thornton, C. (1991). Reduced-dynamic technique for precise orbit determination of low Earth satellites. *Journal of Guidance, Control, and Dynamics*, *14*(1), 24–30.
162. Yunck, T., Wu, S., Wu, J., & Thornton, C. (1990). Precise tracking of remote sensing satellites with the global positioning system. *IEEE Transactions on Geoscience and Remote Sensing*, *28*(1), 108–116. doi:[10.1109/36.45753](https://doi.org/10.1109/36.45753).
163. Zehentner, N., & Mayer-Gürr, T. (2015). Precise orbit determination based on raw GPS measurements. *Journal of Geodesy*, *90*(3), 275–286.
164. Zheng, W., Shao, C., Luo, J., & Hsu, H. (2006). Numerical simulation of Earth's gravitational field recovery from SST based on the energy conservation principle. *Chinese Journal of Geophysics*, *49*, 644–650.
165. Zheng, W., Hsu, H., Zhong, M., & Yun, M. (2012). Efficient accuracy improvement of GRACE global gravitational field recovery using a new inter-satellite range interpolation method. *Journal of Geodynamics*, *53*, 1–7.
166. Zuber, M., Smith, D., Watkins, M., Asmar, S., Konopliv, A., Lemoine, F., et al. (2013). Gravity field of the moon from the gravity recovery and interior laboratory (GRAIL) mission. *Science*, *339*, 668.
167. Zumberge, J., Heflin, M., Jefferson, D., Watkins, M., & Webb, F. (1997). Precise point positioning for the efficient and robust analysis of GPS data from large networks. *Journal of Geophysical Research*, *102*(B3), 5005–5017.