

Index

A

Advanced producer service (APS) firms, 84
Analytic hierarchy process (AHP), 425
ArcGIS classification method, 139
ArcGIS software, 48
ArcSDE databases, 370

B

Baidu map, 21–27, 32–39
 in Beijing, 34
 crowd anomaly prediction, 28–32
 crowd disasters, 20, 27
 decision method, 31, 32
 early warning method, 20, 21
 human flow and density, 20
 infrequent collective activities, 20
 machine learning model
 experiments, 35–39
 model and feature selection, 34–35
 probability of, 32
 problem definition, 33
 qualitative decision method, 41
 Shanghai Stampede
 crowd disasters, 24–26
 observations, 21–24
 usability of, 26, 27
 traditional method, 20
 user positioning number, 23
 worth mentioning, 41
Behavior segmentation, 167
Beijing City Quadrant Technology Co., Ltd, 393
Beijing Design Week (BJDW), 395, 397,
 398, 405

Big data

 management, 438
 MapReduce-based framework, 439
Big data processing platform framework,
 368
Big urban data, 436–439
BOCO Inter-Telecom's infrared
 sensor, 395

C

Call detail records (CDRs), 256
Capital Institute of Science and
 Technology Development Strategy
 (CISTDS), 200
CASA project, 440
Cell phone data
 applications, 363
 job-housing relationship, 362
 ZBs of, 360
Cell phone signaling data
 accuracy of, 252
 China Mobile Shanghai, 241
 datasets of, 252
 research, 252
 spatial and temporal behavior
 patterns, 241
Cellular phone data, 275
Cellular phone user's base station
 connection, 281
Cellular phone users (weekdays), 277
Cellular phone users (weekend), 278
Cellular/signaling data, 275
Census Bureau's census data, 256

- Central activities zone (CAZ)
 boundary, 110, 111
 CBD, 99, 100
 in China, 100
 concepts, 101, 102
 development of, 101–103
 economic entity, 100
 features, 102, 103
 physical environment, 101
 political considerations, 100
 prosperity of, 100
- Central business district (CBD), 163
- Centrality cities, 74
- Chongqing's datasets, 378
- City of health and longevity, 3
- City of New Industry Creation, 3
- Cloud computing, 436
- Cold-hot agglomeration pattern
 function of nationwide urban centers, 153
 morphology of nationwide urban centers, 152
 scale of nationwide urban centers, 151
 vitality of nationwide urban centers, 153
- Computational fluid dynamics (CFD), 418, 426, 428, 431, 432
- Confucius Temple-Qinhuai River scenic area, 51
- Congestion Management System(CMS), 340
- Connectivity between cities (CBC), 85
- Consumer segmentation, 167
- Crowd anomaly prediction, 21, 27–32, 37, 41
- Customer demographic data, 160
- Cyberinfrastructure
 and high-performance computing, 439–443
- CyberITS framework, 442
- Cyber-physical systems (CPS), 4
- D**
- Dashilan(r)
 BJDW audience members, 397
 community, 394
 observation sites, 395
 pedestrian distribution, 398
 pedestrian flow, 399
 pedestrians, 405
 smartphone heat map, 390
 study vitality of, 395
- Data visualization, 408
- DAZHONGDP dataset, 8
- Dianping, 103
- Dongguan
 demographic maps, 182
 household maps, 183
 location, administrative division and natural conditions, 181
 organization maps, 186
 profit-oriented infrastructure maps, 186
 public facility maps, 185
 social areas, 188, 189
 social space structure, 190
 stratum maps, 184
- Dongshan Deputy City, 52
- E**
- Early warning method, 20, 21
- Eigenvector centrality (EC), 66
- Enterprise data
 Beijing's high-tech industry, 216
 Beijing's main functions, 195
 city's global influence, 195
 country's international competitiveness, 194
 data and study area, 196, 197
 economic development, 195
 economic vitality, 194
 evaluation systems, 195
 government policies, 208–216
 high-tech industry, 197–201, 203–210
 high-tech industry categories and subcategories, 196
 high-tech manufacturing industry and service industry, 201–203
 industrial structure, 195
 innovative ability of science and technology, 216
 Japan Revitalization Strategy, 194
 preferential policies, 216
 spatial evolution of enterprises, 195
 technological innovation, 195
- Environmental-Symbiotic City, 3
- Exploratory spatial data analysis (ESDA) techniques, 118
- EZ-link data, 301, 303, 305, 306, 311, 312
- F**
- F1-score for abnormal crowd event, 36
- Fear of Ebola
 accurate information, 125
 analysis and interpretation, 118–128
 clarification, 124
 communication channels, 114, 128
 data collection, 117, 118
 exploratory research, 129
 geographic information, 114
 HADR, 128
 LDA, 118

- location-based information, 114
- method, 117–118
- outbreak of, 116, 117
- rumor theory and social media, 115, 116
- social media, 120–126
- trend in space, 127, 128
- trend in time, 126, 127
- user and levels of postings, 125, 126
- volunteered geographic information, 114
- Weibo messages, 129
- Floating car speed, 340, 342
- Floor area ratio (FAR), 257
- Function intersection map, 107, 108

- G**
- Gaussian process (GP) model, 419
- Gehl's human-centered research, 393
- Geographic segmentation, 167
- GIS-based geo-computation, 321
- GIS-based geovisualization, 321
- Global positioning system (GPS), 158
 - individual, 331, 332
 - real-time visualization, 326
- Global system for mobile communication (GSM), 158
- Globalization and World Cities (GaWC), 80
- Google's MapReduce model, 363
- GPS data
- GPS tracker, 325, 326
- Graphics processing unit (GPU) computing, 436
- Gross domestic product (GDP), 222

- H**
- Hadoop distributed file system (HDFS), 366, 368
- Hadoop-based processing platform, 364
- HITS 2008 survey data, 303
- Human dynamics, 439
- Human flow direction distribution, 24
- Human-centered observation, 390, 392–394, 408, 412

- I**
- IBM BigInsights, 368
- Individual behavior density
 - definition, 255
 - mobile phone data analysis method, 256, 257
 - study of, 261
- Information and communications technologies (ICT), 1–3, 5, 6, 14, 15, 63

- Interlocking network
 - in Yangtze River Delta, 91
- Internet Spring Festival Migration (ISFM), 64, 67–74

- J**
- Jiangbei Deputy City, 52
- Job density, 285, 286
- Job-housing relationship
 - application of big data, 360
 - big data analysis platform, 366, 367
 - big data computation framework, 365–368
 - census and questionnaire survey, 361
 - cell phone data, 362, 363, 384, 385
 - cell phone data processing platform, 368, 369
 - data collection and export frameworks, 367, 368
 - data preprocessing, 376–378
 - data processing, 385
 - datasets, 372, 373, 375
 - dual wage-earner households, 361
 - geodatabase depots, 371
 - Hadoop-based big data processing framework, 363
 - indicators of analysis units, 383
 - job and residence places in Chongqing, 384
 - MapReduce algorithm, 377, 379
 - places and connections, 378–380
 - real-time and high popularity, 360
 - residence and job spots, 380
 - residences and jobs distribution in Chongqing, 381
 - smart cell phones, 384
 - spatial data organization, 371, 372
 - studies, 361
 - system architecture, 364, 365
 - system composition and framework design, 369, 370
 - traffic sensor data, 360
 - transportation surveys, 362
 - urban planning, 360
 - Yuzhong District, 383

- K**
- Kernel density map, 106

- L**
- Land Transport Authority (LTA), 298, 303, 305
- Latent Dirichlet allocation (LDA), 117, 118, 121
- Leisure and shopping trips, 250, 251

Local climate zones (LCZs), 416, 419, 421–423
 Location-based service (LBS) data, 158, 223
 Location-based data, 5
 Lujiazui's center, 270

M

Map query, 20, 21, 25, 27–33, 35, 37, 39
 Mass rapid transit (MRT), 301
 Mediterranean Archaeological Network (MedArchNet), 441
 Mobile device data, 11, 12, 15
 Mobility turn
 in urban planning, 322, 323
 Moderate resolution imaging spectroradiometer (MODIS), 418
 Modularity, 65
 Moran's index, 151

N

Nanjing City, 45
 Nanjing residents' emotions, 45
 Nanjing-Shanghai-Hangzhou-Ningbo high-speed railway, 84
 National Science Foundation (NSF)-funded research, 439
 Neighborhood business district, 163
 Neighborhood service map, 334
 Ningbo international airport, 127

O

Observation method, 390, 393, 409–412
 Olympic Sports Center, 51
 Oozie module, 368
 Oozie-based operation monitoring, 367
 OpenStreetMap, 9

P

Pearl River Delta (PRD), 72
 Phone signaling data, 255–257, 270
 Planning strategy formulation, 430–431
 target regions, 429, 430
 wind paths (*see* Wind paths)
 Point of interest (POI), 137
 category reclassification, 105, 106
 dataset preparation, 103–106
 evaluated, 103–105
 PolarHub project, 440
 Population during daytime and nighttime
 in city center and built-up areas, 245–247

 city center and suburban areas, 243
 distribution of population, 243
 and floating population, 240
 population density, 244
 ratio of population, 244, 247
 Presenting public space public life strategies (PSPL), 393
 Psychographic (lifestyle) segmentation, 167

Q

Quadrifid graph analytical method, 139, 149

R

Real-time dynamic traffic information release system, 346
 Real-time traffic conditions, 333
 Regional central cities, 74–75
 Regional economic integration, 80–82, 84, 85, 89–93
 Regional transportation systems, 63
 Regression coefficient
 behavior density and FAR, 262
 hourly behavior, 257
 Remote sensing image retrieval, 419
 Residential density, 283, 284
 Residents' emotions, 43–45, 48, 50, 52, 57, 58, 61
 Residents' space-time paths, 330
 Retail sales consumer goods (RSCG), 222
 Retailing business, 171–174
 business districts in China, 162, 163, 169
 categories of, 158
 commercial methodology, 167–169
 companies, 158
 demographics of customers, 160
 district classifications, 174
 future researches, 175
 GIS software, 158
 GISUNI, 158
 innovative and nonexclusive segmentation approach, 173
 isolated store, 161
 location opportunities, 162
 location-based social media, 163
 market segmentation, 167, 168
 planned shopping center, 161–163
 POI segmentation, 168, 169
 adjacent relationship, 172
 aggregation areas, 172–174
 different types, 172
 same blocks, 171
 strong dependent, 173

- shopping behavior, 159–161
 - site selection, 158, 159
 - social media data, 169–171
 - sparse POIs, 163
 - trading areas, 164–167
 - traditional in-site surveys, 174
 - traditional questionnaire surveys, 158
 - traditional types of location, 161
 - understand customers, 159–167
 - unplanned business districts, 161, 162
 - Retrieve location-based service, 6
 - Road traffic operation evaluation system, 348–356
 - big data, 339
 - case study of Shenzhen
 - government sector, 349–354
 - service functions and applications, 348, 349
 - social public, 349, 350
 - technical personnel, 354–356
 - composition of, 343, 344
 - comprehensive features, 345
 - congestion intensity, 344
 - congestion management systems, 340
 - content, 340, 341
 - definition, 342, 343
 - evaluation, 345, 346
 - foundation of, 339
 - framework, 340
 - index selection, 342
 - long-term stable data resource, 356
 - mobile terminals, 347
 - multisource database, 356
 - professional portal site, 346
 - quantitative evaluation of, 357
 - research, 356
 - road traffic performance index, 341
 - spatial features, 345
 - sources of, 342
 - temporal features, 344
 - traffic index system of Tianjin, 340
 - traffic information services, 356
 - urban mobility reports, 340
 - Road traffic performance system, 341
 - Roadway traffic performance index release and application, 349
 - Rumor diffusion process, 119
- S**
- Secondary business district (SBD), 163
 - Shanghai polycentric structure, 266
 - Shenzhen Integrated Transport Operation and Command Center, 351
 - Shenzhen parking policy support, 354
 - Sina Weibo big data
 - catering places and hotels, 58, 59
 - commercial sites, 57, 58
 - data collection, 45, 46
 - data processing, 46–47
 - different places, 52–60
 - elucidated emotional characteristics, 44
 - emotional information, 44
 - emotional spatial characteristics, 44
 - entertainment places, 59, 60
 - geo-tagged big data, 61
 - ICT and smartphones, 44, 62
 - methods, 47–50
 - outdoors public places, 60
 - public service place, 56, 57
 - research scope, 45
 - residential areas, 52, 53
 - residents' emotions, 61, 62
 - spatial characteristics, 45
 - spatial distribution characteristics, 50–52
 - spatial researches, 44
 - suburban areas, 52
 - in traffic place, 55
 - Twitter big data, 44
 - types of places, 47, 49
 - urban planning theories, 43
 - Smart card data (SCD), 158
 - Smart card transaction data
 - activity-travel behaviors, 300, 301
 - activity-travel research, 298, 299
 - analysis, 298
 - behavioral choices, 298
 - EZ-Link card, 304, 305
 - information technology and computer science, 298
 - mobile positioning data, 298
 - multi-card problem, 305
 - penetration rate of, 305
 - Shanghai, 304
 - spatial pattern, 312
 - spatiotemporal distribution, 298
 - SPTCC, 303
 - tamper-proof IC chip, 304
 - temporal travel patterns, 307–312
 - transit trip frequency, 306, 307
 - travel-activity patterns, 305
 - trips and activities, 298
 - urban development and transit system of Singapore, 301–303
 - urban sensing data, 298, 299
 - Smart city projects, 320

- Smart travel planning, 320
 - in Chinese cities, 320
 - mobile-based, 332
 - smart city, 320
 - space-time behavior research, 320
 - Social area, 178–180, 187, 191
 - Social atlas analysis, 184–187
 - Chinese society, 178
 - conventional methods, 191
 - conventional social area theory, 178
 - data source, 180
 - index system, 187
 - induction, 178
 - re-induction, 178
 - research region, 181–184
 - social areas, 187–189
 - social division, 179–180
 - social elements, 178, 179
 - social issues, 179
 - social space, 180, 191
 - social spatial structure, 188–191
 - spatial properties
 - demography, 184–185
 - facility, 185–186
 - organization, 186–187
 - Social big data in China
 - cyber infrastructure, 12–14
 - human and socioeconomic dynamics, 15
 - human behaviors and urban structure, 6–9
 - IoT, 1
 - mobile device data, 11, 12
 - planning and management, 5, 6
 - planning indicators, 1
 - POI, urban space recognition, 9, 10
 - smart city, 3–5, 14, 15
 - smart infrastructure, 2–6
 - urban planning and management, 1
 - Social element, 178, 180
 - Social network system (SNS), 2, 5–9, 11
 - Social networking services (SNS), 158
 - Social space, 178, 180, 191
 - Southern area of Beijing
 - bus station, 227, 228
 - congestion, 222, 236
 - construction and support in industry, 236
 - empirical research, 225–236
 - land resources, 222
 - methods, 223–225
 - multidimensional analysis, 222
 - permanent population, 225, 226
 - research, 234–236
 - road network, 233, 234
 - secondhand property price, 228, 229
 - space unit for different transport modes, 232
 - time-phased relative popularity, 229–232
 - transport and municipal infrastructure, 222
 - Space-time behavior research
 - analysis, 329–331
 - challenges, 334
 - GPS data and activity-travel diaries, 334
 - GPS tracker and survey website, 325–328
 - individual activity-travel data, 334
 - mobility turn, 322–324
 - planning, 321, 322
 - practices of, 320
 - smart city planning, 324
 - smart travel planning, 331–334
 - study area, 324, 325
 - survey, 328, 329
 - theoretical basis and research framework, 320–324
 - urban residents, 334
 - Spatial autocorrelation analytical method, 140
 - Spatial distribution characteristics, 45, 48, 58, 60
 - Spatiotemporal distribution, 231
 - SPSS software, 270
 - SQL script optimization, 372
- T**
- TalkingData's dataset, 396
 - Tencent dataset, 68, 70
 - T-GIS technology, 321
 - Time-phased relative popularity, 230
 - Traffic emission monitoring platform of Shenzhen, 355
 - Traffic emission monitoring support, 355
 - Traffic index
 - hourly variation chart, 355
 - mobile users, 348
 - regular report, 348
 - Tianjin, 340
 - traffic management departments, 349
 - typhoon "Vincent", 353
 - weekly variation chart, 353
 - working day in Shenzhen, 351
 - Traffic performance assessment index
 - system, 343
 - Traffic performance index, 340
 - Traffic planning
 - cellular data, 274–279
 - correlation coefficients, 295
 - daily trip distance and distance commuted, 290–293
 - data size, 275–279
 - distance to the city center, 288–289
 - distance to the workplace, 289

- excess wasteful commuting, 274
 - GPS data, 274
 - job density, 285, 286
 - physical separation, 274
 - population density, 283–285
 - residential areas and workplaces, 279–282
 - spatial characteristics of Beijing, 282
 - time interval, 279
 - time spent at home and work, 286, 287
 - traffic demand in Beijing, 293–295
 - travel characteristics, 295
 - trip density, 290
 - trip distribution, 289–293
 - trips and household information, 274
 - urban housing and jobs, 274
- U**
- Urban center
 - “big model” paradigm, 137
 - building density, 136
 - data acquisition methods, 136
 - data, 137, 138
 - development status, 146–150, 154
 - distribution pattern, 141–144, 154
 - foreign traditional center, 136
 - formation of, 261
 - hierarchical system pattern, 144, 154
 - identification method, 138
 - individual behavior, 267
 - influence distance of, 267, 270
 - mobile phone signaling data, 270
 - nationwide, 138–140
 - overall spatial agglomeration, 150, 151
 - partial spatial agglomeration, 151, 152
 - points of interest, 153
 - Public Service Facility Index Method, 136, 137
 - rapid urbanization, 135
 - residents’ psychological cognitions, 136
 - small commercial land, 257
 - spatial agglomeration, 154
 - Speck’s research direction, 136
 - types of, 270
 - wide-scale holistic approach, 137
 - Urban heat island, 416, 419
 - curvedness, 420
 - local surface, 419–421
 - LSUHI, 420, 421
 - MSSI, 419, 420
 - Urban mobility reports, 340
 - Urban morphology, 416
 - Urban residents
 - quality of life and well-beings, 320
 - Urban science
 - CI framework, 440
 - collaborative development of, 444
 - computational, 439
 - research of, 440
 - transformative computational paradigm, 436
 - Urban spatial structures, 265–272
 - daytime and nighttime behavior density, 257–261
 - FAR, 257–261
 - mobile phone data, 256
 - mobile phone data analysis method, 257
 - mobile phone signaling data, 255, 256
 - nonpublic facilities, 257
 - seasonal behavior density and FAR, 263–265
 - Shanghai polycentric structure
 - based on behavioral density, 267
 - based on influence distance, 267–270
 - classification, 270–272
 - identification, 265–267
 - weekday and weekend behavior density and FAR, 261–263
 - Urban vitality
 - analysis and interpretation, 397–409
 - audience distribution within
 - Beijing-Fang, 398
 - audience members, 400, 403–405
 - Beijing’s subdistricts, 408
 - BJDW audience members, 397
 - consumption labels, 396
 - Dashilanr community, 410
 - Dashilanr Street, 399
 - Dashilanr’s vitality, 390
 - data collection, 395, 396
 - external features, 410
 - former analysis, 409
 - Gehl’s artificial methods, 409
 - gender and age changes, Beijing-Fang’s audience, 403
 - gender and age changes, pedestrians on Yangmeizhu Byway, 405
 - human-centered research, 392–394
 - information accuracy, 409
 - individual’s information, 409
 - local audience members’ residential places, 401
 - local audience members’ working places, 402
 - macro and micro human-centered data analysis, 412
 - macro platform, 408, 409
 - map of Dashilanr, 395

- Urban vitality (*cont.*)
 mobile phone signal heat map, 389
 observation method, 411, 412
 past human-centered research, 410
 past research, 391, 392
 pedestrians on Yangmeizhu and Dashilanr Street, 405
 people-centered observation platform, 407
 personal interest labels, 396
 place and time, 394, 395
 Qianmen street, 390
 residential and working place, 399
 sensors to monitor, 410
 smartphone data retrieval, 396
 smartphone heat map of Dashilanr and Xianyukou, 390
 smartphone labels, 396
 urban well-being, 391
 visualization platforms, 406–408
 Yangmeizhu byway, 398, 399, 404
- Urban wind path
 and urban heat environment, 416
- V**
- Value aggregation map, 106–107
- Ventilation potential
 Fuzhou, 427
 Wuhan, 427
- Ventilation potential analysis
 macroscopic built-up environment, 424–426
 microscopic built-up environment, 426–428
 local climate zoning of Wuhan, 423
 mature condition, 423
 natural wind environment, 424
 wind environment decides, 423
- Virtual interactive construction education (VICE), 443
- W**
- Weather research and forecasting (WRF) model, 418
- Web GIS technical framework, 370
- WeChat community, 127
- Weibo posts, 46
- Weibo users' emotions, 45
- Wind path
 basic features, 430
 delineating, 432
 delineation, 430–432
 natural wind, 423
 planning strategies, 428
 spatial policy formulation, 431
- Workplaces and residences
 distribution of, 242, 248
 spatial changes of, 247
- X**
- Xianyukou
 smartphone heat map, 390
- Y**
- Yangmeizhu Byway
 and Beijing-Fang's peak hour, 397
 BJDW, 397
 control group, 394
 gender and age changes of pedestrians, 405
 local residents and outsiders, 406
 pedestrian distribution, 398
 pedestrian flow, 399
 traffic distribution of, 404
- Yangtze River Delta (YRD), 72
 attribute data, 80
 background and theoretical system, 93
 city networks, 86–89
 connectivity and relational data, 85, 86
 conventional research, 80
 data of Baidu Index, 94
 data sources, 84, 85
 deficiency, 81
 economic geographers, 80
 flow data, 81
 functional area plan, 94
 informatization and globalization, 80
 interlocking network, 92–93
 regional economic integration, 81, 89–92
 relational data, 81–84
- Z**
- Zhongguancun subdistrict, 208, 211
- Zipf rank-size rule, 139