

Index

A

- Acetaldehyde dehydrogenase (ALDH), 40
- Acyl carrier protein (ACP), 26, 28
- Adenylyl cyclase, 256–258
- Aerobic metabolic pathway, 22–24
- Alcohol dehydrogenase (ADH), 40
- Alcohol metabolizing enzymes, 30–31
- Aldehyde dehydrogenase (ALDH), 30
- Algae
 - fossil fuels, 271
 - microalgae, 272
 - triacylglycerols, 272
- δ -Aminolevulinic acid (ALA), 162
- Anaerobic energy metabolism. *See* Eukaryotes
- Anaerobic metabolic pathway, 24, 25
- APS reductase, 103
- AsA-GSH cycle, 52, 55, 59, 60
- Ascaris suum*, 25
- Ascorbate peroxidase (APX)
 - alkyl hydroperoxides, 55
 - AsA-GSH cycle, 55
 - EgAPX, 55
 - MDA, 52
- Ascorbate-regenerating system, 52–56
- Astasia*, 211, 221, 222
- ATP sulfurylase, 103
- ATP-dependent phosphofructokinase (ATP-PFK), 274

B

- BayesHammer, 132
- Biofuel production
 - algae, 271–272
 - enhanced biomass production, 279, 280
 - genetic engineering, 279–280
 - optimization of culture, 278–279
- Bioremediation process
 - biomass treatment and disposal, 96
 - flagellated algae-like *E. gracilis*, 93–94
 - genetic engineering, *Euglena* species, 96–97
 - high biomass, 94–96
 - metabolic plasticity, 93
 - microalgae, 93
 - wastewater/sediments, 93

Biosorption, 97

Biotin

- enzymes, classes, 71
 - Euglena* acetyl-CoA carboxylase, 71
 - human carboxylases, 71
- BLASTX program, 54

C

- Calmodulin (CaM), 134
 - electroporating, 255
 - trifluoperazine and fluphenazin, 256
- Calvin cycle enzymes, 57
- Calvin-Benson cycle, 6
- Catabolite repression, 170, 171
- Chlorophyll, 93, 162, 163, 215, 221
- Chloroplast development
 - carbon source, 166
 - catabolite repression, 170–171
 - and mitochondria, 160
 - photocontrol
 - ALA, 162
 - chlorophyll, 163
 - CO₂ fixation, 160, 161
 - 2-D gels and fluorograms, 164
 - electrophoretic analysis, 162
 - gene expression, 171, 172
 - PBG, 162
 - photoreactivating enzyme, 161
 - pLHCPII and LHCPII, 163
 - polyproteins, 163
 - pulse labeling, 164
 - rRNA aminoacyl-tRNA synthetases, 162
 - RUBISCO, 163
 - transcriptome analysis, 162
 - photorespiratory enzymes, 161
 - respiratory inhibitors and uncouplers, 166
- Chloroplast ER (CER), 185
- Chloroplast genome, 128–129
- Chloroplast introns
 - E. gracilis*, 148
 - euglenids, 149
 - gene expression, 149
 - group II and III introns, 148, 149

- Chloroplast introns (*cont.*)
in vitro splicing assays, 148
protein coding genes, 148
splicing mechanisms, 149
strain Z chloroplast, 148
structural domains, 148
trans-acting protein, 148
twintron, 148, 149
- Chloroplast-localized proteins, 189
- Chloroplast protein trafficking pathway
chloroplast envelope membranes, 189
ER and Golgi fractions, 188
ER and Golgi membranes, 188, 189
Euglena LHCs, 186
Golgi apparatus and chloroplast, 186
immunoelectron microscopy, 186
immunogold labeling, Golgi apparatus, 186
LHCPII, 186, 188
N-terminal sequence, 188
peripheral membrane proteins, 188
pLHC polyproteins, 187
pLHCPII synthesis, 186
polyprotein processing, 188
presequence signal peptide domain, 188
pulse chase intracellular localization, 187
synchronous cells, 186
thylakoid fraction, 188
thylakoid immunogold labeling, 186
washing intact chloroplasts, 188
- Chloroplast ribosomal protein genes, 148
- Chloroplast rRNA and tRNA, 147–148
- Circadian rhythm, 248, 249
- Classification, euglenids
Euglenaceae, 12, 13
Phacaceae, 14
- C2 metabolism
ADH and ALDH, 40, 41
ethanol, 40, 42
gluconeogenesis, 42
glycolate and glyoxylate metabolism, 43–44
glyoxylate cycle, 41–43
NAD⁺-dependent ADH, 40, 41
PEPCK, 41
photorespiration, 40
PPi-PEPCK, 42
- Colacium, 13
- Complementary sequence (CTG), 143
- Computer-based cell tracking systems, 242
- Conventional spliceosomal introns, 144
- Core eukaryotic genes (CEGs), 130
- Cryptoglana*, 13
- Cyclic adenosine monophosphate (cAMP)
ATP, 255, 258
Euglena, 224
microgravity, 256
protein kinase A, 256
sensory transduction chain, 257
- Cytoplasmic large subunit (LSU), 144
- Cytoplasmic small subunit (cpSSU rDNA), 9
- Cytosolic enzyme synthesis, 169, 170
- D**
1-Deoxy-D-xylulose-5-phosphate (DXP) pathway, 80
D-glucuronate (D-GlcUA) pathway, 77
Diaphototaxis, 208
2',7'-Dichlorodihydrofluorescein diacetate
(DCFA-DAL), 250
Dinoflagellate plastids, 198
Dinoflagellate transit peptide, 199
Diplonemid mitochondrial DNA, 150
Drag-gravity model, 243
- E**
Editosomes, 150
Electrophoretic analysis, 162
Endoplasmic reticulum (ER), 185
Endosymbiotic gene transfer (EGT), 6
Enhanced biomass production, 279, 280
Enoyl reductases (ER), 27
Environmental conditions and oxidative stress, 51
Enzymes induction, 163, 167, 170, 173
ER associated degradation (ERAD), 195
ER-targeting signal peptide, 197
EST microarray analysis, 173
Euglena archaeoplastidiata, 10
Euglenaceae, 7
Eugleniformis, 9, 13
Euglena gracilis
antioxidant vitamins, 83
chloroplast-deficient mutants, 84
chloroplast genome, 128
DNA, 127, 128
endosymbiotic origins, 127
fat-soluble (*see* Fat-soluble vitamins)
fed-batch cultivation, 84
genome, 126, 130
genome assembly (*see* Nuclear genome assembly
strategies)
maximum intracellular content, 83
mitochondrial genome, 129
mixed carbon sources, 83
photoautotrophic conditions, 83
phylogenetic tree, calmodulin genes, 135
preliminary transcriptome and genome assembly,
132–133
protein statistics, 130
secondary endosymbiosis, 126, 136
size, genome, 127–128
transcriptome assembling, 130, 132
tubulin and calmodulin genes, 133–136
tubulin gene structure, 135
under heterotrophic conditions, 84
vitamins (*see* Vitamins)
- Euglenales, 6, 12–14
Euglena longa, 6, 213, 216, 221, 222
Euglena mitochondrion, 25–27
aerobic metabolic pathway, 22, 23
alcohol metabolizing enzymes, 30
anaerobic metabolic pathway, 24, 25
anaerobic treatments, 32

- anoxic freshwater ecosystems, 20
- anoxic marine sediments, 20
- facultative anaerobes, 21
- facultatively anaerobic photosynthetic flagellate, 24
- fatty acid (*see* Fatty acid synthesis)
- glyoxylate cycle, 31
- metabolic pathways, 23
- morphology, 20
- β -oxidation enzyme, 31
- TEM, 21
- wax ester fermentation, 31
- Euglenaria, 13
- Euglena velata*, 10
- Euglenids, 4–7, 149
- Euglenophyceae, 6
- Euglenozoa, 150
- Euglenozoans last common ancestor (ELCA), 151
- Eukaryotes
 - ATP, 271
 - cytosolic glycolytic pathway, 271
 - mitochondria/hydrogenosomes, 271
 - oxidative phosphorylation, 270
- Evolution, *Euglena* plastid targeting, 5, 6, 8
 - chloroplast envelope membrane translocons, 195–196
 - classes, presequences evolve, 197–198
 - convergent evolution, 198–199
 - protein presequence, 196–197
- Excavata, 4
- Expressed sequence tag (EST) project, 189

- F**
- FACS. *See* Fluorescence activated cell sorting (FACS)
- Facultative anaerobes, 21
- Fat-soluble vitamins
 - vitamin A, 80
 - vitamin D, 82
 - vitamin E, 81–82
 - vitamin K, 82, 83
- Fatty acid synthesis
 - acetyl-CoA, 26
 - anaerobic wax ester fermentation, 25
 - CCR, 27
 - C16 fatty acids, 25
 - ER, 27
 - gene silencing, 26
 - propionyl-CoA, 25
 - TER, 26
 - wax esters, 26
- Ferredoxin-dependent Trx reductase (FTR), 58
- Flavin
 - chromophore, 215, 217
 - photoreceptor, 216
 - quenchers, 218
- Fluorescence activated cell sorting (FACS), 290, 291
- Folic acid (pteroyl-L-glutamic acid)
 - cellular folate levels, 72
 - cytosolic and mitochondrial enzymes, 73
 - dihydrofolic acid synthesis, 71
 - Lactobacillus casei* bioassay, 71
 - metabolic pathways, 71
 - PLP-dependent enzyme, 72
 - structures, 71, 72
 - tetrahydrofolates, 71
- Fragmented large subunit (LSU), 145
- Fructose-1,6-bisphosphatase (FBPase), 50, 279
- 5Fs of biomass, 289, 290

- G**
- GenBank, 28
- Gene expression, 147, 149, 150, 154
- Genetic engineering
 - EgKAT1-3, 280
 - TER, 280
- Gluconeogenesis, 42
- γ -Glutamyl cysteine synthetase (γ ECS), 59, 104, 105
- Glutathione-S-Transferases (GSTs), 106, 108
- Glutathione synthetase (GSH2), 59, 105, 106
- Glutathionylspermidine (GSP), 59
- Glutathionylspermidine synthetase (GSPS), 59
- Glyceraldehyde-3-phosphate dehydrogenase (GAPDH), 50
- Glycolate and glyoxylate metabolism, 43, 44
- Glycolytic enzymes, 160
- Glycolytic pathway, 274
 - ATP-PFK, 274
 - fructose-2,6-bisphosphatase, 274
 - glucose/glucose 1-phosphate, 274
 - 6-phosphofructo-2-kinase, 274
 - PPi-PFK, 274
- Glyoxylate cycle, 31, 41, 42
- Glyoxylate cycle enzyme (EgGCE), 42, 43
- Glyoxylate pathway, 42, 43
- Glyoxysomes, 40
- Gravireceptors
 - computer-based cell tracking systems, 242
 - drag-gravity model, 243
 - gravity-buoyancy model, 242
 - internal heavier cytoplasm, 244
 - non-spherical asymmetrical body, 243
 - photo and gravitactic orientation, 244
 - plants and animals, 241–242
 - propulsion-gravity model, 243
 - and sensory transduction chain (*see* Sensory transduction chain)
- Gravitaxis, 241–244, 254–257
 - Brownian motion, 238–239
 - direction of movement, 239, 240
 - ecological consequences, 240–241
 - gliding organisms, 239
 - gravireceptor (*see* Gravireceptors)
 - hypergravity, 245–246
 - microgravity, 246–248
 - molecular biology (*see* Signal transduction chain)
 - motile organisms, 238
 - motile protists, 239
 - simulated microgravity, 245–246

- Gravity-buoyancy model, 242
- GSH biosynthesis
 description, 104
 γ -glutamyl cysteine synthetase (γ ECS), 104, 105
 glutathione synthetase, 105, 106
 GSTs, 106, 108
 membrane transporters, 106
- GSTs. *See* Glutathione-s-transferases (GSTs)
- H**
- Heavy metals accumulation, 93–112
 bioremediation process (*see* Bioremediation process)
 biosorption, 97
 extracellular chelation, 113
 intracellular mechanisms (*see* Intracellular mechanisms)
 metal ion bioavailability, 93
 methane-producing anaerobic archaea, 92
 mining/industrial areas, 92
 non-essential and essential heavy metals, 93
 pollution of aquatic systems, 92
 poly-phosphates, 112–113
- Hypergravity
 ground-based approaches, 245
 high-gradient magnetic fields, 246
 omnilateral gravistimulation, 246
 RPM, 246
- I**
- Intergenic spacer (IGS), 144
- Intermediate introns, 143
- Internal transcribed spacer (ITS), 9, 144, 147
- Intracellular mechanisms, 104–112
 GSH biosynthesis (*see* GSH biosynthesis)
 phytochelatin metabolism (*see* Phytochelatin metabolism)
 SAP, 100–104
 thiol-metabolites synthesis, 97–100
- K**
- 3-Ketoacyl-CoA thiolase (EgKAT1-3), 280
- Krebs cycle, 32
- L**
- Large-scale cultivation
 breeding potential
 DNA technology, 291
 FACS, 290, 291
 industrial utility, 290
 morphology and cellular physiology, 291
 phenotypes, 290
 business development, 289, 290
 carbon fixation, 288
Chlorella, 286
 commercial application, 286
 commercial cultivation, 292
 contaminant organisms, 287
 culture ponds, 288
 distinctive metabolic systems, 286
 facilities, 288
 FACS, 291
 5Fs of biomass, 289, 290
 GM *Euglena*, 291
 harvesting method, 289
 indoor cultivation, 289
 microorganisms, 286
 outdoor ponds, 289
 products, 287
spirulina, 286
- L-ascorbic acid (AsA)
 animal and plant pathways, 78
 antioxidant and enzyme co-factor, 77
 AsA-GSH cycle, 77
 biosynthesis pathway, 77–79
 cellular levels, 78
Chlorella and *Prototheca*, 78
 cyclic AMP (cAMP) levels, 77
 D-GlcUA, 77
 D-Man/L-Gal pathway, 77
 eukaryotic algae, 78
 hydrophilic antioxidant synthesis, 77
 monodehydroascorbate (MDAsA), 80
 reversible reaction, 78
 uronic acids, 78
 wild-type *Euglena*, 78
- Lateral gene transfer (LGT), 6
- Light harvesting complex (LHC), 185
- Light-induced proteins, 148
- M**
- Malate dehydrogenase (MDH), 41
- Metaboly, 8
- Methylmalonic aciduria type A protein (MMAA), 76
- Mevalonate (MVA) pathway, 80
- Microgravity
 circadian rhythm, 248–249
 gravitactic orientation, 249–250
 NiZeMi, 247, 248
 space flight, 247
 TEXUS, 247, 248
- Minicircle-encoded gRNAs, 151
- MITE-like transposon elements, 142
- Mitochondrial chromosome structure, 150
- Mitochondrial development
 ALA synthetase, 167
 fumarase synthesis, 166
 glycolate dehydrogenase, 168
 glyoxylate cycle, 168
 hydroxypyruvate reductase, 168
 mitochondrial proteins, 167
 phosphoglycolate, 168
 photorespiratory pathway, 168
 respiratory metabolism, 166
³⁵S-sulfate, 166, 167
- Mitochondrial fatty acid synthetic system, 276, 277

- Mitochondrial genome, 29–30, 129, 151
Mitochondrial ribosomal RNA, 151–152
Mitochondrial targeting, 30
Mitochondrial wax ester fermentation, 25
MMAA. *See* Methylmalonic aciduria type A protein (MMAA)
Molecular identification, 11
Monodehydroascorbate (MDA), 52, 80
Monomorphina, 13
Morphological diagnostic features
 chloroplasts, 8
 metaboly, 8
 mucocysts, 9
 paramylon, 9
 pyrenoid, 8
mRNA editing, 151
mRNA transcriptome, 144
Mucocysts, 9
Multifunctional β -oxidation enzyme, 31
Myzocytosis, 5
- N**
NADPH-dependent thioredoxin reductase, 55
NADPH-dependent Trx reductase (NTR), 57
NADPH-specific crotonyl-CoA reductase (CCR), 27
NADP⁺ oxidoreductase. *See* Pyruvate
N-ethylmaleimide-sensitive factor (NSF), 194
Niacin/nicotinic acid/nicotinamide
 ADP-ribosyl cyclase, 70
 Ca²⁺-dependent mechanisms, 70
 de novo and salvage pathways, 69
 Euglena ADP-ribosyl cyclase activity, 70
 ferredoxin-NADP⁺ reductase, 70
 NAADP, 70
 NAD⁺ and NADP⁺ cofactors, 69
 NADK and NAD⁺ phosphatase activities, 69
 ping-pong mechanism, with *K_m* values, 70
 regulation of, 69
 soluble NADK isoenzymes, 69
 thylakoid membrane formation, 70
Non-conventional introns, 142–144
Nuclear encoded proteins to *Euglena* plastids
 bipartite chloroplast protein presequence, 199
 chloroplast protein precursors, 199
 class II presequences, 199
 electron micrographs, 201
 ER lumen, 199
 ER membrane, 201
 Euglena chloroplast envelope membranes, 200
 eukaryotic endosymbiont, 200
 Golgi apparatus, 200
 plastid membranes, 201
 translocation channel spanning, 201
 translocation of proteins, 199
Nuclear gene expression
 Euglena, 173
 fumarase synthesis, 173
 mRNAs, 172
 pLHCPII, 173
 poly(A)⁺ RNA, 172
 polysomes, 172
 RUBISCO, 173
Nuclear genome assembly strategies
 CEGMA score, 131
 CEGMA scores, 131
 CEGs, 130
 de novo assembly, 132
 gene content, genome, 130
 genome size, 129
 next generation sequencing, 130
 Platanus assembler, 131
 post-assembly processing algorithms, 131
 read libraries, 131
 repetitive sequences, 129
 RNAseq reads and CEGMA analysis, 132
 SSPACE, 130
 transcriptome mapping, 131
 trial and error approach, 130
 Trimmomatic algorithm, 130
Nuclear large subunit (nLSU), 9
Nuclear-encoded cytosolic rRNA, 144–145
Nuclear-encoded introns, 142–144
Nucleic acid hybridization, 148
Nutritional supplements
 biomass yield in *Euglena*, 66
 food fortification, 71
- O**
O-acetylserine (OAS)-thiol lyase, 104
Open reading frame (ORF), 147
Organelle development, 164
Osmotrophs and photoautotrophs, 5, 6
- P**
Pantothenic acid
 acyl-carrier protein (ACP), 70
 co-enzyme A (CoA), 70
 fatty acid synthesis, 70, 71
 plant synthesis, 70
Paramylon, 9, 273–274
Paraxonemal body (PAB), 211
PEP carboxykinase (PEPCK), 277, 278
Peroxiredoxin, 49, 55
Phacaceae, 6, 14
Phagosome targeted proteins, 196
Phobic reactions/shock responses. *See* Photophobic responses
Phosphoenolpyruvate (PEP), 277
Phosphoenolpyruvate carboxykinase (PEPCK), 41
Photoactivated adenyl cyclase (PAC)
 confocal immunofluorescence, 222
 molecular biology, 226
 photoactivation mechanism, 220
 RNAi, 220
Photocontrol
 cytosolic enzyme synthesis (*see* Cytosolic enzyme synthesis)

- Photocontrol (*cont.*)
 dark grown resting *Euglena*
 chloroplast and mitochondrial protein, 165
 pLHCPII mRNA, 174
 LHCPII synthesis, 164
 mitochondria (*see* Mitochondrial development)
- Photokinesis, 215
- Photomovement, 211, 223
 carotenoids, 219
 chloroplasts, 210
 FAD, 220
 flavin quenchers, 218
 flavin-type photoreceptor, 216
 FPLC, 217
 hypothetical rhodopsin, 219
 light-induced behavioral movement, 208
 molecular biology, 219–221
 organisms, 210–211
 PAB, 216, 217 (*see* Paraxonemal body (PAB))
 PAC, 221, 223
 photokinesis, 209, 215
 photophobic reaction, 215, 218, 226
 photoreceptors, 216–221
 photoresponses, 211–215
 photosynthetic organisms, 208
 physical and chemical parameters, 208
 roseoflavin, 217, 218
 sensory transduction, 226
 signal transduction chain, 223–225
 UV-absorbing chromophore, 218
- Photophobic responses, 215
- Photoreactivating enzyme, 161
- Photoreceptor, 216–221
- Photorespiration, 50, 51, 161
- Photoresponses, 211
- Phototaxis
 biased random walk, 212
chlamydomonas, 212
 chloroplasts, 212
E. gracilis, 213
 electric dipole, 214
 flagellum, 213
 light direction detection, 212
 motile microorganisms, 211
 quasicrystalline structure, 214
- Phylogenetic tree
Euglena, 12
 Euglenozoa, 5
 phototrophic euglenids, 7
- Phylogeny
 excavata, 4
 synapomorphies, 4
- Phytochelatin metabolism
 accumulation, 110
 canonical, 110
 chemical structures, 107, 109
 GSH molecules, 110
 homo-phytochelatin synthase isoforms, 110
 regulation mechanisms, 110
 subcellular compartmentation, 111, 112
 synthase, 108, 109
- Plastid envelope membranes, 191
- Plastid targeting presequence domain function
 bipartite class I and class II, 194
 canine microsomes, 192
 classes, 190
 C-terminal, 194
 cytoplasm, 194
 deglycosylated protein, 193
 dinoflagellate pPCP lacking, 194
 dinoflagellate presequences, 193
 functional transit peptide, 194
 glycosylation, mature LHCPII, 193
 Golgi apparatus, 194
 intrachloroplast ATP synthesized, 194
in vitro into canine microsomes, 191
in vitro organelle import, 191
 LHCPII, 192
 Na₂CO₃ resistant association, 191
 NSF, 194
 N-terminal signal peptide, 191
 N-terminus, 194
 pea chloroplasts, 195
 pLHCPII, 191, 194
 presequence transit peptide domain, 193
 protein glycosylation, 192
 SNARE vesicle fusion apparatus, 194
 truncated pLHCPIIs, 193
- pLHCPII polyprotein, 187
- Polycistronic transcription and subsequent processing, 147
- Polycistronic transcript processing pathways, 148
- Polycistronic transcripts, 146, 147
- Polyketide synthases (PKS), 28
- Poly-phosphates, 112, 113
- Polyunsaturated fatty acids (PUFAs), 28
- Porphobilinogen (PBG), 162
- Precursor protein, 189, 192, 197
- Preillumination, 163
- Propionyl-CoA
 PEP, 277
 PEPCK, 277, 278
 succinate dehydrogenase, 278
 succinyl-CoA, 278
- Propulsion-gravity model, 243
- Protein glycosylation, 192
- Protein kinase, 224–226
 cAMP, 256
 graviperception, 257
- Protein-only RNase Ps (PRORP), 154
- Protein targeting
 complex chloroplasts, 186
 complex plastids, 185
 diatom N-terminal presequence, 185
 ER, 185
 eukaryotic photosynthetic endosymbiont, 184
 fossile record, 184
 Golgi apparatus, 185
 immunoelectron microscopy, 185
 immunogold localization, LHCPII, 187
 LHC, 185
 nucleus encoded cytoplasmically synthesized proteins, 185

- organelle, 185
- pancreatic canine microsomes, 185
- plastid envelope membranes, 184
- presequence structure, 189–191
- ribosome studded CER envelope membrane, 185
- Pterin, 216, 218, 226
- Pyrenoid, 8
- Pyrophosphate-dependent phosphofructokinase (PPi-PFK), 274
- Pyruvate, 274–276

- R**
- Random positioning machine (RPM), 246
- Rapaza viridis*, 6
- Reactive oxygen species (ROS)
 - AsA-GSH cycle, 53
 - ascorbate peroxidase, 52, 55
 - ascorbate-regenerating system, 52, 55
 - environmental conditions and oxidative stress, 51
 - GSH, 48
 - photorespiration, 50–51
 - photosynthesis
 - Calvin cycle, 50
 - Euglena*, metabolic enzymes, 56
 - metabolic pathways, 54
 - PSI and PSII, 49
 - redoxin family, 53
 - respiration, 50
 - superoxide dismutase, 51–52
 - thiol biosynthesis, 54
 - thiol peroxidase, 53
 - thiol recycling, 54
 - thioredoxin, 49
- Respiration, 50
- Rhodoquinone, 28–29
- Ribonucleotide reductases (RNRs), 76
- Ribulose biphosphate carboxylase-oxygenase (RUBISCO), 161
- Ribulose-5-phosphate kinase (RuPK), 50
- RNA transcript processing
 - chloroplast rRNA and tRNA, 147, 148
 - euglenozoan mitochondria, 150
 - gene expression strategy, 150, 152
 - mitochondrial genome structure, 150–152, 154
 - mRNA editing, 151
 - nuclear-encoded Cytosolic rRNA, 144–145
 - RNase P, 154
 - spliced-leader *trans*-splicing, 152–154
- RNase P, 154
- RNA-Seq analysis, 49
- rRNA modification, 145, 146

- S**
- Sedoheptulose-1,7-bisphosphatase (SBPase), 50, 279
- Sensory transduction chain
 - gravireceptors
 - Ca²⁺ fluorescence, 253
 - carotenoids, 253
 - fluorescent chromophore, 251
 - mechano-sensitive ion channels, 251
 - spectrofluorometer, 252
 - TPMP⁺, 254
 - Signal peptide, 185, 188, 190–192, 197
 - Signal transduction chain, 223, 224, 251, 254–257
 - E. mutabilis*, 225
 - gravitaxis
 - ATPase, 251
 - calmodulin, 256
 - cAMP, 255, 256
 - mechano-sensitive channel, 254
 - RACE-PCR, 256
 - RNAi, 254
 - RNA inhibition method, 255
 - TRP, 257
 - TRP protein, 254
 - photomovement
 - caffeine, 224
 - cAMP, 224
 - phototaxigraph, 223
 - RNAi, 224
 - RNAi, 224
 - TPMP⁺, 223
 - Simulated microgravity. *See* Hypergravity
 - Small nucleolar RNAs (snoRNAs)
 - bioinformatic analysis, 145
 - C/D box, 145
 - driving factor, 146
 - euglenozoan-specific modifications, 145
 - genomic amplification mechanism, 146
 - H/ACA box, 145
 - modification, 145, 146
 - non-fragmented SSU rRNA, 145
 - paralogous gene copy, 146
 - polycistronic precursor transcripts, 146
 - polycistronically expressed, 146
 - polycistronic transcripts, 146
 - polymerase II transcriptional properties, 146
 - RNA polymerases, 146
 - SSU and LSU, 145
 - structural potential, 146
 - U3 sequences, 146
 - Small subunit (SSU), 144
 - Soluble NSF attachment protein receptor (SNARE), 194
 - Spliced-leader RNA, 145, 152–154
 - Spliceosomal introns, 143
 - Spliceosome, 152
 - Splicing mechanism, 142, 143, 149
 - Stress-inducing agents, 149
 - Sulfate transporters
 - high GSH/Cys, 101
 - ionophores, 100
 - isoforms, 103
 - kinetic parameters, 100, 102
 - oxidative phosphorylation, 100
 - plasma membrane, 100, 103
 - sulfate structural analogue, 103
 - Sulfite reductase, 104
 - Sulfur assimilation pathway (SAP)
 - ATP sulfurylase and APS reductase, 103, 104
 - Cd²⁺ relationship, 100, 101

Sulfur assimilation pathway (SAP) (*cont.*)
 Cys synthesis, 100
 sulfate transporters, 100, 103
 sulfite reductase and OAS-thiol lyase, 104
 Superoxide dismutase, 51, 52
 Symbiont-derived ERAD-like machinery (SELMA), 195
 Symbiontids, 5

T

Taxonomic research, 7, 8, 10–11
 TCA cycle enzyme, 57, 160
 TDP. *See* Thiaminediphosphate (TDP) ester
 TEM. *See* Transmission electron microscopy (TEM)
 Thiaminediphosphate (TDP) ester, 67
 Thiamine monophosphate (TMP) ester, 67
 Thiamine triphosphate (TTP) ester, 67
 Thiol-metabolites synthesis
 accumulated cadmium, 98
 complex formation, 100
 GSH and phytochelatin 2 (PC2) with Cd²⁺, 98
 heavy metal ions, 97
 polyphosphates (PolyP) and organic acid biosyntheses, 100
 Zn-hyperaccumulator microorganism, 98
 Thiol peroxidases, 56, 57
 Thiol redox system
 low-molecular-weight
 AsA-GSH cycle, 59
Euglena GR enzyme, 60
Euglena GSH1 and GSH2, 59
 GSP and GSPS, 59
 ovoidiol, 60
 TRYRs, 60
 TRYs homologues, 60
 thiol peroxidases
 EgPrxs and EgAPX, 56
 prxs types, 56–57
 SeCys and Cys, 57
 sulfiredoxin, 57
 transcriptome data, 56
 Trx superfamily proteins
 EgNTR1 and EgNTR2, 58
 FTR, 58
 glutaredoxins (Grxs), 58
 NADPH, 57
 NTR, 57
 TXN homologous genes, 59
 Thylakoid membranes, 128
 TMP. *See* Thiamine monophosphate (TMP) ester
 Tocochromanols
 biosynthesis, 81
 culture conditions, 81
 fat-soluble molecules, 81
 homogentisic acid, L-tyrosine/L-phenylalanine, 82
 human and animal tissues, 81
 light-adapted bleached mutants, 81
 low temperature and oxygen stresses, 82
 2-methyl-6-phytylplastoquinol and 2,3-dimethyl-5-phytyl-1,4-benzoquinone, 82

methyltransferase, 81
 and oxidative stress treatments, 81
 physiological roles, 81
 prenyl side chains, 81
 Trachelomonas, 14
 Trans-acting non-conventional intron splicing factors, 143
 Transcriptional/translational level
 chloroplast gene expression, 171–172
 nuclear gene expression, 172–174
 Transcriptome analysis, 162
 Trans-2-enoyl-CoA reductase (TER), 26, 276, 280
 Transient receptor potential-like (TRP), 254
 Transit peptide, 185, 188–191, 194–196
 Translocon at the inner chloroplast envelope (TIC), 195
 Translocon at the outer chloroplast envelope (TOC), 195
 Transmission electron microscopy (TEM), 21
 Trans-splicing, 150
 Tricarboxylic acid (TCA) cycle, 40
 Trimethylguanosine (TMG), 153
 Triphenylmethyl phosphonium ion (TPMP⁺), 223, 254
 Trx superfamily proteins
 EgNTR1 and EgNTR2, 58
 FTR, 58
 glutaredoxins (Grxs), 58
 NADPH, 57
 NTR, 57
 TXN homologous genes, 59
 Trypanothione, 49, 59
 TTP. *See* Thiamine triphosphate (TTP) ester
 Tubulin, 133, 136
 Twintron, 148, 149
 Type-1 fatty-acid synthetase (type-I FAS), 68

U

U12-type spliceosomal introns, 144

V

Vitamin A
 animal-based foods, 80
 bleached mutant cells, 80
 carotenogenesis pathways and enzymes, 80
 carotenoids, 80
 functions, 80
 MVA and DXP pathways, 80
 reaction-center and light-harvesting complexes, 80
 Vitamin B1 (thiamine)
 biosynthetic pathway, 67
 domains, 67
 medium under photoheterotrophic conditions, 67
 oxidative decarboxylation, pyruvate, 67
 2-oxoglutarate decarboxylase, 67
 2-oxoglutarate dehydrogenase complex, 67
 phosphate moiety, 68
 pyrophosphokinase, types of, 68
 respiratory chain and anaerobic conditions, 68
 role of, 67
 structure of, 67

- TCA cycle, 67
 - TMP, TDP and TTP, 67
 - transport of, 68
 - Vitamin B2 (riboflavin)
 - biosynthetic pathway, 68
 - FMN and FAD precursors, 68
 - light- and dark-adapted bleached mutant cells, 69
 - long chain type-1 FAS, 68
 - NADPH-dependent glyoxylate reductase, 68
 - photoactivated adenylyl cyclase, 68
 - short chain length-specific *trans*-2-enoyl-CoA reductase, 68
 - Vitamin B6
 - cell growth, 69
 - light- and dark-adapted cells, 69
 - nitrogen and carbon metabolism, 69
 - PLP-dependent enzymes, 69
 - PMP and PNP, 69
 - pyridoxine, pyridoxal and pyridoxamine, 69
 - Vitamin B12
 - cell growth analogs, 74
 - class I, II and III enzymes, 76
 - co-enzyme forms, 75
 - culture conditions, 77
 - cyanocobalamin (CN-B12), 74
 - cytosolic B12-binding protein, 74
 - database searches and sequence comparisons, 76
 - dependent enzymes, 75
 - energy-independent binding, 74
 - Euglena* cytosolic fraction, 75
 - gastrointestinal absorption and blood circulation, 74
 - hydroxocobalamin conversion, 75
 - identical subunits, 76
 - MetH and MetE, 75
 - methylmalonyl-CoA mutase (MCM), 75
 - microbiological assays and biological samples, 74
 - MMAA, 76
 - non-enzymatic B12-binding proteins, 74
 - phosphatidylcholine synthesis, 77
 - radioisotope dilution assay method, 74
 - rat liver mitochondria uptake, 75
 - respiratory control/P/O ratio/cellular ultrastructure, 77
 - RNA and protein levels, 76
 - RNRs, 76
 - SDS-PAGE and Sephadex G-100 gel filtration, 75
 - structures, 73
 - subcellular locations, enzymes, 77
 - Vitamin C. *See* L-ascorbic acid (AsA)
 - Vitamin D
 - D2 and D3 forms, 82
 - ergosterol irradiation, 82
 - Leishmania* and *Trypanosoma* parasites, 82
 - light-grown and dark-grown cells, 82
 - 2-step enzymatic hydroxylation process, 82
 - Vitamin E. *See* Tocochromanols
 - Vitamin K
 - 1,4-dihydroxy-2-naphthoate synthesis, 83
 - electron transfer co-factor, 83
 - inner chloroplast envelope membrane, 83
 - K1 (phyloquinone), 82
 - K2 (menaquinone), 82
 - menaquinone biosynthetic pathway, 83
 - MVA and DXP pathway, 83
 - post-translational γ -carboxylation, 82
 - Vitamins
 - comparative biochemistry and biological evolution, 66
 - growth and/or by growth conditions, 66
 - nutritional supplements, 66
 - prevalence, 66
 - water-soluble (*see* Water-soluble vitamins)
- W**
- Water-soluble vitamins
 - biotin, 71
 - folic acid, 71–73
 - niacin/nicotinic acid/nicotinamide, 69, 70
 - pantothenic acid, 70–71
 - vitamin B1, 67–68
 - vitamin B2, 68, 69
 - vitamin B6, 69
 - vitamin B12, 73–77
 - vitamin C, 77–80
 - Wax ester fermentation, 27, 31, 273–278
 - algae, 271–272
 - eukaryotes, 270–271
 - metabolic pathways and enzymes
 - degradation of paramylon, 273–274
 - glycolytic pathway, 274
 - mitochondrial fatty acid synthetic system, 276–277
 - propionyl-CoA, 277, 278
 - pyruvate, 274–276
 - synthesis, 277
 - paramylon degradation, 272
 - Wax esters, biosynthetic route
 - acetyl-CoA, 27
 - butyryl-CoA, 28
 - cytosol, 27
 - NADP⁺-oxidoreductase, 28
 - propionyl-CoA, 27
 - PUFAs, 28