

Index

A

Acidosis, 60
Acinar cells, 33, 34, 40, 41
Acoustic backscatter, 220, 238, 241, 247
Acoustic biomass, 249
Acoustic methods, 187, 237–251
Adaptation, 47–62, 67–85, 132, 139, 144, 174, 196, 216, 217, 254, 276
Adaptive radiation, 17, 291
Adélie penguins, 62, 126, 227, 271, 299
Adults, 4–20, 27–44, 48, 49, 51, 60, 61, 71, 78, 93–107, 114, 121, 122, 124–126, 128, 132, 133, 135, 136, 140–145, 150, 151, 167, 175, 181, 184, 188, 194, 196, 205, 212, 216, 219, 220, 224, 225, 227, 239–245, 247–249, 255, 260, 261, 267–269, 271, 275, 277, 288, 291–294, 301
Aethotaxis mitopteryx, 5, 196
Age at maturity, 164, 259, 262–263
Age at sexual maturity, 175, 176
Age classes, 121, 140
Age distribution, 226
Aggregation, 123, 175, 184, 194, 208, 238, 239, 241–243, 245, 246, 249, 250, 259, 266
Amino acid sequence, 49–52, 56–58, 72–78
Ammonium excretion, 152–160, 162
Amphicoelous, 13
Amundsen Sea, 202, 204, 208, 213, 219, 221, 222, 224
Anguloarticular, 10
Antarctic Circumpolar Current (ACC), 48, 186, 204–211, 213, 221, 224, 272–274

Antarctic krill, 126, 133, 142, 204, 222, 250, 288, 290, 293, 294, 301, 302
Antarctic minke whales, 299
Antarctic Peninsula, 61, 96, 98, 115, 118, 119, 122, 133, 142, 145, 149–165, 176–178, 180, 183, 186, 194, 195, 198, 200, 201, 207, 209, 210, 254, 256–260, 266–268, 270, 272, 290, 291, 294, 299, 302
Antarctic Polar Front (APF), 48
Anthropogenic pro-oxidant stressors, 79
Antiapoptotic genes, 78
Antifreeze glycoproteins (AFGPs), 4, 29, 30, 33–37, 39–42, 269
Antifreeze potentiating protein (AFPP), 31, 35–37
Antifreeze proteins (AFPs), 29, 31, 32, 35–39, 42, 68, 276, 291
Antioxidant, 67–85
Anvers Island, 205, 208, 210–213, 221, 222, 227, 261, 271, 273, 274
Apoptosis, 20, 78
Arctic, 42, 51, 53, 54, 56–59, 69, 70
Area 88, 295, 296
ASPANo. 173, 297–299
Atretic follicles, 179, 180
Autonomous underwater vehicle, 238
Axial skeleton, 13–15

B

Balleny Islands, 255, 301
Basibranchial, 11
Basihyal, 10, 11
Basioccipital, 7–9, 15
Bay of Whales, 182, 184, 194, 200, 215, 220

- Bellingshausen Sea, 202, 203, 205, 206, 255, 258, 272, 274
- Benthic, 4–6, 17, 48, 61, 70, 71, 104, 132, 155, 156, 159, 166, 175, 196, 260, 263, 291, 292, 301
- Biochemical adaptations, 47–62
- Biochemistry of oxygen transport, 49
- Biodiversity, 288, 295, 299–301
- Biomass estimates, 249
- Biscoe Islands, 271–273, 275
- Blood, 30, 33–36, 49–60
- Blood parameters, 50–59
- Body density, 5, 17, 292
- Body dry mass, 133–135, 140, 141
- Body weight, 157, 176
- Bohr effect, 54, 56, 61
- Bone extracellular matrix, 20
- Bone mass, 13, 17, 261, 292
- Bone morphogenic protein (Bmp), 19
- Brain, 17
- Branchiostegal rays, 11
- Bransfield Strait, 116, 119, 183, 185, 186, 200, 205, 208–210, 218, 219, 222, 266, 271–274, 299
- Breeding, 181, 216, 275, 292, 299
migration, 181
- Buoyancy, 5, 13, 17, 28, 132–134, 139, 144–146, 150, 166, 167, 184, 196, 210, 212, 221, 224, 227, 238, 243, 261, 268, 292
- By-catch, 290, 293, 296, 297
- C**
- Calanoid copepods, 95, 106, 119, 121, 124, 133, 142, 145
- Calanoides acutus*, 95, 119, 139, 141, 159, 260
- Calanus propinquus*, 95, 119, 141, 159, 260
- Canal pores, 7
- Cannibalism, 95, 103, 106, 116
- Cape Washington, 187, 297–299
- Carbon isotopes, 97
- Cartilage, 6–8, 12, 15, 16, 19–21, 144, 243
- Cartilage gene (*col2a1*), 15, 20, 21
- Catalase (CAT), 68, 69, 72, 73, 79, 80, 82, 85
- Catalytic efficiency, 68, 75
- Catalytic rate constant (*k*_{cat}), 68
- Caudal fin, 15–16
- CCAMLR. *See* Conservation of Antarctic Marine Living Resources (CCAMLR)
- Cellular oxidative stress, 78
- Ceratobranchial, 11
- Ceratohyal, 10, 20, 21
- Chaenocephalus aceratus*, 156, 181, 204, 299
- Charcot Island, 177, 178, 205, 210, 218, 271, 273
- Chemical oxidants, 79
- Chondrocytes, 20, 21
- Chondrogenic program, 20
- Chorion, 38, 39, 84, 180
- Circumorbital ring, 10
- Circumpolar deep water (CDW), 151, 154, 204, 206, 208, 212, 213, 215, 220, 224, 257, 258, 269, 274, 275, 277
- Cleithrum, 11, 12
- Climate change, 61, 62, 145, 253–278, 290, 300
- Colonization, 196, 221, 222
- Condition index, 117, 294, 302
- Connectivity, 194–228, 272–274, 279
- Conservation, 72, 73, 287–302
- Conservation Measure 91-05, 300
- Conservation Measure 186/XVIII, 296
- Conservation of Antarctic Marine Living Resources (CCAMLR), 175, 289, 294–296, 300, 301
- Cooperation Sea, 183, 185
- Coracoid, 11, 12
- Cortical alveolus (CA), 179, 180
- Coscinodiscus* spp., 123
- Cosmonauts Sea, 176, 183, 185
- Cryopelagic, 5, 38, 42, 56, 60, 126, 145, 156, 194, 196, 216, 266, 291, 292
- D**
- Daily growth rate, 164
- Decapods, 103
- Dehydroascorbate reductase, 69
- Dentary, 9, 10
- Dermosphenotic, 8
- Development, 4–6, 8, 9, 11, 12, 15–20, 28, 38, 40–42, 49, 71, 79, 84, 85, 102, 116, 118, 120, 132, 134, 138, 139, 144, 145, 165, 175, 176, 181, 184, 196, 226, 228, 262, 264, 265, 290, 292, 293
- Diatoms, 71, 95, 117, 119, 123, 138, 143, 151, 260, 267, 268
- Diel vertical migrations, 151, 276
- Diet, 62, 70, 93–107, 117, 119–122, 124, 126, 133, 141, 142, 151, 154, 159, 163–165, 167, 227, 255, 260–262, 271, 276, 277, 293
- Digestive tract, 33, 38, 40–42
- Dissostichus mawsoni*, 78, 126, 195, 255, 301

- Division 58.4.1, 295
 Division 58.4.2, 295, 296
 Drygalski Ice Tongue, 200
 Dry weight, 126, 166
 D'Urville Sea, 95, 115, 117, 118, 120,
 122–125, 138, 182, 184, 292, 301
- E**
 East Antarctica, 94–98, 104, 105, 138,
 175–178, 180, 197, 199, 202, 207, 208,
 220, 222, 224, 290, 292, 294, 301–302
 Echosounder, 238–241, 249–251
 Ecological speciation, 196
 Ecophases, 292, 301, 302
 Ecophysiological adaptations, 61
 Ecophysiology, 48
 Embryo development, 79
 Embryonated eggs, 28, 43, 71, 72, 79–81, 83,
 84, 133, 175, 182, 184, 187, 297
 Embryonic development, 184
 Embryos, 5, 40, 71, 73, 79, 84, 85, 259,
 265, 391
 Emperor penguin, 126, 133, 166, 255,
 297, 299
 Endochondral ossification, 19, 20
 Energy budget, 152, 153, 160–165, 167
 Energy reserves, 28, 106, 118, 134, 144–146,
 261, 268
 Energy storage, 117
 Enthalpy, 56
 Environmental challenges, 254
 Environmental change, 43, 78, 123, 288,
 294, 300
 Environmental variability, 216, 294
 Epibenthic, 5, 291
 Epibranchials, 11
 Epihyal, 10
 Epitotic, 7, 8
 Epural, 16
 Erythrocyte, 48–50, 60
 Essential habitats, 288, 302
 Essential species habitats, 288
 Ethmoid region, 6, 7
Euchaeta spp., 96, 142
Euphausia
E. crystallorophias, 120, 133, 142, 159,
 250, 260, 293
E. supera, 95, 119, 151, 204, 250,
 290, 301
 Euphausiids, 95–98, 101, 103, 104, 106, 119,
 121, 122, 124, 126, 142, 145, 151, 269,
 271, 300
 Excretion (E), 152–154, 158–160, 162, 163,
 165, 167
- Exoccipital, 7–9
 Exocrine pancreas, 33–35, 40–42
- F**
 Fatty acid composition, 120, 121, 133, 134,
 136–140, 142–145, 278
 Fatty acid trophic markers, 95, 120, 121, 138
 Fecundity, 164, 165, 174, 176, 178, 217, 224,
 226, 263, 265, 276
 Feeding
 ecology, 93, 102, 119–123
 habits, 120, 151
 morphology, 102
 Fgf, 20
 Filchner Ice Shelf, 175, 183, 185, 197,
 202, 219
 Fishery, 290, 292, 295, 296
 Fish prey, 103, 104
 Food
 availability, 70
 supply, 70, 105, 118, 120, 134, 145
 web, 49, 70, 95, 97, 100, 125, 126, 133,
 145, 146, 150, 174, 275–277, 291, 300
 Foramen, 7–9, 12, 13
Fragilariopsis spp, 119, 123
 Freeze tolerance, 28–30
 Freezing point, 28–32, 37, 39, 42, 43
 Frontal, 6–8, 116, 207, 216
- G**
 Gall bladder, 41, 42
 Gastrointestinal (GI) tract, 33–35
 Gene, 4, 5, 20, 21, 32, 34, 39, 59–62, 68, 72,
 76–79, 204–206, 213, 217, 219, 223,
 225, 226
 expression, 4, 5, 20, 21
 flow, 204–206, 210, 213, 217, 219, 223,
 225, 226
 Gill
 arches, 9, 11
 rakers, 11, 18, 102
 Globin chains, 51, 59
 Glucose 6-phosphate, 69
 Glucose 6-phosphate dehydrogenase, 69
 Glutathione peroxidases (GPx), 68, 69, 72–76,
 78–80, 82, 85
 Glutathione reductase, 69, 79
 Glutathione S-transferases (GST), 69, 79
 Gonad, 145, 162, 165, 175–177, 180, 226,
 262, 263
 development, 165, 176, 226, 262
 Gonadosomatic index (GSI), 160–162, 165,
 176, 177, 263, 264

Gravitaxis, 28, 133
 Group synchronous ovaries, 177
 Growth (G), 13, 19, 29–32, 35, 43, 49, 68, 71,
 116–118, 133–141, 152, 153, 160, 161,
 163–165, 167, 177, 179, 259–266, 268,
 269, 276, 292
 Growth rates, 118, 133, 134, 152, 164, 265
 Gut content analysis, 120, 139
Gymnodraco acuticeps, 38, 53, 126, 154,
 157, 255

H

Haemal arch, 14–16
 Haematocrit, 50
 Haemoglobin, 5, 47–62, 277
 Haemoglobin system, 5, 47–62, 277
Harpacticus furcifer, 120
 Harvesting, 289, 294, 300, 301
 Hatching, 18, 27, 28, 38, 43, 71, 82, 84, 116,
 133, 175, 182–187, 210, 219, 259, 260,
 262, 267, 275, 292, 297, 302
 Hatching area, 183–187
 Hatchling, 38–40, 43
 Heat-shock response, 68
 Heterochrony, 5, 6
 High-Antarctic food web, 133
 Histological methods, 175
 Hydrogen peroxide (H₂O₂), 68, 81
 Hydrostatic pressure, 43, 61
 Hydroxyl radicals (HO), 70, 81
 Hyoid arch, 10, 11
 Hyomandibulae, 9, 10
 Hypobranchials, 11
 Hypohyals, 10
 Hypural, 15, 16
 Hysteresis, 30–32, 36–40

I

Ice crystal, 29–33, 35–37, 42–44
 Icefish, 60, 70, 95, 118, 180, 181, 204, 241,
 290, 299
 Ice krill, 119, 125, 126, 133, 142, 241, 246,
 288, 293, 294, 301, 302
Ihh expression, 20
 Increasing temperatures, 258, 266
 Index of Relative Importance (IRI),
 100–102, 104
 Initial alveolus (IA), 179, 180
 Insulin, 33, 40, 41
 Intercalar, 7, 8
 Interhyal, 10

Interopercle, 10
 Interorbital, 6, 7, 9, 10, 18
 Intramembranous ossification, 19
 Isotopic signatures, 97, 124
 Italian National Programme for Antarctic
 Research (PNRA), 251

J

Jaws, 9–11, 17, 18, 103
 Joinville Island, 177, 178, 200, 205, 217, 219,
 271–273
 Juveniles, 4, 6, 11, 12, 17, 18, 60, 61, 98, 105,
 114–116, 119–128, 132, 133, 135, 136,
 140–145, 150, 151, 181, 185, 200, 220,
 239, 240, 249, 265–267, 288, 291–293,
 301, 302

K

Katabatic wind, 116, 197, 199, 205, 219, 223,
 224, 293
 Killer whales, 126, 299

L

Lacrimal, 8, 10
 Larvae, 4, 6, 11, 13, 17, 19–21, 28, 38–41, 43,
 61, 84, 85, 103, 114, 120–127,
 132–144, 150, 151, 174, 175, 180–187,
 194, 197, 199, 200, 205, 208, 219, 239,
 240, 260, 262, 265–268, 272–275, 277,
 288, 291–294, 297, 301, 302
 Larval abundance, 115, 224
 Larval aggregations, 208
 Larval condition, 267
 Larval densities, 185
 Larval development, 40, 41, 134, 145, 181, 265
 Larval growth, 118
 Larval integument, 39
 Larval-pump hypothesis, 272
 Larval stages, 19, 115, 119, 120, 122, 124,
 134–139, 143, 150, 151, 181, 184, 205,
 293
 Larval survival, 272, 274
 Late Miocene, 5, 196
 Lazarev Sea, 95, 97, 224
 Length frequency distributions, 114
 Leopard seals, 255, 299
 Life cycle, 4, 11, 28, 68, 70, 71, 84, 106, 119,
 126, 132, 133, 145, 187, 194, 216, 227,
 291, 301
 Likely hatching area (LHA), 183–186

Likely Nursery Grounds (LNG), 182–185

Limacina helicina, 103, 119

Lipid

accumulation, 5, 117, 126, 138–140, 144, 145, 167, 292

compositions, 70, 134, 135, 165

deposits, 132, 139, 142, 261, 268

levels, 134, 138, 140, 145, 159, 166, 267

peroxidation, 5, 117, 126, 138–145, 167

rich yolk, 133

sacs, 132, 144, 145, 150, 261, 278

storage, 117, 133, 134, 139–144

Liver, 33, 38, 41, 78, 121, 139

Longhorn sculpin, 37

Loss of connectivity, 272, 274

M

Malondialdehyde, 81–83

Marguerite Bay, 177, 178, 183, 185, 194, 200, 202, 205, 210, 212, 218, 221, 227, 261, 266, 270, 271, 273–275

Mating, 174

Maturity, 94, 152, 177, 263–265, 292

Mawson Sea, 165, 175, 176, 178, 262, 263

Maxillae, 9, 10

Mesenchyme, 19

Mesenteries, 42

Mesethmoid, 6–8

Mesophilic, 68

Mesopterygoid, 9, 10

Metabolic rate, 154, 155

Metabolism, 68, 76, 79, 84, 102, 145, 152–158, 160, 162–165, 167, 263, 264, 266

Metapopulation, 217, 218

Metapterygoid, 10

Metridia gerlachei, 96, 97, 99, 101, 103, 105–107, 119, 122, 124, 260, 262, 268

Michaelis-Menten constant (*K_m*), 68

Migration, 51, 60–62, 115, 116, 194, 210, 213, 216, 218, 219, 222, 226, 242, 251, 254, 268, 272, 275

Mortality, 115, 118, 216–218, 227, 259, 263, 264, 276, 290, 300

Mortality rate, 118, 216

mRNA, 74, 79, 80

Myctophids, 95–98, 145, 150, 151, 154, 155, 166, 167, 268, 269, 276, 294

N

Neritic assemblages, 206, 227

Neural arch, 14–16

Neurocranium, 6–9, 11, 17, 18

Neutrally buoyant clade, 195, 196, 204

Newly hatched larvae, 28, 39, 180, 184, 194, 297

Nitrogen excretion, 152, 154, 158–160, 162, 165, 167

Nitrogen isotope ratios, 97

Nocturnal migrations, 275

Notch, 9, 11, 20

Notochord, 13–16, 144, 243

Notochordal canal, 13, 18

Notothenia coriiceps, 37, 53, 77, 78, 299

Nototheniidae, 6, 15, 16, 19, 48, 59, 60, 72, 73, 114, 156, 157, 291

Notothenioidei, 4, 5, 11, 15, 48, 49, 56, 57, 60, 61, 114, 132, 144

Nrf2 pathway, 77

Nrf2 sequence, 77

Nursery area, 71, 181, 182, 184, 186, 292, 293, 297, 301

Nursery grounds, 71, 181, 183–185, 274, 292, 301

O

Oesophagus, 42

Oil sacs, 133, 138, 144, 145

Omnivorous, 99, 117, 121, 124, 138, 142

Oncaea, 119, 122, 139, 260, 262

Ontogenetic, 9, 18, 121, 124, 132, 144, 227, 266

Ontogeny, 5, 11–13, 61, 116, 122, 124, 126, 199, 260–261

Oogenesis, 174

Opercle, 10, 11

Ossification, 9, 15, 18–20, 144

Osteoblasts, 20

Osteoclasts, 20

Osteogenic program, 20

Osteoporosis, 20

Otolith biochemistry, 116

Otolith nuclei, 205, 273

Ovarian development, 180

Ovary, 176, 177, 179–181

Over-expression, 78

Oxidative, 70, 71, 81, 84, 85

Oxidative stress, 68–70, 76–78, 85

Oxygen affinity, 54–56, 60

Oxygen-carrying capacity, 60

Oxygen consumption, 84, 152–160, 162

Oxygen detoxification, 68

Oxygen oversaturation, 71

Oxygen-transport system, 49, 60, 61

Oxyradicals, 68, 70, 81, 83, 84
Ozone depletion, 71

P

Paedomorphosis, 4, 5
Pagothenia borchgrevinki, 35, 72–74, 77, 78, 126, 154–157, 255, 292
PAGP. *See* *Pleuragramma* antifreeze glycoprotein (PAGP)
Palatoquadrate, 9
Pancreatic acinar cells, 40
Pancreatic enzymes, 40
Paraeuchaeta antarctica, 106, 122, 124
Paralabidocera antarctica, 120
Parasphenoid, 6–8
Parhypural, 16
Pectoral girdle, 12
Pelagic community, 268, 294, 301
Pelagic ecosystem, 123, 251, 256, 294, 300–302
Pelagic eggs, 71, 116, 174, 175, 259, 260, 291
Pelagic lifestyle, 5, 144, 150–151, 166, 255, 294
Pelagic systems, 49
Penguin, 61, 62, 70, 123, 126, 133, 151, 166, 227, 255, 269, 271, 297, 299, 300, 302
Perivitelline fluid, 38
Perivitelline space, 38
Peroxyl radicals (ROO), 70
Pharyngeal teeth, 11
Pharyngobranchials, 11
Phenotypic plasticity, 181
Phosphatidylcholine (PC), 134
Phosphatidylethanolamine (PE), 134
Phospholipids, 78, 134, 135, 137, 140, 141
6-Phosphogluconate, 69
Photo-activation, 71
Phototaxis, 28, 133
Phylogenetic tree, 48, 54, 57–59
Phylogeny, 13, 56–59
Physiological responses, 71, 254
Physiology, 61
Phytoplankton, 97, 118–124, 126, 138, 145, 258, 262, 267, 293
Piscivory, 95, 103, 106, 107
Planctophagia, 17
Planktivorous, 114
Plankton, 48, 103, 115, 116, 118, 175, 260, 293, 300, 301
Plasticity, 122, 127, 181, 267, 276
Platelet ice, 28, 43, 67–85, 116, 133, 155, 175, 184, 194, 260, 275, 292, 297

Pleuragramma antifreeze glycoprotein (PAGP), 36, 37
Pleuragrammatinae, 5, 6, 9, 11, 15, 18, 19, 195, 196
Polar Front, 207
Pollutants, 79
Polynya, 186, 197, 199, 205, 215, 223, 224, 293, 302
Population, 44, 62, 100, 133, 145, 154, 166, 181, 194, 196, 204, 205, 210, 212, 213, 216–228, 254, 260, 261, 264, 269, 271–276, 278, 287–302
 dynamics, 61
 size, 217, 222, 225, 227
 structure, 61, 193–228
Post-larvae, 61, 119, 133, 135, 136, 138–140, 181, 200, 205, 219, 239, 240, 248, 260, 272
Post ovulatory follicles (POFs), 179, 180
Premaxillae, 9, 10
Preopercle, 10
Prey items, 93, 94, 99–104, 106, 124, 139, 142, 264, 268, 293
Progenesis, 19
Protoic, 7, 8
Pro-oxidant, 67–85
Prydz Bay, 96, 98, 103, 115, 175, 183, 185, 202, 221, 224
Psychrophilic, 68
Pteropods, 95, 96, 103, 119, 151
Pterospheneid, 7
Pterotic, 7, 8
Pterygiofores, 15
Pterygoid, 9, 10

Q

Quadratum, 10

R

Radii branchiostegi, 10, 11
Reactive oxygen species (ROS), 69, 71, 76, 78, 84
Recruitment, 128, 185, 197, 208, 216–218, 221, 222, 227, 264, 269, 272–275, 293
Redox status, 69, 84
Remotely operated vehicle (ROVs), 166, 292
Reproduction cycle, 186
Reproductive habitats, 292
Reproductive investment, 162, 165, 181, 259, 263–264

- Reproductive output, 162, 164, 174, 264, 265, 268, 276
 Reproductive traits, 174–180
 Resilience, 61, 300
 Respiration rate, 70, 84, 155
 Respiratory system, 49
Rhincalanus gigas, 96, 97, 99, 103, 122, 124, 142, 260, 262
 Ribs, 15
 Root effect, 54–56, 60, 61
 ROS. *See* Reactive oxygen species (ROS)
 ROS-induced damage, 70
 Ross Sea, 42, 71, 96–102, 104, 105, 107, 115, 116, 118–120, 123, 124, 126, 133, 145, 164, 175–178, 180, 182, 184, 186, 187, 194, 199, 200, 202, 208, 213–215, 219–222, 227, 238–246, 248–251, 255, 257, 259, 268, 272, 277, 290, 291, 297, 300–301, 303
- S**
- Salps, 95, 96, 267–269
 Scapula, 11–13
 Scattering model, 239, 240, 244
 Scavenging activities, 78
 Schooling, 166, 294
 Scotia Arc, 255, 302
 Scotia Sea, 96, 207
 Sea-ice, 5, 38, 42, 43, 62, 70, 71, 84, 105, 116, 120, 123, 145, 184, 202, 210, 224, 255–260, 262, 265, 269, 271, 274, 275, 277, 292, 293, 297, 299
 dynamics, 262, 274, 275, 293
 extent, 256
 retreat, 258, 262, 275
 Seals, 42, 61, 70, 126, 133, 151, 166, 255, 265, 269, 299, 300, 302
 Seasonality, 48, 79, 174
 Sea surface temperatures, 258
 Secondary pelagization, 4–6, 18, 292
 Seismosensory canal, 8, 10, 18
 Selective pressures, 60, 217
 Selenium Dependent Glutathione Peroxidases, 82
 Sex-ratio, 259, 265
 Sexual maturity, 94, 164, 175, 176, 262, 263, 265
 Silverfish Bay, 187, 199, 297, 298
 Silverfish embryos, 71, 184
 Size at maturity, 164, 259, 262, 263
 Skeletal mass, 16, 17
 Skeletogenesis, 19
 Skeleton, 3–21, 144, 243
 Skin, 39, 41
 Skip spawning, 181, 264, 265
 Sluggish stress, 49, 50, 56, 60, 61, 103, 132, 134, 145, 152
 SOD. *See* Superoxide dismutase (SOD)
 Somatic growth, 118, 134, 139, 161, 163, 167, 263, 264
 South Georgia Island, 266
 South Orkney Islands, 96, 106, 194, 204, 206, 208, 209, 219, 220, 255, 290, 300
 South Sandwich Islands, 206, 208, 255
 South Shetland Islands, 96, 176, 204, 205, 209, 210, 218, 255, 266
 Soviet trawlers, 175, 295, 296
 Spatial distribution, 115, 197, 205, 238, 242, 247, 297
 Spawning migrations, 181
 Spawning seasonality, 174
 Spermatoocytes, 177
 Spermatogonia, 177
 Sphenotic, 7, 8
 Splanchnocranium, 9–11, 20
 Spleen, 36
 Stable isotopes, 94, 95, 97–99, 102, 105, 120, 122, 125
 Starvation, 70, 117, 133, 188, 268, 293
Stephos longipes, 120
 Stickleback, 20
 Stomach content analysis, 99
 Stomach contents, 94–102, 104–107, 119, 120, 161, 267, 278
 Subarea 48.2, 295, 300
 Subopercle, 10
 Supercooled, 29, 37, 42
 Superoxide dismutase (SOD), 68, 69, 78, 85
 Supraoccipital, 7, 8
 Suspensorium, 9, 10, 18
 Symplecticum, 10
 Synapomorphy, 17
- T**
- Target strength, 188, 238, 241, 243–250
 Teeth, 9, 11, 18, 103
 Terra Nova Bay (TNB), 28, 38, 43, 71, 72, 79, 80, 116, 133, 166, 182, 184, 194, 199, 200, 205, 215, 220, 251, 259, 260, 278, 297, 298, 301
 Testis, 177
Thalassiothrix antarctica, 123
 Thermal hysteresis, 30, 31, 37, 40
 Thermal maximum (CT_{max}), 43

- Thiobarbituric acid reactive substances (TBARS), 70
 TNB. *See* Terra Nova Bay (TNB)
 Toothfish, 166, 181, 195, 227, 290, 301
 Top predators, 114, 123, 126, 145, 277, 294, 300, 302
 TOSC. *See* Total oxyradical scavenging capacity (TOSC)
 Total lipid amount, 134
 Total oxyradical scavenging capacity (TOSC), 70, 81, 83
 Transcription factor (Nrf2), 85
 Transcription factor (*Runx2*), 19
 Transcription factor (*Sox9*), 19
 Transcriptomic, 78
Trematomus pennellii, 175
 Triacylglycerols, 121, 132–135, 137–142, 144, 150
 Trophic condition, 293, 302
 Trophic ecology, 93–107, 113–128, 151, 301
 Trophic plasticity, 127
 Trypsinogen-like protease pre-cursor, 33
Tysanoessa macrura, 96, 97
- U**
 UCDW. *See* Upper circumpolar deep water (UCDW)
 Unpaired fins, 15–16
 Upper circumpolar deep water (UCDW), 258, 274, 275
 Upwelling, 126, 217, 223–225, 293, 294, 302
 Urostyle, 15
 UV radiation, 70, 79
- V**
 Variation in the diet, 104
 Vertebral centrum, 13
 Vertical distribution, 116, 239, 241, 242, 251, 260, 261
 Viscosity, 49
 Visual predators, 151
- Vitamin E, 69, 70, 81
 Vitellogenesis, 145
 Vitellogenic (Vtg), 177, 179, 180
 Vomer, 6–8
 Vulnerability, 122, 254, 259–266, 277, 288, 294, 299
- W**
 WAP. *See* Western Antarctic Peninsula (WAP)
 Warm Deep Water (WDW), 208
 Wax esters, 139, 141, 142, 144, 145
 Weddell Front, 208, 209, 219, 222
 Weddell Gyre, 185, 198, 208, 272
 Weddell Sea, 48, 94, 96–99, 115, 118–120, 124, 126, 132, 133, 138, 175–177, 183, 185, 186, 194, 197, 198, 200, 202, 205, 208–210, 217–219, 222, 223, 255, 257, 259–262, 266, 267, 269, 271–275, 290, 292, 299, 302
 Weddell seals, 126, 299
 Western Antarctic Peninsula (WAP), 149–167, 185, 200, 207, 254, 257–258, 261, 264–266, 268–277, 290, 294, 299, 302
 Wet weight, 117, 156, 157
 Whales, 70, 126, 133, 182, 184, 194, 200, 215, 220, 299
 Winter period, 118, 175
 Wnt, 20
- Y**
 Yolk sac larvae, 40, 132, 133, 277
- Z**
 Zooplankton, 19, 49, 95, 101, 103, 107, 114, 118, 122, 124, 126, 128, 138, 163, 164, 261, 267–269, 293
 community, 106, 107, 258, 267
 Zymogen granules, 33, 41