

# Index

## A

Acoustic waves, 30, 36, 51  
Acoustic wave velocity, 52  
Aerial Coanda High Efficiency Orienting  
  Nozzle (ACHEON), 116, 117  
Aerodynamic performances, 115  
Analog to Digital Conversion (ADC), 47  
Ansys Fluent 17.1, 122  
Attenuation constant, 35, 40  
Auto spectral density, 40  
Availability analysis, 199

## B

Backward travelling wave, 34  
Balking, 157, 159  
Batch mixing, 1, 5, 6, 8, 9, 15–19, 21–25, 27  
Batch services, 150  
Boundary layer, 101–103, 105, 109, 110, 117,  
  120, 121  
Bulk arrivals, 165  
Busy period, 151, 175, 176

## C

Catastrophic failure, 87, 96, 98  
Cauchy problem, 105–107  
CDF assessment, 115  
Characteristic impedance, 34, 35, 42  
Coanda effect, 115, 116, 118, 121  
Coanda flow, 101  
Complex modulus, 13, 14, 18, 19, 23–25  
Complex system, 86  
Conditional expectation, 135  
Constructal law  
Continuous distribution, 140, 179, 180, 187  
Corrective maintenance, 63  
Corrective maintenance cost, 63

Cross-spectral density, 43  
Cumulative damage model, 179, 183, 187

## D

Degraded state, 87, 93  
Delay, 173, 175  
Dielectric barrier discharge, 116  
Difference equation, 152, 162  
Discrete distribution, 133, 136, 183  
Down state, 93  
Drag force, 126  
Dual slope ADC, 49  
Dynamic range, 45, 47

## E

EasyCFD, 122, 124  
Effective aircraft design, 115  
Electric propulsion, 116, 118  
Elevator system, 190–192, 205, 207, 212  
Energetic materials, 1, 10, 17, 27  
Energy spectral density, 40  
ERCOFTAC, 122  
Expected cost per unit time in the steady-state,  
  181, 182, 184, 185  
Expected profit, 189, 205, 207, 208, 211  
Extrusion pressure, 9, 10, 15, 18, 19, 24, 25  
Extrusion temperature, 10, 26

## F

Fast Fourier Transform (FFT), 40, 43, 44  
Feedback, 150, 173, 174  
Fixed Two Microphone Impedance Tube  
  Experiment (FME), 37, 38  
Flash ADC, 48  
Flow adhesion, 101  
Forming processes, 2, 10

Forward travelling wave, 34, 35  
 Frequency response, 46

**G**

Gamma process, 59, 60, 68, 75  
 Gelled propellants, 1, 2, 5, 11, 14, 15, 18, 25, 27  
 Genetic algorithm, 59, 60, 64, 65, 68, 69, 72, 75, 78, 79, 81  
 Gumbel-Hougaard family copula, 86

**H**

Heuristic method, 60, 64, 68, 69, 71, 75, 78, 79, 81  
 Human failure (error), 86, 87

**I**

Innovative propelled wing, 115  
 Inspection cost, 59, 60, 63, 71, 75  
 Inspection interval, 57–60, 62, 64, 65, 68, 75, 82  
 Instrument phase mismatch, 54  
 Interval availability, 59, 60, 63–65, 69, 71, 75, 79, 81

**J**

Joint probability distribution, 135

**L**

Laminar boundary layer, 103, 110  
 Laminar diffusion, 103  
 Laplace transform, 85, 94  
 Large eddy simulation, 101  
 Life cycle cost, 59, 60, 63, 64, 68, 71, 75, 78–81  
 Lift force, 124, 126  
 Loss modulus, 12–14, 18, 21  
 Low speed flight, 115, 122

**M**

Maintenance policy, 93, 98  
 Manufacturing processes, 1, 2, 5  
 Markov chain, 142–145, 170, 171  
 Markov process, 86  
 Markov property, 142, 144, 147  
 Mathematical model of flow, 101  
 Mean time to failure, 94  
 Microphone, 36–38, 40, 45–47, 53  
 Mixing energy, 8, 15, 17, 19, 20, 23  
 Mixing temperature, 15, 21  
 Mixing time, 15, 17, 20, 21  
 Moments, 154  
 Multistate, 85

**N**

Navier-Stokes equation, 103  
 Nitrocellulose gels, 5, 15  
 Normalized impedance, 42, 45

**O**

One-shot systems, 57, 59–64, 71, 74, 75, 78, 79, 81  
 Optimal policy, 179

**P**

Parallel/series system, 85, 86, 93  
 Plane waves, 30  
 Poisson distribution, 138, 151, 157, 174, 175  
 Power generation system, 86  
 Power measuring, 9  
 Power spectral density, 40  
 Pressure-Implicit with Splitting of Operators (PISO), 123  
 PREssure STAggering Option (PRESTO), 123  
 Preventive maintenance, 58–60, 62–64, 68, 75, 78, 80, 82  
 Preventive maintenance cost, 60, 64, 69  
 Preventive maintenance policy, 62, 179, 183  
 Preventive replacement age, 58, 60, 62, 64, 68, 75, 78, 82  
 Probability distribution, 133, 143, 156, 159, 162, 167, 169, 170  
 Probability generating function, 135, 136, 149, 153, 162  
 Production control, 2, 10, 20  
 Propellant doughs, 1–12, 15–21, 23–25

**Q**

Quality control, 1, 3, 12, 15, 16, 18–20, 25, 26  
 Queueing processes, 150

**R**

Ram extrusion, 1, 6, 9, 15, 16, 18–20, 24–27  
 Ram velocity, 9, 10, 15, 18, 19, 25  
 Random events, 131  
 Reflection coefficient, 36, 39, 42, 45, 52, 53  
 Reliability analysis, 205  
 Reneging, 157, 159  
 Rheological behaviour, 5, 11, 12, 16  
 Rotational rheology, 13

**S**

Safety analysis, 86  
 Self-controlling methodology, 3, 15–19  
 Sensitivity, 45, 47  
 Sensitivity analysis, 96  
 Series structure, 57, 62, 64, 74

Set-up cost, [63](#), [75](#)  
Short take-off and landing, [116](#)  
Sigma delta ADC, [48](#), [49](#)  
Simulation, [60](#), [64–66](#), [75](#), [81](#)  
Single and multiple-server queues, [150](#),  
[159](#)  
Skewness, [124](#)  
Sliding Microphone Probe Experiment  
(SME), [36](#)  
Spalart Allmaras turbulence model, [122](#)  
Spectral density, [39](#), [43](#)  
SST K- $\omega$  model, [122](#)  
Standby redundancy, [86](#)  
State transition probability, [197](#)  
Stochastic failure level, [179](#), [187](#)  
Stochastic processes, [132](#), [142](#)  
STOL, [101](#), [116](#), [117](#)  
Storage modulus, [12–14](#), [18](#), [21](#)  
Storage time, [10](#), [15](#), [24](#)  
Successive approximation converter, [50](#)  
Supplementary variable technique, [85](#)

**T**

Thrust, [116](#)  
Transfer Matrix Method (TMM), [38](#)  
Transition probability, [143](#), [144](#), [146](#)  
Transition state probability, [87](#)  
Turbulent diffusion, [104](#)  
Turbulent length scale, [111](#), [112](#)  
Turbulent momentum transport, [117](#)

**U**

Up state, [93](#)  
Upstate and downstate, [199](#)

**V**

Vertical take-off and landing, [115](#), [116](#)  
Viscous flow near wall, [101](#), [102](#)  
Viscous sub-layer, [122](#)

**W**

Wall-shear stress, [110](#)  
Weibull distribution, [62](#), [74](#)